

Bölüm **56**

PERİPROSTETİK ENFEKSİYON

Samet IŞIK¹

GİRİŞ

Total diz arthroplastisi son evre diz osteoartriti tedavisinde uygulanan, ağrının azaltılması ve fonksiyonun artırılmasını sağlayan başarılı bir tedavi yöntemidir (1). Total diz protezi sonrası hasta memnuniyeti tüm ilerlemelere rağmen %82-89 oranında kalmaktadır (2). Dunbar ve arkadaşlarının, İsveç Artroplasti Kayıt Merkezinin verilerini kullanarak yaptığı 2013 tarihli çalışmasında, memnuniyet analizinde hastaların %17'sinin memnun olmadığını tespit etmiştir (3).

Artan arthroplasti uygulamaları ve beraberinde artan memnuniyetsizlik ve komplikasyonlar nedeniyle revizyon ameliyatlarının sayısı her geçen gün artmaktadır. ABD'de yapılan revizyon ameliyatlarının epidemiyolojisini incelediği bir çalışmada, periprostetik enfeksiyon nedenli revizyon %20,4 ile önde gelen revizyon endikasyonu olarak tespit edilmiştir (4). Periprostetik enfeksiyon bulunan hasta grubunun, ekonomik ve hasta memnuniyeti açısından olumsuz sonuçları periprostetik enfeksiyonu olmayan gruplara göre çok daha fazladır (5, 6). Enfekte grup normal hastalar ile karşılaştırıldığında diz arthroplastisinde yıllık maliyet enfekte grupta ortalama 116,383-\$ iken kontrol grubunda 28,249-\$ olarak bulunmuştur (5).

Hem hasta memnuniyeti hem sağlık sisteminin üzerine etkileri göz önüne alındığında; periprostetik enfeksiyonların önlenmesi, tanısı ve tedavisi konusunda gerekli özeni göstermek gerekmektedir.

EPIDEMİYOLOJİ/ETYOLOJİ

Ameliyathane odalarında kullanılan laminer akım, cilt hazırlığı, asepsi ve antiseps kurallarının uygulanması, eşlik eden hastalıkların tedavisi ve profilaktik antibiyotik uygulanması gibi önlemlerle; implant enfeksiyonları geçmiş yillara göre

¹

KAYNAKLAR

- 1: Jüni P, Reichenbach S, Dieppe P. Osteoarthritis: rational approach to treating the individual. *Best practice & research Clinical rheumatology*. 2006;20(4):721-740.
- 2: Bourne RB, Chesworth BM, Davis AM, et al. Patient satisfaction after total knee arthroplasty: who is satisfied and who is not? *Clinical Orthopaedics and Related Research*. 2010;468(1):57-63.
- 3: Dunbar MJ, Richardson G, Robertsson O. I can't get no satisfaction after my total knee replacement: rhymes and reasons. *The bone & joint journal*. 2013;95(11_Supple_A):148-152.
- 4: Delanois RE, Mistry JB, Gwam CU, et al. Current epidemiology of revision total knee arthroplasty in the United States. *The Journal of arthroplasty*. 2017;32(9):2663-2668.
- 5: Kapadia BH, McElroy MJ, Issa K, et al. The economic impact of periprosthetic infections following total knee arthroplasty at a specialized tertiary-care center. . 2014;29(5):929-932.
- 6: Kurtz SM, Lau E, Watson H, et al. Economic burden of periprosthetic joint infection in the United States. *The Journal of arthroplasty*. 2012;27(8):e61-65. e61.
- 7: Harris WH, Sledge CB. Total hip and total knee replacement. *New England Journal of Medicine*. 1990;323(11):725-731.
- 8: Sperling JW, Kozak TK, Hanssen AD, et al. Infection after shoulder arthroplasty. *Clinical Orthopaedics and Related Research*. 2001;382:206-216.
- 9: Corvec S, Portillo ME, Pasticci BM, et al. Epidemiology and New Developments in the Diagnosis of Prosthetic Joint Infection. *The International Journal of Artificial Organs*. 2012;35(10):923-934.
- 10: Trampuz A, Zimmerli W. Prosthetic joint infections: update in diagnosis and treatment. *Swiss medical weekly*. 2005;135(17-18):243-251.
- 11: Lamagni T. Epidemiology and burden of prosthetic joint infections. *Journal of Antimicrobial Chemotherapy*. 2014;69(suppl_1):i5-i10.
- 12: Peel TN, Cheng AC, Busing KL, et al. Microbiological aetiology, epidemiology, and clinical profile of prosthetic joint infections: are current antibiotic prophylaxis guidelines effective? *Antimicrobial agents and chemotherapy*. 2012;56(5):2386-2391.
- 13: Parvizi J, Zmistowski B, Berbari EF, et al. New definition for periprosthetic joint infection: from the Workgroup of the Musculoskeletal Infection Society. *Clinical Orthopaedics and Related Research*. 2011;469(11):2992.
- 14: Lima ALL, Oliveira PR, Carvalho VC, et al. Periprosthetic joint infections. *Interdisciplinary perspectives on infectious diseases*. 2013;2013.
- 15: Schafroth M, Zimmerli W, Brunazzi M, et al. Total hip replacement. *Infections-Berlin: Springer-Verlag*. 2003:65-90.
- 16: Fitzgerald JR, Nolan D, Ilstrup D, et al. Deep wound sepsis following total hip arthroplasty. *The Journal of bone and joint surgery American volume*. 1977;59(7):847-855.
- 17: Tsukayama DT, Estrada R, Gustilo RB. Infection after total hip arthroplasty. A study of the treatment of one hundred and six infections. *The Journal of bone and joint surgery American volume*. 1996;78(4):512-523.
- 18: McPherson E, Tontz JW, Patzakis M, et al. Outcome of infected total knee utilizing a staging system for prosthetic joint infection. *American journal of orthopedics (Belle Mead, NJ)*. 1999;28(3):161-165.
- 19: Parvizi J, Ghanem E, Menashe S, et al. Periprosthetic infection: what are the diagnostic challenges? *JBJS*. 2006;88(suppl_4):138-147.
- 20: Spangehl MJ, Masri BA, O'CONNELL JX, et al. Prospective analysis of preoperative and intraoperative investigations for the diagnosis of infection at the sites of two hundred and two revision total hip arthroplasties. *JBJS*. 1999;81(5):672-683.
- 21: Berbari EF, Hanssen AD, Duffy MC, et al. Risk factors for prosthetic joint infection: case-control study. *Clinical Infectious Diseases*. 1998;27(5):1247-1254.
- 22: Parvizi J, Gehrke T, Chen A. Proceedings of the international consensus on periprosthetic joint

- infection. *The bone & joint journal.* 2013;95(11):1450-1452.
- 23: Parvizi J, Tan TL, Goswami K, et al. The 2018 definition of periprosthetic hip and knee infection: an evidence-based and validated criteria. *The Journal of arthroplasty.* 2018;33(5):1309-1314. e1302.
- 24: Austin MS, Ghanem E, Joshi A, et al. A simple, cost-effective screening protocol to rule out periprosthetic infection. *The Journal of arthroplasty.* 2008;23(1):65-68.
- 25: Wirtz DC, Heller K-D, Miltner O, et al. Interleukin-6: a potential inflammatory marker after total joint replacement. *International orthopaedics.* 2000;24(4):194-196.
- 26: Shahi A, Kheir MM, Tarabichi M, et al. Serum D-dimer test is promising for the diagnosis of periprosthetic joint infection and timing of reimplantation. *JBS.* 2017;99(17):1419-1427.
- 27: Tigges S, Stiles R, Roberson J. Appearance of septic hip prostheses on plain radiographs. *AJR American journal of roentgenology.* 1994;163(2):377-380.
- 28: Cyteval C, Hamm V, Sarrabère MP, et al. Painful infection at the site of hip prosthesis: CT imaging. *Radiology.* 2002;224(2):477-483.
- 29: Karchevsky M, Schweitzer ME, Morrison WB, et al. MRI findings of septic arthritis and associated osteomyelitis in adults. *American Journal of Roentgenology.* 2004;182(1):119-122.
- 30: Fritz J, Lurie B, Miller TT, et al. MR imaging of hip arthroplasty implants. *Radiographics.* 2014;34(4):E106-E132.
- 31: Signore A, Mather S, Piaggio G, et al. Molecular imaging of inflammation/infection: nuclear medicine and optical imaging agents and methods. *Chemical reviews.* 2010;110(5):3112-3145.
- 32: Ko LM, Parvizi J. Diagnosis of periprosthetic infection: novel developments. *Orthopedic Clinics.* 2016;47(1):1-9.
- 33: Deirmengian C, Kardos K, Kilmartin P, et al. Diagnosing periprosthetic joint infection: the era of the biomarker has arrived. *Orthopaedic Proceedings: The British Editorial Society of Bone & Joint Surgery* 2013:45-45.
- 34: Wetters NG, Berend KR, Lombardi AV, et al. Leukocyte esterase reagent strips for the rapid diagnosis of periprosthetic joint infection. *The Journal of arthroplasty.* 2012;27(8):8-11.
- 35: Ali F, Wilkinson JM, Cooper JR, et al. Accuracy of joint aspiration for the preoperative diagnosis of infection in total hip arthroplasty. *The Journal of arthroplasty.* 2006;21(2):221-226.
- 36: Tsaras G, Maduka-Ezech A, Inwards CY, et al. Utility of intraoperative frozen section histopathology in the diagnosis of periprosthetic joint infection: a systematic review and meta-analysis. *JBS.* 2012;94(18):1700-1711.
- 37: Osmom DR, Berbari EF, Berendt AR, et al. Diagnosis and management of prosthetic joint infection: clinical practice guidelines by the Infectious Diseases Society of America. *Clinical infectious diseases.* 2012;56(1):e1-e25.
- 38: Müller M, Morawietz L, Hasart O, et al. Diagnosis of periprosthetic infection following total hip arthroplasty—evaluation of the diagnostic values of pre-and intraoperative parameters and the associated strategy to preoperatively select patients with a high probability of joint infection. *Journal of orthopaedic surgery and research.* 2008;3(1):31.
- 39: Rak M, Barlič-Maganja D, Kavčič M, et al. Comparison of molecular and culture method in diagnosis of prosthetic joint infection. *FEMS microbiology letters.* 2013;343(1):42-48.
- 40: Toms A, Davidson D, Masri B, et al. The management of peri-prosthetic infection in total joint arthroplasty. *The Journal of bone and joint surgery British volume.* 2006;88(2):149-155.
- 41: Goulet JA, Pellicci PM, Brause BD, et al. Prolonged suppression of infection in total hip arthroplasty. *The Journal of arthroplasty.* 1988;3(2):109-116.
- 42: Cobo J, San Miguel LG, Euba G, et al. Early prosthetic joint infection: outcomes with debridement and implant retention followed by antibiotic therapy. *Clinical Microbiology and Infection.* 2011;17(11):1632-1637.
- 43: Zimmerli W, Trampuz A, Ochsner PE. Prosthetic-joint infections. *New England Journal of Medicine.* 2004;351(16):1645-1654.
- 44: Silva M, Tharani R, Schmalzried TP. Results of direct exchange or debridement of the infected total knee arthroplasty. *Clinical Orthopaedics and Related Research®.* 2002;404:125-131.

- 45: Romanò CL, Manzi G, Logoluso N, et al. Value of debridement and irrigation for the treatment of peri-prosthetic infections. A systematic review. *Hip international*. 2012;22(8_suppl):19-24.
- 46: Callaghan JJ, Katz RP, Johnston RC. One-stage revision surgery of the infected hip: a minimum 10-year followup study. *Clinical Orthopaedics and Related Research*. 1999;369:139-143.
- 47: Buechel FF, Femino FP, D'Alessio J. Primary exchange revision arthroplasty for infected total knee replacement: a long-term study. *American journal of orthopedics* (Belle Mead, NJ). 2004;33(4):190-198; discussion 198.
- 48: Ure KJ, Amstutz HC, Nasser S, et al. Direct-exchange arthroplasty for the treatment of infection after total hip replacement. An average ten-year follow-up. *JBJS*. 1998;80(7):961-968.
- 49: Raut V, Siney P, Wroblewski B. One-stage revision of infected total hip replacements with discharging sinuses. *The Journal of bone and joint surgery British volume*. 1994;76(5):721-724.
- 50: Wroblewski B. One-stage revision of infected cemented total hip arthroplasty. *Clinical orthopaedics and related research*. 1986(211):103-107.
- 51: Booth JR, Lotke PA. The results of spacer block technique in revision of infected total knee arthroplasty. *Clinical orthopaedics and related research*. 1989(248):57-60.
- 52: Burnett RSJ, Kelly MA, Hanssen AD, et al. Technique and timing of two-stage exchange for infection in TKA. *Clinical Orthopaedics and Related Research* (1976-2007). 2007;464:164-178.
- 53: Kühn K-D. Management of Periprosthetic Joint Infection: A global perspective on diagnosis, treatment options, prevention strategies and their economic impact: *Springer* 2017.
- 54: Tande AJ, Patel R. Prosthetic joint infection. *Clinical microbiology reviews*. 2014;27(2):302-345.
- 55: Cierny G, McLaren AC, Wongworawat MD. Orthopaedic knowledge update: Musculoskeletal infection: Ill. 2009.
- 56: Mabry TM, Jacofsky DJ, Haidukewych GJ, et al. THE CHITRANJAN RANAWAT AWARD: Comparison of Intramedullary Nailing and External Fixation Knee Arthrodesis for the Infected Knee Replacement. *Clinical Orthopaedics and Related Research* (1976-2007). 2007;464:11-15.
- 57: Krijnen MR, Wuisman PI. Emergency hemipelvectomy as a result of uncontrolled infection after total hip arthroplasty: two case reports. *The Journal of arthroplasty*. 2004;19(6):803-808.
- 58: Sierra RJ, Trousdale RT, Pagnano MW. Above-the-knee amputation after a total knee replacement: prevalence, etiology, and functional outcome. *JBJS*. 2003;85(6):1000-1004.
- 59: Kunutsor SK, Beswick AD, Peters TJ, et al. Health care needs and support for patients undergoing treatment for prosthetic joint infection following hip or knee arthroplasty: a systematic review. *PloS one*. 2017;12(1):e0169068.