

## Bölüm 5

### GİYILEBİLİR TEKNOLOJİLER

Esra TAYAZ<sup>1</sup>  
Ayşegül KOÇ<sup>2</sup>

#### GİRİŞ

Bir hastalık oluştugunda ya da taburculuk sonrasında hasta bireyin aktivitesi, diyeti uyumu, semptom belirleme, sakatlık yada hastalığı yönetme durumu, psikolojik durumu yada yaşam kalitesi gibi parametreler çoğunlukla ölçekler kullanılarak değerlendirilmektedir. Fonksiyonel sonuç değerlendirmesi, olumsuz bir sağlık olayından sonra bir hastada işlev veya sakatlık seviyesini nesnel olarak ölçmek için sistematik bir yaklaşımdır. Sağlık çalışanları hastanede yatış sırasında, taburculuk sonrasında yada kontrollerde hastaların kendi bildirimleri dikkate alan ölçekler kullanarak değerlendirme yaparlar. Klinik bağlamda fiziksel aktivitenin izlenmesi, sağlıklı yaşam durumu takibi, aktivite takibi, psikolojik parametelerin belirlenmesi için hastaların kendi raporlarını yapmak yerine daha objektif, standartlaştırılmış ve geliştirilebilir yöntem kullanmaları gerekmektedir<sup>(1)</sup>.

Giyilebilir sağlık teknolojisi, kullanıcının vücuduna eklenebilecek farklı aksesuar türlerinde bulunan akıllı elektronik ürünleri ifade eder<sup>(2)</sup>. Giyilebilir teknolojiler, kalp atış hızı, yürüme anormallikleri, kalp ritimleri, yakılan kalori sayısı gibi ölçümleri yapan ve uykuya sürecinde de verileri yakalayabilen tüm vücutta kullanılan cihazlardır. Bu cihazlar daha sonrasında başka cihazlar ile bağlantı kurularak kişiye ait verilerin bakım sağlayıcılar, sağlık profesyonelleri, hasta yakınları ya da kişinin kendisi tarafından günlük kayıtları gün ya da dakika bazında geriye dönük olarak izleme olanlığı sağlarlar. Cihazlardaki sensörlerden gelen bilgiler, internet üzerinden ilgilenen kişilere gönderilip bilgi akışı sağlanarak veriler elde edilir<sup>(3)</sup>. Giyilebilir sağlık teknolojisi, sağlıklı bireylerde günlük yaşam aktivitelerinde kullanılan (iş sırasında, evde, spor aktiviteleri sırasında, vb.) ve hasta bireylerde invaziv ya da invaziv olmayan girişimleri en aza indirgeme avantajı ile klinik ortamda yaşamsal bulguların sürekli izlemesini sağlayan yeni bir teknolojidir<sup>(4)</sup>.

<sup>1</sup> Araştırma Görevlisi, Ankara Yıldırım Beyazıt Üniversitesi, Sağlık Bilimleri Fakültesi, Hemşirelik Bölümü.  
e-mail: etayaz@ybu.edu.tr

<sup>2</sup> Dr. Öğr. Üyesi, Ankara Yıldırım Beyazıt Üniversitesi, Sağlık Bilimleri Fakültesi, Hemşirelik Bölümü.  
e-mail: aysegulkocmeister@gmail.com

çalışanlarına, hastalara, hasta yakınlarına ve bakım vericilere giyilebilir teknolojiyi benimsetmek için bu cihazların yararlarını gösteren daha fazla kanita ihtiyaç vardır.

**Anahtar kelimeler:** Giyilebilir, teknoloji, hemşirelik

## KAYNAKÇA

1. Appelboom G, Yang AH, Christophe BR, et al. The promise of wearable activity sensors to define patient recovery. *Journal of Clinical Neuroscience*. 2014;21(7):1089-93. DOI: 10.1016/j.jocn.2013.12.003.
2. Wright R., Keith L. Wearable technology: If the tech fits, wear it. *Journal of Electronic Resources in Medical Libraries*. 2014;11(4): 204-16. DOI: 10.1080/15424065.2014.969051.
3. Wilson D. An overview of the application of wearable technology on nursing practice. In *Nursing forum*. 2017;52(2):124-32. DOI: 10.1111/nuf.12177.
4. Argentin Y, Gluck F, Lovis C, et al. Individual Nomad Clinical Assistant: Supporting Nurses at the Point of Care. *Studies in health technology and informatics*. 2016;225:654-5. DOI: 10.3233/978-1-61499-658-3-654.
5. Bang M, Solnevik K, Eriksson H. Thenursewatch: design and evaluation of a smartwatch application with vital sign monitoring and checklist reminders. In *AMIA Annual Symposium Proceeding s American Medical Informatics Association*. 2015:314-19.
6. Wu MW, Lee TT, Tsai TC, et al. Evaluation of a mobile shift report system on nursing documentation quality. *CIN: Computers, Informatics, Nursing*. 2013;31(2):85-93. DOI: 10.1097/NXN.0b013e318266cac3.).
7. Lymeris A, Gatzoulis L. Wearable health systems: from smart technologies to real applications. In *2006 International Conference of the IEEE Engineering in Medicine and Biology Society*. 2006:6789-92. DOI: 10.1109/IEMBS.2006.260948
8. Paradiso R, Loriga G, Taccini N. A wearable healthcare system based on knitted integrated sensors. *IEEE transactions on Information Technology in biomedicine*. 2005;9(3):337-44 DOI: 10.1109/TITB.2005.854512.
9. Yetmen G. Giyilebilir Teknoloji. *Ulakbilge Sosyal Bilimler Dergisi*. 2017;5(9):275-89. DOI: 10.7816/ulakbilge-05-09-13.
10. Thorp EO. The invention of the first wearable computer. In *Digest of Papers. Second International Symposium on Wearable Computers*. 1998:4-8. DOI: 10.1109/ISWC.1998.729523
11. Collins CC, Scadden LA, Alden AB. Mobile Studies with a Tactile Imaging Device, Fourth Conference on Systems & Devices For The Disabled, 1-3 June 1977, Seattle WA.
12. Mann S. An historical account of the 'WearComp' and 'WearCam' inventions developed for applications in 'Personal Imaging'. In *Digest of Papers. First International Symposium on Wearable Computer*. 1997:66-73. DOI: 10.1109/ISWC.1997.629921
13. Mann S. Wearable computing: A first step toward personal imaging. *Computer*. 1997;30(2):25-32. DOI: 10.1109/2.566147.
14. Yang BH, Rhee S. Development of the ring sensor for healthcare automation. *Robotics and Autonomous Systems*. 2000;30(3):273-81. DOI: 10.1016/S0921-8890(99)00092-5.
15. Choudhury T, Pentland A. The sociometer: A wearable device for understanding human networks. In *CSCW'02 Workshop: Ad hoc Communications and Collaboration in Ubiquitous Computing Environments*. 2002.
16. Grossman P. The LifeShirt: a multi-function ambulatory system monitoring health, disease, and medical intervention in the real world. *Stud Health Technol Inform*. 2004;108:133-41.
17. Ching KW, Singh MM. Wearable technology devices security and privacy vulnerability analysis. *International Journal of Network Security & Its Applications*. 2016;8(3):19-30. DOI: 10.5121/ijnsa.2016.8302.

18. Zhang M, Luo M, Nie R, et al. Technical attributes, healthattribute, consumerattributesandtheroles in adoptionintention of healthcarewearabletechnology. International journal of medicalinformatics. 2017;108:97-109. DOI: 10.1016/j.ijmedinf.2017.09.016.
19. Kim KJ, Shin DH. An acceptance model forsmartwatches: implicationsfortheadoption of futurewearabletechnology. Internet Research. 2015;25(4):527-41. DOI: 10.1108/IntR-05-2014-0126.
20. Wang BR, Park JY, Chung K, et al. Influentialfactors of smarthealthusersaccordingtousage-experienceandintentiontouse. Wireless Personal Communications. 2014;79(4):2671-83. DOI 10.1007/s11277-014-1769-0.
21. Davis FD. Perceivedusefulness, perceivedease of use, anduseracceptance of informationtechnology. MIS quarterly. 1989;13(3):319-40. DOI: 10.2307/249008.
22. Rogers, EM. Diffusion of innovations. SimonandSchuster. 2010.
23. Ur Rehman U, Rizwan M, Ud Din Ahmed A, et al. E-TAM Model: A comprehensiveapproachtounderstandtheadoption of electronicshopping. Journal of Basic and AppliedScientificResearch. 2013;3(11):178-88.
24. Chatzoglou PD, Sarigiannidis L, Vraimaki E, et al. InvestigatingGreekemployees' intentiontouse web-basedtraining. Computers&Education. 2009;53(3):877-89. DOI: 10.1016/j.comedu.2009.05.007.
25. Wu J, Liu D. Theeffects of trustandenjoyment on intentiontoplay online games. Journal of electroniccommerceresearch. 2007;8(2):128-40.
26. Banaee H, Ahmed M, Loutfi A. Data miningforwearablesensors in healthmonitoringsystems: a review of recenttrendsandchallenges. Sensors. 2013;13(12):17472-500. DOI: 10.3390/s131217472.
27. Lowe SA, ÓLaighin G. Monitoringhumanhealthbehaviour in one'slivingenvironment: a technologicalreview. Medicalengineering&physics. 2014;36(2):147-68. DOI: 10.1016/j.medengphy.2013.11.010.
28. Appelboom G, Camacho E, Abraham ME, et al. Smart wearable body sensorsforpatient self-assessmentandmonitoring. Archives of publichealth. 2014;72(1):28. DOI: 10.1186/2049-3258-72-28.
29. Nagae D, Mase A. Measurement of heart rate variabilityandstressevaluationbyusingmicrowaverereflectometricvitalsignalsensing. Review of Scientific Instruments. 2010;81(9). DOI: 10.1063/1.3478017.
30. Duncker D, Veltmann C. Thewearablecardioverter/defibrillator-toool? Journal of atrial-fibrillation. 2016;8(6):69-72. DOI: 10.4022/jafib.1367.
31. Leelarathna L, English SW, Thabit H, et al. Accuracy of subcutaneouscontinuousglucosemonitoring in criticallyilladults: improved sensor performancewithenhancedcalibrations. Diabetes-technology&therapeutics. 2014;16(2):97-101. DOI: 10.1089/dia.2013.0221.
32. Lockman J, Fisher RS, Olson DM. Detection of seizure-like movementsusing a wristaccelerometer. EpilepsyBehav. 2011;20:638-41. 10.1016/j.yebeh.2011.01.019.
33. Rand D, Eng JJ, Tang P-F, et al. How activearepeoplewithstroke?:use of accelerometersas-sessphysicalactivity. Stroke. 2009;40:163-8. 10.1161/STROKEAHA.108.523621.
34. Kirste T, Hoffmeyer A, Koldrack P, et al. Detectingtheeffect of Alzheimer'sdisease on everyday-motionbehavior. J AlzheimersDis. 2014;38:121-32.
35. Coffman L. Patientwearabletechnology in the ICU. Nursing2018CriticalCare. 2018; 13 (5): 41-2. DOI: 10.1097/01.CCN.0000534929.31666.37.
36. Stamou SC, Nussbaum M, Carew JD, et al. Hypoglycemiawithintensiveinsulintherapyaftercardiacsurgery: predisposingfactorsandassociationwithmortality. TheJournal of thoracicandcardiovascularsurgery. 2011;142(1):166-73. DOI: 10.1016/j.jtcvs.2010.09.064.
37. SechterbergerMK, van der Voort PH, Strasma PJ, et al. Accuracy of intra-arterialandsubcutane-ouscontinuousglucosemonitoring in postoperativecardiacsurgerypatients in the ICU. Journal of diabetesscienceandtechnology. 2015;9(3):663-7. DOI: 10.1177/1932296814564993.
38. Krishnagopalan S, Johnson EW, Low LL, et al. Body positioning of intensivecarepatients: clinicalpracticeversusstandards. Critical caremedicine. 2002;30(11):2588-92.

39. Schallom L, Metheny NA, Stewart J, et al. Effect of frequency of manualturning on pneumonia. AmericanJournal of Critical Care. 2005;14(6):476-8.
40. PickhamD, Ballew B, Ebong K, et al. Evaluating optimal patient-turningproceduresforreducing-hospital-acquiredpressureulcers (LS-HAPU): studyprotocolfor a randomizedcontrolledtrial. Trials. 2016;17(1):190.
41. LeafHealthcare (2014). LeafPatientMonitoringSystemtheNext Step in Wireless PatientMonito-ring. [http://leafhealthcare.com/pdfs/LH\\_SolutionOverview\\_1560AA\\_060214.pdf](http://leafhealthcare.com/pdfs/LH_SolutionOverview_1560AA_060214.pdf). Erişim tarihi: 20.08.2019.
42. Ma AJ, Rawat N, Reiter A, et al. Measuringpatientmobility in the ICU using a novelnoninvasive sensor. Critical caremedicine. 2017;45(4):630. DOI: 10.1097/CCM.0000000000002265.
43. Jo E, Lewis K, Directo D, et al. Validation of biofeedbackwearablesforphotoplethysmographic-heart rate tracking. Journal of sportsscience&medicine. 2016;15(3):540-7.
44. Fox JJ, Clutton-Brock TH. Evaluation of a patient-dedicatedbloodgasanalyser. Critical Care. 2015;19(1):261. DOI: 10.1186/cc14341
45. Michard F. Hemodynamicmonitoring in theera of digitalhealth. Annals of intensivecare. 2016;6(1):15. DOI: 10.1186/s13613-016-0119-7.
46. Imhoff, M, Kuhls S. Alarm algorithms in criticalcaremonitoring. Anesthesia&Analgesia. 2006;102(5):1525-37.
47. Classen DC, Resar R, Griffin F, et al. 'Global triggertool'showsthatadverseevents in hospitalsmay be ten timesgreaterthanpreviouslymeasured. Healthaffairs. 2011;30(4):581-9. DOI: 10.1377/hlthaff.2011.0190
48. Drew BJ, Harris P, Zègre-Hemsey JK, et al. Insightsintothe problem of alarm fatiguedwithphysiologicmonitordevices: a comprehensiveobservationalstudy of consecutiveintensivecareunitpatients. PloSone. 2014;9(10). DOI: 10.1371/journal.pone.0110274.
49. Yurkiewicz IR, Simon P, Liedtke M, et al. Effect of FitbitandiPadwearabletechnology in health-relatedquality of life in adolescentandyoungadultcancerpatients. Journal of adolescentandyoungadultoncology. 2018;7(5):579-83.
50. McFarlane DC, Doig AK, Agutter JA, et al. Fasterclinicalresponsetotheonset of adverse-events: A wearablemetacognitiveattentionaidfornursetriage of clinicalalarms. PloSone. 2018;13(5):e0197157. DOI: 10.1371/journal.pone.0197157.
51. Weller RS, Foard KL, Harwood TN. Evaluation of a wireless, portable, wearablenulti-parametervitalsignsmonitor in hospitalizedneurologicalandneurosurgicalpatients. Journal of clinical-monitoringandcomputing. 2018;32(5):945-51. DOI: 10.1007/s10877-017-0085-0.
52. Nesbitt C, Gupta A, Maly K, et al. 15 Feasibility of Using WearableSensorstoDetectAgitation in PersonswithDementia. CNS spectrums. 2019;24(1):181.
53. Matthews JT, Campbell GB, Hunsaker AE, et al. Wearabletechnologytogarnertheperspective of dementiafamilycaregivers. Journal of gerontologicalnursing. 2015;42(4):16-22. DOI: 10.3928/00989134-20151008-65.
54. Patterson BJ, Secco LM, Doiron-Maillet N, Amirault D, Furlong K. Evaluation of nursingcentral as an informationtool, part I: studentlearning. Nursingeducationperspectives. 2013;34(6):416-8.