

Bölüm

3

Presbiyopi Düzeltici Göz İçi Lenslerde Preoperatif Hasta Değerlendirmesi ve Kullanılacak Formül Seçimi

Rüveyde GARİP¹

Giriş

Değişen yaşam standartları ile birlikte orta ve ileri yaş bireyler arasında aktif hayat tarzına sahip kişilerin sayısı artmaka ve bu durum hastalarda daha iyi, daha kaliteli yakın, orta ve uzak mesafe görme beklenisi oluşturmaktadır. Son yıllarda teknolojideki ilerlemeler ile geliştirilen yeni nesil göz içi lensler (GİL) sayesinde hem uzak hem de yakın görme keskinliğinde oldukça iyi sonuçlar elde edilmiş ve bu lensler, katarakt ile presbiyopinin cerrahi tedavisinde sıkça kullanılır hale gelmiştir.

Yeni nesil GİL implantasyonunda hasta beklentilerinin karşılanması ve optimum sonuçların elde edilmesinde preoperatif hasta seçimi, hastaya göre kişiselleştirilmiş GİL seçimi ile hastaya ait objektif ve subjektif karakteristiklerin değerlendirilmesi oldukça önemlidir. Objektif muayene bulguları içerisinde medikal öykü, korneal astigmatizma varlığı, oküler yüzey bozuklukları gibi oküler muayene bulguları, maküla hastalığı, glokom gibi oküler komorbiditeler, subjektif muayene de ise hastaların beklentileri, yaşam tarzları, görsel

¹ Doktor Öğretim Üyesi, Trakya Üniversitesi Tıp Fakültesi Hastanesi, ruveydegarip@trakya.edu.tr

KAYNAKÇA

1. Yeu E, Cuozzo S. Matching the patient to the intraocular lens: preoperative considerations to optimize surgical Outcomes. *Ophthalmology [Internet]*. Available from: <http://www.sciencedirect.com/science/article/pii/S0161642020308435>
2. Salerno LC, Tiveron Jr MC, Alió JL. Multifocal intraocular lenses: types, outcomes, complications and how to solve them. *Taiwan J Ophthalmol.* 2017;7(4):179-184. Doi: 10.4103/tjo.tjo_19_17.
3. Liu JW, Haw WW. Optimizing outcomes of multifocal intraocular lenses. *Curr Opin Ophthalmol.* 2014;25(1):44–48. Doi: 10.1097/ICU.0000000000000012.
4. Rampat R, Gatinel D. Multifocal and extended depth-of-focus intraocular lenses in 2020. *Ophthalmology [Internet]*. 2020; Available from: <http://www.sciencedirect.com/science/article/pii/S0161642020309313>
5. Rudalevicius P, Lekaviciene R, Auffarth GU, et al. Relations between patient personality and patients' dissatisfaction after multifocal intraocular lens implantation: clinical study based on the five factor inventory personality evaluation. *Eye (Lond).* 2020;34(4):717–724. Doi: 10.1038/s41433-019-0585-x.
6. Braga-Mele R, Chang D, Dewey S, et al. Multifocal intraocular lenses: relative indications and contraindications for implantation. *J Cataract Refract Surg.* 2014;40(2):313–322. Doi: 10.1016/j.jcrs.2013.12.011.
7. Aslan BS, Akyol N. Katarakt Cerrahisinde Multifokal Göziçi Lensleri ve Nöroadaptasyon. *Glokom-Katarakt.* 2008;3(1).
8. Goldberg DF. Preoperative evaluation of patients before cataract and refractive surgery. *Int Ophthalmol Clin.* 2011;51(2):97–107. Doi: 10.1097/IIO.0b013e31820f1f76.
9. Sachdev GS, Sachdev M. Optimizing outcomes with multifocal intraocular lenses. *Indian J Ophthalmol.* 2017;65(12):1294–1300. Doi: 10.1097/ICU.0000000000000012.
10. Woodward MA, Randleman JB, Stulting RD. Dissatisfaction after multifocal intraocular lens implantation. *J Cataract Refract Surg.* 2009 Jun;35(6):992–997. Doi: 10.1016/j.jcrs.2009.01.031.
11. Gibbons A, Ali TK, Waren DP, et al. Causes and correction of dissatisfaction after implantation of presbyopia-correcting intraocular lenses. *Clin Ophthalmol.* 2016;10:1965–1970. Doi: 10.2147/OPTH.S114890.
12. Buznego C, Trattler WB. Presbyopia-correcting intraocular lenses. *Curr Opin Ophthalmol.* 2009;20(1):13–18. Doi: 10.1097/ICU.0b013e32831c4cf5.
13. Chalita MR, Krueger RR. Correlation of aberrations with visual acuity and symptoms. *Ophthalmol Clin North Am [Internet].* 2004;17(2):135—42, v—vi. Available from: <https://doi.org/10.1016/j.ohc.2004.02.008>
14. Polat N, Aydin EY, Tuncer I. Optical aberrations and wavefront. *Turkish J Ophthalmol.* 2014;44(4):306–12.
15. Visser N, Nuijts RMMA, de Vries NE, et al. Visual outcomes and patient satisfaction after cataract surgery with toric multifocal intraocular lens implantation. *J Cataract Refract Surg.* 2011;37(11):2034–2042. Doi: 10.1016/j.jcrs.2011.05.041

16. Alió JL, Plaza-Puche AB, Piñero DP. Rotationally asymmetric multifocal IOL implantation with and without capsular tension ring: refractive and visual outcomes and intraocular optical performance. *J Refract Surg.* 2012;28(4):253–258. Doi: 10.3928/1081597X-20120314-01.
17. Salati C, Salvatet ML, Zeppieri M, et al. Pupil size influence on the intraocular performance of the multifocal AMO-Array intraocular lens in elderly patients. *Eur J Ophthalmol.* 2007;17(4):571–578. Doi: 10.1177/112067210701700415.
18. Pepose JS. Maximizing satisfaction with presbyopia-correcting intraocular lenses: the missing links. *Am J Ophthalmol.* 2008;146(5):641–648. Doi: 10.1016/j.ajo.2008.07.033.
19. Leyland M, Zinicola E. Multifocal versus monofocal intraocular lenses in cataract surgery: a systematic review. *Ophthalmology.* 2003;110(9):1789–1798. Doi: 10.1016/S0161-6420(03)00722-X.
20. Montés-Micó R, España E, Bueno I, et al. Visual performance with multifocal intraocular lenses: mesopic contrast sensitivity under distance and near conditions. *Ophthalmology.* 2004;111(1):85–96. Doi: 10.1016/S0161-6420(03)00862-5.
21. Park CY, Oh SY, Chuck RS. Measurement of angle kappa and centration in refractive surgery. *Curr Opin Ophthalmol.* 2012;23(4):269–275. Doi: 10.1097/ICU.0b013e3283543c41.
22. Date RC, Al-Mohtaseb ZN. Advances in preoperative testing for cataract surgery. *Int Ophthalmol Clin.* 2017;57(3):99–114. Doi: 10.1097/IIO.0000000000000171.
23. de Vries NE, Webers CAB, Touwslager WRH, et al. Dissatisfaction after implantation of multifocal intraocular lenses. *J Cataract Refract Surg.* 2011;37(5):859–865. Doi: 10.1016/j.jcrs.2010.11.032.
24. Fyodorov SN, Galin MA, Linksz A. Calculation of the optical power of intraocular lenses. *Invest Ophthalmol.* 1975;14(8):625–8.
25. Xia T, Martinez CE, Tsai LM. Update on intraocular lens formulas and calculations. *Asia-Pacific J Ophthalmol* [Internet]. 2020;9(3). Available from: https://journals.lww.com/apjoo/Fulltext/2020/06000/Update_on_Intraocular_Lens_Formulas_and.4.aspx
26. Kane JX, Chang DF. Intraocular lens power formulas, biometry, and intraoperative aberrometry: A Review. *Ophthalmology.* 2020. Doi: 10.1016/j.ophtha.2020.08.010.
27. Retzlaff JA, Sanders DR, Kraff MC. Development of the SRK/T intraocular lens implant power calculation formula. *J Cataract Refract Surg.* 1990;16(3):333–340. Doi: 10.1016/s0886-3350(13)80705-5.
28. Chang P, Zhang F, Wang J, et al. Accuracy of constant C for ray tracing-assisted intraocular lens power calculation in normal ocular axial eyes. *Ophthalmic Res.* 2021;64(1):85–90. Doi: 10.1159/000507963.
29. Melles RB, Holladay JT, Chang WJ. Accuracy of Intraocular lens calculation formulas. *Ophthalmology* [Internet]. 2018;125(2):169–78. Available from: <http://www.sciencedirect.com/science/article/pii/S0161642017314288>
30. Nemeth G, Modis L. Accuracy of the Hill-radial basis function method and the Barrett Universal II formula. *Eur J Ophthalmol* [Internet]. 2020 Jan 28;1120672120902952. Available from: <https://doi.org/10.1177/1120672120902952>

31. Cooke DL, Cooke TL. Comparison of 9 intraocular lens power calculation formulas. *J Cataract Refract Surg* [Internet]. 2016;42(8):1157–64. Available from: <http://www.sciencedirect.com/science/article/pii/S088633501630267X>
32. Kane JX, Van Heerden A, Atik A, Petsoglou C. Intraocular lens power formula accuracy: Comparison of 7 formulas. *J Cataract Refract Surg* [Internet]. 2016;42(10):1490–500. Available from: <http://www.sciencedirect.com/science/article/pii/S0886335016303066>
33. Altinkurt E, Bayhan HA. Katarakt Cerrahisinde Güncel Biyometri Ölçüm Teknikleri. *Turkiye Klin Ophthalmol Top*. 2019;12(1):12–21.
34. Melles RB, Kane JX, Olsen T, et al. Update on intraocular lens calculation formulas. *Ophthalmology*. 2019;126(9):1334–1335. Doi: 10.1016/j.ophtha.2019.04.011
35. Darcy K, Gunn D, Tavassoli S, et al. Assessment of the accuracy of new and updated intraocular lens power calculation formulas in 10930 eyes from the UK National Health Service. *J Cataract Refract Surg*. 2020;46(1):2–7. Doi: 10.1016/j.jcrs.2019.08.014.
36. Connell BJ, Kane JX. Comparison of the Kane formula with existing formulas for intraocular lens power selection. *BMJ open Ophthalmol*. 2019;4(1):e000251. Doi: 10.1136/bmjophth-2018-000251.