


# BÖLÜM 20

## Migrende Girişimsel İşlemler

Levent Ertuğrul İNAN<sup>1</sup>  
Uğur UYGUNOĞLU<sup>2</sup>

### MİGREnde GİRİŞİMSEL TEDAVİ ALGORİTMASI



<sup>1</sup> Prof. Dr., Sağlık Bilimleri Üniversitesi Ankara SUAM

<sup>2</sup> Doç. Dr., İstanbul Üniversitesi Cerrahpaşa Tıp Fakültesi, Nöroloji ABD



- Trigeminal otonomik sefaljilerde etkinliği gösterilmiştir
- Epizodik ve kronik migrende etkinliği ile ilgili henüz yeterli veri bulunmamaktadır

## KAYNAKLAR

1. Hadden S. Neuralgic headache and facial pain. *Arch Neurol Psychiatr* 1940; 43: 405-408.
2. Caputi CA and Firetto V. Therapeutic blockade of greater occipital and supraorbital nerves in migraine patients. *Headache* 1997; 37(3): 174-9.
3. Takmaz SA, Inan N, Uçler S, et al. Greater occipital nerve block in migraine headache: preliminary results of 10 patients. *Agri* 2008; 20(1): 47-50.
4. Ashkenazi A, Matro R, Shaw J, et al. Greater occipital nerve block using local anaesthetics alone or with triamcinolone for transformed migraine: a randomised comparative study. *J. Neurol Neurosurg Psychiatry* 2008; 79(4): 415-7.
5. Kashipazha D, Nakhostin-Mortazavi A, Mohammadianinejad SE, et al. Preventive effect of greater occipital nerve block on severity and frequency of migraine headache. *Glob. J. Health Sci* 2014; 29;6(6): 209-13.
6. Dilli E, Halker R, Vargas, et al. Occipital nerve block for the short-term preventive treatment of migraine: A randomized, double-blinded, placebo-controlled study. *Cephalgia* 2015; 35(11): 959-68.
7. Inan LE, Inan N, Karadaş Ö, et al. Greater occipital nerve blockade for the treatment of chronic migraine: a randomized, multicenter, double-blind, and placebo-controlled study. *Acta Neurol Scand* 2015; 132(4): 270-7.
8. Palamar D, Uluduz D, Saip S et al. Ultrasound-guided greater occipital nerve block: an efficient technique in chronic refractory migraine without aura? *Pain Physician* 2015; 18(2): 153-62.
9. Cuadrado ML, Aledo-Serrano Á, Navarro P, et al. Short-term effects of greater occipital nerve blocks in chronic migraine: A double-blind, randomised, placebo-controlled clinical trial. *Cephalgia* 2017; 37(9): 864-872.
10. Okmen K, Dagistan Y, Dagistan E, et al. Efficacy of the greater occipital nerve block in recurrent migraine type headaches. *Neurol. Neurochir Pol.* 2016; 50(3): 151-4.
11. Ünal-Artık HA, Inan LE, Ataç-Uçar C, et al. Do bilateral and unilateral greater occipital nerve block effectiveness differ in chronic migraine patients? *Neurol Sci* 2017; 38(6): 949-954.
12. Gül HL, Ozon AO, Karadas O, et al. The efficacy of greater occipital nerve blockade in chronic migraine: A placebo-controlled study. *Acta Neurol Scand* 2017; 136(2): 138-144.
13. İnan N, İnan LE, Coşkun Ö, et al. Effectiveness of Greater Occipital Nerve Blocks in Migraine Prophylaxis. *Arch Neuropsychiatr* 2016; 53: 45-48.
14. Ruiz Piñero M, Mulero Carrillo P, Pedraza Hueso MI, et al. Pericranial nerve blockade as a preventive treatment for migraine: Experience in 60 patients. *Neurología* 2016; 31(7): 445-51
15. Afridi SK, Shields KG, Bhola R, et al. Greater occipital nerve injection in primary headache syndromes – Prolonged effects from a single injection. *Pain* 2006; 122 :126-129.
16. Blumfeld A, Ashkenazi A, Napchan U, et al. Expert consensus recommendations for the performance of peripheral nerve blocks for headaches—a narrative review. *Headache* 2013; 53: 437-446.
17. Aurora SK, Dodick DW, Turkel CC, et al. OnabotulinumtoxinA for treatment of chronic migraine: results from the double-blind, randomized, placebo-controlled phase of the PREEMPT 1 trial. *Cephalgia* 2010;30:793-803.
18. Diener HC, Dodick DW, Aurora SK, et al. OnabotulinumtoxinA for treatment of chronic migraine: results from the double-blind, randomized, placebo-controlled phase of the PREEMPT 2 trial. *Cephalgia* 2010;30:804-814.
19. Cho SJ, Song TJ, Chu MK. Treatment Update of Chronic Migraine. *Curr Pain Headache Rep.* 2017;21(6):26.
20. Magis D, Sava S, d'Elia TS, et al. Safety and patients' satisfaction of transcutaneous supraorbital neurostimulation (tSNS) with the Cefaly® device in headache treatment: a survey of 2,313 headache sufferers in the general population. *J Headache Pain.* 2013;14:95.
21. Lipton RB, Dodick DW, Silberstein SD, Saper JR, Aurora SK, Pearlman SH, et al. Single-pulse transcranial magnetic stimulation for acute treatment of migraine with aura: a randomised, doubleblind, parallel-group, sham-controlled trial. *Lancet Neurol.* 2010;9(4):373–80.
22. United States Food and Drug Administration. FDA allows marketing of first device to relieve migraine headache pain. 2013. <http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm378608.htm>. Accessed 7 Dec 2016.
23. Silberstein SD, Calhoun AH, Lipton RB, Grosberg BM, Cady RK, Dorlas S, et al. Chronic migraine headache prevention with noninvasive vagus



- nerve stimulation: the EVENT study. *Neurology*. 2016;87(5):529–38.
- 24. DaSilva AF, Mendonca ME, Zaghi S, Lopes M, DosSantos MF, Spierings EL, et al. tDCS-induced analgesia and electrical fields in pain-related neural networks in chronic migraine. *Headache*. 2012;52(8):1283–95.
  - 25. Saper JR, Dodick DW, Silberstein SD, McCarville S, Sun M, Goadsby PJ. Occipital nerve stimulation for the treatment of intractable chronic migraine headache: ONSTIM feasibility study. *Cephalgia*. 2011;31(3):271–85.
  - 26. Miller S, Sinclair AJ, Davies B, Matharu M. Neurostimulation in the treatment of primary headaches. *Pract Neurol*. 2016 Oct;16(5):362–75. doi: 10.1136/practneurol-2015-001298.
  - 27. Friedman BW, Mohamed S, Robbins MS, Iriarri E, Tarsia V, Pearlman S, John Gallagher E. Headache. 2018 Oct;58(9):1427-1434. doi: 10.1111/head.13395. Epub 2018 Aug 25.
  - 28. Korucu O, Dagar S, Çorbacioglu ŞK, Emektar E, Cevik Y. The effectiveness of greater occipital nerve blockade in treating acute migraine-related headaches in emergency departments. *Acta Neurol Scand*. 2018 Sep;138(3):212-218. doi: 10.1111/ane.12952. Epub 2018 May 10.
  - 29. Özer D, Böyük C, Türk Börü Ü, Altun D, Taşdemir M, Köseoğlu Toksoy C. Greater occipital and supraorbital nerve blockade for the preventive treatment of migraine: a single-blind, randomized, placebo-controlled study. *Curr Med Res Opin*. 2019 May;35(5):909-915. doi: 10.1080/03007995.2018.1532403. Epub 2018 Oct 31.
  - 30. İnan LE, İnan N, Ünal-Artık HA, Atac C, Babaoglu G. Greater occipital nerve block in migraine prophylaxis: Narrative review. *Cephalgia*. 2019 Jun;39(7):908-920. doi: 10.1177/0333102418821669.
  - 31. Chowdhury D, Datta D, Mundra A. Role of Greater Occipital Nerve Block in Headache Disorders: A Narrative Review. *Neurol India*. 2021 Mar-Apr;69(Supplement):S228-S256. doi: 10.4103/0028-3886.315993
  - 32. Greater occipital nerve block in migraine may have a place in migraine treatment. İnan LE, İnan N. *Cephalgia* 2021 Sep; 23:3331024211045644. doi: 10.1177/03331024211045644