



BÖLÜM 15

DAMARSAL OLMAYAN KAFA İÇİ HASTALIKLARLA İLİŞKİLİ BAŞAĞRILARI

Güven ARSLAN¹
Gürol GÖKSUNGUR²

GİRİŞ

Uluslararası Baş Ağrısı Derneği (IHS) 2018 yılında derneğin dünya genelinde tanınmış yayın organı olan "Cephalalgia" dergisinde Uluslararası Baş Ağrısı Bozuklukları Sınıflandırması-3'ü (ICHD-3) yayınlamıştır (1). Buna göre damarsal olmayan kafa içi hastalıklarla ilişkili baş ağrıları 8 alt başlık altında gruplandırılmıştır. (Tablo 1) Yine bu sınıflandırmada baş ağrısının damarsal olmayan (non-vasküler) kafa içi bir hastalıkla ilişkili olarak tanımlanabilmesi için hastalıkla baş ağrısı arasında zamansal bağın olması gerektiği belirtilmiştir. Söz konusu baş ağrısı damarsal olmayan kafa içi hastalıkla birlikte ortaya çıkan yeni bir baş ağrısı olabildiği gibi, daha önceden varolan primer bir Baş Ağrısı da non-vasküler hastalık nedeniyle kronikleşebilmekte, şiddet ve sıklığında artış olabilmektedir. Bu durumda hem primer baş ağrısının tanısı hem de non-vasküler hastalıkla ilişkili baş ağrısı tanısı söz konusu olmaktadır.

Bu bölümümüzde damarsal olmayan kafa içi hastalıklarla ilişkili baş ağrılarını tek tek ele alıp, patofizyolojiden tedaviye geniş bir çerçevede değerlendirmelerini yapacağız.

¹ Uzm. Dr., Acibadem Kayseri Hastanesi, Nöroloji Kliniği, drguvenarslan@hotmail.com

² Uzm. Dr., Yozgat Şehir Hastanesi, Radyoloji Kliniği, gurulgoksungur@hotmail.com



KAYNAKLAR

1. Headache Classification Committee of the International Headache Society (IHS) The International Classification of Headache Disorders, 3rd edition. *Cephalgia*. 2018;38(1):1-211.
2. Latif M, Huw S, Beata FS, et al. Prevalence, and Health Care Outcomes in Idiopathic Intracranial Hypertension. *Neurology* Feb 2021, 96 (8) e1251-e1261
3. Bruce BB, Preechawat P, Newman NJ, et al. Racial differences in idiopathic intracranial hypertension. *Neurology*. 2008;70:861–867
4. Samara A, Ghazaleh D, Berry B, et al. Idiopathic intracranial hypertension presenting with isolated unilateral facial nerve palsy: a case report. *J Med Case Rep*. 2019 Apr 19;13(1):94.
5. Nichani P, Micieli JA. Retinal Manifestations of Idiopathic Intracranial Hypertension. *Ophthalmol Retina*. 2021 May;5(5):429-437
6. Barkatullah AF, Leishangthem L, Moss HE. MRI findings as markers of idiopathic intracranial hypertension. *Curr Opin Neurol*. 2021 Feb 1;34(1):75-83.
7. Malhotra K, Padungkiatsagul T, Moss HE. Optical coherence tomography use in idiopathic intracranial hypertension. *Ann Eye Sci*. 2020;5:7.
8. Lee SC, Lueck CJ. Cerebrospinal fluid pressure in adults. *J Neuroophthalmol*. 2014 Sep;34(3):278-83.
9. Bono F, Curcio M, Rapisarda L, et al. Cerebrospinal Fluid Pressure-Related Features in Chronic Headache: A Prospective Study and Potential Diagnostic Implications. *Frontiers in Neurology*. 2018;(9):1090.
10. Tan MG, Worley B, Kim WB, et al. Drug-Induced Intracranial Hypertension: A Systematic Review and Critical Assessment of Drug-Induced Causes. *Am J Clin Dermatol*. 2020 Apr;21(2):163-172.
11. Onder H, Arslan G, Ulusoy EK, et al. The prevalence of papilledema in patients with migraine: a crucial cooccurrence of migraine and idiopathic intracranial hypertension. *Neurol Sci*. 2020 Sep;41(9):2613-2620.
12. Liu GT, Glaser JS, Schatz NJ. High-dose methylprednisolone and acetazolamide for visual loss in pseudotumor cerebri. *Am J Ophthalmol*. 1994;118(1):88.
13. Liu GT, Kay M, Bienfang D, et al. Pseudotumor cerebri associated with corticosteroid withdrawal in inflammatory bowel disease. *Am J Ophthalmol*. 1994 Mar 15; 117(3):352-7.
14. Thambisetty M, Lavin P, Newman N, et al. Fulminant idiopathic intracranial hypertension. *Neurology*. 2007 Jan 16;68(3):229-32
15. McGirt M, Woodworth G, Thomas G, et al. Cerebrospinal fluid shunt placement for pseudotumor cerebri-associated intractable headache: predictors of treatment response and an analysis of long-term outcomes. *J Neurosurg*. 2004 Oct;101(4):627-32.
16. Ahmed R, Wilkinson M, Parker G, et al. Transverse sinus stenting for idiopathic intracranial hypertension: a review of 52 patients and of model predictions. *AJNR Am J Neuroradiol*. 2011 Sep;32(8):1408-14
17. Jalan R. Intracranial hypertension in acute liver failure: pathophysiological basis of rational management. *Semin Liver Dis*. 2003 Aug;23(3):271-82.
18. Clemmesen O. Splanchnic circulation and metabolism in patients with acute liver failure. *Dan Med Bull*. 2002 Aug;49(3):177-93.
19. Back A, Tupper KY, Bai T, et al. Ammonia-induced brain swelling and neurotoxicity in an organotypic slice model. *Neurol Res*. 2011 Dec;33(10):1100-8.



20. Larsen F S. Cerebral circulation in liver failure: Ohm's law in force. *Semin Liver Dis* . 1996; 16 281-292
21. Michalak A, Rose C, Butterworth J, et al. Neuroactive amino acids and glutamate (NMDA) receptors in frontal cortex of rats with experimental acute liver failure. *Hepatology* . 1996; 24 908-913
22. Zwingmann C, Chatauret N, Leibfritz D, et al. Selective increase of brain lactate synthesis in experimental acute liver failure: Results of a [1H-13C] nuclear magnetic resonance study. *Hepatology*. 2003; 37 420-428
23. Jalan R, Williams R. The inflammatory basis of intracranial hypertension in acute liver failure. *J Hepatol* . 2001; 34 940-942
24. Alba L, Hay J E, Angulo P, et al. Lactulose therapy in acute liver failure (Abst). *J Hepatol*. 2002; 36(Suppl 1) 33
25. Blanco V, Poo R. Efficacy of oral L-ornithine L-aspartate in cirrhotic patients with hyperammonemic hepatic encephalopathy. *Ann Hepatol* 2011; 10 (S2)
26. Kalal C, Maiwall R, Choudhary A, et al. Mannitol is comparable to hypertonic saline for raised intracranial pressure in Acute Liver Failure (MAHAL Study): A RCT. *Dig Dis*. 2021 Nov 11.
27. Ellis A J, Wenden J A, Williams R. Subclinical seizure activity and prophylactic phenytoin infusion in acute liver failure: a controlled clinical trial. *Hepatology* . 2000; 32 536-541
28. Strauss GI. The effect of hyperventilation upon cerebral blood flow and metabolism in patients with fulminant hepatic failure. *Dan Med Bull*. 2007 May;54(2):99-111
29. Rasmussen M. Treatment of elevated intracranial pressure with indomethacin: friend or foe? *Acta Anaesthesiol Scand*. 2005 Mar;49(3):341-50.
30. Pérez-Bárcena J, Llompert-Pou J, Homar J, et al. Pentobarbital versus thiopental in the treatment of refractory intracranial hypertension in patients with traumatic brain injury: a randomized controlled trial. *Crit Care*. 2008;12(4):R112.
31. Rohde J, Pedersen H, Bjerring P, et al. Effects of dexamethasone and cox inhibitors on intracranial pressure and cerebral perfusion in the lipopolysaccharide treated rats with hyperammonemia. *PLoS One*. 2015;10(2):e0117416.
32. Ringe B, Lubbe N, Kuse E, et al. Total hepatectomy and liver transplantation as two-stage procedure. *Ann Surg* . 1993; 218 3-9
33. Fischbach F, Scholz-Hehn A.D., Gerloff C. et al. Case series of idiopathic intracranial hypertension in three patients with immune-complex glomerulonephritis. *BMC Neurol* 21,278 (2021).
34. J. Garrett, J. Corbett, M. Santiago, et al; The Association of Idiopathic Intracranial Hypertension in Patients With Chronic Renal Failure . *Invest. Ophthalmol. Vis. Sci.* 2005;46(13):656.
35. Marx P, Weinert G., Pfeister P, et al. The Influence of Hypercapnia and Hypoxia on Intracranial Pressure and on CSF Electrolyte Concentrations. In: Schürmann K., Brock M., Reulen H.J., Voth D. (eds) Brain Edema / Cerebello Pontine Angle Tumors. Advances in Neurosurgery, vol 1. Springer, Berlin, Heidelberg.
36. Saguner A M, Dür S, Perrig M, et al. Risk factors promoting hypertensive crises: evidence from a longitudinal study. *Am J Hypertens* 2010;23:775-780
37. Galvin J, von Stavern G. Clinical characteristics of idiopathic intracranial hypertension at the Detroit Medical Center. *J Neurol Sci* 2004;223:157-160
38. Abbasi H, Brady A, Cooper S. Fulminant Idiopathic Intracranial Hypertension With Malignant Systemic Hypertension-A Case Report. *Neuroophthalmology*. 2013;37(3):120-123.



Published 2013 May 31.

39. Pizzi F, Schut L, Berman W, et al. Intracranial pressure monitoring in Reye's syndrome. *Childs Brain*. 1976;2(1):59-66.
40. Geisbüsch, C., Herweh, C., Gumbinger, C. et al. Chronic intracranial hypertension after cerebral venous and sinus thrombosis – frequency and risk factors. *Neurol. Res. Pract.* 3, 28 (2021).
41. Drazner M, Rame J, Stevenson L, et al. Prognostic importance of elevated jugular venous pressure and a third heart sound in patients with heart failure. *N Engl J Med*. 2001 Aug 23;345(8):574-81.
42. Holst A, Danielsen PL, Romner B. A severe case of tetracycline-induced intracranial hypertension. *Dermatol Reports*. 2011;3(1):e1.
43. Fishman R. Polar bear liver, vitamin A, aquaporins, and pseudotumor cerebri. *Ann Neurol* Nov 2002;52(5): 531–533,
44. Strickler C, Pilon A. Presumed levothyroxine-induced pseudotumor cerebri in a pediatric patient being treated for congenital hypothyroidism. *Clin Ophthalmol*. 2007;1(4):545-549.
45. Esmaili N, Bradfield YS. Pseudotumor cerebri in children with Down syndrome. *Ophthalmology*. 2007 Sep;114(9):1773-8.
46. Crock P, McKenzie J, Nicoll A, et al. Benign intracranial hypertension and recombinant growth hormone therapy in Australia and New Zealand. *Acta Paediatr*. 1998;87(4):381–6.
47. Pascoe E, Tsang H, Dunlop C, et al. A case series of intracranial hypertension in patients with Turner syndrome, with and without growth hormone therapy. *Int J Pediatr Endocrinol*. 2015;2015(Suppl 1):P79.
48. Edwards R, Britz G, Marsh H. Chronic headaches due to occult hydrocephalus. *J R Soc Med*. 2003;96(2):77-78.
49. Ahmed S, Jayawarna C, Jude E. Post lumbar puncture headache: diagnosis and management. *Postgrad Med J*. 2006;82:713–716
50. Straube A, Neudert C, Glas M, et al. The so-called spontaneous low CSF pressure pressure syndrome Case results indicating a disturbance in CSF/blood volume regulation. *Nervenarzt*. 2004;75:1194–1199
51. Mahoori A, Hassani E, Noroozinia H, et al. Theophylline versus acetaminophen in the treatment of post-dural puncture headache (PDPH) *Middle East J Anaesthesiol*. 2013;22:289–292.
52. Mahoori A, Noroozinia H, Hasani E, et al. Comparing the effect of pregabalin, gabapentin, and acetaminophen on post-dural puncture headache. *Saudi J Anaesthet*. 2014;8:374–377.
53. Oedit R, van Kooten F, Bakker S, et al. Efficacy of the epidural blood patch for the treatment of post lumbar puncture headache BLOPP: a randomised, observer-blind, controlled clinical trial. *BMC Neurol*. 2005 Jul 5;5(1):12.
54. Lin SF, Weng H. Postural Headaches Due to Cerebrospinal Fluid Leakage Through Subarachnoid-Pleural Fistula: A Case Report. *Headache*. 2017 Mar;57(3):467-471.
55. Vaidhyanath R, Kenningham R, Khan A, Messios N. Spontaneous intracranial hypotension: a cause of severe acute headache. *Emerg Med J*. 2007;24(10):739-741.
56. Chung S, Kim J, Lee M. Syndrome of cerebral spinal fluid hypovolemia: clinical and imaging features and outcome. *Neurology*. 2000 Nov 14;55(9):1321-7.
57. Miyazawa K, Shiga Y, Hasegawa T, et al. CSF hypovolemia vs intracranial hypotension in



- "spontaneous intracranial hypotension syndrome". Neurology. 2003 Mar 25;60(6):941-7.
- 58. Curone M, Tullo V, Peccari C, et al. Headache as presenting symptom of neurosarcoidosis. Neurol Sci. 2013 May;34 Suppl 1:S183-5.
 - 59. Feizi P, Tandon M, Khan E, et al. Overcoming the elusiveness of neurosarcoidosis: learning from five complex cases. Neurol Int. 2021 Jun;13(2):130–42.
 - 60. Yamin S, Muhammad A, Mirela C, et al. MRI findings in Neurosarcoidosis Patients with Headache as a Primary Presenting Symptom. Neurology Apr 2021, 96 (15 Supplement) 5025;
 - 61. Lamonte M, Silberstein S, Marcelis J. Headache associated with aseptic meningitis. Headache. 1995 Oct;35(9):520-6.
 - 62. Jabre A, Rosales R, Reed J, et al. Lymphocytic hypophysitis. Journal of Neurology, Neurosurgery & Psychiatry 1997;63:672-673
 - 63. Wild R, Kepley M. *Lymphocytic hypophysitis in a patient with amenorrhea and hyperprolactinemia: a case report.* J Reprod Med 31:211–216
 - 64. Lecube A, Francisco G, Rodríguez D, et al. Lymphocytic hypophysitis successfully treated with azathioprine: first case report. Journal of Neurology, Neurosurgery & Psychiatry. 2003;74:1581-1583.
 - 65. Gómez-Aranda F, Cañadillas F, Martí-Massó J, et al. Pseudomigraine with temporary neurological symptoms and lymphocytic pleocytosis. A report of 50 cases. Brain 1997;120:1105–13
 - 66. Bolay H, Reuter U, Dunn A, et al. Intrinsic brain activity triggers trigeminal meningeal afferents in a migraine model. Nat Med 2002;8:136–42
 - 67. Cifelli A, Vaithianathan L. Syndrome of transient Headache and Neurological Deficits with cerebrospinal fluid Lymphocytosis (HaNDL). BMJ Case Rep. 2011;2011:bcr0320102862. Published 2011 Mar 29.
 - 68. Tsang BK, Kwong JC, Dewey HM. Case of syndrome of headache with neurological deficits and cerebrospinal fluid lymphocytosis (HaNDL) with focal slowing on electroencephalogram. Intern Med J 2012;42:944-7.
 - 69. Ravnik J, Bunc G, Grcar A, et al. Colloid cysts of the third ventricle exhibit various clinical presentation: a review of three cases. Bosn J Basic Med Sci. 2014;14(3):132-135.
 - 70. Coce N, Pavliša G, Nanković S, et al. Large hemorrhagic colloid cyst in a 35-year-old male. Turk Neurosurg. 2012;22(6):783–784.
 - 71. Wang N, Bertalan MS, Brastianos PK. Leptomeningeal metastasis from systemic cancer: Review and update on management. Cancer. 2018 Jan 01;124(1):21-35.
 - 72. Thakkar JP, Kumthekar P, Dixit KS, et al. Leptomeningeal metastasis from solid tumors. J Neurol Sci. 2020 Apr 15;411:116706
 - 73. McGuire S. World Cancer Report 2014. Geneva, Switzerland: World Health Organization, International Agency for Research on Cancer, WHO Press, 2015. Adv Nutr. 2016 Mar;7(2):418-9
 - 74. Lara-Medina F, Crismatt A, Villarreal-Garza C, et al. Clinical features and prognostic factors in patients with carcinomatous meningitis secondary to breast cancer. Breast J. 2012 May-Jun;18(3):233-41.
 - 75. Taillibert S, Laigle-Donadey F, Chodkiewicz C, et al. Leptomeningeal metastases from solid malignancy: a review. J Neurooncol. 2005 Oct;75(1):85-99.
 - 76. Gondim J.A., de Almeida J.P.C., de Albuquerque L.A.F. et al. Headache associated with pituitary tumors. J Headache Pain. 2009;10, 15–20.
 - 77. De la Riva P, Andres-Marín N, Gonzalo-Yubero N, et al. Headache and other complicati-



- ons following intrathecal chemotherapy administration. *Cephalalgia*. 2017;37(11):1109-1110.
78. Fanella M., Fattouch J., Casciato S., et al. Ictal epileptic headache as “subtle” symptom in generalized idiopathic epilepsy. *Epilepsia*, 53: e67-e70.
79. Parisi P, Verrotti A, Costa P, et al. Diagnostic criteria currently proposed for “ictal epileptic headache”: perspectives on strengths, weaknesses and pitfalls. *Seizure*. 2015;31:56–63.
80. Parisi P, Paolino MC, Raucci U, et al. Ictal Epileptic Headache: When Terminology Is Not a Moot Question. *Front Neurol*. 2019;10:785.
81. Caprara F, Letícia A, Rissardo JP, et al. Characteristics of Post-Ictal Headaches in Patients with Epilepsy: a Longitudinal Study. *Seizure - European Journal of Epilepsy*, Volume 81, 244 - 249
82. Nye B.L.Thadani V.M.Migraine and epilepsy: review of the literature. *Headache*. 2015; 55: 359-380
83. Shahisavandi M, Zeraatpisheh Z, Rostaminejad M, et al. Treatment of postictal headache: a systematic review and future directions. *Epilepsy Behav*. 2021 Jun;119:107971.
84. Abu-Arafeh I, Campbell E. Headache, Chiari malformation type 1 and treatment options. *Archives of Disease in Childhood* 2017;102:210-211.
85. Taylor FR, Larkins MV. Headache and Chiari I malformation: clinical presentation, diagnosis, and controversies in management. *Curr Pain Headache Rep*. 2002 Aug;6(4):331-7.