

Bölüm 11

İNTROAL SERT DOKU HACİM ARTTIRMA TEKNİKLERİ

Elif ÇOBAN¹
Berkan ALTAY²
Aylın MAHANOĞLU³

GİRİŞ

Diş kayıpları veya çenelerdeki hastalıklara bağlı olarak oluşan; hastaların çiğneme, konuşma gibi temel fonksiyonlarını etkileyebilen defektlerin protetik rehabilitasyonu, diş hekimliğinde sıkılıkla uygulanan bir işlemidir. Bu rehabilitasyon, konvansiyonel veya implant üstü protezler uygulanarak yapılabilir. Geleneksel protetik tedavilere göre kullanım kolaylığı, doğallığı, psikolojik olarak bütünlük duygusu yaratması gibi avantajlar sağlayabilen dental implantların; hastaların mevcut alveolar kemik hacminin yetersiz olması durumunda, uygun çapta yerleştirilmesi ve doğru konumlandırılması zorlaşabilir. Yetersiz alveolar kemiğinin varlığı dental implant rehabilitasyonu için sınırlayıcı faktör olmasına rağmen sert doku hacim arttırma yöntemleri bu tür vakalarda gereken yapısal ve fonksiyonel desteği oluşturabilir (1).

İntroal hacim artırma yöntemleri için geçmişten günümüze kadar birçok biyomalzeme tanıtılmıştır. Kemik greftleri, bariyer membranlar, pinler ve vidalar bunlardan bazlarıdır. Bu biyomalzemelerden biri olan kemik greftleri immünolojik kaynaklarına göre sınıflandırılmaktadır. Bireyin kendi dokusundan alınıp başka bir bölgesine yerleştirilen; osteokondüktif, osteoindüktif ve osteojenik özelliklerin hepsine sahip tek greft materyali otojen greftlerdir (2). Aynı türden olan fakat hiçbir genetik benzerliği olmayan bireylerden alınan homogreftler ise allogreftler; başlıca sığır kemiği ve doğal mercan olmak üzere genetik olarak farklı canlılardan elde edilen greftler ise ksenogreftler olarak adlandırılır (3). Son zamanlarda kullanımı artan, osteoindüktif büyümeye faktörlerinden biri olan Kemik Morfogenetik Protein-2'nin de hacim artırma prosedüründe etkili bir tedavi olduğu bildiril-

¹ Arş. Gör. Dt. Kütahya Sağlık Bilimleri Üniversitesi, Diş Hekimliği Fakültesi Ağız Diş ve Çene Cerrahisi AD, elif.coban@ksbu.edu.tr

² Dr. Öğr. Üyesi, Kütahya Sağlık Bilimleri Üniversitesi, Diş Hekimliği Fakültesi Ağız Diş ve Çene Cerrahisi AD, berkan.altay@ksbu.edu.tr

³ Uz. Dt. Özel Diş Kliniği, draylnmhn@gmail.com

KAYNAKLAR

1. Misch CE ve Dietsh F. Bone grafting materials in implant dentistry. *Implant Dentistry*. 1993;2:158–66.
2. Hammack BL EW. Comparative vascularization of autogenous and homogenous bone transplants. *Journal of Bone and Joint Surgery*. 1960;42A:811.
3. Nasr HF, Aichelmann-Reidy ME YR. Bone and bone substitutes. *Periodontology*. 2000;19:74–86.
4. Misch CM. Bone augmentation of the atrophic posterior mandible for dental implants using rhBMP-2 and titanium mesh: clinical technique and early results. *International Journal of Periodontics & Restorative Dentistry*. 2010;31(6):581–9.
5. Lindhe J, Karring T LN. *Clinical Periodontology and Implant Dentistry*, Fourth Edition. Blackwell Publishing Company; 2003.
6. Randolph R, Resnik, DMD. *Misch's Contemporary Implant Dentistry; Fourth Edition*. Elsevier Health Sciences, 2020.
7. Raymond J. Fonseca. *Oral and Maxillofacial Surgery Third Edition*. Elsevier Health Sciences, 2017.
8. Schropp L, Wenzel A, Kostopoulos L KT. Bone healing and soft tissue contour changes following single-tooth extraction: a clinical and radiographic 12-month prospective study. *International Journal of Periodontics & Restorative Dentistry*. 2003;23:313–23.
9. Polizzi G, Grunder U, Goené R, et al. Immediate and delayed implant placement into extraction sockets: A 5-year report. *Clinical Implant Dentistry and Related Resarch*. 2000;2(93–99).
10. Werbitt MJ GP. The immediate implant: Bone preservation and bone regeneration. *International Journal of Periodontics & Restorative Dentistry*. 1992;12:206–17.
11. Liu J KD. Mechanisms of guided bone regeneration: a review. *Open Dentistry Journal*. 2014;8:56–65.
12. Van der Weijden F, Dell'Acqua F SD. Alveolar bone dimensional changes of post-extraction sockets in humans: a systematic review. *Journal of Clinical Periodontology*. 2009;36(12):1048–58.
13. Darby I, Chen S, De Poi R. Ridge preservation: What is it and when should it be considered. *Australian Dental Journal*. 2008;53(1):11–21.
14. Çakır M Kİ. İmplant Uygulamaları İçin Kret Koruma Teknikleri. *Atatürk Üniversitesi Diş Hekimliği Fakültesi Dergisi*. 2015;25(1):107–18.
15. Tulio, A. V. M., Kang, C. D., Fabian, O. A., et al. Socket preservation using demineralized tooth graft: A case series report with histological analysis. *International Journal of Growth Factors and Stem Cells in Dentisrty*. 2020;3(1):27–34.
16. Hürzeler, M. B., Zuhr, O., Schupbach, P., et al. The socket-shield technique: a proof-of-principle report. *Journal of Clinical Periodontology*. 2010;37(855):862.
17. Bäumer D, Zuhr O, Rebele S, et al. The socket-shield technique: first histological, clinical, and volumetrical observations after separation of the buccal tooth segment – a pilot study. *Clinical Implant Dentistry and Related Resarch*. 2015;17(1):71–82.
18. Amit S, Gharpure, BDS.Neel B. Bhatavadekar, BDS, MS M. Current Evidence on the Socket-Shield Technique: A Systematic Review. *Journal of Oral Implantology*. 2017;43(5):395–403.
19. Pitaru S, Tal H, Soldinger M, Grosskopf A NM. Partial regeneration of periodontal tissues using collagen barriers. Initial observations in the canine. *Journal of Periodontolgy*. 1988;59(6):380–6.
20. Urban, I. A., & Monje A. Guided Bone Regeneration in Alveolar Bone Reconstruction. *Oral and Maxillofacial Surgery Clinics of North America*. 2019;32(2):331–8.
21. Esposito M, Grusovin M, Worthington H CP. Interventions for replacing missing teeth: bone augmentation techniques for dental implant treatment. *Cochrane Database Systematic Review*. 2008;16(3).

22. Chiapasco M, Zaniboni M BM. Augmentation procedures for the rehabilitation of deficient edentulous ridges with oral implants. *Clinical Oral Implants Research*. 2006;17:136–59.
23. Tinti, Carlo and SP-B. Vertical ridge augmentation: Surgical protocol and retrospective evaluation of 48 consecutively inserted implants. *International Journal of Periodontics & Restorative Dentistry*. 1998;18(5):435–43.
24. Clementini, M., Morlupi, A., Agrestini, C. et al. Immediate versus delayed positioning of dental implants in guided bone regeneration or onlay graft regenerated areas: a systematic review. *International Journal of Oral and Maxillofacial Surgery*. 2013;42(5):643–50.
25. Tatum, H. J. Maxillary and sinus implant reconstructions. *Oral and Maxillofacial Surgery Clinics of North America*. 1986;30:207–9.
26. Summers RB. The osteotome technique: Part 2—the ridge expansion osteotomy (reo) procedure. *Compendium*. 1994;15:422,424, 426, 436.
27. Simion, M., Baldoni, M., Zaffe D. Jawbone enlargement using immediate implant placement associated with a split-crest technique and guided tissue regeneration. *International Journal of Periodontics & Restorative Dentistry*. 1992;12:462–73.
28. Scipioni A, Bruschi GB CG. The edentulous ridge expansion technique: a five-year study. *International Journal of Periodontics & Restorative Dentistry*. 1994;14:451–9.
29. Holtzclaw, D.J., Toscano, N.J., Rosen PS. Reconstruction of posterior mandibular alveolar ridge deficiencies with the piezoelectric hingeassisted ridge split technique: a retrospective observational report. *Journal of Periodontology*. 2010;81:1580–158.
30. Elnayef, B., Monje, A., Lin, G.-H., et al. Alveolar Ridge Split on Horizontal Bone Augmentation: A Systematic Review. *The International Journal of Oral & Maxillofacial Implants*. 2015;30(3):596–606.
31. Tekin, U. Efeo Lu C. Otojen Kemik Graftleri Elde Etme Yöntemleri ve Kullanım Endikasyonları. *Turkiye Klinikleri Journal of Dental Sciences*. 2012;3(3):10–7.
32. Misch CM. Implant site development using ridge splitting techniques. *Oral and Maxillofacial Surgery Clinics of North America*. 2004;16:65–74.
33. Yao, Y., He, K., Gong, P., et al. U-Shaped Bone Splitting and Osteotome Techniques for Narrow Alveolar Ridge in Implant Surgery. *Implant Dentistry*. 2018;27(4):507–11.
34. Giesenhausen, B., Yuksel, O. One-step treatment with bone rings. Vertical augmentation and implantation in just one procedure. *Implantology Journal*. 2010;14:50–2.
35. Omara M, Abdelwahed N, Ahmed M HM. Simultaneous implant placement with ridge augmentation using an autogenous bone ring transplant. *International Journal of Oral and Maxillofacial Surgery*. 2016;45:535–44.
36. Stevens, M. R., Emam, H. A., Alaily, M. E., et al. Implant Bone Rings. One-Stage Three-Dimensional Bone Transplant Technique: A Case Report. *Journal of Oral Implantology*. 2010;36(1):69–74.
37. Yuce M O, Adali E, Turk G, et al. Three-dimensional bone grafting in dental implantology using autogenous bone ring transplant: Clinical outcomes of a one-stage technique. *Nigerian Journal of Clinical Practice*. 2019;22:977–81.
38. Ozgul, O., Altay, B., Atil, F., et al. Allogenic versus Autogenous Bone Rings in Dental Implant Surgery: Guidance of Stress Analysis-Part II. *Journal of Biomaterials and Tissue Engineering*. 2018;8(3).
39. Sindel, A., Özarslan, M. M., Özalp Ö. Intrasinusal locking technique: a novel use of the ring block technique at sinus perforations for simultaneous implant placement. *International Journal of Oral and Maxillofacial Surgery*. 2018;47(4):499–504.
40. Khoury, F., Antoun, H., Missika, P. *Bone augmentation in oral implantology*, Hanover Park: Quintessence Publishing, 2007.

41. Pereira E, Messias A, Dias R, Judas F, et al. Horizontal Resorption of Fresh-Frozen Corticocancellous Bone Blocks in the Reconstruction of the Atrophic Maxilla at 5 Months. *Clinical Implant Dentistry and Related Research.* 2015;2:444–58.
42. Xiao, W., Hu, C., Chu, C., et al. Autogenous Dentin Shell Grafts Versus Bone Shell Grafts for Alveolar Ridge Reconstruction: A Novel Technique with Preliminary Results of a Prospective Clinical Study. *International Journal of Periodontics & Restorative Dentistry.* 2019;39(6):885–93.
43. Stimmelmayr, M., Güth, J.-F., Schlee, M., et al. Use of a modified shell technique for three-dimensional bone grafting: description of a technique. *Australian Dental Journal.* 2012;57(1):93–91.
44. Menoni A, Bernardello F, Spinato S, et al. Full-arch vertical reconstruction of an extremely atrophic mandible with “box technique.” A novel surgical procedure: A clinical and histologic case report. *Implant Dentistry.* 2013;22(1):2–7.
45. Pieri F, Corinaldesi G, Fini M et al. Alveolar ridge augmentation with titanium mesh and a combination of autogenous. *Journal of Periodontology.* 2008;79(11):2093–103.
46. Carini F, Longoni S, Amosso E, et al. Bone augmentation with TiMesh. autologous bone versus autologous bone and bone substitutes. A systematic review. *Ann Stomatol (Roma).* 2014;2:27–36.
47. E Nyström, J Ahlqvist, K E Kahnberg JBR. Autogenous onlay bone grafts fixed with screw implants for the treatment of severely resorbed maxillae. Radiographic evaluation of preoperative bone dimensions, postoperative bone loss, and changes in soft-tissue profile. *International Journal of Oral and Maxillofacial Surgery.* 1996;25(5):351–9.
48. Louis, P. J., Gutta, R., Said-Al-Naief, N., et al. Reconstruction of the maxilla and mandible with particulate bone graft and titanium mesh for implant placement. *International Journal of Oral and Maxillofacial Surgery.* 2008;66(2):235–45.
49. Misch CM, Misch CE, Resnik R et al. Reconstruction of maxillary alveolar defects with mandibular symphysis grafts for dental implants: a preliminary procedural report. *International Journal of Oral & Maxillofacial Implants.* 1992;7:360–6.
50. D Schettler. Sandwich technic with cartilage transplant for raising the alveolar process in the lower jaw. *Fortschr Kiefer Gesichtschir.* 1976;20:61–3.
51. Kamperos G, Zografos I, Tzermpos F, et al. Segmental sandwich osteotomy of the posterior mandible in pre-implant surgery - A systematic review. *Medicina Oral, Patología Oral y Cirugía Bucal.* 2017;22(1):e132–41.
52. Stoelinga P, Tideman H BJ. Interpositional bone graft augmentation of the atrophic mandible: a preliminary report. *Journal of oral surgery. American Dental Association.* 1978;36(1):30–2.
53. Schettler D HW. Clinical and experimental results of a sandwich-technique for mandibular alveolar ridge augmentation. *Journal of Maxillofacial Surgery.* 1977;5(3):199–2020.
54. Stoelinga PJ, Tideman H, Berger JS de KH. Interpositional bone graft augmentation of the atrophic mandible: a preliminary report. *International Journal of Oral and Maxillofacial Surgery.* 1978;36:30–2.
55. Choi B-H, Lee S-HR, Huh J-Y HS-G. Use of the sandwich osteotomy plus an interpositional allograft for vertical augmentation of the alveolar ridge. *Journal of Cranio-Maxillofacial Surgery.* 32(1)51–54. 2004;32(1):51–4.
56. Bormann KH, Suarez-Cunqueiro MM, von See C, et al. Sandwich osteotomy for vertical and transversal augmentation of the posterior mandible. *International Journal of Oral and Maxillofacial Surgery.* 2010;39(6):554–60.
57. Lynch SE GR, Marx RE, Samchukov ML, et al. Distraction osteogenesis: history and biologic basis of new bone formation. Tissue engineering: applications in maxillofacial surgery and periodontics. *Quintessence Carol Stream.* 1998;65–9.

58. Cope JB, Samchukov ML CA. Mandibular distraction osteogenesis: a historic perspective and future directions. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1999;115:448–60.
59. Aghaloo TL MP. Which hard tissue augmentation techniques are the most successful in furnishing bony support for implant placement? *International Journal of Oral & Maxillofacial Implants*. 2007;22:49–70.
60. Jensen OT. Distraction osteogenesis and its use with dental implants. *Dent Implantol Update*. 1999;10(5):33–6.
61. Binger T, Katsaros C, Rücker M SW. Segment distraction to reduce a wide alveolar cleft before alveolar bone grafting. *Plastic and Reconstructive Surgery*, 2000;105:1262–72.
62. González-García R N-GL. Horizontal alveolar transport osteogenesis (HATO) in case of marginal mandibular resection or inferior maxillectomy. *International Journal of Oral and Maxillofacial Surgery*. 2010;48:185–6.
63. Neelakandan RS BD. Transport distraction osteogenesis for maxillomandibular reconstruction: current concepts and applications. *Journal of Oral and Maxillofacial Surgery*, 2012;11:291–9.
64. Kutlu HB, Goyushov S, Calisan B, et al. Transplantation of Autogenous Bone Block with an Osseointegrated Implant: Seedling Technique with Twelve-Month Follow-Up. *Journal of Craniomaxillofacial Surgery*. 2018;29(5):e467–71.
65. Wojtowicz A., Zöller J. E., Ehrl P., et al. Guideline: Cologne Classification of Alveolar Ridge Defects. *Consens Pap Approv 8th Eur Consens Conf Col*. 2013;2–10.
66. Hom-Lay Wang LB. “PASS” principles for predictable bone regeneration. *Implant Dentistry*. 2006;15(1):8–17.