

BÖLÜM

6

SKROTUM HASTALIKLARI

Umut ASFUROĞLU¹

Vaka 1: Varikosel

Vaka 2: Akut Epididimoorşit

Vaka 3: Testis Torsiyonu

Vaka 4: Testiküler Mikrolitiazis

Vaka 5: Rete Testis Ektazisi

Vaka 6: İntratestiküler Varikosel

Vaka 7: Spermatosel

Vaka 8: Mikst germ hücreli tümör

¹ Uzm. Dr., Gaziantep Abdulkadir Yüksel Devlet Hastanesi, umutasfuroglu@gmail.com

hematojen metastaza bağlı semptomlar ile başvururlar. Bu olgularda serumda HCG yüksekliği göze çarpar (34). Teratokarsinom ve koryokarsinomda hızlı boyut artışına bağlı santral nekroz ve sonrasında tümör boyutlarında azalma ile birlikte kalsifik odaklar izlenir. Bu durum ‘burned-out’ testis tümörü olarak adlandırılır (34). Lenfomada USG’de diffüz infiltrasyona bağlı hipoekoik alan ya da hipoekoik hipervasküler kitle izlenebilir. Ekstratestiküler yapılar da tutulum açısından değerlendirilmelidir (36).

Tedavi

Tedavide orşiektomi uygulanır. Erken evre olgularda orşiektomiye ek radyoterapi uygulanır. Seminomlar radyosensitif tümörler olup, uzak metastaz varlığında bile yüksek oranda kür sağlanmaktadır (35). Uzak metastaz varlığında, paraortik konglomere lenfadenopati varlığında kemoterapi (bleomisin, etoposid, sisplatin) uygulanmaktadır.

KAYNAKLAR

- Levine L. Chronic orchialgia: evaluation and discussion of treatment options. *Therapeutic advances in urology*. 2010;2(5-6):209-214.
- Dogra VS, Gottlieb RH, Oka M, et al. Sonography of the scrotum. *Radiology*. 2003;227(1):18-36.
- Lee J, Binsaleh S, Lo K, et al. Varicoceles: the diagnostic dilemma. *Journal of andrology*. 2008;29(2):143-146.
- Liguori G, Trombetta C, Ollandini G, et al. Predictive factors of better improvement in semen quality after sclerotization of varicocele: preliminary report. *J Androl Sci*. 2009;16:47-53.
- Patil V, Shetty SC, Das SK. Redefining the criteria for grading varicoceles based on reflux times: a clinicoradiological correlation. *Ultrasound quarterly*. 2016;32(1):82-85.
- Pauroso S, Di Leo N, Fulle I, et al. Varicocele: Ultrasonographic assessment in daily clinical practice. *Journal of ultrasound*. 2011;14(4):199-204.
- Sarteschi M. Lo studio del varicocele con eco-color-Doppler. *G It Ultrason*. 1993;4:43-49.
- Dubin L, Amelar RD. Varicocele size and results of varicocelectomy in selected subfertile men with varicocele. *Fertility and sterility*. 1970;21(8):606-609.
- Studniarek M, Skrobisz-Balandowska K, Modzelewska E. Scrotal imaging. *Journal of ultrasonography*. 2015;15(62):245.
- Woodward PJ, Schwab CM, Sesterhenn IA. From the archives of the AFIP: extratesticular scrotal masses: radiologic-pathologic correlation. *Radiographics*. 2003;23(1):215-240.
- Siegel MJ. The acute scrotum. *Radiologic Clinics of North America*. 1997;35(4):959-976.
- Horstman WG, Middleton WD, Melson GL, et al. Color Doppler US of the scrotum. *Radiographics*. 1991;11(6):941-957.
- Avery LL, Scheinfeld MH. Imaging of penile and scrotal emergencies. *Radiographics*. 2013;33(3):721-740.
- Mukherjee R, Sinclair AM. Epididymo-orchitis: diagnosis and management. *Trends in Urology & Men's Health*. 2010;1(2):15-18.
- Jee W-H, Choe B-Y, Byun J-Y, et al. Resistive index of the intrascrotal artery in scrotal inflammatory disease. *Acta radiologica*. 1997;38(6):1026-1030.
- Brown JM, Hammers LW, Barton JW, et al. Quantitative Doppler assessment of acute scrotal inflammation. *Radiology*. 1995;197(2):427-431.
- Kantarcı F, Mihmanlı İ. Skrotal Görüntüleme. 2015.
- Weatherspoon K, Polansky S, Catanzano T, et al. Ultrasound emergencies of the male pelvis. *Seminars in Ultrasound, CT and MRI*; 2017: Elsevier.
- Dogra V. Bell-clapper deformity. *AJR*. 2003;180(4):1176; author reply

20. Patriquin HB, Yazbeck S, Trinh B, et al. Testicular torsion in infants and children: diagnosis with Doppler sonography. *Radiology*. 1993;188(3):781-785.
21. Barth RA, Shortliffe LD. Normal pediatric testis: comparison of power Doppler and color Doppler US in the detection of blood flow. *Radiology*. 1997;204(2):389-393.
22. Rebik K, Wagner JM, Middleton W. Scrotal ultrasound. *Radiologic Clinics*. 2019;57(3):635-648.
23. Janzen DL, Mathieson JR, Marsh JI, et al. Testicular microlithiasis: sonographic and clinical features. *AJR*. 1992;158(5):1057-1060.
24. Winter TC, Kim B, Lowrance WT, et al. Testicular microlithiasis: what should you recommend? *AJR*. 2016;206(6):1164-1169.
25. Colangelo SM, Fried K, Hyacinthe LM, et al. Tubular ectasia of the rete testis: an ultrasound diagnosis. *Urology*. 1995;45(3):532-534.
26. Bree RL, Hoang DT. Scrotal ultrasound. *Radiologic Clinics of North America*. 1996;34(6):1183-1205.
27. Kessler A, Meirsdorf S, Graif M, et al. Intra-testicular varicocele: gray scale and color Doppler sonographic appearance. *Journal of ultrasound in medicine*. 2005;24(12):1711-1716.
28. Das K, Prasad K, Szmigelski W, et al. Intra-testicular varicocele: evaluation using conventional and Doppler sonography. *AJR*. 1999;173(4):1079-1083.
29. Dhamija E, Das CJ, Razik A. Intra-testicular varicocele: a rare cause of male factor infertility. Case Reports. 2018;2018:bcr-2018-224547.
30. MacLachlan LS, Nees SN, Fast AM, et al. Intra-testicular varicoceles: are they significant? *Journal of pediatric urology*. 2013;9(6):851-855.
31. Hricak H, Filly RA. Sonography of the scrotum. *Investigative radiology*. 1983;18(2):112-121.
32. Yeh H-C, Wang C-J, Liu C-C, et al. Giant spermatocele mimicking hydrocele: a case report. *The Kaohsiung journal of medical sciences*. 2007;23(7):366-369.
33. Mihmanli I, Kantarci F. Sonography of scrotal abnormalities in adults: an update. *DIR*. 2009;15(1):64.
34. Woodward PJ, Sohaey R, O'Donoghue MJ, et al. From the archives of the AFIP: tumors and tumorlike lesions of the testis: radiologic-pathologic correlation. *Radiographics*. 2002;22(1):189-216.
35. Marko J, Wolfman DJ, Aubin AL, et al. Testicular seminoma and its mimics: from the radiologic pathology archives. *RadioGraphics*. 2017;37(4):1085-1098.
36. Zicherman JM, Weissman D, Gribbin C, et al. Best cases from the AFIP: primary diffuse large B-cell lymphoma of the epididymis and testis. *Radiographics*. 2005;25(1):243-248.