

Bölüm 8

PANKREAS KİSTİK NEOPLAZMLARI

Ufuk AVCIOĞLU¹

GİRİŞ

Pankreas kistleri, abdominal görüntüleme yapılan hastaların yüzde 2-45'inde tespit edilmektedir ve bu sıklık yaşla birlikte artmaktadır.¹⁻⁵ Pankreas kistik neoplazmlarının(PKN) çoğu başka nedenlerle yapılan abdominal görüntülemeler esnasında tesadüfen saptanır.⁶ Biyolojik davranışları benignden maligne kadar değişen, klinisyeni zorlayıcı bir durumdur. PKN türleri arasında ayırm yapmak çoğu zaman zordur. Ancak, PKN'nin doğru yönetimi, kistin pankreas kanserine ilerlemesini önleyebilir, yaşam boyu tarama risk ve maliyetlerini en aza indirir. PKN'lerin sınıflamasında genel kabul gören görüş Dünya Sağlık Örgütü histolojik sınıflandırmasıdır.⁷ Aşağıdaki tabloda (Tablo 1) bu sınıflama gösterilmiştir.

Tablo 1. Pankreas kistik neoplazmlarının Dünya Sağlık Örgütü sınıflandırması

Seröz kistik neoplazmlar

Seröz kistadenom

Seröz mikrokistik adenom

Seröz oligokistik adenom

Seröz kistadenokarsinom

Müsinoz kistik neoplazmlar

Müsinoz kistadenom

Müsinoz kistik neoplazm (orta dereceli displazili)

Müsinoz kistadenokarsinom

Noninvaziv

Invaziv

İntraduktal papiller müsinoz neoplazmlar

İntraduktal papiller müsinoz adenom

İntraduktal papiller müsinoz neoplazm (orta derece displazili)

İntraduktal papiller müsinoz karsinom

Noninvaziv

Invaziv

Solid pseudopapiller neoplazmlar

Solid pseudopapiller neoplazm

Solid pseudopapiller karsinom

¹ Dr. Öğr. Üyesi, OMÜ Tıp Fakültesi, ufukavcioglu@yahoo.com

Yukarıdaki tablo aşağıdaki kaynaklardan uyarlanarak hazırlanmıştır.

1. Khalid A, Brugge WR. ACG practice guidelines for the diagnosis and management of neoplastic pancreatic cysts. *Am J Gastroenterol* 2007; 102:2339.
2. Wu J, Jiao Y, Dal Molin M, et al. Whole-exome sequencing of neoplastic cysts of the pancreas reveals recurrent mutations in components of ubiquitin-dependent pathways. *Proc Natl Acad Sci U S A* 2011; 108:21188.

KAYNAKLAR

1. Laffan TA, Horton KM, Klein AP, et al. Prevalence of unsuspected pancreatic cysts on MDCT. *AJR Am J Roentgenol* 2008; 191:802.
2. Ip IK, Mortele KJ, Prevedello LM, et al. Focal cystic pancreatic lesions: assessing variation in radiologists' management recommendations. *Radiology* 2011;259:136–41.
3. Girometti R, Intini S, Brondani G, et al. Incidental pancreatic cysts on 3D turbo spin echo magnetic resonance cholangiopancreatography: prevalence and relation with clinical and imaging features. *Abdom Imaging* 2011;36:196–205.
4. Chang YR, Park JK, Jang JY, et al. Incidental pancreatic cystic neoplasms in an asymptomatic healthy population of 21,745 individuals: large-scale, single-center cohort study. *Medicine (Baltimore)* 2016;95:e5535.
5. de Jong K, Nio CY, Hermans JJ, et al. High prevalence of pancreatic cysts detected by screening magnetic resonance imaging examinations. *Clin Gastroenterol Hepatol* 2010;8:806–11.
6. Spinelli KS, Fromwiller TE, Daniel RA, et al. Cystic pancreatic neoplasms: observe or operate. *Ann Surg* 2004; 239:651.
7. Zamboni, G, Kloeppe, et al. Mucinous cystic neoplasms of the pancreas. In: World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Digestive System, Aaltonen, LA, Hamilton, SR (Eds), IARC Press, Lyon, France 2000. p.234.
8. Valsangkar NP, Morales-Oyarvide V, Thayer SP, et al. 851 resected cystic tumors of the pancreas: a 33-year experience at the Massachusetts General Hospital. *Surgery* 2012; 152:S4
9. Scheiman JM, Hwang JH, Moayyedi P. American gastroenterological association technical review on the diagnosis and management of asymptomatic neoplastic pancreatic cysts. *Gastroenterology* 2015; 148:824.
10. Compagno J, Oertel JE. Microcystic adenomas of the pancreas (glycogen-rich cystadenomas): a clinicopathologic study of 34 cases. *Am J Clin Pathol* 1978; 69:289.
11. Pyke CM, van Heerden JA, Colby TV, et al. The spectrum of serous cystadenoma of the pancreas. Clinical, pathologic, and surgical aspects. *Ann Surg* 1992; 215:132.
12. Lundstedt C, Dawiskiba S. Serous and mucinous cystadenoma/cystadenocarcinoma of the pancreas. *Abdom Imaging* 2000; 25:201.
13. Sharma, A. Tumors of the Pancreas. In: Current Diagnosis & Treatment: Gastroenterology, Hepatology, & Endoscopy, Greenberger, NJ, Blumberg, RS, Burakoff, R (Eds), McGraw-Hill, New York 2009. p.318.
14. Tseng JF, Warshaw AL, Sahani DV, et al. Serous cystadenoma of the pancreas: tumor growth rates and recommendations for treatment. *Ann Surg* 2005; 242:413.
15. Romics L Jr, Oláh A, Belággi T, et al. Solid pseudopapillary neoplasm of the pancreas--proposed algorithms for diagnosis and surgical treatment. *Langenbecks Arch Surg* 2010; 395:747.

16. Wang W, Zhang L, Chen L, et al. Serum carcinoembryonic antigen and carbohydrate antigen 19-9 for prediction of malignancy and invasiveness in intraductal papillary mucinous neoplasms of the pancreas: a meta-analysis. *Biomed Rep* 2015;3:43–50.
17. Kim JR, Jang JY, Kang MJ, et al. Clinical implication of serum carcinoembryonic antigen and carbohydrate antigen 19-9 for the prediction of malignancy in intraductal papillary mucinous neoplasm of pancreas. *J Hepatobiliary Pancreat Sci* 2015;22:699–707
18. Curry CA, Eng J, Horton KM, et al. CT of primary cystic pancreatic neoplasms: can CT be used for patient triage and treatment? *AJR Am J Roentgenol* 2000;175:99–103.
19. Gress F, Gottlieb K, Cummings O, et al. Endoscopic ultrasound characteristics of mucinous cystic neoplasms of the pancreas. *Am J Gastroenterol* 2000; 95:961.
20. Sarr MG, Carpenter HA, Prabhakar LP, et al. Clinical and pathologic correlation of 84 mucinous cystic neoplasms of the pancreas: can one reliably differentiate benign from malignant (or premalignant) neoplasms? *Ann Surg* 2000; 231:205.
21. Zamboni G, Scarpa A, Bogina G, et al. Mucinous cystic tumors of the pancreas: clinicopathological features, prognosis, and relationship to other mucinous cystic tumors. *Am J Surg Pathol* 1999; 23:410.
22. Reddy RP, Smyrk TC, Zapiach M, et al. Pancreatic mucinous cystic neoplasm defined by ovarian stroma: demographics, clinical features, and prevalence of cancer. *Clin Gastroenterol Hepatol* 2004; 2:1026.
23. Machado NO, Al Qadhi H, Al Wahibi K. Intraductal Papillary Mucinous Neoplasm of Pancreas. *N Am J Med Sci* 2015; 7:160.
24. Carbognin G, Zamboni G, Pinali L, et al. Branch duct IPMTs: value of cross-sectional imaging in the assessment of biological behavior and follow-up. *Abdom Imaging* 2006; 31:320.
25. Sahani DV, Kadavigere R, Blake M, et al. Intraductal papillary mucinous neoplasm of pancreas: multi-detector row CT with 2D curved reformations--correlation with MRCP. *Radiology* 2006; 238:560.
26. Irie H, Honda H, Aibe H, et al. MR cholangiopancreatographic differentiation of benign and malignant intraductal mucin-producing tumors of the pancreas. *AJR Am J Roentgenol* 2000; 174:1403.
27. Kim JH, Eun HW, Kim KW, et al. Intraductal papillary mucinous neoplasms with associated invasive carcinoma of the pancreas: imaging findings and diagnostic performance of MDCT for prediction of prognostic factors. *AJR Am J Roentgenol* 2013; 201:565.
28. Waters JA, Schmidt CM, Pinchot JW, et al. CT vs MRCP: optimal classification of IPMN type and extent. *J Gastrointest Surg* 2008; 12:101.
29. Izuishi K, Nakagohri T, Konishi M, et al. Spatial assessment by magnetic resonance cholangiopancreatography for preoperative imaging in partial pancreatic head resection. *Am J Surg* 2001; 182:18.
30. Koito K, Namieno T, Ichimura T, et al. Mucin-producing pancreatic tumors: comparison of MR cholangiopancreatography with endoscopic retrograde cholangiopancreatography. *Radiology* 1998; 208:231.
31. Sugiyama M, Atomi Y, Kuroda A. Two types of mucin-producing cystic tumors of the pancreas: diagnosis and treatment. *Surgery* 1997; 122:617.
32. Albert J, Schilling D, Breer H, et al. Mucinous cystadenomas and intraductal papillary mucinous tumors of the pancreas in magnetic resonance cholangiopancreatography. *Endoscopy* 2000; 32:472.
33. Itai Y, Ohhashi K, Nagai H, et al. “Ductectatic” mucinous cystadenoma and cystadenocarcinoma of the pancreas. *Radiology* 1986; 161:697.

34. Yu MH, Lee JY, Kim MA, et al. MR imaging features of small solid pseudopapillary tumors: retrospective differentiation from other small solid pancreatic tumors. *AJR Am J Roentgenol* 2010; 195:1324.
35. Vege SS, Ziring B, Jain R, et al. American gastroenterological association institute guideline on the diagnosis and management of asymptomatic neoplastic pancreatic cysts. *Gastroenterology* 2015; 148:819.
36. Singhi AD, Zeh HJ, Brand RE, et al. American Gastroenterological Association guidelines are inaccurate in detecting pancreatic cysts with advanced neoplasia: a clinicopathologic study of 225 patients with supporting molecular data. *Gastrointest Endosc* 2016; 83:1107.
37. ASGE Standards of Practice Committee, Muthusamy VR, Chandrasekhara V, et al. The role of endoscopy in the diagnosis and treatment of cystic pancreatic neoplasms. *Gastrointest Endosc* 2016; 84:1.
38. European evidenceBased guidelines on pancreatic cystic neoplasms. European Study Group on Cystic Tumours of the Pancreas. *Gut*. 2018 May;67(5):789-804. doi: 10.1136/gutjnl-2018-316027.
39. Brugge WR, Lewandrowski K, Lee-Lewandrowski E, et al. Diagnosis of pancreatic cystic neoplasms: a report of the cooperative pancreatic cyst study. *Gastroenterology* 2004; 126:1330.
40. Kamata K, Kitano M, Omoto S, et al. Contrast-enhanced harmonic endoscopic ultrasonography for differential diagnosis of pancreatic cysts. *Endoscopy* 2016;48:35–41.
41. Harima H, Kaino S, Shinoda S, et al. Differential diagnosis of benign and malignant branch duct intraductal papillary mucinous neoplasm using contrast-enhanced endoscopic ultrasonography. *World J Gastroenterol* 2015;21:6252–60
42. Al-Haddad M, Gill KR, Raimondo M, et al. Safety and efficacy of cytology brushings versus standard fine-needle aspiration in evaluating cystic pancreatic lesions: a controlled study. *Endoscopy* 2010; 42:127.,
43. Cizginer S, Turner BG, Bilge AR, et al. Cyst fluid carcinoembryonic antigen is an accurate diagnostic marker of pancreatic mucinous cysts. *Pancreas* 2011; 40:1024.
44. Gaddam S, Ge PS, Keach JW, et al. Suboptimal accuracy of carcinoembryonic antigen in differentiation of mucinous and nonmucinous pancreatic cysts: results of a large multicenter study. *Gastrointest Endosc* 2015; 82:1060.
45. Khalid A, McGrath KM, Zahid M, et al. The role of pancreatic cyst fluid molecular analysis in predicting cyst pathology. *Clin Gastroenterol Hepatol* 2005; 3:967.
46. Khalid A, Zahid M, Finkelstein SD, et al. Pancreatic cyst fluid DNA analysis in evaluating pancreatic cysts: a report of the PANDA study. *Gastrointest Endosc* 2009; 69:1095.
47. Rockacy MJ, Zahid M, McGrath KM, et al. Association between KRAS mutation, detected in pancreatic cyst fluid, and long-term outcomes of patients. *Clin Gastroenterol Hepatol* 2013; 11:425.
48. Park WG, Wu M, Bowen R, et al. Metabolomic-derived novel cyst fluid biomarkers for pancreatic cysts: glucose and kynurenine. *Gastrointest Endosc* 2013; 78:295.
49. Al-Haddad M, DeWitt J, Sherman S, et al. Performance characteristics of molecular (DNA) analysis for the diagnosis of mucinous pancreatic cysts. *Gastrointest Endosc* 2014; 79:79.
50. JabbarKS, Verbeke C, Hyltander AG, et al. Proteomic mucin profiling for the identification of cystic precursors of pancreatic cancer. *J Natl Cancer Inst* 2014; 106:djt439.
51. Zikos T, Pham K, Bowen R, et al. Cyst Fluid Glucose is Rapidly Feasible and Accurate in Diagnosing Mucinous Pancreatic Cysts. *Am J Gastroenterol* 2015; 110:909.

52. Springer S, Wang Y, Dal Molin M, et al. A combination of molecular markers and clinical features improve the classification of pancreatic cysts. *Gastroenterology* 2015; 149:1501.
53. Singhi AD, Nikiforova MN, Fasanella KE, et al. Preoperative GNAS and KRAS testing in the diagnosis of pancreatic mucinous cysts. *Clin Cancer Res* 2014; 20:4381.
54. Nikiforova MN, Khalid A, Fasanella KE, et al. Integration of KRAS testing in the diagnosis of pancreatic cystic lesions: a clinical experience of 618 pancreatic cysts. *Mod Pathol* 2013; 26:1478.
55. Furukawa T, Kuboki Y, Tanji E, et al. Whole-exome sequencing uncovers frequent GNAS mutations in intraductal papillary mucinous neoplasms of the pancreas. *Sci Rep* 2011; 1:161.
56. Wu J, Matthaei H, Maitra A, et al. Recurrent GNAS mutations define an unexpected pathway for pancreatic cyst development. *Sci Transl Med* 2011; 3:92ra66
57. Kanda M, Sadakari Y, Borges M, et al. Mutant TP53 in duodenal samples of pancreatic juice from patients with pancreatic cancer or high-grade dysplasia. *Clin Gastroenterol Hepatol* 2013; 11:719.
58. Frossard JL, Amouyal P, Amouyal G, et al. Performance of endosonography-guided fine needle aspiration and biopsy in the diagnosis of pancreatic cystic lesions. *Am J Gastroenterol* 2003; 98:1516.
59. Jones EC, Suen KC, Grant DR, Chan NH. Fine-needle aspiration cytology of neoplastic cysts of the pancreas. *Diagn Cytopathol* 1987; 3:238.
60. Centeno BA, Lewandrowski KB, Warshaw AL, et al. Cyst fluid cytologic analysis in the differential diagnosis of pancreatic cystic lesions. *Am J Clin Pathol* 1994; 101:483.
61. Khalid A, Brugge W. ACG practice guidelines for the diagnosis and management of neoplastic pancreatic cysts. *Am J Gastroenterol* 2007; 102:2339.
62. Sugiyama M, Atomi Y, Saito M. Intraductal papillary tumors of the pancreas: evaluation with endoscopic ultrasonography. *Gastrointest Endosc* 1998; 48:164.
63. Cellier C, Cuillerier E, Palazzo L, et al. Intraductal papillary and mucinous tumors of the pancreas: accuracy of preoperative computed tomography, endoscopic retrograde pancreatography and endoscopic ultrasonography, and long-term outcome in a large surgical series. *Gastrointest Endosc* 1998; 47:42.
64. Pais SA, Attasaranya S, Leblanc JK, et al. Role of endoscopic ultrasound in the diagnosis of intraductal papillary mucinous neoplasms: correlation with surgical histopathology. *Clin Gastroenterol Hepatol* 2007; 5:489.
65. Tanno S, Nakano Y, Nishikawa T, et al. Natural history of branch duct intraductal papillary-mucinous neoplasms of the pancreas without mural nodules: long-term follow-up results. *Gut* 2008; 57:339.
66. Kim KW, Park SH, Pyo J, et al. Imaging features to distinguish malignant and benign branch-duct type intraductal papillary mucinous neoplasms of the pancreas: a meta-analysis. *Ann Surg* 2014; 259:72.
67. Grützmann R, Niedergethmann M, Pilarsky C, et al. Intraductal papillary mucinous tumors of the pancreas: biology, diagnosis, and treatment. *Oncologist* 2010; 15:1294.
68. Aithal GP, Chen RY, Cunningham JT, et al. Accuracy of EUS for detection of intraductal papillary mucinous tumor of the pancreas. *Gastrointest Endosc* 2002; 56:701.
69. Fasanella KE, McGrath K. Cystic lesions and intraductal neoplasms of the pancreas. *Best Pract Res Clin Gastroenterol* 2009; 23:35.
70. Nickl NJ, Lawson JM, Cotton PB. Mucinous pancreatic tumors: ERCP findings. *Gastrointest Endosc* 1991; 37:133.
71. Rajzman I, Kortan P, Walden D, et al. Mucinous ductal ectasia: cholangiopancreatographic and endoscopic findings. *Endoscopy* 1994; 26:303.

72. Gan SI, Thompson CC, Lauwers GY, et al. Ethanol lavage of pancreatic cystic lesions: initial pilot study. *Gastrointest Endosc* 2005; 61:746.
73. Oh HC, Seo DW, Lee TY, et al. New treatment for cystic tumors of the pancreas: EUS-guided ethanol lavage with paclitaxel injection. *Gastrointest Endosc* 2008; 67:636.
74. Oh HC, Seo DW, Song TJ, et al. Endoscopic ultrasonography-guided ethanol lavage with paclitaxel injection treats patients with pancreatic cysts. *Gastroenterology* 2011; 140:172.
75. King JC, Ng TT, White SC, et al. Pancreatic serous cystadenocarcinoma: a case report and review of the literature. *J Gastrointest Surg* 2009; 13:1864.
76. Jais B, Rebours V, Malleo G, et al. Serous cystic neoplasm of the pancreas: a multinational study of 2622 patients under the auspices of the International Association of Pancreatologists and European Pancreatic Club (European Study Group on Cystic Tumors of the Pancreas). *Gut* 2016; 65:305.
77. Lee SE, Jang JY, Hwang DW, et al. Clinical features and outcome of solid pseudopapillary neoplasm: differences between adults and children. *Arch Surg* 2008; 143:1218.
78. Kim MJ, Choi DW, Choi SH, et al. Surgical treatment of solid pseudopapillary neoplasms of the pancreas and risk factors for malignancy. *Br J Surg* 2014; 101:1266.
79. Law JK, Ahmed A, Singh VK, et al. A systematic review of solid-pseudopapillary neoplasms: are these rare lesions? *Pancreas* 2014; 43:331.
80. Chen X, Zhou GW, Zhou HJ, et al. Diagnosis and treatment of solid-pseudopapillary tumors of the pancreas. *Hepatobiliary Pancreat Dis Int* 2005; 4:456.
81. Alexandrescu DT, O'Boyle K, Feliz A, et al. Metastatic solid-pseudopapillary tumour of the pancreas: clinico-biological correlates and management. *Clin Oncol (R Coll Radiol)* 2005; 17:358.
82. Sohn TA, Yeo CJ, Cameron JL, et al. Intraductal papillary mucinous neoplasms of the pancreas: an updated experience. *Ann Surg* 2004; 239:788.
83. Chari ST, Yadav D, Smyrk TC, et al. Study of recurrence after surgical resection of intraductal papillary mucinous neoplasm of the pancreas. *Gastroenterology* 2002; 123:1500.
84. Salvia R, Fernández-del Castillo C, Bassi C, et al. Main-duct intraductal papillary mucinous neoplasms of the pancreas: clinical predictors of malignancy and long-term survival following resection. *Ann Surg* 2004; 239:678.
85. Kang MJ, Jang JY, Lee KB, et al. Long-term prospective cohort study of patients undergoing pancreatectomy for intraductal papillary mucinous neoplasm of the pancreas: implications for postoperative surveillance. *Ann Surg* 2014; 260:356.
86. Terris B, Ponsot P, Paye F, et al. Intraductal papillary mucinous tumors of the pancreas confined to secondary ducts show less aggressive pathologic features as compared with those involving the main pancreatic duct. *Am J Surg Pathol* 2000; 24:1372.
87. Sho M, Nakajima Y, Kaneko H, et al. Pattern of recurrence after resection for intraductal papillary mucinous tumors of the pancreas. *World J Surg* 1998; 22:874.
88. Niedergethmann M, Grützmann R, Hildenbrand R, et al. Outcome of invasive and noninvasive intraductal papillary-mucinous neoplasms of the pancreas (IPMN): a 10-year experience. *World J Surg* 2008; 32:2253.
89. Tanaka M, Chari S, Adsay V, et al. International consensus guidelines for management of intraductal papillary mucinous neoplasms and mucinous cystic neoplasms of the pancreas. *Pancreatology* 2006; 6:17.