



BÖLÜM 16

KOLOREKTAL HASTALIKLarda CERRAHİYE YARDIMCI NÜKLEER TIP YÖNTEMLERİ VE RADYOKILAVUZLU CERRAHİ

Farise YILMAZ¹
Hasan ÖNNER²

GİRİŞ

Gastrointestinal sistemin (GIS) alt yarısını oluşturan kolorektal sistem hastalıklarının cerrahisi, cerrahi günlük pratiğinin neredeyse yarısını kapsamaktadır. Sıkça karşılaşılan bu hastalık spektrumunda tanı ve tedavi planlamasında nükleer tip yöntemleri klinisyenlere yardımcı olmaktadır.

Kolorektal hastalıklarda, kanama odağı saptama ve kanserler, nükleer tipi ilgilendiren başlıca konulardır. Özellikle Meckel divertikülü başta olmak üzere alt gastrointestinal sistem (GIS) kanamalarında kanama odağının saptanamadığı durumlarda nükleer tip yöntemlerine başvurulmaktadır. Yine kolorektal kanserlerin (KRK) evrelendirilmesinde, tedaviye yanıtın değerlendirilmesinde ve nüksün saptanmasında nükleer tip yöntemleri önemli rol oynamaktadır. Ayrıca kolorektal kanserlerde uygulanan sentinel lenf nodunun radyokılavuzlu cerrahisi bu bölümde anlatılacak olan nükleer tip yöntemleri arasındadır.

¹ Dr. Öğr. Üyesi, Selçuk Üniversitesi Tip Fakültesi Hastanesi, Nükleer Tip Anabilim Dalı, drfarise@hotmail.com

² Uzm. Dr., Konya Şehir Hastanesi, Nükleer Tip Birimi, hasanonner@gmail.com

KAYNAKLAR

- Goldstraw PJJ, et al. The 7th Edition of TNM in Lung Cancer: what now? 2009;4(6):671-3.
- Lanas A, Garcia-Rodriguez LA, Polo-Tomás M, Ponce M, Alonso-Abreu I, Perez-Aisa MA, et al. Time trends and impact of upper and lower gastrointestinal bleeding and perforation in clinical practice. 2009;104(7):1633-41.
- Hattami V, Hatami S, Asadolahi K, Anvari MJBoE, Trauma. Effects of Meperidine on Pain Intensity and Accuracy of Clinical Diagnosis in Patients with Acute Abdominal Pain: A Randomized Clinical Trial. 2013;1(4):152.
- Cagir B, Cirincione E. Lower gastrointestinal bleeding: Surgical perspective. Retrieved June 10, 2005. 2004.
- Şanlı Y, Özkan ZG, Kuyumcu S, Yanar H, Balık E, Tokmak H, et al. Role of red blood cell scintigraphy for determining the localization of gastrointestinal bleeding. 2012;18(3):225-30.
- Howarth DM, editor The role of nuclear medicine in the detection of acute gastrointestinal bleeding. Seminars in nuclear medicine; 2006: Elsevier.
- Thrall JH, Ziessman H. Nuclear medicine: the requisites. 1995.
- Orecchia PM, Hensley EK, McDonald PT, Lull RJJ, AoS. Localization of lower gastrointestinal hemorrhage: experience with red blood cells labeled in vitro with technetium Tc 99m. 1985;120(5):621-4.
- Schillaci O, Spanu A, Tagliabue L, Filippi L, Danieli R, Palumbo B, et al. SPECT/CT with a hybrid imaging system in the study of lower gastrointestinal bleeding with technetium-99m red blood cells. 2009;53(3):281.
- Carneiro F, Ensari A, Chaves P. Pathology of the Gastrointestinal Tract (Encyclopedia of Pathology): Springer; 2017.
- Anand S, Handa R, Chauhan MJMj, Armed Forces India. Nuclear Imaging in Meckel's Diverticulum. 2004;60(2):198.
- Rerkuppaphol S, Hutson J, Oliver MJPsi. Ranitidine-enhanced 99m technetium pertechnetate imaging in children improves the sensitivity of identifying heterotopic gastric mucosa in Meckel's diverticulum. 2004;20(5):323-5.
- Swaniker F, Soldes O, Hirschl RB, JJops. The utility of technetium 99m pertechnetate scintigraphy in the evaluation of patients with Meckel's diverticulum. 1999;34(5):760-5.
- Gunay EC, Aksoy T, Aydin F, Gedik GK, Gulaldi N, Kara PO, et al., editors. TSNNM, Procedure Guidelines for Gastroesophageal Reflux and Pulmonary Aspiration Scintigraphy, Gastrointestinal Bleeding Scintigraphy and Meckel's Diverticulum Scintigraphy in Children/TNTD, Cocuklarda Gastroozefajial Reflu ve Pulmoner Aspirasyon Sintigrafisi, Gastrointestinal Sistem Kanama Sintigrafisi ve Meckel's Divertikulu Sintigrafisi Uygulama Kilavuzu. Nuclear Medicine Seminars; 2015: Galenos Yayinevi Tic. Ltd.
- Jemal A, Bray F, Center MM, Ferlay J, Ward E, Forman DJ, Cacjfc. Global cancer statistics. 2011;61(2):69-90.

16. Benedix F, Kube R, Meyer F, Schmidt U, Gastinger I, Lippert H, et al. Comparison of 17,641 patients with right-and left-sided colon cancer: differences in epidemiology, perioperative course, histology, and survival. 2010;53(1):57-64.
17. Siegal R, Ward E, Brawley O, Jemal AJCCJC. Cancer statistics, 2011: the impact of eliminating socioeconomic and racial disparities on premature cancer deaths. 2011;61(4):212-36.
18. Martin F, Kavanagh D, Waldron RJTS. Squamous cell carcinoma of the anal canal. 2009;7(4):232-7.
19. Benson AB, Venook AP, Al-Hawary MM, Cederquist L, Chen Y-J, Ciombor KK, et al. Anal carcinoma, version 2.2018, NCCN clinical practice guidelines in oncology. 2018;16(7):852-71.
20. Glynne-Jones R, Nilsson PJ, Aschele C, Goh V, Peiffert D, Cervantes A, et al. Anal cancer: ESMO-ESSO-ESTRO clinical practice guidelines for diagnosis, treatment and follow-up. 2014;25(suppl_3):iii10-iii20.
21. Mahmud A, Poon R, Jonker DJTBjor. PET imaging in anal canal cancer: a systematic review and meta-analysis. 2017;90(1080):20170370.
22. Caldarella C, Treglia G, Isgrò MA, Giordano A. Diagnostic performance of positron emission tomography using ¹¹C-methionine in patients with suspected parathyroid adenoma: a meta-analysis. Springer; 2013.
23. Cohen AM, Kelsen D, Saltz L, Minsky BD, Nelson H, Farouk R, et al. Adjuvant therapy for colorectal cancer. 1998;22(1):11-77.
24. Wolmark N, Rockette H, Fisher B, Wickerham DL, Redmond C, Fisher ER, et al. The benefit of leucovorin-modulated fluorouracil as postoperative adjuvant therapy for primary colon cancer: results from National Surgical Adjuvant Breast and Bowel Project protocol C-03. 1993;11(10):1879-87.
25. Figueiredo A, Coombes ME, Mukherjee SJCDoS. Adjuvant therapy for completely resected stage II colon cancer. 2008(3).
26. Aikou T, Kitagawa Y, Kitajima M, Uenosono Y, Bilchik AJ, Martinez SR, et al. Sentinel lymph node mapping with GI cancer. 2006;25(2):269-77.
27. Greene FL, Balch CM, Fleming ID, Fritz A, Haller DG, Morrow M, et al. AJCC cancer staging handbook: TNM classification of malignant tumors: Springer Science & Business Media; 2002.
28. Sabin LH, Gospodarowicz MK, Wittekind C. TNM classification of malignant tumours: John Wiley & Sons; 2011.
29. Bilchik AJ, Trocha SDJCC. Lymphatic mapping and sentinel node analysis to optimize laparoscopic resection and staging of colorectal cancer: an update. 2003;10(3):219-23.
30. Saha S, Dan AG, Viehl CT, Zuber M, Wiese D. Sentinel Lymph Node Mapping in Colon and Rectal Cancer. Selective sentinel lymphadenectomy for human solid cancer: Springer; 2005. p. 105-22.
31. Bilchik A, Saha S, Tsoulis G, Wood T, Morton DJAO SO. Aberrant drainage and missed micrometastases: the value of lymphatic mapping and focused analysis of sentinel lymph nodes in gastrointestinal neoplasms. 2001;8(9 Suppl):82S-5S.

32. Paramo JC, Summerall J, Poppiti R, Mesko TWJAoSO. Validation of sentinel node mapping in patients with colon cancer. 2002;9(6):550-4.
33. Bendavid Y, Latulippe JF, Younan RJ, Leclerc YE, Dube S, Heyen F, et al. Phase I study on sentinel lymph node mapping in colon cancer: a preliminary report. 2002;79(2):81-4.
34. Saha S, Bilchik A, Wiese D, Espinosa M, Badin J, Ganatra B, et al. Ultrastaging of colorectal cancer by sentinel lymph node mapping technique--a multicenter trial. 2001;8(9 Suppl):94S.
35. Fitzgerald T, Khalifa M, Al Zahrani M, Law C, Smith AJJoso. Ex vivo sentinel lymph node biopsy in colorectal cancer: a feasibility study. 2002;80(1):27-32.
36. Kitagawa Y, Saha S, Kitajima M. Sentinel lymph node biopsy in cancers of the gastrointestinal tract. Radioguided surgery: Springer; 2008. p. 142-50.
37. Yanagita S, Uenosono Y, Arigami T, Kita Y, Mori S, Natsugoe SJBc. Utility of the sentinel node concept for detection of lateral pelvic lymph node metastasis in lower rectal cancer. 2017;17(1):1-7.
38. Clark J, Petrelli N, Herrera L, Mittelman AJC. Epidermoid carcinoma of the anal canal. 1986;57(2):400-6.
39. Ortholan C, Resbeut M, Hannoun-Levi J-M, Teissier E, Gerard J-P, Ronchin P, et al. Anal canal cancer: management of inguinal nodes and benefit of prophylactic inguinal irradiation (CORS-03 Study). 2012;82(5):1988-95.
40. Gerard JP, Chapet O, Samiei F, Morignat E, Isaac S, Paulin C, et al. Management of inguinal lymph node metastases in patients with carcinoma of the anal canal: experience in a series of 270 patients treated in Lyon and review of the literature. Cancer. 2001;92(1):77-84.
41. Sadeghi R, Gholami H, Zakavi SR, Kakhki VR, Tabasi KT, Horenblas S. Accuracy of sentinel lymph node biopsy for inguinal lymph node staging of penile squamous cell carcinoma: systematic review and meta-analysis of the literature. The Journal of urology. 2012;187(1):25-31.
42. Tehranian S, Treglia G, Krag DN, Dabbagh Kakhki VR, Zakavi SR, Sadeghi R, et al. Sentinel node mapping in anal canal cancer: systematic review and meta-analysis. Journal of gastrointestinal and liver diseases : JGLD. 2013;22(3):321-8.