

## Bölüm 3

# TAHILLARDA VERİMİ ETKİLEYEN ABİYOTİK STRES ÇEŞİTLERİ VE SAVUNMA MEKANİZMALARI

Ayhan KOCAMAN<sup>1</sup>

Dünyada mevcut kara parçası yüzeyinin sadece küçük bir kısmı insanlar tarafından işlenebilmekteyken, kara parçasındaki büyük bir kısmı ise çok aşırı sıcaklar, çok aşırı soğuklar, kuraklık ve tuzluluk problemlerinin olması, ayrıca bazı kısımlarının dağlar veya çöllerle kaplı olması nedeniyle tarımsal amaçlar için kullanılmamaktadır. Yine sıcaklık, dünyada kontrol edilmeyen bir iklim faktörüdür. Bitkiler ise polikiloterm canlılardır. Yani ortamın sıcaklığına uyum gösterirler. Bu nedenle sıcaklık stresi, tarımsal açıdan, bitki yayılışı ve gelişimini etkileyen en önemli stres kaynaklarından biridir.

Düşük ve yüksek sıcaklıklar, yoğunluk ve süreye bağlı olarak bitkilerin metabolik aktivitelerini, büyümelerini ve fizyolojik faaliyetlerini bozmakta ve bir türün tabi yayılma alanını sınırlamaktadır.

Buna bağlı olarak yine bir bölgenin üretimi çevresel, kültürel ve ekonomik faktörleri etkilidir. Örnek olarak Pirinç, sel koşullarında iyi yetiştirilmektedir bu nedenle Suya erişimi yüksek olan bölgeler, pirinç ve misirda baskın bir verime sahiptirler. Bu nedenle, Asya, tatlı su ve bol yağışın çok olması nedeniyle tüm bölgeler arasında dünyanın en büyük pirinç üreticisi konumundadırlar.

<sup>1</sup> Dr. Öğr. Üyesi, Karabük Üniversitesi, Mühendislik Fakültesi, Çevre Mühendisliği Bölümü, ayhankocaman@karabuk.edu.tr

eliminasyonunda kullanılabilecekleri bir enzim sistemi olmadı-  
ğından kolayca tüm biyolojik moleküller ile reaksiyona girebilir  
ve fazla miktarda üretildiğinde ise hücrelerin ölümüne sebep ola-  
bilirler.

## KAYNAKLAR

1. Svec, L. V., & Hedges, H. F. (1972). Cold-hardening and morphology of barley seedlings in controlled and natural environments. Canadian Journal of Plant Science, 52(6), 955-963.
2. Açıkgöz, E. & Çakmakçı, S. (1992). Tarla Bitkilerinde Soğuğa Dayanıklılık Mekanizması ve Dayanıklılık İslahı. Uludağ Univ. Ziraat Fak. Dergisi, 9, 193-204.
3. Mahajan, S., & Tuteja, N. (2005). Cold, salinity and drought stresses: an overview. Archives of biochemistry and biophysics, 444(2), 139-158.
4. Güler, N.S., (2008). Ctenanthe setosa'da yaprak kıvrılması sırasında apoplastik ve simoplastik alanlarda antioksidan sistemde meydana gelen değişimeler. Doktora Tezi, Karadeniz Teknik Üniversitesi Fen Bilimleri Enstitüsü, Trabzon
5. Austin, R. B. (1989). 13 Prospects for improving crop production in stressful environments. Plants under stress: biochemistry, physiology, and ecology and their application to plant improvement, 39, 235.
6. Pereira, J. S. (1993). Plant water deficits in Mediterranean ecosystems. Water deficits: Plant response from cell to community.
7. Pereira, J. S., & Chaves, M. M. (1995). Plant responses to drought under climate change in Mediterranean-type ecosystems. In Global change and Mediterranean-type ecosystems (pp. 140-160). Springer, New York, NY.
8. Bottner, P., Couteaux, M. M. & Vallejo, V. R. (1995). Soil organic matter in Mediterranean-type ecosystems and global climatic changes: a case study—the soils of the Mediterranean Basin. In Global Change and Mediterranean-Type Ecosystems (pp. 306-325). Springer, New York, NY.
9. Ashraf, M. (2004). Some important physiological selection criteria for salt

- tolerance in plants. *Flora-Morphology, Distribution, Functional Ecology of Plants*, 199(5), 361-376.
- 10. Vinocur, B., & Altman, A. (2005). Recent advances in engineering plant tolerance to abiotic stress: achievements and limitations. *Current opinion in biotechnology*, 16(2), 123-132.
  - 11. Kasim, W. A., Osman, M. E., Omar, M. N., et al. & Meijer, J. (2013). Control of drought stress in wheat using plant-growth-promoting bacteria. *Journal of plant growth regulation*, 32(1), 122-130.
  - 12. Gontia-Mishra, I., Sasidharan, S., & Tiwari, S. (2014). Recent developments in use of 1-aminocyclopropane-1-carboxylate (ACC) deaminase for conferring tolerance to biotic and abiotic stress. *Biotechnology letters*, 36(5), 889-898.
  - 13. Naveed, M., Mitter, B., Reichenauer, T. G., et al. & Sessitsch, A. (2014). Increased drought stress resilience of maize through endophytic colonization by Burkholderia phytofirmans PsJN and Enterobacter sp. FD17. *Environmental and Experimental Botany*, 97, 30-39.
  - 14. Debaeke, P., & Aboudrare, A. (2004). Adaptation of crop management to water-limited environments. *European Journal of Agronomy*, 21(4), 433-446.
  - 15. Jaleel, C. A., Manivannan, P. A. R. A. M. A. S. I. V. A. M., Wahid, A., Farooq, et al. & Panneerselvam, R. (2009). Drought stress in plants: a review on morphological characteristics and pigments composition. *Int. J. Agric. Biol.*, 11(1), 100-105.
  - 16. Vurukonda, S. S. K. P., Vardharajula, S., Shrivastava, M., & SkZ, A. (2016). Enhancement of drought stress tolerance in crops by plant growth promoting rhizobacteria. *Microbiological research*, 184, 13-24.
  - 17. Bartels, D. & Sunkar, R. (2005). Drought and salt tolerance in plants. *Critical reviews in plant sciences*, 24(1), 23-58.
  - 18. Hoekstra, F. A., Golovina, E. A., Tetteroo, F. A., & Wolkers, W. F. (2001). Induction of desiccation tolerance in plant somatic embryos: how exclusive is the protective role of sugars?. *Cryobiology*, 43(2), 140-150.
  - 19. Chen, T. H., & Murata, N. (2008). Glycinebetaine: an effective protectant against abiotic stress in plants. *Trends in plant science*, 13(9), 499-505.
  - 20. Yang, S., Vanderbeld, B., Wan, J., & Huang, Y. (2010). Narrowing down the targets: towards successful genetic engineering of drought-tolerant crops. *Molecular plant*, 3(3), 469-490.
  - 21. Alcázar, R., Bitrián, M., Bartels, D., et al. & Tiburcio, A. F. (2011). Polyamine metabolic canalization in response to drought stress in *Arabidopsis* and the resurrection plant *Craterostigma plantagineum*. *Plant signaling & behavior*, 6(2), 243-250.
  - 22. Sakamoto, A., & Murata, N. (2002). The role of glycine betaine in the protection of plants from stress: clues from transgenic plants. *Plant, Cell &*

- Environment, 25(2), 163-171.
- 23. Chen, K., Kurgan, L., & Rahbari, M. (2007). Prediction of protein crystallization using collocation of amino acid pairs. *Biochemical and biophysical research communications*, 355(3), 764-769.
  - 24. Gruszka, B., & van Loon, A. T. (2007). Pleistocene glaciolacustrine breccias of seismic origin in an active graben (central Poland). *Sedimentary Geology*, 193(1-4), 93-104.
  - 25. Rodriguez-Salazar, J., Suárez, R., Caballero-Mellado, J., & Iturriaga, G. (2009). Trehalose accumulation in *Azospirillum brasiliense* improves drought tolerance and biomass in maize plants. *FEMS Microbiology Letters*, 296(1), 52-59.
  - 26. Farooq, M., Wahid, A., Kobayashi, N., et al. & Basra, S. M. A. (2009). Plant drought stress: effects, mechanisms and management. In *Sustainable agriculture* (pp. 153-188). Springer, Dordrecht.
  - 27. Rosenzweig, C., Elliott, J., Deryng, D., et al. & Neumann, K. (2014). Assessing agricultural risks of climate change in the 21st century in a global grid-ded crop model intercomparison. *Proceedings of the National Academy of Sciences*, 111(9), 3268-3273.
  - 28. Wheeler, T. J. Von braun. 2013. Climate change impacts on global food security. *Science*, 341, 508-513.
  - 29. Jagadish, S. V. K., Muthurajan, R., Oane, R., et al. & Craufurd, P. Q. (2009). Physiological and proteomic approaches to address heat tolerance during anthesis in rice (*Oryza sativa* L.). *Journal of experimental botany*, 61(1), 143-156.
  - 30. Lyman, N. B., Jagadish, K. S., Nalley, L. et al. & Siebenmorgen, T. (2013). Neglecting rice milling yield and quality underestimates economic losses from high-temperature stress. *PLoS one*, 8(8), e72157.
  - 31. Fischer, R. A. (1980). Influence of water stress on crop yield in semiarid regions. *Influence of water stress on crop yield in semiarid regions*, 323-339.
  - 32. Kaše, M., & Čatský, J. (1984). Maintenance and growth components of dark respiration rate in leaves of C 3 and C 4 plants as affected by leaf temperature. *Biologia Plantarum*, 26(6), 461-470.
  - 33. Wardlaw, I. F., & Moncur, L. J. F. P. B. (1995). The response of wheat to high temperature following anthesis. I. The rate and duration of kernel filling. *Functional Plant Biology*, 22(3), 391-397.
  - 34. Zahedi, M., & Jenner, C. F. (2003). Analysis of effects in wheat of high temperature on grain filling attributes estimated from mathematical models of grain filling. *The Journal of Agricultural Science*, 141(2), 203-212.
  - 35. Saini, H. S., & Aspinall, D. (1982). Abnormal sporogenesis in wheat (*Triticum aestivum* L.) induced by short periods of high temperature. *Annals of Botany*, 49(6), 835-846.
  - 36. Counce, P. A., Bryant, R. J., Bergman, C. J., et al. & Meullenet, J. F. (2005). Rice milling quality, grain dimensions, and starch branching as affected by high night temperatures. *Cereal Chemistry*, 82(6), 645-648.

37. Chan, S., Sundararajan, N., Berlin, A. A., & Yamakawa, M. (2007). U.S. Patent No. 7,279,134. Washington, DC: U.S. Patent and Trademark Office.
38. Yamakawa, H., & Hakata, M. (2010). Atlas of rice grain filling-related metabolism under high temperature: joint analysis of metabolome and transcriptome demonstrated inhibition of starch accumulation and induction of amino acid accumulation. *Plant and Cell Physiology*, 51(5), 795-809.
39. Singletary, G. W., Banisadr, R., & Keeling, P. L. (1997). Influence of gene dosage on carbohydrate synthesis and enzymatic activities in endosperm of starch-deficient mutants of maize. *Plant Physiology*, 113(1), 293-304.
40. Savin, R., & Nicolas, M. E. (1996). Effects of short periods of drought and high temperature on grain growth and starch accumulation of two malting barley cultivars. *Functional Plant Biology*, 23(2), 201-210.
41. Shah, N. H., & Paulsen, G. M. (2003). Interaction of drought and high temperature on photosynthesis and grain-filling of wheat. *Plant and Soil*, 257(1), 219-226.
42. Steponkus, P. L., & Webb, M. S. (1992). Freeze-induced dehydration and membrane destabilization in plants. In *Water and life* (pp. 338-362). Springer, Berlin, Heidelberg.
43. Hale, M. G., & Orcutt, D. M. (1987). *The physiology of plants under stress*. John Wiley & Sons..
44. Wu, Y., Lang, W., & Zhou, M. (2005, August). An adaptive replication algorithm in overlay networking. In *International Conference on Networking and Mobile Computing* (pp. 123-132). Springer, Berlin, Heidelberg.
45. Sakamoto, T., & Murata, N. (2002). Regulation of the desaturation of fatty acids and its role in tolerance to cold and salt stress. *Current opinion in microbiology*, 5(2), 206-210.
46. Iba, K. (2002). Acclimative response to temperature stress in higher plants: approaches of gene engineering for temperature tolerance. *Annual Review of Plant Biology*, 53(1), 225-245.
47. Aroca, R., Irigoyen, J. J., & Sánchez Díaz, M. (2003). Drought enhances maize chilling tolerance. II. Photosynthetic traits and protective mechanisms against oxidative stress. *Physiologia Plantarum*, 117(4), 540-549
48. Rikin, A., Blumenfeld, A., & Richmond, A. E. (1976). Chilling resistance as affected by stressing environments and abscisic acid. *Botanical Gazette*, 137(4), 307-312.
49. Srinivasan, A., Saxena, N. P., & Johansen, C. (1999). Cold tolerance during early reproductive growth of chickpea (*Cicer arietinum* L.): genetic variation in gamete development and function. *Field Crops Research*, 60(3), 209-222.
50. Clarke, H. J., & Siddique, K. H. M. (2004). Response of chickpea genotypes to low temperature stress during reproductive development. *Field Crops Research*, 90(2-3), 323-334.
51. Subedi, K. D., Gregory, P. J., Summerfield, R. J., & Gooding, M. J. (1998). Cold temperatures and boron deficiency caused grain set failure in spring

- wheat (*Triticum aestivum* L.). *Field Crops Research*, 57(3), 277-288.
- 52. Gadallah, M. A. A. (1999). Effects of kinetin on growth, grain yield and some mineral elements in wheat plants growing under excess salinity and oxygen deficiency. *Plant growth regulation*, 27(2), 63-74.
  - 53. Shannon, M. C. (1984). Breeding, selection, and the genetics of salt tolerance.
  - 54. Carter, C. T., Grieve, C. M., & Poss, J. A. (2005). Salinity effects on emergence, survival, and ion accumulation of *Limonium perezii*. *Journal of plant nutrition*, 28(7), 1243-1257.
  - 55. Chaudhuri, I. I., & Wiebe, H. H. (1968). Influence of calcium pretreatment on wheat germination on saline media. *Plant and Soil*, 28(2), 208-216.
  - 56. Marcar, N. E., & Graham, R. D. (1986). Effect of seed manganese content on the growth of wheat (*Triticum aestivum*) under manganese deficiency. *Plant and Soil*, 96(2), 165-173.
  - 57. Alberico, G. J., & Cramer, G. R. (1993). Is the salt tolerance of maize related to sodium exclusion? I. Preliminary screening of seven cultivars. *Journal of Plant Nutrition*, 16(11), 2289-2303.
  - 58. Lin, C. C., & Kao, C. H. (1995). NaCl stress in rice seedlings: starch mobilization and the influence of gibberellic acid on seedling growth. *Botanical Bulletin of Academia Sinica*, 36.
  - 59. Al-Harbi, A. R. (1995). Growth and nutrient composition of tomato and cucumber seedlings as affected by sodium chloride salinity and supplemental calcium. *Journal of plant nutrition*, 18(7), 1403-1416.
  - 60. Ashraf, M. Y., & Wu, L. (1994). Breeding for salinity tolerance in plants. *Critical Reviews in Plant Sciences*, 13(1), 17-42.
  - 61. Ahmad, R., Zaheer, S. H., & Ismail, S. (1992). Role of silicon in salt tolerance of wheat (*Triticum aestivum* L.). *Plant Science*, 85(1), 43-50.
  - 62. Epstein, E. (2001). Silicon in plants: facts vs. concepts. In *Studies in Plant Science* (Vol. 8, pp. 1-15). Elsevier.
  - 63. Tripathi, P., Tripathi, R. D., Singh, R. P., et al. & Chakrabarty, D. (2013). Silicon mediates arsenic tolerance in rice (*Oryza sativa* L.) through lowering of arsenic uptake and improved antioxidant defence system. *Ecological engineering*, 52, 96-103.
  - 64. Sanglard, L. M., Martins, S. C., Detmann, K. C., et al. & DaMatta, F. M. (2014). Silicon nutrition alleviates the negative impacts of arsenic on the photosynthetic apparatus of rice leaves: an analysis of the key limitations of photosynthesis. *Physiologia plantarum*, 152(2), 355-366.
  - 65. Zhang, Q., Liu, J., Lu, H., Zhao, S., et al. & Yan, C. (2015). Effects of silicon on growth, root anatomy, radial oxygen loss (ROL) and Fe/Mn plaque of *Aegiceras corniculatum* (L.) Blanco seedlings exposed to cadmium. *Environmental Nanotechnology, Monitoring & Management*, 4, 6-11.
  - 66. Foyer, C. H., & Harbinson, J. (1994). Oxygen metabolism and the regulation of photosynthetic electron transport. Causes of photooxidative stress and amelioration of defense systems in plants, 1-42.

67. Halliwell, B. E. (1989). Lipid peroxidation: a radical chain reaction. Free radicals in biology and medicine.
68. Mojović, M., Vuletić, M., Bačić, G. G., & Vučinić, Ž. (2004). Oxygen radicals produced by plant plasma membranes: an EPR spin-trap study. Journal of experimental botany, 55(408), 2523-2531.