


BÖLÜM 31

KUTANÖZ APOKRİN KARSİNOM



Vildan ELİBOL¹

GİRİŞ


Apokrin glandların malign tümörleri olan kutanöz apokrin karsinolar oldukça nadir deri eki tümörleridir (1–4). Modifiye apokrin glandları temsil eden moll glandları (5) ve seromusinöz glandların tümörlerini de bu grup içinde sayan kaynaklar bulunsa da (4,6,7) DSÖ sınıflaması bu grupları derinin apokrin karsinoları sınıflamasının dışında tutmaktadır (8).

KLİNİK BULGULAR

Aksilla; en çok olgunun bildirildiği lokalizasyon olmakla birlikte tümör, apokrin glandların bulunduğu birçok lokalizasyonda görülebilir (9,10). Baş, boyun (11), meme başı (12), vulva (13) ve anogenital (14) bölgede bildirilmiş oglular bulunmaktadır (15,16). Saçlı deride görülen bir olgu da nevus sebaceous zemininde gelişim göstermektedir (17).

Genellikle de novo olarak ortaya çıktıkları düşünülse de nadiren apokrin adenom ve apokrin hiperplazi zeminde gelişimleri de mevcuttur (15). Bilateral aksiller apokrin karsinomlu hastalarda bununla ilişkili apokrin hiperplazi bildirilmiştir

¹ Uzm. Dr., Sancaktepe Prof.Dr. İlhan Varank Eğitim ve Araştırma Hastanesi, Patoloji Kliniği
vildanelibol.dr@gmail.com



Resim 10: Az diferansiyeli apokrin karsinomun lenf nodu metastazı (H&E, x100)

KAYNAKLAR

1. Calonje, E. Brenn, T. McKee, P. Lazar, A. (2020) *McKee's Pathology of the Skin*, (5th ed.) Philadelphia, PA: Elsevier Saunders
2. Elder, DE. (2015) *Lever's Histopathology of the Skin*. (11th ed.) Philadelphia, PA: Wolters Kluwer Elder, DE.
3. Vasilakaki T, Skafida E, Moustou E, vd. Primary cutaneous apocrine carcinoma of sweat glands: a rare case report. *Case reports in oncology*. 2011;4(3): 597–601. doi:10.1159/000335244
4. Chadha S, Kumar R, Singhal S, vd. Primary cutaneous apocrine carcinoma: Case report and literature review. *Indian Journal of Pathology and Microbiology*. Wolters Kluwer Medknow Publications; 2021;64(1): 183–185. doi:10.4103/IJPM.IJPM_341_19
5. Santillan MR, Tschen JA, Soparkar CN. Apocrine adenocarcinoma of the eyelid: Case report and literature review on management. *Dermatology Online Journal*. Dermatology Online Journal; 2019;25(5). doi:10.5070/d3255044069
6. Neldner KH. Ceruminoma. *Archives of Dermatology*. 1968;98(4): 344–348. doi:10.1001/ARCH-DERM.98.4.344
7. Crain N, Nelson BL, Barnes EL, vd. Ceruminous Gland Carcinomas: A Clinicopathologic and Immunophenotypic Study of 17 Cases. *Head and Neck Pathology*. Springer; 2009;3(1): 1. doi:10.1007/S12105-008-0095-9
8. Massi D, Cree I, Elder D, vd. *WHO Classification of Skin Tumours*. WHO classification of skin tumours. International Agency for Research on Cancer(IARC); 2018. 174-175s.



9. Miyamoto T, Hagari Y, Inoue S, vd. Axillary apocrine carcinoma with benign apocrine tumours: A case report involving a pathological and immunohistochemical study and review of the literature. *Journal of Clinical Pathology*. 2005;58(7): 757–761. doi:10.1136/jcp.2004.019794
10. Miyamoto T, Adachi K, Fujishima M. Axillary apocrine carcinoma with Paget's disease and apocrine naevus. *Clinical and Experimental Dermatology*. 2009;34(5). doi:10.1111/j.1365-2230.2008.03175.x
11. Portelli F, Salvati L, Projetto E, vd. A clinical, pathological and immunohistochemical series of 9 cases of primary cutaneous apocrine carcinomas of the head and neck. *Australasian Journal of Dermatology*. Blackwell Publishing; 2020;61(2): e189–e195. doi:10.1111/ajd.13199
12. Benzzi H, Askour M, Elouazani A, vd. What do you think of an unusual axillary mass? *Pan African Medical Journal*. African Field Epidemiology Network; 2017;28. doi:10.11604/pamj.2017.28.309.3092
13. Kiyohara T, Kumakiri M, Kawami K, vd. Apocrine carcinoma of the vulva in a band-like arrangement with inflammatory and telangiectatic metastasis via local lymphatic channels. *International Journal of Dermatology*. 2003;42(1): 71–74. doi:10.1046/j.1365-4362.2003.01568.x
14. Hall BJ, Florell SR, Sklow B, vd. Anal apocrine carcinoma: A case report and literature review. *American Journal of Dermatopathology*. 2012;34(4): 438–441. doi:10.1097/DAD.0b013e31822e6895
15. MacNeill KN, Riddell RH, Ghazarian D. Perianal apocrine adenocarcinoma arising in a benign apocrine adenoma; First case report and review of the literature. *Journal of Clinical Pathology*. 2005;58(2): 217–219. doi:10.1136/jcp.2004.021394
16. Kumar S, Zafar SF, Raufi AM, vd. Apocrine carcinoma of the face in a 62-year-old Asian man. *Clinics and practice*. MDPI AG; 2011;1(3): e50. doi:10.4081/cp.2011.e50
17. Edgar N, Schuering RA, Esguerra D, vd. Primary cutaneous apocrine carcinoma arising within a nevus sebaceus. *Cutis*. Quadrant Healthcom Inc.; 2018;102(4): 291–294.
18. Bujas T, Pavić I, Leniček T, vd. Axillary apocrine carcinoma associated with apocrine adenoma and apocrine gland hyperplasia. *Acta Dermatovenerologica Croatica*. 2007;15(3): 148–151.
19. Miyamoto T, Hagari Y, Inoue S, vd. Axillary apocrine carcinoma with benign apocrine tumours: a case report involving a pathological and immunohistochemical study and review of the literature. *Journal of clinical pathology*. J Clin Pathol; 2005;58(7): 757–761. doi:10.1136/JCP.2004.019794
20. Seong MK, Kim EK, Han K, vd. Primary apocrine sweat gland carcinomas of the axilla: A report of two cases and a review of the literature. *World Journal of Surgical Oncology*. BioMed Central Ltd.; 2015;13(1). doi:10.1186/s12957-015-0473-1
21. Robson A, Lazar AJF, Nagi J Ben, vd. Primary cutaneous apocrine carcinoma: a clinico-pathologic analysis of 24 cases. *The American journal of surgical pathology*. Am J Surg Pathol; 2008;32(5): 682–690. doi:10.1097/PAS.0B013E3181590BA4
22. Pagano Boza C, Vigo R, Premoli JE, vd. A case report of a primary apocrine adenocarcinoma of the eyelid with literature review. <https://doi.org/10.1080/01676830.2017.1423353>. Taylor & Francis; 2018;37(5): 389–392. doi:10.1080/01676830.2017.1423353
23. Cham PMH, Niehans GA, Foman N, vd. Primary cutaneous apocrine carcinoma presenting as carcinoma erysipeloides. *The British journal of dermatology*. Br J Dermatol; 2008;158(1): 194–196. doi:10.1111/j.1365-2133.2007.08285.X
24. Sekine C, Kawase K, Yoshida K. Sentinel lymph node biopsy of primary apocrine sweat gland carcinoma of the axilla: A case report and review of the literature. *International journal of surgery case reports*. Elsevier Ltd; 2020;77: 122–125. doi:10.1016/j.ijscr.2020.10.067
25. Al-Hakami H, Awad BI, Al-Garni M, vd. Apocrine carcinoma of the scalp with neck lymph node metastasis: A case report and review of the literature. *Journal of family medicine and primary care*. Medknow; 2019;8(11): 3758–3762. doi:10.4103/jfmpc.jfmpc_833_19
26. Shimato S, Wakabayashi T, Mizuno M, vd. Brain metastases from apocrine carcinoma of the scalp: Case report. *Journal of Neuro-Oncology*. 2006;77(3): 285–289. doi:10.1007/s11060-005-9039-3



27. Płachta I, Kleibert M, Czarnecka AM, vd. Current diagnosis and treatment options for cutaneous adnexal neoplasms with apocrine and eccrine differentiation. *International Journal of Molecular Sciences*. MDPI AG; 2021;22(10). doi:10.3390/ijms22105077
28. Schweitzer J, Vermeesch J, Zaleski T, vd. Primary cutaneous apocrine carcinoma: 2 cases and review of the pertinent histologic findings. *JAAD case reports*. Elsevier Inc; 2016;2(5): 411–414. doi:10.1016/j.jdcr.2016.08.003
29. Warkel RL, Helwig EB. Apocrine Gland Adenoma and Adenocarcinoma of the Axilla. *Archives of Dermatology*. 1978;114(2): 198–203. doi:10.1001/archderm.1978.01640140016004
30. Paties C, Taccagni GL, Papotti M, vd. Apocrine carcinoma of the skin. A clinicopathologic, Immunocytochemical, and ultrastructural study. *Cancer*. 1993;71(2): 375–381. doi:10.1002/1097-0142(19930115)71:2<375::AID-CNCR2820710218>3.0.CO;2-4
31. Li Y, Chen L, Li B, vd. Unusual apocrine carcinoma with neuroendocrine differentiation: A cutaneous neoplasm may be analogous to neuroendocrine carcinoma with apocrine differentiation of breast. *Diagnostic Pathology*. BioMed Central Ltd.; 2015;10(1). doi:10.1186/s13000-015-0302-4
32. Rathore R, Yadav D, Agarwal S, vd. Primary Extra Mammary Paget's Disease of Vulva, With Apocrine Adenocarcinoma, Signet Ring Cell Differentiation and Distant Metastasis. *Journal of family & reproductive health*. Knowledge E; 2020;14(4): 276–280. doi:10.18502/jfrh.v14i4.5213
33. BAES H, SUURMOND D. Apocrine sweat gland carcinoma. Report of a case. *The British journal of dermatology*. Br J Dermatol; 1970;83(4): 483–486. doi:10.1111/J.1365-2133.1970.TB15081.X
34. Miyamoto T, Hagari Y, Inoue S, vd. Axillary apocrine carcinoma with benign apocrine tumours: a case report involving a pathological and immunohistochemical study and review of the literature. *Journal of clinical pathology*. J Clin Pathol; 2005;58(7): 757–761. doi:10.1136/JCP.2004.019794
35. Piris A, Peng Y, Boussahmain C, vd. Cutaneous and mammary apocrine carcinomas have different immunoprofiles. *Human pathology*. Hum Pathol; 2014;45(2): 320–326. doi:10.1016/J.HUMPATH.2013.09.007
36. Mentrikoski MJ, Wick MR. Immunohistochemical distinction of primary sweat gland carcinoma and metastatic breast carcinoma: Can it always be accomplished reliably? *American Journal of Clinical Pathology*. American Society of Clinical Pathologists; 2015;143(3): 430–436. doi:10.1309/AJCP2N1AFXEOFVYE
37. Mahalingam M, Nguyen LP, Richards JE, vd. The diagnostic utility of immunohistochemistry in distinguishing primary skin adnexal carcinomas from metastatic adenocarcinoma to skin: An immunohistochemical reappraisal using cytokeratin 15, nestin, p63, D2-40, and calretinin. *Modern Pathology*. 2010;23(5): 713–719. doi:10.1038/modpathol.2010.46
38. Mäkelä R, Härmä V, Badra Fajardo N, vd. Ex vivo analysis of DNA repair targeting in extreme rare cutaneous apocrine sweat gland carcinoma. *Oncotarget*. Impact Journals LLC; 2021;12(11): 1100–1109. doi:10.18632/oncotarget.27961
39. Rollins-Raval M, Chivukula M, Tseng GC, vd. An immunohistochemical panel to differentiate metastatic breast carcinoma to skin from primary sweat gland carcinomas with a review of the literature. *Archives of Pathology and Laboratory Medicine*. 2011;135(8): 975–983. doi:10.5858/2009-0445-OAR2
40. Fernandez-Flores A. Cutaneous metastases from breast carcinoma: Calretinin expression and estrogen, progesterone and Her2/neu status of the metastases, compared to primary cutaneous apocrine tumors. *Romanian Journal of Morphology and Embryology*. 2013;54(3 SUPPL.): 695–699.
41. Lee JJ, Mochel MC, Piris A, vd. P40 exhibits better specificity than p63 in distinguishing primary skin adnexal carcinomas from cutaneous metastases. *Human Pathology*. W.B. Saunders; 2014;45(5): 1078–1083. doi:10.1016/j.humpath.2014.01.006