

2.4.d. Aort

2.4.d.3. Desenden Aort

Mehmet KARAÇALILAR¹

AnATOMİ

Desenden aorta arkus aort bitiminde başlayıp abdominal aorta ile sona erer. Genellikle T4 omur seviyesinden başlar ve T12 omur seviyesinde diafragmayı delerek sonlanır.

Birçok dal vermesine rağmen visseral bir organı besleyen majör bir dalı yoktur. En önemli yan dalları posterior interkostal arterleridir. T8-L1 interkostal arterler, medulla spinalisin 2/3'lük alt kısmının vasküler beslenmesi için önemlidir. Adamkiewicz arteri genellikle T8-L1 bölgesindeki sol interkostal arterden çıkar. Sıklıkla da T10'dan çıkar (1-2). Bu arter daha sonra yaptığı anastomozlarla medulla spinalisi besler. Bu nedenle desenden aortaya yapılacak girişimlerde bu arterin kan akımının kesilmesi nedeniyle oluşabilecek spinal kord hasarı akılda tutulmalıdır. Ama son zamanlarda anjiyografi yapılan bireylerin sadece %86'sında tanımlanabilmesi ve bazı bireylerde çift olması tek bir Adamkiewicz arteri kavramını tartışmalı hale getirmiştir. Bununla birlikte, klinik veriler, T8-L1 interkostal arterlerin alt omurlığın vasküler beslenmesine katkısının önemini desteklemektedir (3).

¹ Dr. Öğr. Üyesi, Dicle Üniversitesi Tıp Fakültesi Kalp Damar Cerrahisi AD., m.karacalilar@gmail.com

Kaynaklar

1. Dommisse, G. F. (1974). The blood supply of the spinal cord: a critical vascular zone in spinal surgery. *The Journal of bone and joint surgery. British volume*, 56(2), 225-235..
2. Hollier LH. Causes and prevention of spinal cord ischemia, in Veith FJ (ed): Current Critical Problems in Vascular Surgery, Vol 2. St. Louis, MO, Quality Medical Publishing, 1990.
3. Dagenais, F. (2011). Anatomy of the thoracic aorta and of its branches. Thoracic surgery clinics, 21(2), 219-227.
4. Ranney, D. N., Cox, M. L., Yerokun, B. A., Benrashid, E., McCann, R. L., & Hughes, G. C. (2018). Long-term results of endovascular repair for descending thoracic aortic aneurysms. *Journal of vascular surgery*, 67(2), 363-368.
5. Nienaber, C. A., Kische, S., Rousseau, H., Eggebrecht, H., Rehders, T. C., Kundt, G., ... & Ince, H. (2013). Endovascular repair of type B aortic dissection: long-term results of the randomized investigation of stent grafts in aortic dissection trial. *Circulation: Cardiovascular Interventions*, 6(4), 407-416.
6. Johnston KW, Rutherford RB, Tilson MD, Shah DM, Hollier L, Stanley JC. Suggested standards for reporting on arterial aneurysms. Subcommittee on Reporting Standards for Arterial Aneurysms, Ad Hoc Committee on Reporting Standards, Society for Vascular Surgery and North American Chapter, International Society for Cardiovascular Surgery. *J Vasc Surg* 1991;13:452-8.)
7. Roman MJ, Devereux RB, Kramer-Fox R, O'Loughlin J. Two-dimensional echocardiographic aortic root dimensions in normal children and adults. *Am J Cardiol* 1989; 64:507-12.
8. Crawford ES, Crawford JL, Safi HJ, et al: Thoracoabdominal aortic aneurysm: Preoperative and intraoperative factors determining immediate and long-term results of operation in 605 patients. *J Vasc Surg* 1986;3:389-404.
9. Safi HJ, Miller CC. Spinal cord protection in descending thoracic and thoracoabdominal aortic repair. *Ann Thorac Surg* 1999;67:1937-9.
10. Coselli JS, Köksoy C: Aortic Dissections. In: Franco KL, Verrier ED: Advanced Therapy in Cardiac Surgery Eds. BC Decker Inc 1999 (32), p 296-310
11. Brown KE, Eskandari MK, Matsumura JS, Rodriguez H, Morasch MD. Short and midterm results with minimally invasive endovascular repair of acute and chronic thoracic aortic pathology. *J Vasc Surg* 2008;47:714-22.
12. Nakashima Y, Kurozumi T, Sueishi K, et al: Dissecting aneurysm: a clinicopathologic and histopathologic study of 111 autopsied cases. *Hum Pathol* 1990;21:291-6
13. Fabricius AM, Autschbach AM, Doll N, Mohr W. Acute aortic dissection during pregnancy. *Thorac Cardiovasc Surg*. 2001;49:56-7.
14. Svenson LG, Crawford ES: Aortic dissection and aortic aneurysm surgery: clinical observations experimental investigations and statistical analyses. Part II *Curr Probl Surg* 29:913, 1992
15. Goodney PP, Travis L, Lucas FL, Fillinger MF, Goodman DC, Cronenwett JL, et al. Survival after open versus endovascular thoracic aortic aneurysm repair in an observational study of the Medicare population. *Circulation* 2011; 124: 2661-9
16. O'Callaghan A, Mastracci TM, Eagleton MJ. Staged endovascular repair of thoracoabdominal aortic aneurysms limits incidence and severity of spinal cord ischemia. *J Vasc Surg*. 2015;61:347-354.
17. Şırlak M, Çakıcı M, İnan MB, Eryılmaz S, Yazıcıoğlu L, Akar R, Aral A, Kaya B, Özyurda Ü. Torakal Ve Abdominal Aort Anevrizmali Hastalarda Endovasküler Stent ile Onarım Uygulamalarımız. *Damar Cer Derg* 2009;18:1-9
18. Gowda RM, Misra D, Tranbaugh RF, Ohki T, Khan IA. Endovascular stent grafting of descending thoracic aortic aneurysms. *Chest* 2003;124:714-9

19. Dake MD, Miller DC, Semba CP, et al. Transluminal placement of endovascular stentgraft for treatment of descending thoracic aortic aneurysms. *N Engl J Med.* 1994;331:1729-34
20. Bilgen F, Narin A, Hobikoğlu G, et al. Torasik aort anevrizması nın endovasküler stentgreft ile tedavisi: Olgu sunumu. *Türk Göğüs Kalp Damar Cerrahisi Dergisi.* 2002;10:53-5
21. Beregi JP, Midulla M. Stent-grafting of the thoracic aorta. In *Handbook of Angioplasty and Stenting Procedures.* Springer, London. 2010;207-23.
22. Martin, G., Riga, C., Gibbs, R., Jenkins, M., Hamady, M., & Bicknell, C. (2016). Short-and long-term results of hybrid arch and proximal descending thoracic aortic repair: a benchmark for new technologies. *Journal of Endovascular Therapy,* 23(5), 783-790.
23. Nakai M, Shimamoto M, Yamazaki F, et al. Long term results after surgery for aortic arch non-dissection aneurysm. *Kyobu Geka.* 2002;55:280-288.
24. Zhou W, Reardon M, Peden EK, Lin PH, Lumsden AB. Hybrid approach to complex thoracic aortic aneurysms in high-risk patients: surgical challenges and clinical outcomes. *J of Vasc Surg* 2006;44(4),688-93
25. Ugurlucan M, Alpagut U. Treatment solution by the readers: endovascular treatment of aortic arch aneurysms following aortic debranching. *Interact Cardiovasc Thorac Surg* 2015;20(5):688
26. Butch J, Penn O, Tielbeek A, et al. Combined approach to stent-graft treatment of an aortic arch aneurysm. *J Endovasc Surg.* 1998;5:329-332.
27. Lin, J., Marrocco, C., Galovich, J., Kopchok, G., Khoynezhad, A., Walot, I., ... & White, R. (2013). Experience with early TEVAR treatment of uncomplicated type B aortic dissection. *J Cardiovasc Surg,* 54(2), 161-172.
28. Borst HG, Walterbusch G, Schaps D. Extensive aortic replacement using “elephant trunk” prosthesis. *Thorac Cardiovasc Surg* 1983;31:37-40. 2.
29. Suto Y, Yasuda K, Shiyya N, et al. Stented elephant trunk procedure for an extensive aneurysm involving distal aortic arch and descending aorta. *J Thorac Cardiovasc Surg* 1996;112:1389-90
30. Kato M, Ohnishi K, Kaneko M, et al. New graft-implanting method for thoracic aortic aneurysm or dissection with a stented graft. *Circulation* 1996;94(9 Suppl):II188-93
31. Karck M, Chavan A, Hagl C, Friedrich H, Galanski M, Haverich A. The frozen elephant trunk technique: a new treatment for thoracic aortic aneurysms. *J Thorac Cardiovasc Surg* 2003;125:15
32. Shrestha M, Bachet J, Bavaria J, et al. Current status and recommendations for use of the frozen elephant trunk technique: a position paper by the Vascular Domain of EACTS. *Eur J Cardiothorac Surg* 2015;47:759-69
33. Weigang E, Parker JA, Czerny M, Lonn L, Bonser RS, Carrel TP, Vahl CF. Should intentional endovascular stent-graft coverage of the left subclavian artery be preceded by prophylactic revascularisation? *Eur J Cardiothorac Surg* 2011;40(4):858-68.
34. Kotelis D, Geisbüsch P, Hinz U, Hyhlik-Dürr A, von TenggKobligk H, Allenberg JR, Böckler D. Short and midterm results after left subclavian artery coverage during endovascular repair of the thoracic aorta. *J Vasc Surg* 2009;50(6):1285-92.
35. Caronno R, Piffaretti G, Tozzi M, Lomazzi C, Rivolta N, Castelli P. Intentional coverage of the left subclavian artery during endovascular stent graft repair for thoracic aortic disease. *Surg Endosc* 2006;20(6):915-8
36. Coselli JS, Trocciola SM, de la Cruz KI, et al. Arch Aneurysms. In: Kaiser LR, Kron IL, Sprague TL, editors. *Mastery of Cardiothoracic Surgery.* Third edition. Philadelphia, USA: Lippincott Williams and Wilkins, 2015:599-610
37. Svensson LG. The elephant trunk procedure: uses in complex aortic diseases. *Curr Opin Cardiol* 2005;20:491-5.

38. Safi HJ, Miller CC III, Estrera AL, Hyunh TT, Porat EE, Allen BS. Staged repair of extensive aortic aneurysms: long-term experience with the elephant trunk technique. Ann Surg. 2004;240:677–684.
39. Safi HJ, Miller CC III, Estrera AL, Huynh TT, Porat EE, Hassoun HT, Buja LM. Staged repair of extensive aortic aneurysms: morbidity and mortality in the elephant trunk technique. Circulation. 2001;104: 2938–2942.
40. Schepens MA, Dossche KM, Morshuis WJ, van der Barselaar PJ, Heijmen RH, Vermeulen FE. The elephant trunk technique: operative results in 100 consecutive patients. Eur J Cardiothorac Surg. 2002;21: 276–281.
41. Önal, Y., Samancı, C., Acunas, B., Ugurlucan, M., & Alpagut, U. (2020). Torasik aort patolojili hastalarda stent graft uygulamaları ve sonuçları/Stent graft applications and results in patients with thoracic aortic pathologies. Journal of Istanbul Faculty of Medicine, 83(2), 132-138.
42. Dandelooy J, Coveliérs JP, Van Schil PE, Anguille S. Dysphagia lusoria. CMAJ 2009;181:498.
43. Pramesh CS, Saklani AP, Parmar V, Acharya S, Badwe RA. Aberrant subclavian artery causing difficulty in transhiatal esophageal dissection. Dis Esophagus 2003;16:173-6
44. Çakır, H., Çakır, V., Yürekli, İ., Tunca, U., Gökkurt, Y., Dönmez, K., ... & Gürbüz, A. (2018). Emergent hybrid treatment strategy in a patient with impending rupture of descending aorta aneurysm, including an aberrant right subclavian artery orifice: A rare case report. Anatolian journal of cardiology, 20(6), 363.
45. Shimura S, Yamaguchi M, Cho Y, Aki A, Furuya H, Ueda T. External carotid-to-subclavian artery bypass in stent grafting of thoracic aorta. Asian Cardiovasc Thorac Ann 2013; 21: 546-50
46. Baril DT, Cho JS, Chaer RA, Makaroun, MS. Thoracic Aortic Aneurysms and Dissections: Endovascular Treatment. Mt Sinai Jour Med 2010;77:256-69
47. Svensson LG, Kouchoukos NT, Miller DC. Expert consensus document on the treatment of descending thoracic aortic disease using endovascular stent-grafts. Ann Thorac Surg 2008;85:S1-41.
48. Czerny M, Weigang E, Sodeck G, et al. Targeting landing zone 0 by total arch rerouting and TEVAR: midterm results of a transcontinental registry. Ann Thorac Surg. 2012;94:84–89.
49. Moulakakis KG, Mylonas SN, Markatis F, et al. A systematic review and meta-analysis of hybrid aortic arch replacement. Ann Cardithorac Surg. 2013;2:247–260.
50. Eggebrecht H, Nienaber CA, Neuhauser M, Baumgart D, Kische S, Schmermund A et al. Endovascular stent-graft placement in aortic dissection: a meta analysis. Eur Heart J 2006;27:489-98.
51. Kische S, Ehrlich MP, Nienaber CA, Rousseau H, Heijmen R, Pique P et al. Endovascular treatment of acute and chronic aortic dissection midterm results from the Talent Thoracic Retrospective Registry. Thorac Cardiovasc Surg 2009;138:115-24

52. Carroccio A, Marin M, Ellozy S, Hollier LH. Pathophysiology of paraplegia following endovascular thoracic aortic aneurysm repair. *J Card Surg* 2003;18:359-66.
34. Khyonezhad A, Donayre CE, Bui H, Kopchok GE, Walot I, White RA. Risk factors of neurologic deficit after thoracic aortic endografting. *Ann Thorac Surg* 2007;83:S882-9
53. Safi HJ, Estrera AL, Miller CC, Huynh TT, Porat EE, Azizzadeh A et al. Evolution of risk for neurologic deficit after descending and thoracoabdominal aortic repair. *Ann Thorac Surg* 2005;80:2173-9
54. Mehta M, Hnath JC, Sternbach Y, Taggart JB, Kreienberg PB, Spirig A et al. Cerebrospinal fluid drainage during TEVAR. *Endovascular Today* 2008;44-6.
55. Estrera AL, Sheinbaum R, Miller CC, Azizzadeh A, Walkes JC, Lee TY et al. Cerebrospinal fluid drainage during thoracic aortic repair: safety and current management. *Ann Thorac Surg* 2009;88:9-15
56. Hiratzka LF, Bakris GL, Beckman JA, Bersin RM, Carr VF, Casey DE et al. 2010 ACCF/AHA/AATS/ACR/ASA/SCA/SCAI/SIR/STS/ SVM Guidelines for the diagnosis and management of patients with thoracic aortic disease. *Circulation* 2010;121:e266-369.
57. Wynn MM, Mell MW, Tefera G, Hoch JR, Acher CW. Complications of spinal fluid drainage in thoracoabdominal aortic aneurysm repair: a report of 486 patients treated from 1987 to 2008. *J Vasc Surg* 2009;49:29-35
58. Eggebrecht H, Thompson M, Rousseau H Zerny M, Lonn L, Mehta RH et al. European registry on endovascular aortic repair complications: retrograde ascending aortic dissection during or after thoracic aortic stent graft placement. *Circulation* 2009;120:S276-81.
59. Thrumurthy SG, Karthikesalingam A, Patterson BO, Holt PJ, Hinchliffe RJ, Loftus IM et al. A systematic review of mid-term outcomes of thoracic endovascular repair (TEVAR) of chronic type B aortic dissection. *Eur J Vasc Endovasc Surg* 2011;42:632- 47
60. Williams JB, Anderson ND, Bhattacharya SD, Scheer E, Piccini JP, McCann RL et al. Retrograde ascending aortic dissection as an early complication of thoracic endovascular aortic repair. *J Vasc Surg* 2012;55:1255-62.
61. Dong Z, Fu W, Wang Y, Wang C, Yan Z, Guo D et al. Stent graftinduced new entry after endovascular repair for Stanford type B aortic dissection. *J Vasc Surg* 2010;52:1450-7.
62. Lioupis C, Corriveau MM, MacKenzie KS, et al. Treatment of aortic arch aneurysms with a modular transfemoral multibranched stent graft: initial experience. *Eur J Vasc Endovasc Surg*. 2012;43:525-532.
63. Haulon S, Greenberg RK, Spear R, et al. Global experience with an inner branched arch endograft. *J Thorac Cardiovasc Surg*. 2014;148:1709-1716.
64. Mastracci TM, Greenberg RK, Eagleton MJ, Hernandez AV. Durability of branches in branched and fenestrated endografts. *J Vasc Surg* 2013;57(4):926-933, discussion 933c