

# BÖLÜM 22

## DIŞ KULAK TÜMÖRLERİ



Meltem TULĞAR<sup>1</sup>

### DIŞ KULAĞIN BENİGN LEZYONLARI

#### Kondrodermatitis Nodularis Kronika Helicis (CNCH; Winkler nodülü)

Nadirdir ve erkeklerde daha fazla görülür. Lezyonlar tipik olarak merkezi kabuklanma veya ülserasyon ile birlikte soliter hassas eritematöz nodül olarak ortaya çıkar. Erkeklerde en sık helix kenarında, kadınlarda ise antiheliks ve antitragusta bulunurlar. Nodüller kubbe şeklinde, sert, kırmızımsı gri renkte ve 3-18 mm ölçülerindedir. Kendiliğinden ortaya çıkarlar ve kısa sürede büyük boyuta ulaşırlar. Lezyonlar nadiren kendiliğinden geriler (1, 2, 3). CNCH'nin etiyolojisi bilinmemektedir. Bazı yazarlar, kulakta küçük bir travma ile başladığını ve daha sonra perikondriyumun kronik iltihaplanması tetiklediğini ve bunun da lokal vasküler uzlaşma ile sonuçlandığını düşünüyor. Bu vasküler bozulma daha sonra ağrılı nodüllerin gözlenen klinik sekellerini yaratır. CNCH'nin patofizyolojisinin kulağın anatomisi ile ilgili olduğu düşünülmektedir. Kulak kepçesinin lateral ve ön yüzündeki deri incedir ve alttaki kıkırdak üzerinde gergindir. Bu bölgede deri altı dokusu azdır ve bu da sınırlı bir damarlanma alanı oluşturur. Travma, donma ve baskı gibi çeşitli durumlar iskemiye neden olabilir. Bu iske-

<sup>1</sup> Dr. Öğr. Üyesi, Ankara Yıldırım Beyazıt Üniversitesi Yenimahalle Eğitim ve Araştırma Hastanesi, Kulak Burun Boğaz Kliniği, tulgarmeltem@gmail.com



## KAYNAKLAR

1. Zanoletti E, Marioni G, Stritoni P, et al. Temporal bone squamous cell carcinoma: analyzing prognosis with univariate and multivariate models. *Laryngoscope*. 2014 May; 124 (5):1192-8.
2. Breen JT, Roberts DB, Gidley PW. Basal cell carcinoma of the temporal bone and external auditory canal. *Laryngoscope*. 2018 Jun; 128 (6):1425-30.
3. Song K, Park KW, Heo JH, Song IC, Park YH, Choi JW. Clinical Characteristics of Temporal Bone Metastases. *Clin Exp Otorhinolaryngol*. 2018 Jun 19.
4. Kunst H, Lavieille JP, Marres H. Squamous cell carcinoma of the temporal bone: results and management. *Otol Neurotol*. 2008 Jun; 29 (4):549-52.
5. Matoba T, Hanai N, Suzuki H, et al. Treatment and Outcomes of Carcinoma of the External and Middle Ear: The Validity of En Bloc Resection for Advanced Tumor. *Neurol Med Chir (Tokyo)*. 2018 Jan 15; 58 (1):32-8.
6. Moffat DA, Wagstaff SA, Hardy DG. The outcome of radical surgery and postoperative radiotherapy for squamous carcinoma of the temporal bone. *Laryngoscope*. 2005 Feb; 115 (2):341-7.
7. Keereweer S, Metselaar RM, Dammers R, Hardillo JA. Chronic serous otitis media as a manifestation of temporal meningioma. *ORL J Otorhinolaryngol Relat Spec*. 2011; 73 (5):287-90.
8. Jin YT, Tsai ST, Li C, Chang KC, Yan JJ, Chao WY, et al. Prevalence of human papillomavirus in middle ear carcinoma associated with chronic otitis media. *Am J Pathol*. 1997 Apr; 150 (4):1327-33.
9. Lim LH, Goh YH, Chan YM, Chong VF, Low WK. Malignancy of the temporal bone and external auditory canal. *Otolaryngol Head Neck Surg*. 2000 Jun; 122 (6):882-6.
10. Leonetti JP, Smith PG, Kletzker GR, Izquierdo R. Invasion patterns of advanced temporal bone malignancies. *Am J Otol*. 1996 May; 17 (3):438-42.
11. Moody SA, Hirsch BE, Myers EN. Squamous cell carcinoma of the external auditory canal: an evaluation of a staging system. *Am J Otol*. 2000 Jul; 21 (4):582-8.
12. Choi JY, Choi EC, Lee HK, Yoo JB, Kim SG, Lee WS. Mode of parotid involvement in external auditory canal carcinoma. *J Laryngol Otol*. 2003 Dec; 117 (12):951-4.
13. Arriaga M, Curtin H, Takahashi H, Hirsch BE, Kamerer DB. Staging proposal for external auditory meatus carcinoma based on preoperative clinical examination and computed tomography findings. *Ann Otol Rhinol Laryngol*. 1990 Sep; 99 (9 Pt 1):714-21.
14. Austin JR, Stewart KL, Fawzi N. Squamous cell carcinoma of the external auditory canal. Therapeutic prognosis based on a proposed staging system. *Arch Otolaryngol Head Neck Surg*. 1994 Nov; 120 (11):1228-32.
15. Zhang B, Tu G, Xu G, Tang P, Hu Y. Squamous cell carcinoma of temporal bone: reported on 33 patients. *Head Neck*. 1999 Aug; 21 (5):461-6.
16. Gillespie MB, Francis HW, Chee N, Eisele DW. Squamous cell carcinoma of the temporal bone: a radiographic-pathologic correlation. *Arch Otolaryngol Head Neck Surg*. 2001 Jul; 127 (7):803-7.
17. Gaudet JE, Walvekar RR, Arriaga MA, Dileo MD, Nuss DW, Pou AM, et al. Applicability of the pittsburgh staging system for advanced cutaneous malignancy of the temporal bone. *Skull Base*. 2010 Nov; 20 (6):409-14.
18. Nyrop M, Grontved A. Cancer of the external auditory canal. *Arch Otolaryngol Head Neck Surg*. 2002 Jul; 128 (7):834-7.
19. Nakagawa T, Kumamoto Y, Natori Y, et al. Squamous cell carcinoma of the external auditory canal and middle ear: an operation combined with preoperative chemoradiotherapy and a free surgical margin. *Otol Neurotol*. 2006 Feb; 27 (2):242-8; discussion 249.
20. Pemberton LS, Swindell R, Sykes AJ. Primary radical radiotherapy for squamous cell carcinoma of the middle ear and external auditory canal—an historical series. *Clin Oncol (R Coll Radiol)*. 2006 Jun; 18 (5):390-4.



21. Noda T, Komune N, Yasumatsu R, et al. Therapeutic effect of Nivolumab for advanced / recurrent temporal bone squamous cell carcinoma. *Auris Nasus Larynx*. 2020 May 20.
22. Prasad SC, Mimoune HA, D'Orazio F, et al. The role of wait-and-scan and the efficacy of radiotherapy in the treatment of temporal bone paragangliomas. *Otol Neurotol*. 2014 Jun. 35 (5):922-31.
23. Hirsch BE, Chang CYJ. Carcinoma of the temporal bone. Myers EN, ed. *Operative Otolaryngology Head and Neck Surgery*. Philadelphia, Pa: WB Saunders; 1997. 1434-1458.
24. Medina JE, Park AO, Neely JG, Britton BH. Lateral temporal bone resections. *Am J Surg*. 1990 Oct. 160 (4):427-33.
25. Morris LG, Mehra S, Shah JP, Bilsky MH, Selesnick SH, Kraus DH. Predictors of survival and recurrence after temporal bone resection for cancer. *Head Neck*. 2011 Sep 23.
26. Nam GS, Moon IS, Kim JH, Kim SH, Choi JY, Son EJ. Prognostic Factors Affecting Surgical Outcomes in Squamous Cell Carcinoma of External Auditory Canal. *Clin Exp Otorhinolaryngol*. 2018 May 22.
27. Komune N, Noda T, Kogo R, et al. Primary Advanced Squamous Cell Carcinoma of the Temporal Bone: A Single-Center Clinical Study. *Laryngoscope*. 2021 Feb. 131 (2):E583-9.
28. Komune N, Sato K, Hongo T, et al. Prognostic Significance of Systemic Inflammatory Response in Cases of Temporal Bone Squamous Cell Carcinoma. *Laryngoscope*. 2021 Aug. 131 (8):1782-9.
29. Hongo T, Kuga R, Miyazaki M, et al. Programmed Death-Ligand 1 Expression and Tumor-Infiltrating Lymphocytes in Temporal Bone Squamous Cell Carcinoma. *Laryngoscope*. 2021 Jun 18.
30. Marioni G, Zanoletti E, Giacomelli L, Braggio L, Martini A, Mazzoni A. Clinical and pathological parameters prognostic for increased risk of recurrence after postoperative radiotherapy for temporal bone carcinoma. *Head Neck*. 2015 Sep 8.
31. Morris LG, Mehra S, Shah JP, Bilsky MH, Selesnick SH, Kraus DH. Predictors of survival and recurrence after temporal bone resection for cancer. *Head Neck*. 2012;34:1231-9.
32. Gidley PW, DeMonte F. Temporal bone malignancies. *Neurosurg Clin N Am*. 2013;24:97-110.
33. Zhang T, Li W, Dai C, Chi F, Wang S, Wang Z. Evidence-based surgical management of T1 or T2 temporal bone malignancies. *Laryngoscope*. 2013;123:244-8.
34. Zanoletti E, Danesi G. The problem of nodal disease in squamous cell carcinoma of the temporal bone. *Acta Otolaryngol*. 2010;130:913-6.
35. Mazzoni A, Danesi G, Zanoletti E. Primary squamous cell carcinoma of the external auditory canal: surgical treatment and long-term outcomes. *Acta Otorhinolaryngol Ital*. 2014;34:129-37.
36. Zanoletti E, Marioni G, Stritoni P, Lionello M, Giacomelli L, Martini A, et al. Temporal bone squamous cell carcinoma: analyzing prognosis with univariate and multivariate models. *Laryngoscope*. 2014;124:1192-8.