

Bölüm 5


1, 2, 4-TRİAZOL BİLEŞİKLERİNİN FARMAKOLOJİK UYGULAMALARI:

ANTİ KANSER, ANTİ MİKROBİYAL VE ANTİOKSİDAN AKTİVİTELERİ

Akif Evren PARLAK¹

GİRİŞ

Beş üyeli bir halkada üç azot atomu içeren sistem “triazasiklopentadien” veya kısaca triazol olarak bilinir. Heteroatomların halkadaki durumlarına göre 1,2,3- (visinal triazol) 1,2,4- (asimetrik, asim-triazol) ve 1,3,4 (simetrik, sim-triazol) olmak üzere birbirine izomer üç triazol halkası (Şekil 1) vardır (Shawmi ve Parhangi, 1980:17833)



Şekil 1. İzomer üç triazol halkası.

Triazoller 1880'li yıllarda Bladin (1885) ve Andreocci (1889) tarafından bilim dünyasına tanıtılmış ve bu konudaki çalışmalar günümüze dek yoğun bir şekilde devam etmiştir. Triazoller, başta tautomerik özellikleri olmak üzere, değişik sübstitüuentlerin yapısı üzerinde yerleştirilmesine uygun kimyasal aktiflikleri ile işlek bir konuya oluşturmaktadırlar. Konuya ilgili olarak Potts (1960) tarafından bir “Review”, Temple (1981) tarafından da “Triazols” adlı kitap yayımlanmıştır. Tri-

¹ Çevre Koruma Teknolojileri Bölümü, Keban Meslek Yüksekokulu, Fırat Üniversitesi, Keban/Elazığ, Türkiye akifevren@firat.edu.tr

KAYNAKÇA

- Shawmi, A.S., ve Parhangi, C., 1980., J. Heterocyclic Chem., 17:833.
- Bladin, J.A., Ber., 1885;18, 1544.
- Andreoccia, A., Ber., 1889;22 737.
- Potts, K.T., Chem. News., 1960, 60, 87.
- Temple, C., Montgomery, J.A. 1981, "The Chemist of Heterocyclic Compounds, Triazoles-1,2,4," John Wiley and Sons, Newyork.
- Briggs, P.R. Parker, W.L. and Shannon, T.W., 1968, Chem. Comm., 727.
- Inaba, M., Mizuno, Y., Ozaki, M., Horii, T., 1988, [9091,062] (C.A. 113:97612p).
- Gul, H.I., Denizci, A.A., Erciyas, E. Antimicrobial evaluation of some Mannich bases of acetophenones and representative quaternary derivatives. Arzneimittelforschung. 2002; 52: 773-777.
- Birinci, E. Sentezi, Karakterizasyonu Ve Farmakolojik Yeni Tiyofen İçerikli 1,2,4-Triazol-3(5)-On Türevlerinin Özelliklerinin İncelenmesi. Ylisans tezi, Karadeniz Teknik Üniversitesi Fen Bilimleri Enstitüsü, Ocak, Trabzon 2013.
- Almajan, G. L., Barbuceanu, S.-F., Bancescu, G., Saramet, I., Saramet, G. ve Draghici, C. Synthesis and antimicrobial evaluation of some fused heterocyclic [1,2,4]triazolo [3,4-b][1,3,4] thiadiazole derivatives. European Journal of Medicinal Chemistry, 2010; 45: 6139-6146.
- Ferlay J., Soerjomataram I., . Ervik M, Dikshit R., Eser, S. Mathers C., Rebelo M., Parkin DM., Forman D., & Bray F. Globocan 2012 v1.0, Cancer Incidence and Mortality Worldwide: IARC Cancer Base No. 11, Lyon, France: International Agency for Research on Cancer, 2013.
- Chawla A., & . Kaur P. A Systematic Review: Microwave Synthesis as A Part of Green Chemistry for the Synthesis of Novel 1,2,4-Triazole Derivatives., IRJP. 2013; 4 (1): 49-72.
- Elansary HO. Natural Antioxidants and their Role against Human Cancer. J. Plant Biochem. Physiol., 2014; 2 (2), 1000-125.
- Sztanke K, Tuzimski T, Rzymowska J. Synthesis, determination of the lipophilicity, anticancer and antimicrobial properties of some fused 1,2,4-triazole derivatives. Eur J Med Chem 2008;43:404-419.
- Zhai X, Zhao YF, Liu YJ, Zhang Y, Xun FQ, Liu J, Gong P. Synthesis and cytotoxicity studies of novel [1,2,4]triazolo[1,5-a]pyrimidine- 7-amines. Chem Pharm Bull 2008;56:941-945.
- Yang J.G., Pan F.Y. New 3-[(4-hydroxy-6-methyl-2(1H)-pyridinones)-3-yl]- 4-substituted-(1H)-1,2,4-triazole-5-thiones: efficient synthesis, X-Ray crystallographic analysis, and antitumor activity, Lett. Org. Chem. 2007; 4: 137-141
- Singh T., Singh J., Naskar A., Ghosh T., Mondal, A., Kundu M., . Harwansh R.K, Maity T.K., Synthesis and evaluation of antiproliferative activity of 1, 2, 4 triazole derivatives against EAC bearing mice model, Ind. J. Pharm. Educ. Res. 2012; 46: 346-351.
- Sunil D., Isloor A.M., Shetty P., Chandrakantha B., Satyamoorthy K.. Synthesis, characterization and in vitro cytotoxic properties of some new Schiff and Mannich bases in Hep G2 cells. Med. Chem. Res. 2010; 20: 1024e1032.
- Çıkla P., Arora P., Basu A., Talele T.T., Kaushik-Basu N., Küçükgüzel S., . G. Etodolac Thiosemicarbazides: a novel class of hepatitis C virus NS5B polymerase inhibitors. Marmara Pharm. J. 2013; 17: 138e146.
- Mavrova A.T., Wesselinova D., Tsenev Y.A., . Denkova P. Synthesis, cytotoxicity and effects of some 1,2,4-triazole and 1,3,4-thiadiazole derivatives on immunocompetent cells. Eur. J. Med. Chem. 2009; 44: 63-69.
- El-Sayed W.A., Lefel E.M., Morsy E.M.H. Anticancer and antimicrobial activities of some synthesized pyrazole and triazole derivatives, Pharm. Chem. 2012; 4: 23-32.
- Marino, J.P.J.; Fisher, P.W.; Hofmann, G.A.; Kirkpatrick, R.B.; Janson, C.A.; Johnson, R.K.; Ma, C.; Mattern, M.; Meek, T.D.; Ryan, M.D.; Schulz, C.; Smith, W.W.; Tew, D.G.; Tomazek, T.A.J.; Weber, D.F.; Xiong, W.F.C.; Yamanoto, Y.; Yamashita, K.; Yang, G.; Thompson, S.K. Highly potent inhibitors of methionine aminopeptidase-2 based on a 1,2,4-triazole pharmacophore. J. Med. Chem., 2007; 50: 3777-3785

23. Xia, Y.; Liu, Y.; Wan, J.Q.; Wang, M.H.; Rocchi, P.; Qu, F.Q.; Iovanna, J.- L.; Peng, L. Novel triazole ribonucleoside down-regulates heat shock protein 27 and induces potent anticancer activity on drug-resistant pancreatic cancer. *J. Med. Chem.*, 2009; 52: 6083-6096.
24. Arora, S.; Wang, X.I.; Keenan, S.M.; Andaya, C.; Zhang, Q.; Peng, YY.; Welsh, W.J. Novel microtubule polymerization inhibitor with potent antiproliferative and antitumor activity. *Cancer Res.*, 2009; 69: 1910-1915
25. Huang, Q.H.; Richardson, P.F.; Sach, N.W.; Zhu, J.J.; Liu, K.K.-C.; Smith, G.L. Development of scalable syntheses of selective PI3K inhibitors. *Org. Process Res. Dev.*, 2011; 15: 556-564.
26. Pachuta-Stec A, Rzymowska J, Mazur L, Mendyk E, Pitucha M, Rzaczynska Z. Synthesis, structure elucidation and antitumour activity of N-substituted amides of 3-(3-ethylthio-1,2,4-triazol- 5-yl)propenoic acid. *Eur J Med Chem* 2009; 44: 3788-3793.
27. Zhou C.-H. and . Wang Y. Recent Researches in Triazole Compounds as Medicinal Drugs. *Current Medicinal Chemistry*, 2012; 19: 239-280
28. Cai, J.L., Li, S., Zhou, C.H., Wu, J. Advance in research of imidazoles as anti-tumor agents. *Chin. J. New Drugs*, 2009; 18: 598-608(in Chinese)
29. Bhandari, K., Srinivas, N., Shiva Keshava, G.B., Shukla, P.K. Tetrahydronaphthyl azole oxime ethers: the conformationally rigid analogues of oxiconazole as antibacterials. *Eur. J. Med. Chem.*, 2009; 44: 437-447
30. Atia, A.J.K. Synthesis and antibacterial activities of new metronidazole and imidazole derivatives. *Molecules*, 2009; 14: 2431-2446.
31. Eswaran, S., Adhikari, A.V., Shetty, N.S. Synthesis and antimicrobial activities of novel quinoline derivatives carrying 1,2,4-triazole moiety. *Eur. J. Med. Chem.*, 2009; 44: 4637-4647
32. Ezabadi, I.R., Camoutsis, C., Zoumpoulakis, P., Geronikaki, A., Sokovic, M., Glamocilija, J., Cricic, A. Sulfonamide- 1,2,4-triazole derivatives as antifungal and antibacterial agents: synthesis, biological evaluation, lipophilicity, and conformational studies. *Bioorg. Med. Chem.*, 2008; 16: 1150-1161
33. Fallah Tafti, A., Akbarzadeh, T., Saniee, P., Siavoshi, F., Shafiee, A., Foroumadi, A. Synthesis and anti-Helicobacter pylori activity of (4-nitro-1- imidazolylmethyl)-1,2,4-triazoles, 1,3,4-thiadiazoles, and 1,3,4-oxadiazoles. *Turk. J. Chem.*, 2011; 35: 307-316
34. Parmar, K., Suthar, B., Prajapati, S., Suthar, A. Synthesis and biological activity of novel 1,3,5-trisubstituted 1,2,4-triazole derivatives. *J. Heterocycl. Chem.*, 2010; 47: 156-161
35. Khalil, N.S.A.M. Efficient synthesis of novel 1,2,4-triazole fused acyclic and 21-28 membered macrocyclic and/or lariat macrocyclic oxaazathia crown compounds with potential antimicrobial activity. *Eur. J. Med. Chem.*, 2010; 45: 5265-5277
36. Hu, G.Q.; Sun, M.F.; Li, S.; Huang, W.L.; Zhang, H.B. Synthesis and antibacterial activity of 3-(4-amino-5-methyl- s-triazol-3-sulfanyl)-1-phenylpropan- 1-one-o-(5-substituted phenyl-[1,3,4]oxadiazol-2-methyl)-oximes. *Acta Pharm. Sinica*, 2006; 41: 1188-1192(in Chinese)
37. Hu, G.Q.; Xie, S.Q.; Du, G.J. Synthesis and antibacterial activities of bis(amino-triazole sulfurether)and their piperonal schiff's base derivatives. *Chin. J. Appl. Chem.*, 2006; 23: 273-277.
38. El Sayed Ali T., El Kazak A.M. Synthesis and antimicrobial activity of some new 1,3-thiazoles, 1,3,4-thiadiazoles, 1,2,4-triazoles and 1,3-thiazines incorporating acridine and 1,2,3,4-tetrahydroacridine moieties, *Eur. J. Chem.* 2010; 1: 6-11.
39. El-Feky S.M., Abou-Zeid L.A., Massoud M.A., S. George.K, . Eisa H.M. Synthesis, molecular modeling of novel 1,2,4-triazole derivatives with potential antimicrobial and antiviral activities, *Acta. Pharm. Sci.* 2010; 52: 353-364.
40. Saadeh H.A, Mosleh I.M., Al-Bakri A.G., Mubarak M.S. Synthesis and antimicrobial activity of new 1,2,4-triazole-3-thiol metronidazole derivatives, *Monatsh. Chem.* 2010; 141: 471-478.
41. Plech,T., Wujec,M., Kapro,B. Kosikowska,U., Malm, A. Synthesis and antibacterial activity of some novel N2-Hydroxymethyl and N2-aminomethyl derivatives of 4-aryl-5-(3-chlorophenyl)-2,4-dihydro-3H-1,2,4-triazole-3- thione, *Heteroat. Chem.* 2011; 22: 737-743.

42. Plech T., Wujec M., Majewska M., Kosikowska U., Malm A. Microbiologically active Mannich bases derived from 1,2,4-triazoles. The effect of C-5 substituent on antibacterial activity, Med. Chem. Res. 2013; 22: 2531-2537.
43. Basoglu S., Yolal M., Demirci S., Demirbas N., Bektas H., Alpay Karaoglu S. Design, synthesis and antimicrobial activities of some azole derivatives, Acta. Pol. Pharm. 2013; 70: 229-236.
44. Küçükgüzel S. G., Çıkla-Süzgün, P. Recent advances bioactive 1,2,4-triazole-3-thiones Eur J Med Chem. 2015; 5:97:830-70
45. Kus C. , Ayhan-Kilcigil G., Can Eke B., Iscan M. Synthesis and antioxidant properties of some novel benzimidazole derivatives on lipid peroxidation in the rat liver, Arch. Pharm. Res. 2004; 27: 156-163.
46. Ayhan-Kilcigil G., Kus C , Coban T., Can-Eke B., Ozbey S., M. Iscan. Synthesis, antioxidant and radical scavenging activities of novel benzimidazoles, J. Enzyme Inhib. Med. Chem. 2005; 20: 503-514.
47. Nadeem H., Mohsin M., Afzaal H., Riaz S., Zahid A., Muhammad S.A. Synthesis and in vitro biological activities of 4,5-disubstituted 1,2,4-triazole-3- thiols, Adv. Microbiol. 2013; 33:66-375.
48. Aswathanarayananappa C., Bheemappa E., Bodke Y.D., Krishnegowda P.S., Venkata S.P. Ningegowda R. Synthesis and evaluation of antioxidant properties of novel 1,2,4-triazole-based Schiff base heterocycles, Arch. Pharm. (Weinheim) 2013; 346: 922-930.
49. Koparir M., Orek C., Parlak A.E., Soylemez A., Koparir P., Karatepe M., Dastan S.D. Synthesis and biological activities of some novel aminomethyl derivatives of 4-substituted-5-(2-thienyl)-2,4-dihydro-3H-1,2,4-triazole-3- thiones, Eur. J. Med. Chem. 2013; 63: 340-346.