

EKSTERNAL OTİT

Sercan ÇIKRIKCI¹

Olgı Sunumu

53 yaşında erkek hasta sağ kulakta kulakta ağrı ve akıntı şikayetiyle kulak burun boğaz polikliniğine başvurdu. Hikayesinde 4 aydır kulağında akıntı olduğu ve bu süre içerisinde dış merkezde 4 defa muayene olduğu belirtti. Bu muayeneler sonucunda birçok kez ilaç tedavisi aldığı öğrenildi.

Özgeçmiş

1 yıl önce sağ kulak zarı perforasyonu nedeni ile opere olmuş

Bilinen ek hastalık yok

Aile öyküsünde özellik yok

Sigara kullanmıyor

Geçmiş 4 aylık süre içerisinde ciprofloxasin 500mg tablet, ciprofloxasin %0.3 kulak daması, deksametazon %0.1 damla, siklopiroksolamin citrate 10mg/ml ve ofloksasin %0.3'lük damlayı belirli aralıklarla kullanıldığı öğrenildi.

Anamnezde neler sorgulanmalıdır?

- Kötü kokulu akıntı
- İşitme kaybı
- Çınlama
- Kulakta tıkanıklık
- Kulakta ağrı
- Kulakta dolgunluk hissi
- Kulak kaşıntısı
- Baş dönmesi
- Ateş

- Halsizlik
- Bulantı veya kusma

Sorgulanması gereken olası risk faktörleri nelerdir?

- Yüzme öyküsü
- Diabetus mellitus öyküsü
- Geçirilmiş kulak cerrahisi öyküsü
- Radyoterapi veya kemoterapi öyküsü
- İmmün sistem yetersizliği
- Geçirilmiş temporal travma öyküsü

¹ Uzm. Dr. Sercan ÇIKRIKCI, Yozgat Şehir Hastanesi / Yozgat Kulak Burun Boğaz Bölümü, drsrc46@gmail.com

nadir patojenlerin de olabileceği unutulmamalıdır. Ayrıca tekrarlayan eksternal otit ile gelen hastalar da mutlaka kültür alınmalıdır ve üreme durumunda antibiyogram yapılmalıdır.

KAYNAKLAR

- Schaefer P, Baugh RF. Acute otitis externa: an update. *Am Fam Physician*. 2012; 86: 1055-61.
- Wiegand S, Berner R, Schneider A, et al. Otitis Externa. *Dtsch Arztebl Int*. 2019; 116(13): 224-234. doi: 10.3238/arztebl.2019.0224.
- Raza SA, Denholm SW, Wong JC. An audit of the management of acute otitis externa in an ENT casualty clinic. *J Laryngol Otol*. 1995 Feb; 109(2):130-3.
- Neher A, Nagl M, Scholtz AW. Otitis externa: etiology, diagnostic and therapy. *HNO*. 2008 Oct; 56(10):1067-79; quiz 1080.
- Hajioff D, MacKeith S. Otitis externa. *BMJ Clin Evid*. 2015; 2015: 0510. Published online 2015 Jun 15.
- Roland PS, Stroman DW. Microbiology of acute otitis externa. *Laryngoscope*. 2002 Jul; 112(7 Pt 1):1166-77.
- Rosenfeld RM, Schwartz SR, Cannon CR, et al. Clinical practice guideline: acute otitis externa. *Otolaryngol Head Neck Surg*. 2014 Feb; 150: S1-S24.
- Ong YK, Chee G. Infections of the external ear. *Ann Acad Med Singapore*. 2005 May; 34(4):330-4.
- Ijaz T, Anjum AA, Aslam S, et al. Microbial profiling and risk factors assessment for otitis media and otitis externa. *Advancements in Life Sciences*. 2014:191–196.
- Yiraima MB, Tariq S. Otitis Externa. Treasure Island: StatPearls Publishing; 2020 Jan–2020 Mar 4.
- Decré D, Arlet G, Bergogne-Béreznin E, et al. Identification of a carbenicillin-hydrolyzing β -lactamase in *Alcaligenes denitrificans* subsp. *xylosoxidans*. *Antimicrob Agents Chemother*. 1995; 39: 771–774.
- Duggan J M, Goldstein S J, Chenoweth C E, et al. *Achromobacter xylosoxidans* bacteremia: report of four cases and review of the literature. *Clin Infect Dis*. 1996; 23: 569–576.
- Brosch R, Lefèvre M, Grimont F, et al. Taxonomic diversity of pseudomonads revealed by computer interpretation of ribotyping data. *Syst Appl Microbiol*. 1996; 19: 541–555.
- Grimont F, Grimont P A D. Ribosomal ribonucleic acid gene restriction patterns as potential taxonomic tool. *Ann Inst Pasteur/Microbiol*. 1986; 137B: 165–175.
- Janvier M, Grimont P A D, Grimont F. Characterization of *Methylophaga* species by rRNA gene restriction patterns (ribotyping) *Syst Appl Microbiol*. 1999; 22: 372–377.
- Jacquier H.E., Carbonnelle S., Corvec M., et al. Revisited distribution of non fermenting Gram-negative bacilli clinical isolates. *Eur. J. Clin. Microbiol. Infect. Dis.* 2011; 30: 579–586
- Gales, A.C., Jones, R.N., Andrade, S.S., et al. Antimicrobial susceptibility patterns of unusual non fermentative gram-negative bacilli isolated from Latin America: report from the SENTRY Antimicrobial Surveillance Program (1997–2002). *Mem. Inst. Oswaldo Cruz*. 2005; 100: 571–577
- Baran I, Acar A, Genç Y, et al. Olgu Raporu: Vibrio algicolyticus'a bağlı bir eksternal otit olgusu. *Turk Hıj Den Biyol Derg*. 2016; 73(1): 49-54
- DeSimone DC, Heaton PR, Neff BA, et al. A rare case of chronic otitis externa due to *Mycobacterium tuberculosis*. *J Clin Tuberc Other Mycobact Dis*. 2017; 8: 13-15. Published 2017 May 16. doi:10.1016/j.jctube.2017.05.001
- Mascarenhas MB, Botelho CB, Manier BSML, et al. An unusual case of feline otitis externa due to sporotrichosis. *JFMS Open Rep*. 2019; 5(1): 2055116919840810. Published 2019 Mar 29. doi:10.1177/2055116919840810.
- Wipperman J. Otitis Externa. *Primary Care: Clinics in Office Practice*. 2014; 41: 1-9. doi: 10.1016/j.pop.2013.10.001
- Kaushik V, Malik T, Saeed SR. Interventions for acute otitis externa. *Cochrane Database Syst Rev*. 2010; (1):CD004740.
- Jinn TH, Kim PD, Russell PT, et al. Determination of ototoxicity of common otic drops using isolated cochlear outer hair cells. *Laryngoscope* 2001; 111(12): 2105–8.
- Van Balen FA, Smit WM, Zuithoff NP, et al. Clinical efficacy of three common treatments in acute otitis externa in primary care: randomised controlled trial. *BMJ* 2003; 327(7425): 1201–5.
- Mosges R, Schroder T, Baues CM, et al. Dexamethasone phosphate in antibiotic ear drops for the treatment of acute bacterial otitis externa. *Curr Med Res Opin* 2008;24(8):2339–47.
- Rosenfeld RM, Brown L, Cannon CR, et al. Clinical practice guideline: acute otitis externa. *Otolaryngol Head Neck Surg* 2006; 134(Suppl 4): S4–23.
- England RJ, Homer JJ, Jasser P, et al. Accuracy of patient self-medication with topical eardrops. *J Laryngol Otol* 2000; 114(1): 24–5.
- Schaefer P, Baugh RF. Acute otitis externa: an update. *Am Fam Physician* 2012; 86(11): 1055–61.
- Guss J, Ruckenstein MJ. Infections of the external ear. In: Flint PW, Cummings CW, editors. Cummings otolaryngology head & neck surgery. 5th edition. Philadelphia: Mosby/Elsevier; 2010. p. 1944–9.
- Kesser BW. Assessment and management of chronic otitis externa. *Curr Opin Otolaryngol Head Neck Surg* 2011; 19(5): 341–7.
- Golder J. Oral steroids in the treatment of otitis externa. *Aust Fam Physician*. 1999;28
- Caffier PP, Harth W, Mayelzadeh B, et al. Topische Immunmodulation Ein Meilenstein in der Behandlung der therapieresistenten nichtinfektiösen chronischen Otitis externa? *HNO*. 2008; 56: 530–537.
- Mahdyoun P, Pulcini C, Gahide I, et al. Necrotizing otitis externa: a systematic review. *Otol Neurotol*. 2013; 34(4): 620-9.
- Bovo R, Benatti A, Ciorba A, et al. Pseudomonas and aspergillus interaction in malignant external otitis: risk of treatment failure. *Acta Otorhinolaryngol Ital*. 2012; 32: 416–419.
- Chawdhary G, Pankhania M, Douglas S, et al. Current management of necrotising otitis externa in the UK: survey of 221 UK otolaryngologists. *Acta Otolaryngol*. 2017; 137(8):818-822.
- Rubin Grandis J, Branstetter BF 4th, Yu VL. The changing face of malignant (necrotising) external otitis: clinical, radiological, and anatomic correlations. *Lancet Infect Dis*. 2004 Jan; 4(1):34-9.
- Lesser FD, Derbyshire SG, Lewis-Jones H. Can computed tomography and magnetic resonance imaging differentiate between malignant pathology and osteomyelitis in the central skull base? *J Laryngol Otol*. 2015;

- 129(9): 852-9.
38. Franco-Vidal V, Blanchet H, Bebear C, et al. Necrotizing external otitis: a report of 46 cases. *Otol Neurotol*. 2007; 28(6): 771-3.
39. van Kroonenburgh AMJL, van der Meer WL, Bothof RJP, et al. Advanced imaging techniques in skull base osteomyelitis due to malignant otitis externa. *Curr Radiol Rep*. 2018; 6: 3.
40. Chang PC, Fischbein NJ, Holliday RA. Central skull base osteomyelitis in patients without otitis externa: imaging findings. *AJNR Am J Neuroradiol*. 2003; 24(7): 1310-6.
41. Garty I, Rosen G, Holdstein Y. The radionuclide diagnosis, evaluation and follow-up of malignant external otitis (MEO). The value of immediate blood pool scanning. *J Laryngol Otol*. 1985; 99(2): 109-15.
42. Filippi L, Schillaci O. Usefulness of hybrid SPECT/CT in 99mTc-HMPAO-labeled leukocyte scintigraphy for bone and joint infections. *J Nucl Med*. 2006; 47(12):1908-13.
43. Driscoll CL, Lane JL. Advances in skull base imaging. *Otolaryngol Clin North Am*. 2007 Jun; 40(3):439-54, vii.
44. Glikson E, Sagiv D, Wolf M, et al. Necrotizing otitis externa: diagnosis, treatment, and outcome in a case series. *Diagn Microbiol Infect Dis*. 2017; 87(1):74-78
45. Chen CN, Chen YS, Yeh TH, et al. Outcomes of malignant external otitis: survival vs mortality. *Acta Otolaryngol* 2010; 130: 89-94.
46. Rubin Grandis J, Branstetter BF, Yu VL. The changing face of malignant external otitis: clinical, radiological, and anatomic correlations. *Lancet Infect Dis* 2004; 4: 34-9.
47. Carfrae MJ, Kesser BW. Malignant otitis externa. *Otolaryngol Clin N Am* 2008; 41: 537-49.
48. Mani N, Sudhoff H, Rajagopal S, et al. Cranial nerve involvement in malignant external otitis: implications for clinical outcome. *Laryngoscope*. 2007 May; 117(5):907-10.
49. Stevens SM, Lambert PR, Baker AB, et al. Malignant Otitis Externa: A Novel Stratification Protocol for Predicting Treatment Outcomes. *Otol Neurotol*. 2015 Sep; 36(9):1492-8