

Bölüm 10

KEMİK ENFEKSİYONLARI

Ümit Tuhanioğlu

A-AKUT OSTEOMYELİT

Tanım: Kemik dokuya çeşitli yolla özellikle de hematojen yolla ulaşan patojen mikroorganizmaların kemik dokuda oluşturduğu septik inflamasyonuna osteomyelit denir.

Bu hastalık halen bilinmeyenlerle ve tartışmalarla dolu bir hastalıktır.

Sınıflandırma:

Osteomyelit ile ilgili birçok sınıflama yapılmıştır. Ancak bunların birçoğu klinik yararı olmadığı için terk edilmiştir.

Anatomik sınıflama

Medüller osteomyelit:

Enfeksiyon kemik dokunun medüller bölgesinde sınırlıdır. Genellikle hematojen osteomyelit ve intramedüller civilere sekonder gelişen osteomyelit bu evredir.

Yüzeyel osteomyelit:

Bu tip osteomyelitler komşuluk yolu ile bulanan osteomyelitleri tanımlar. Ancak sıklıkla plak-vi-da girişiminden sonra bu tip osteomyelitler oluşur.

Lokalize osteomyelit:

Kemiğin bir tarafının korteksi ve medullası enfekte olmuştur. Bu tip osteomyelitlerde kemik doku stabil olup impending kırık riski yoktur

Düffüz osteomyelit:

Kemik dokunun sirküler tarzda hem medullası hem de korteksi enfektedir. Bu tip enfeksiyonlarda kemik dokuda unstabilite söz konusu olup kırık riski (impending kırık) vardır. Önlem alınmalıdır.

Cerrahi

Antifungal tedavi

- Polienler: Amfotersin-B
- İmidazol: Mikanazol, ketokonazol
- 5-flurositozinler:

Bu antifungallerin kombinasyonu yan etkilerinin ciddiyetinden dolayı pek kullanılmaz. Ancak rifampin, tetrasiklinlerle kombinasyonu yüz güldürücü sonuçlar vermektedir.

TAVSİYE EDİLEN KAYNAKLAR

1. K J. De Ronde J E. Giroto D P. Nicolau Management of Pediatric Acute Hematogenous Osteomyelitis, Part I: Anti-microbial Stewardship Approach and Review of Therapies for Methicillin-Susceptible *Staphylococcus aureus*, *Streptococcus pyogenes*, and *Kingella kingae*
2. Pharmacotherapy 2018; doi: 10.1002/phar.2160
3. K J. DeRonde J E. Giroto D P. Nicolau Management of Pediatric Acute Hematogenous Osteomyelitis, Part II: Anti-microbial Stewardship Approach and Review of Therapies for Methicillin-Susceptible *Staphylococcus aureus*, *Streptococcus pyogenes*, and *Kingella kingae*
4. Pharmacotherapy 2018; doi: 10.1002/phar.2
5. A D. Iliadis Manoj RamachandranPaediatric bone and joint infection *EORT Open Rev* 2017;1:7-12.
6. G Radcliff Osteomyelitis. a historical and basic sciences review *ORTHOPAEDICS AND TRAUMA* 2015 29:4
7. Blyth MJG, Kincaid R, Craigen MAC, Bennet GC. The changing epidemiology of acute and subacute haematogenous osteomyelitis in children. *J Bone Joint Surg Br* 2001; 83-B: 99e102.
8. Ozuna RM, Delamarter RB. Pyogenic vertebral osteomyelitis and postsurgical disc space infections. *Orthop Clin North Am* 1996; 27: 87e
9. Bahebeck J, Atangana R, Tech A, Monny-Lobe M, Sosso M, Hoffmeyer P. Relative rates and features of musculoskeletal complications in adult sicklers. *Acta Orthop Belg* 2004; 70: 107-11.
10. G1 Aljuburi, Laverty AA, Green SA, et al. Trends in hospital admissions for sickle cell disease in England, 2001/02e2009/10. *J Public Health* 2011 Jul-Aug; 9: 447-56.
11. Morrissy RT, Haynes DW. Acute hematogenous osteomyelitis: a model with trauma as an etiology. *J Pediatr Orthop* 1989 Jul-Aug; 9: 447-56.
12. Farer LS, Lowell AM, Meador MP. Extrapulmonary tuberculosis in the United States. *Am J Epidemiol* 1979; 109: 205e17.
13. Gardam M, Lim S. Mycobacterial osteomyelitis and arthritis. *Infect Dis Clin N Am* 2005; 19: 819-30
14. McCarthy JJ, Dormans JP, Kozin SH, Pizzutillo PD. Musculoskeletal infections in children. Basic treatment principles and recent advancements. *J Bone Joint Surg* 2004; 86-A: 850e63.
15. J. Dartnell, M. Ramachandran, M. Katchburian Haematogenous acute and subacute
16. paediatric osteomyelitis A SYSTEMATIC REVIEW OF THE LITERATURE *J Bone Joint Surg Br* 2012;94-B:584.95.
17. Hawkshead J, Patel N, Steele R, Heinrich S. Comparative severity of pediatric osteomyelitis attributable to methicillin-resistant versus methicillin-sensitive *staphylococcus aureus*. *J Pediatr Orthop* 2009;29:85.90.
18. Malcius D, Trumpulite G, Barauskas V, Kilda A. Two decades of acute hematogenous osteomyelitis in children: are there any changes? *Paediatr Surg Int* 2005;21:356.359.
19. Browne L, Mason E, Kaplan S, et al. Optimal imaging strategy for communityacquired *Staphylococcus aureus* musculoskeletal infections in children. *Pediatr Radiol* 2008;38:841.847.
20. Jagodzinski NA, Kanwar R, Graham K, Bache CE. Prospective evaluation of a shortened regimen of treatment for acute osteomyelitis and septic arthritis in children. *J Pediatr Orthop* 2009;29:518.525.
21. Ceroni D, Cherkaoui A, Ferey S, Kaelin A, Schrenzel J. *Kingella kingae* osteoarticular infections in young children: clinical features and contribution of a new specific real-time PCR assay to the diagnosis. *J Pediatr Orthop* 2010;30:301.304
22. Bocchini C, Hulten KG, Mason EO Jr, et al. Panton-Valentine Leukocidin genes are associated with enhanced inflammatory response and local disease in acute hematogenous *staphylococcus aureus* osteomyelitis in children. *Pediatrics* 2006;117:433.440.

23. Groegrens ED, McEvoy A, Watson M, Barrett IR. Acute osteomyelitis and septic arthritis in children. *Paediatr Child Health* 2005;41:59.62.
24. Bachur R, Pagon Z. Success of short-course parenteral antibiotic therapy for acute osteomyelitis of childhood. *Clin Pediatr (Phila)* 2007;46:30.35.
25. Dohin B, Gillet Y, Kohler R, et al. Pediatric bone and joint infections caused by Panton. Valentine Leukocidin-positive staphylococcus aureus. *Pediatr Infect Dis J* 2007;26:1042.1048.
26. Maraqa NF, Gomez MM, Rathore MH. Outpatient parenteral antimicrobial therapy in osteoarticular infections in children. *J Pediatr Orthop* 2002;22:506.510.
27. S Schaub, H M. Sirkis, J Kay Imaging for Synovitis, Acne, Pustulosis, Hyperostosis, and Osteitis (SAPHO) Syndrome. *Rheum Dis Clin N Am* 42 (2016) 695.710
28. Carneiro S, Sampaio-Barros PD. SAPHO syndrome. *Rheum Dis Clin North Am* 2013;39(2):401.18.
29. Nguyen MT, Borchers A, Selmi C, et al. The SAPHO syndrome. *Semin Arthritis Rheum* 2012;42(3):254.65.
30. Li C, Zuo Y, Wu N, et al. Synovitis, acne, pustulosis, hyperostosis and osteitis syndrome: a single centre study of a cohort of 164 patients. *Rheumatology (Oxford)* 2016;55(6):1023.30.
31. Jung J, Molinger M, Kohn D, et al. Intra-articular glucocorticosteroid injection into sternoclavicular joints in patients with SAPHO syndrome. *Semin Arthritis Rheum* 2012;42(3):266.70.
32. Akiyama T, Chikuda H, Yasunaga H, et al. Incidence and risk factors for mortality of vertebral osteomyelitis: a retrospective analysis using the Japanese diagnosis procedure combination database. *BMJ Open* 2013;3(3):e002412.
33. Kehler M, Pedersen C, Jensen TG, et al. Increasing incidence of pyogenic spondylodiscitis: a 14-year population-based study. *J Infect* 2014;68(4):313.20.
34. Nickerson EK, Sinha R. Vertebral osteomyelitis in adults: an update. *Br Med Bull* 2016;117(1):121.38.
35. Sans N, Faruch M, Lapegue F, et al. Infections of the spinal column.spondylodiscitis. *Diagn Interv Imaging* 2012;93(6):520.9.
36. Hadjipavlou AG, Mader JT, Necessary JT, et al. Hematogenous pyogenic spinal infections and their surgical management. *Spine (Phila Pa 1976)* 2000;25(13): 1668.79.
37. Mrabet D, Mizouni H, Khiari H, et al. Brucellar spondylodiscitis affecting noncontiguous spine levels. *BMJ Case Rep* 2011;2011.
38. Siemionow K, Steinmetz M, Bell G, et al. Identifying serious causes of back pain: cancer, infection, fracture. *Cleve Clin J Med* 2008;75(8):557.66.
39. Cottle L, Riordan T. Infectious spondylodiscitis. *J Infect* 2008;56(6):401.12.
40. Dagirmanjian A, Schils J, McHenry M, et al. MR imaging of vertebral osteomyelitis revisited. *AJR Am J Roentgenol* 1996;167(6):1539.43.
41. Diehn FE. Imaging of spine infection. *Radiol Clin North Am* 2012;50(4):777.98.
42. Ledermann HP, Schweitzer ME, Morrison WB, et al. MR imaging findings in spinal infections: rules or myths? *Radiology* 2003;228(2):506.14.
43. N I. Montgomery, H R. Epps Pediatric Septic Arthritis *Orthop Clin N Am* 48 (2017) 209.216
44. Paakkonen M, Kallio MJ, Lankinen P, et al. Preceding trauma in childhood hematogenous bone and joint infections. *J Pediatr Orthop B* 2014;23(2): 196.9.
45. Morrison MJ, Herman MJ. Hip septic arthritis and other pediatric musculoskeletal infections in the era of methicillin-resistant Staphylococcus aureus. *Instr Course Lect* 2013;62:405.14.
46. Jung ST, Rowe SM, Moon ES, et al. Significance of laboratory and radiologic findings for differentiating between septic arthritis and transient synovitis of the hip. *J Pediatr Orthop* 2003;23(3):368.72.
47. Choe H, Inaba Y, Kobayashi N, et al. Use of realtime polymerase chain reaction for the diagnosis of infection and differentiation between grampositive and gram-negative septic arthritis in children. *J Pediatr Orthop* 2013;33(3):e28.33.
48. Carter K, Doern C, Jo CH, et al. The clinical usefulness of polymerase chain reaction as a supplemental diagnostic tool in the evaluation and the treatment of children with septic arthritis. *J Pediatr Orthop* 2016;36(2):167.72.
49. Ceroni D, Dubois-Ferriere V, Cherkaoui A, et al. Detection of Kingella kingae osteoarticular infections in children by oropharyngeal swab PCR. *Pediatrics* 2013;131(1):e230.5.
50. Jagodzinski NA, Kanwar R, GrahamK, et al. Prospective evaluation of a shortened regimen of treatment for acute osteomyelitis and septic arthritis in children. *J Pediatr Orthop* 2009;29(5):518.25.
52. Thompson RM, Gourineni P. Arthroscopic treatment of septic arthritis in very young children. *J Pediatr Orthop* 2017;37(1):e53.7.
53. Sanpera I, Raluy-Collado D, Sanpera-Iglesias J. Arthroscopy for hip septic arthritis in children. *Orthop Traumatol Surg Res* 2016;102(1):87.9.
54. Dave OH, Patel KA, Andersen CR, et al. Surgical procedures needed to eradicate infection in knee septic arthritis.

- Orthopedics 2016;39(1):50.4.
- 55. Kan JH, Young RS, Yu C, et al. Clinical impact of gadolinium in the MRI diagnosis of musculoskeletal infection in children. *Pediatr Radiol* 2010;40(7): 1197.205.
 - 56. Laine JC, Denning JR, Riccio AI, et al. The use of ultrasound in the management of septic arthritis of 57. the hip. *J Pediatr Orthop B* 2015;24(2):95.8.
 - 58. Givon U, Liberman B, Schindler A, et al. Treatment of septic arthritis of the hip joint by repeated ultrasound-guided aspirations. *J Pediatr Orthop* 2004;24(3):266.70.
 - 59. Paakkonen M, Peltola H, Kallio M, et al. Pediatric septic shoulder arthritis. Is routine arthrotomy still necessary? *Duodecim* 2011;127(7):716.9 [in Finnish].