

Penisilin İle Deneysel Epilepsi Oluşturulan Sıçan Beyin Dokusuna Yüzme Egzersizi ve Üzüm Çekirdeği Ekstresinin Oksidatif Stres Parametreleri Üzerine Etkisi

Recep SOSLU
Ali Ahmet DOĞAN



AKADEMİSYEN
KİTABEVİ



AKADEMİSYEN
KİTABEVİ

© Copyright 2018

Bu kitabin, basim, yayın ve satış hakları Akademisyen Kitabevi A.Ş.'ne aittir. Anılan kuruluşun izni alınmadan kitabin tümü ya da bölümleri mekanik, elektronik, fotokopi, manyetik kağıt ve/veya başka yöntemlerle çoğaltılamaz, basılamaz, dağıtılamaz. Tablo, şekil ve grafikler izin alınmadan, ticari amaçlı kullanılmamaz. Bu kitap T.C. Kültür Bakanlığı bandrolü ile satılmaktadır.

ISBN

978-605-258-185-8

Yayın Koordinatörü

Yasin DİLMEN

Kitap Adı

Penisilin ile Deneysel
Epilepsi Oluşturulan Sıçan
Beyin Dokusuna Yüzme
Egzersizi ve Üzüm Çekirdeği
Ekstresinin Oksidatif Stres
Parametreleri Üzerine Etkisi

Sayfa ve Kapak Tasarımı

Kerem ACAR

Yayıncı Sertifika No:

25465

Baskı ve Cilt

Sonçağ Matbaacılık
ANKARA/2018

Yazarlar

Recep SOSLU
Ali Ahmet DOĞAN

DOI

10.37609/akya.2329

GENEL DAĞITIM
Akademisyen Kitabevi A.Ş.

*Halk Sokak 5 / A
Yenişehir / Ankara*

Tel: 0312 431 16 33

siparis@akademisyen.com

www.akademisyen.com

ÖNSÖZ

Doktora tezi olarak sunduğum bu çalışmanın belirlenmesi ve yürütülmesinde desteğini esirgemeyen, bana bağımsız düşünme ortamı sunarak her konuyu rahatlıkla paylaşıp, danışıp tartışabilme imkanı sunan değerli Hocam Prof. Dr. Ali Ahmet DOĞAN' a, çalışma esnasında her konuda bilgi ve tecrübesini esirgemeyen ve çalışma konusunda bana farklı perspektif açısı kazandıran Prof. Dr. Erdal AĞAR' a ve Prof. Dr. Mustafa AYYILDIZ' a teşekkür ederim. Çalışmanın bütün aşamalarında sürekli desteğini hissettiğim özellikle çalışmanın laboratuvar bölümündeki değerli desteginden dolayı Dr. Gökhan ARSLAN' a, biyokimya analizlerinde bana laboratuvar imkanı sunan Sayın Doç. Dr. Yasin BAYIR' a ve Ondokuz Mayıs Üniversitesi Tıp Fakültesi Tıbbi ve Cerrahi Araştırma Merkezi çalışanlarına teşekkür ederim.

Bu süreçte maddi ve manevi her konuda yanımada olan ve destegini esirgemeyen eşim ve aileme de şükranlarımı sunarım.

İÇİNDEKİLER

| | |
|---|----|
| 1. GİRİŞ | 1 |
| 1.1 Problem | 3 |
| 1.2 Alt Problemler | 3 |
| 1.3 Hipotezler | 4 |
| 1.4. Varsayımlar | 4 |
| 1.5. Sınırlamalar | 5 |
| 1.6. Çalışmanın Önemi | 5 |
| | |
| 2. GENEL BİLGİLER | 7 |
| 2.1 Beyin Korteksinin Fizyolojik Anatomisi | 7 |
| 2.1.1 Beyin Korteksinin Tabakaları | 8 |
| 2.2 Epilepsi | 10 |
| 2.2.1 Epilepsinin Oluşumu (Epileptogenez) | 11 |
| 2.2.2 Epilepsinin Etyolojisi | 12 |
| 2.2.3 Nöbetler | 13 |
| 2.2.3.1 Epileptik Sendromların Sınıflaması | 13 |
| 2.2.3.2 Lokalizasyona Bağlı Epilepsiler | 15 |
| 2.2.3.2.1 İdiyopatik Epilepsiler | 15 |
| 2.2.3.2.1.2 Semptomatik Epilepsiler | 15 |
| 2.2.3.2.1.3 Criptojenik Epilepsiler | 15 |
| 2.2.3.3 Jeneralize Epilepsiler | 15 |
| 2.2.3.3.1. İdiyopatik Epilepsiler | 15 |
| 2.2.3.3.2. Criptojenik veya Semptomatik | 15 |
| 2.2.3.4 Semptomatik Epilepsiler | 16 |
| 2.2.3.4.1 Nonspesifik Etyoloji | 16 |
| 2.2.3.4.2 Spesifik Etyoloji | 16 |
| 2.2.3.5 Fokal veya Jeneralize Olduğu Belirlenemeyen Epilepsi ve Sendromlar | 16 |
| 2.2.3.5.1. Hem Jeneralize Hem Fokal Nöbetler | 16 |
| 2.2.3.6 Özel Sendromlar | 16 |

| | |
|--|----|
| 2.2.3.6.1 Duruma Bağlı Nöbetler | 16 |
| 2.2.3.6.2 Kendini Sınırlayan Nöbetler (Jeneralize nöbetler) | 17 |
| 2.2.3.6.3 Fokal Nöbetler | 17 |
| 2.2.3.6.4 Süregelen Nöbetler | 18 |
| 2.2.3.7 Refleks Nöbetlere Yol Açan Uyarınlar | 18 |
| 2.3 Antioksidanlar | 20 |
| 2.3.1 Endojen Antioksidanlar | 23 |
| 2.3.1.1 Enzim Olan Endojen Antioksidanlar | 23 |
| 2.3.1.1.2 Süperoksit Dismutaz (SOD) | 24 |
| 2.3.1.1.3 Katalaz (CAT) | 24 |
| 2.3.1.1.4 Glutatyon Peroksidaz (Gsh-Px) | 25 |
| 2.3.1.1.5 Glutatyon Redüktaz (GR) | 25 |
| 2.3.1.1.6 Malondialdehit(MDA) | 25 |
| 2.3.1.2 Enzim Olmayan Endojen Antioksidanlar | 26 |
| 2.3.1.2.1 Karotenoidler | 26 |
| 2.3.1.2.2 C Vitamini | 27 |
| 2.3.1.2.3 E Vitamini | 27 |
| 2.3.1.2.4 Polifenoller | 28 |
| 2.3.1.2.5 Koenzim Q-10 | 28 |
| 2.3.1.2.6 Lipoik Asit | 29 |
| 2.3.1.2.7 Glutatyon | 29 |
| 2.3.1.2.8 Selenyum | 29 |
| 2.3.1.2.9 Melatonin | 30 |
| 2.3.2 Eksojen Antioksidanlar | 30 |
| 2.3.3 Vitamin Eksojen Antioksidanlar | 30 |
| 2.3.4 İlaç Olarak Kullanılan Eksojen Antioksidanlar | 31 |
| 2.3.5 Gıdalardaki Eksojen Antioksidanlar | 31 |
| 2.4 Antioksidan ve Spor Performansı | 32 |
| 2.5 Grape Seed Extract | 35 |
| 2.6 Serbest Radikaller | 37 |
| 2.6.1 Serbest Radikallerin Sınıflandırılması | 39 |

| | |
|---|-----------|
| 2.6.1.2 Reaktif Oksijen Türleri (ROS) | 39 |
| 2.6.1.3 Reaktif Nitrojen Türleri (RNS) | 40 |
| 2.6.1.2.1 Süperoksit Radikali | 40 |
| 2.6.1.2.2 Hidroksil Radikali | 41 |
| 2.6.1.2.3 Hidrojen Peroksit | 41 |
| 2.6.1.2.4 Singlet Oksijen | 42 |
| 2.6.1.2.5 Nitrojen Oksitler | 42 |
| 2.6.2 Serbest Radikallerin Kaynakları | 42 |
| 2.6.3 Serbest Radikallerin Etkileri | 44 |
| 2.6.4 Egzersiz ve Serbest Radikaller | 46 |
| 2.6.5 Serbest Radikallerin Lipidlere Etkisi | 48 |
| 2.6.6 Serbest Radikallerin Proteinler Etkisi | 48 |
| 2.6.7 Serbest Radikallerin DNA'ya Etkisi | 49 |
| 2.6.8 Serbest Radikallerin Karbonhidratlara Etkisi | 49 |
| 2.7 Lipid Peroksidasyonu | 50 |
| 2.8 Oksidatif Stres | 51 |
| 2.9 Egzersiz ve Oksidatif Stres | 52 |
| | |
| 3. GEREÇ VE YÖNTEM | 55 |
| 3.1 Deney Grupları | 55 |
| 3.2 Suya Alıştırma | 55 |
| 3.3 Egzersiz Programı | 56 |
| 3.5 Cerrahi İşlem ve Epilepsi Oluşturulması | 57 |
| 3.6 Biyokimyasal Çalışmalar | 58 |
| 3.6.1 Beyin Dokusunda Yapılan Analizler | 58 |
| 3.6.2 Süperoksit Dismutaz (Sod) Enzim Aktivite Tayini | 58 |
| 3.6.3 Total Glutatyon (Gssg/Gsh) Tayini | 60 |
| 3.6.4 Tiyobarbitürük Asit Reaktif Maddeleri Miktarının Tayini(Mda) | 61 |
| 3.7 İstatistiksel Analiz | 63 |

| | |
|-----------------------------------|-----------|
| 4. BULGULAR | 65 |
| | |
| 5. TARTIŞMA VE SONUÇ | 75 |
| A: Tartışma | 75 |
| 1. Epilepsi ve Egzersiz | 75 |
| 2. Egzersiz ve SOD Değişimi | 78 |
| 3. Egzersiz ve GSH Değişimi | 80 |
| 4. Egzersiz ve MDA Değişimi | 82 |
| B. Sonuç | 84 |
| | |
| Kaynaklar | 87 |

Kaynaklar

1. Acharya JN, Wyllie E, Lüders HO, Kotagal P, Lancman M, Coelho M. Seizure symptomatology in infants with localization-related epilepsy. *Neurology* 1997; 48: 189–96.
2. Açıkada C, Ergen E. Bilim ve Spor, Büro-tek ofset Mabaacılık, Ankara, 1990.
3. Akkus İ. Serbest radikaller ve fizyopatolojik etkileri. Mimoza Yayınları, Konya, 1995.
4. Alberts D, Ranger-Moore J, Einspahr J. Safety and efficacy of dose-intensive oral vitamin A in subjects with sun-damaged skin. *Clinical Cancer Research*, 2004; 1875-1880.
5. Alehan F. Epilepsiye Giriş, Epileptik Nöbet ve Sendromların Sınıflandırılması. Türkiye Çocuk Nörolojisi Derneği Yayınları, Çocuk Nörolojisi Kitabı, 2. baskı, 2010.
6. Alessio HM, Goldfarb AH, Cutler RG. MDA content increases in fast- and slow-twitch skeletal muscle with intensity of exercise in a rat. *Am J Physiol*. 1988;255:874-7.
7. Andrew R. The nature of behavioural lateralization in the chick, Neural and behavioural plasticity: The use of the chick as a model. Oxford University Press. 1991;536-554.
8. Antunes-Neto JM, Toyama MH, Carneiro EM, Boschero AC, Pereira-da-Silva L, Macedo DV. Circulating leukocyte heat shock protein 70 (HSP70) and oxidative stress markers in rats after a bout of exhaustive exercise. *Stress*. 2006;9:107-15.
9. Aracı H. Okullarda Beden Eğitimi, Bağırgan Yayın Evi, 1999.
10. Arzimanoglou A, Hirsch E, Nehlig A, Castelnau P, Gressens P, De Vasconcelos AP. Epilepsy and neuroprotection: an illustrated review. *Epileptic Disorders* 2002;3:173–182.
11. Ashton T, Young IS, Peters JR, Jones E, Jackson SK, Davies B, Rowlands CC. Electron spin resonance spectroscopy, exercise, and oxidative stress: an ascorbic acid intervention study. *J Appl Physiol*. 1999; 87(6): 2032-36.
12. Avanzini G., Franceschetti S. Cellular biology of epileptogenesis. *Lancet*,2003; 2, 33-42.
13. Aydin A, Orhan H, Sayal A, Ozata M, Sahin G, Isimer A. Oxidative stress and nitric oxide related parameters in type II diabetes mellitus: effects of glycemic control. *Clinical Biochemistry* 2001; 34, 65–70.
14. Aydinli N, Caliskan M, Ozmen M, Apak S. Classification of epilepsies and epileptic syndromes in a child neurology unit. *Brain Dev* 1996;18:192–6

15. Ayyıldız M., Coskun S., Yıldırım M., Ağar E. The effects of ascorbic acid on penicillin-induced epileptiform activity in rats, *Epilepsia*. 2007; 48(7), 1388–1395.
16. Bagchi D, Bagchi M, Stohs SJ, Das DK, Ray SD, Kuszynski CA, Joshi SS, Pruess HG. Free radicals and grape seedproanthocyanidin extract: importance in human health and disease prevention. *Toxicol*. 2000;148, 187-197.
17. Balu M, Sangeetha P, Haripriya D, Panneerselvam C. Rejuvenation of antioxidant system in central nervous system of aged rats by grape seed extract. *Neurosci Lett*. 2005;383:295-300.
18. Balu, M. P Sangeetha, G Murali. Modulatory role of grape seed extract on age-related oxidative DNA damage in central nervous system of rats, *Brain Res. Bull*, 2006; 68, 469–473.
19. Balu, M. Purushotharm. Dayalan H. Chinnakannu P., Rejuvenation of antioxidant system in central nervous system of aged rats by grape seed extract, *Neurosci. Lett*, 383, 295–300, 2005.
20. Bando N, Wakamatsu S, Terao J. Effect of an excessive intake of quercetin on the vitamin E level and antioxidative enzyme activities of mouse liver under paraquat-induced oxidative stress. *Biosci Biotechnol Biochem*. 2007; 71(10): 2569-72.
21. Barr, M.L., Kiernan, J.A. (1988) The human nervous system. 5th Ed. Lippincott Company, Philadelphia, 224-230.
22. Beecher GR, Warden BA, Merken H. Analysis of tea polyphenols. *Proc Soc Exp Biol Med*. 1999; 220(4): 267-70.
23. Berköz M. Yalın S, Güler G.V, Yalçın A. Akut Lösemilerde Lipid Peroksidasyonu ve Antioksidan Enzim Aktivitesi, Erciyes Tıp Dergisi, 2008; 30(3), 157-162.
24. Bloomer RJ, Falvo MJ, Fry AC, Schil i ing BK, Smith WA, Moore CA. Oxidative stress respon- se in trai ned men fol i owing repeated squats or sprints. *Med Sci Sports Exerc* 2006; 38(8):1436-42.
25. Bloomer RJ, Fry AC, Falvo MJ, Moore CA. Protein carbonyls are acutely elevated following single set anaerobic exercise in resistance trained men. *J Sci Med Sport*. 2007;10(6):411-7.
26. Bloomer RJ, Goldfarb AH. Anaerobic exercise and oxidative stres. A review. *Can J Appl Physiol*. 2004; 29(3): 245-63.
27. Bonina FP, Puglia C, Cimino F, Trombetta D, Tringali G, Roccazzello AM, et al. Oxidative stress in handball players: effect of supplementation with a red orange extract. *Nutr Res* 2005; 25(10): 917–24.
28. Bosnak-Güçlü M., Sağlam M., İnce D.İ., Savcı S., Arıkan H. Seker has-talığı ve egzersiz. Ankara, 2008.

29. Brailowsky S, Garcia O. Ethanol, GABA and Epilepsy, *Archives of Medical Research*, 1999; 30, 3-9.
30. Burda S, Oleszek W. Antioxidant and antiradical activities of flavonoids. *Journal of Agricultural and Food Chemistry*. 2001; 49: 2774-2779.
31. Burtis CA, Ashwood ER. *Tietz Textbook of Clinical Chemistry*. W.B. Saunders Company. Philadelphia, Pennsylvania. 1999.
32. Cadenas E., Handbook of antioxidants (2nd ed). Marcel Dekker Incorporated, Newyork; 23:473. (2001).
33. Cai J, Nelson KC, Wu M, Sternberg P Jr, Jones DP. Oxidative damage and protection of the RPE. *Prog Retin Eye Res*. 2000; 19, 205-21.
34. Cases N, Sureda A, Maestre I, Tauler P, Aguiló A, Cordova A, Roche E, Tur JA, and Pons A. Response of antioxidant defences to oxidative stress induced by prolonged exercise: antioxidant enzyme gene expression in lymphocytes. *Eur J Appl Physiol*. 2006; 98: 263-269.
35. Chahine L.M., Mikati M.A. Benign pediatric localization-related epilepsies. Part I. Syndromes in infancy, *Epileptic Disord*. 2006; 8(3), 169-183.
36. Chai Y, Luo Q, Sun M, Corke H. Antioksidant activity and phenolic compounds of 112 traditional Chinese medicinal plants associated with anticancer. *Life Science*. 2004; 74: 2157-2184.
37. Cheeseman KH, Staler TF. An Introduction To Free Radical Biochemistry, *British Medical Bulletin*. 1993; 49(3): 481-493.
38. Childs A, Jacobs C, Kaminski T, Halliwell B, Leeuwenburgh C. Supplementation with vitamin C and N-acetyl-cysteine increases oxidative stress in humans after an acute muscle injury induced by eccentric exercise. *Free Radic Biol Med*. 2001;31:745-53.
39. Clarkson PM: Antioxidants and physical performance. *Crit Res Food Sci Nutr*. 1995; 35, 131-141.
40. Cnubben NHP, Rietjens IMCM, Wortelboer H, Van ZJ, Van Bladeren PJ. The interplay of glutathione-related processes in antioxidant defense. *Environmental Toxicology and Pharmacology*. 2001; 10: 141-152.
41. Coombes JS, Powers SK, Rowell B, Hamilton KL, Dodd SL, Shanely RA, Sen CK, Packer L. Effects of vitamin E and alpha-lipoic acid on skeletal muscle contractile properties. *J Appl Physiol*. 2001; 90: 1424-30.
42. Cooper CB, Storer TW. Egzersiz testleri ve yorumu. Kayserilioğlu A, Çavuşoğlu H (Çeviren). İstanbul:Yüce Yayımları; 2003.
43. Cooper CE, Vollaard NBJ, Choueiri T, Wilson MT. Exercise, free radicals and oxidative stres. *Biochem Soc Trans* 2002; 30(2): 280-5.
44. Coulter, J.D., Ewing, L.K., Carter, C.M. (1976) Origin of primary sensory motor cortical projections to lumbar spinal cord of the cat and monkey. *Brain Res*. 103, 366-372

45. Crane FL. Biochemical functions of coenzyme Q10. *J Am Coll Nutr.* 2001; 20(6): 591-98.
46. Çetin A., KAYNAR L., Koçyiğit D., Kabukçu S., Saraymen1 H.R., Öz-turk A4, Orhan5 O., Sağdic O. Sıçan karaciğerinde radyasyonun yol açtığı oksidatif strese üzüm çekirdeği ekstresinin etkisi. *Turk J Gastro-enterol,* 2008;19(2), 92-98.
47. Çetin A., Sağdic O. Üzümün biyoaktif bileşenleri ve antioksidan etkileriyle ilgili kısa bir derleme, Erciyes Tıp Dergisi. 2009; 31(4), 369-375.
48. Çimen Ç, Öter Ç, Demir H, Savran A. Rat eritrositlerinden elde edilen katalaz enziminin karekterizasyonu ve kinetiğinin incelenmesi. YYÜ Vet. Fak. Der. 2005; 16; 15-20.
49. Çolakoğlu S, Kirkalı G, Çolakoğlu M, Örmen M, Akan P. Egzersizde E vitamini desteginin oksidan stres ve dayanıklılık üzerine etkileri. *Klinik Gelişim* 1998; 11(1-2): 412-5.
50. Davies KJ, Quintanilha AT, Brooks GA, Packer L. Free radicals and tissue damage produced by exercise, *Biochem. Biophys. Res. Commun.* 1982; 107: 1198-1205.
51. Davies KJ, Quintanilha AT, Brooks GA, Packer L. Free radicals and tissue damage produced by exercise *Biochem Biophys Res Commun.* 1982;107:1198-205.
52. Dawn BM., Allan DM., Colleen MS. Basic Medical Biochemistry a Clinical Approach. Lippincott Williams & Wilkins. Baltimore, Maryland. 1996.
53. Debasis B.A., Manashi B.A., Sidney J., Stohs A., Dipak K., Das B., Sidhartha D., Ray C., Charles A., Kuszynski D., Shantaram S., Joshi D., Harry G. *Toxicology.* 2000; 148, 187-197.
54. Demirayak D. I. Egzersiz yapan sıçanlarda oksidatif stres ve paraoksonaz enzimi. Yüksek Lisans Tezi. Denizli: Pamukkale Üniversitesi; 2007.
55. Devi L, Badanavalu M. P, Domenico F. G, Narayan G. A, Hindupur K. A. Accumulation of amyloid precursor protein in the mitochondrial import channels of human alzheimer's disease brain is associated with mitochondrial dysfunction. *J. Neurosci.* 2006; 26, 9057-9068.
56. Devi L, Badanavalu M. P, Domenico F. G, Narayan G. A, Hindupur K. A. Accumulation of amyloid precursor protein in the mitochondrial import channels of human alzheimer's disease brain is associated with mitochondrial dysfunction. *J. Neurosci.* 2006; 26, 9057-9068.
57. Di Meo S, Venditti P. Mitochondria in exercise-induced oxidative stres. *Biol Signals Recept.* 2001; 10: 125-140.
58. Dichter, M. A. The epilepsies and convulsive disorders, harrison's principles of internal medicine, McGraw-Hill. 1994; 2229.

59. Dixon CB, Robertson RJ, Goss FL, Timmer JM, Nagle EF, Evans RW. The effect of acute resistance exercise on serum malondialdehyde in resistance-trained and untrained collegiate men. *J. Strength Cond. Res.* 2006;20(3): 693-8.
60. Domann R, Uhlig S, Dorn T, Witte OW (1991). Participation of interneurons in penicillin-induced epileptic discharges. *Exp Brain Res.* 83(3):683-6.
61. Duarte J, Pérez-Palencia R, Vargas F, Ocete MA, Pérez-Vizcaino F, Zarzuelo A, Tamargo J. Antihypertensive effects of the flavonoid quercetin in spontaneously hypertensive rats. *Br J Pharmacol.* 2001; 133(1): 117-24.
62. Duncan K, Harris S, Ardies CM. Running exercise may reduce risk for lung and liver cancer by inducing activity of antioxidant and phase II enzymes. *Cancer Lett.* 1997; 116: 151-8.
63. Duthie GG. Determination of activity of antioxidants in human subjects. *Proc Nutr Soc.* 1999;58:1015-24.
64. Dündar U. Enerji sistemleri. Antrenman Teorisi' nde. 6. Baskı. Ankara: Nobel Basimevi; 2003: p.69-71.
65. Düzova H, Emre MH, Karakoç Y, Karabulut AB, Yılmaz Z, Gürsul C, Yoloğlu S. Orta ve yüksek düzeyde treadmill egzersizinin sıçanların kas ve eritrosit oksidan/antioksidan sistemine etkisi. *İnönü Üniversitesi Tıp Fakültesi Dergisi.* 2006; 13(1): 1-5.
66. Eberhard T, Manfred K. Reactive Oxygen Metabolites. Florida: CRC Pres; 2001.
67. Elliot J.G. Application of antioxidant vitamins in foods and beverages. *Food Tech.* 1999; 53(2); 46-48.
68. Elliott M, Kandaswami C, Theoharides TC. The effects of plant flavonoids on mammalian cells. Implications for inflammation, heart disease, and cancer. *Pharmacological Reviews.* 2000; 52(4): 673-75.
69. Elosua R, Molina L, Fito M, Arquer A, Sanchez-Quesada JL, Covas MI, Ordoñez-Llanos J, Marrugat J. Response of oxidative stress biomarkers to a 16-week aerobic physical activity program, and to acute physical activity, in healthy young men and women. *Atherosclerosis* 2003;167(2): 327-34.
70. Elosua R, Molina L, Fito M, Arquer A, Sanchez-Quesada JL, Covas MI, Ordoñez-Llanos J, Marrugat J. Response of oxidative stress biomarkers to a 16-week aerobic physical activity program, and to acute physical activity, in healthy young men and women. *Atherosclerosis* 2003;167(2): 327-34.
71. Engel J., Pedley T.A., Generalised convulsive seizures. In Engel J, Pedley TA, eds. *Epilepsy: A comprehensive Textbook.* Philadelphia: Lippincott-Raven. 1997;(3) 2417- 26.

72. Engel J.J., International League Against Epilepsy (ILAE). A proposed diagnostic scheme for people with epileptic seizures and with epilepsy: report of the ILAE Task Force on Classification and Terminology, *Epilepsia*. 2001; 42(6), 796-803.
73. Engelbrecht AM., Mattheyse M., Ellis B., Loos B., Thomas M., Smith R., Peters S., Smith C., Myburgh K. Proanthocyanidin from grape seeds inactivates the PI3-kinase/PKB pathway and induces apoptosis in a colon cancer cell line. *Cancer Lett.* 2007; 258: 144-153.
74. Epstein JH. Effects of betacaroten on ultraviolet induced cancer formation in the hairless mouse skin. *Photochem Photobiol Sci* 1997; 42: 35-38.
75. Erkoç Ş, Erkoç F, Keskin N. Theoretical investigation of quercetin and its radical isomers. *J. Mol. Struct.* 2003; 631: 141-146.
76. Evans WJ. Vitamin E, vitamin C, and exercise. *Am J Clin Nutr.* 2000; 72: 647-52.
77. Fatouros IG, Jamurtas AZ, Villiotou V, Pouliopoulou S, Fotinakis P, Taxildaris K, Deliconstantinos G. Oxidative stress responses in older men during endurance training and detraining. *Med. Sci. Sports Exerc.* 2004;36(12):2065-72.
78. Fatouros IG, Jamurtas AZ, Villiotou V, Pouliopoulou S, Fotinakis P, Taxildaris K, Deliconstantinos G. Oxidative stress responses in older men during endurance training and detraining. *Med. Sci. Sports Exerc.* 2004;36(12):2065-72.
79. Feng Y, Lin YM, Fratkins JD, Le Blanch MH. Grape seed extract suppresses lipid peroxidation and reduces hypoxic ischemic brain injury in neonatal rats. *Brain Res Bull* 2005;66: 120-127.
80. Feng, Y., Liu, Y., Leblanc M.H., Bhatt A.J., Rhodes P. G. Grape seed extract given three hours after injury suppresses lipid peroxidation and reduces hypoxic-ischemic brain injury in neonatal rats, *Pediatr. Res.* 2007; 61(3), 295-300.
81. Fisher RS, Stein A, Karis J. Epilepsy for the neuroradiologist. *AJNR* 1997; 18: 851-863.
82. Frei B, Stocker R., Ames B.N. Small molecule antioxidant defences in human extracellular fluids. *Current Communications In Cell & Molecular Biolog.* 1992;, 5, 23-45.
83. Fusco D., Colloca G., Lo Monaco MR, Cesari M. Effects of antioxidant supplementation on the aging process. clinical interventions in aging. 2007; 2(3): 377-87.
84. Gardineer N. Genetics of Epilepsy. *Epilepsy Journal of the Turkish Epilepsy Society.* 1996; 2(3); 23-31.
85. Gasparin FR, Spitzner FL, Ishii-Iwamoto EL, Bracht A, Constantin J. Actions of quercetin on gluconeogenesis and glycolysis in rat liver. *Xenobiotica*; 2003 Sep;33(9): 903-11.

86. Gencer S. Fakoemülsifikyon cerrahisinde serbest radikal hasarma karşı intraoperatif askorbik asit kullanımı. İstanbul Haydarpasa Numune Eğitim ve Araştırma Hastanesi, İstanbul, Uzmanlık Tezi, 2004.
87. Gilbert DL, Colton CA. Reactive Oxygen Species in Biological Systems: An Inter disciplinary Approach: Kluwer academic publishers; 2002.
88. Gohil K, Rothfuss L, Lang J, Packer L. Effect of exercise training on tissue vitamin E and ubiquinone content. *J Appl Physiol*. 1987;63:1638-41.
89. Gökpınar S, Koray T, Akçicek E, Göksan T, Durmaz Y. Algal antioksidanlar, Ege Üniversitesi Su Ürünleri Dergisi. 2006; 23: 85-89.
90. Groot H. Reactive oxygen species in tissue injury. *Hepatogastroenterology*. 1994; 41: 328-32.
91. Gul M, Demircan B, Taysi S, Oztasan N, Gumustekin K, Siktar E, Polat MF, Akar S, Akcay F, Dane S. Effects of endurance training and acute exhaustive exercise on antioxidant defense mechanisms in rat heart. *Comp Biochem Physiol A Mol Integr Physiol*. 2006;143:239-45.
92. Gutteridge JM. Biological origin of free radicals, and mechanisms of antioxidant protection. *Chem. Biol. Interact*. 1994; 91: 133-140.
93. Gül M, Öztaşan N, Taysi S, Gümüştekin K, Akar S, Bakan N, Dane Ş. Sıçanlarda oksidatif stress modeli olarak kısa süreli yüzme egzersizi. Hacettepe Üni. Spor. Bil. Derg. 2001;12 26-32.
94. Güneş Z. Spor ve beslenme. 4. Baskı. Ankara: Nobel Yayınları; 2005.
95. Güzelhan Y, Sayar K., Öztürk M., Kara İ. Sizofrenide serbest radikal-ler. Klinik Psikofarmakoloji Bülteni, 2000; 10, 2, 90-96.
96. Halliwell B, Gutteridge JMC. Free Radicals in Biology and Medicine. 4. Edition. New York: Oxford University Press; 2007.
97. Halliwell B., Gutteridge J.M.C., Role of free radicals and catalytic metal ions in human diseases: An Overview, *Methods Enzymol*.1990; 186, 1-86.
98. Hauser WA, Annegers JF, Kurland LT. Incidence Of Epilepsy And Unprovoked Seizures in Rochester, Minnesota: 1935-1984. *Epilepsia*. 1993, 34:453-468.
99. Hellsten Y, Sjödin B, Richter EA, Bangsbo J. Urate uptake and lowered ATP levels in human muscle after high-intensity intermittent exercise. *Am J Physiol*. 1998;274:600-6.
100. Hellsten Y, Svensson M, Sjödin B, Smith S, Christensen A, Richter EA, Bangsbo J. Allantoin formation and urate and glutathione exchange in human muscle during submaximal exercise. *Free Radic Biol Med*. 2001;31:1313-22.
101. Higuchi M, Cartier LJ, Chen M, Holloszy JO. Superoxide dismutase and catalase in skeletal muscle: adaptive response to exercise. *J Gerontol*. 1985;40:281-6.

102. Holloszy JO, Coyle EF. Adaptations of skeletal muscle to endurance exercise and their metabolic consequences. *J Appl Physiol.* 1984; 56: 831-838.
103. Howard GM., Radloff M., Sevier TL. Epilepsy and sports participation. *Curr Sports Med Rep.* 2004;3:15-9.
104. Howard, R. Nelson Essentials of Pediatrics (çeviri: U. Beyazova), 1996; Nobel Tıp Kitapları, Nokta Matbaacılık, Ankara.
105. Huang D, Ou B, Prior RL. The chemistry behind antioxidant capacity assays. *Journal of Agricultural and Food Chemistry.* 2005; 53: 1841-1856.
106. Husain K. Interaction of exercise training and chronic NOS inhibition on blood pressure, heart rate, NO and antioxidants in plasma of rats. *Pathophysiology.* 2003;10:47-56.
107. Humphreys DJ. North American Ginseng and The Stress Response During Acute Exercise. Edmonton, Alberta 2001.
108. Hwang I.K., Yoo K.Y., Kim D.S., Jeong Y.K., Kim J.D., Shin H.K., Lim S.S., Yoo I.D., Kang T.C., Kim D., Moon W., Won M.H. Neuroprotective effects of grape seed extract on neuronal injury by inhibiting dna damage in the gerbil hippocampus after transient forebrain ischemia. *life sci.*2004; 75, 1989–2001.
109. Iacopini P., Baldi M., Storchi P., Sebastiani L. Catechin, epicatechin, quercetin, rutin and resveratrol in red grape: Content, in vitro antioxidant activity and interactions. *J. Food Comp. Anal.* 2008;21: 589-598.
110. Illig S. Klinik Muayene Tanı Tedavi Acil Klavuzu, Pediatri, (çeviri: Y. Çetiner), II.Baskı. Yüce Yayınları, 1993; İstanbul.
111. Jackson MJ, O'Farrell S. Free radicals and muscle damage. *Br Med Bull* 1993; 49(3): 630–41.
112. Jacob, R. A. & Burri, B. J. Oxidative damage and defense. *Am. J. Clin. Nutr.* 1996; 63: 985S–990S.
113. Ji LL, Fu R. Responses of glutathione system and antioxidant enzymes to exhaustive exercise and hydroperoxide. *J Appl Physiol.* 1992;72:549-54.
114. Ji LL, Mitchell EW. Effects of Adriamycin on heart mitochondrial function in rested and exercised rats. *Biochem Pharmacol.* 1994;47:877-85.
115. Ji LL. Antioxidant enzyme response to exercise and aging. *Med Sci Sports Exerc.* 1993; 25:225–231
116. Kahraman A, Erkasap N, Serteser M, Köken T. Protective effect of quercetin on renal ischemia-reperfusion injury in rats. *J Nephrol.* 2003; 16: 219-24.
117. Karademir SE. Bazı Polifenolik Bileşiklerin Antioksidan Aktivitelerinin Tayini. Yüksek Lisans. İstanbul: İstanbul Üniversitesi; 2005.

118. Karasek M. Melatonin, human aging, and age-related diseases. *Exp Gerontol* 2004; 39: 1723-1729.
119. Kaur C, Kapoor HC. Anti-oxidant activity and total phenolic content of some Asian vegetables. *International Journal of Food Science and Technology*. 2001; 37(2): 153-161.
120. Kayacan Y. Koşu Bandı Egzersizinin Penisilinle Oluşturulan Epileptiform Aktiviteye Etkisi. 2013. Doktora Tezi, Samsun
121. Kirana R., Subramanyamb M.V.V., Asha Devia S. Swim exercise training and adaptations in the antioxidant defense system of myocardium of old rats: Relationship To Swim Dntensity And Duration Comparative Biochemistry And Physiology Part B. 2004; 137, 187-196.
122. Knez WL, Jenkins DG, Coombes JS. Oxidative stress in half and full Ironman triathletes. *Med Sci Sports Exerc*. 2007;39:283-8.
123. Koracevic D, Koracevic G, Djordjevic V, Andrejevic S, Cosic V. Method for the measurement of antioxidant activity in human fluids. *J Clin Pathol*. 2001; 54: 356-361.
124. Kramer K., Nutra ceutials in Heath and Disease Prevention. Marcel Dekker Incorporated, New York; 8:113. (2001).
125. Kuntal M, Kakali M, Arunava G, Haja NA, Bishnu PS, Pulok KM. Enhanced therapeutic benefit of quercetin–phospholipid complex in carbon tetrachloride–induced acute liver injury in rats: a comparative study. *Iranian Journal of Pharmacology Therapeutics*. 2005; 4(2): 84-90.
126. Kuru E. Spor Psikolojisi. Ankara, 2000.
127. Lamson DW, Brignall MS. Antioxidants and Cancer III: quercetin. *Altern Med Rev*. 2000; 5(3): 196-208.
128. Laughlin MH, Simpson T, Sexton WL, Brown OR, Smith JK, Korthuis RJ. Skeletal muscle oxidative capacity, antioxidant enzymes, and exercise training. *J Appl Physiol*. 1990;68:2337-43.
129. Laursen PB. Free radicals and antioxidant vitamins: optimizing the health of the athlete. *Strength Cond J*. 2001; 23 (2): 17-25.
130. Leeuwenburgh C, Hollander J, Leichtweis S, Griffiths M, Gore M, Ji LL. Adaptations of glutathione antioxidant system to endurance training are tissue and muscle fiber specific. *Am J Physiol*. 1997;272:363-9.
131. Leeuwenburgh C, Ji LL. Glutathione and glutathione ethyl ester supplementation of mice alter glutathione homeostasis during exercise. *J Nutr*. 1998;128:2420-6.
132. Liebler DC, Kling DS, Reed DJ. Antioxidant protection of phospholipid bilayers by alpha-tocopherol. Control of alpha-tocopherol status and lipid peroxidation by ascorbic acid and glutathione. *J Biol Chem*. 1986; 261:12114-19.

133. Lin WT, Yang SC, Chen KT, Huang CC, Lee NY. Protective effects of L-arginine on pulmonary oxidative stress and antioxidant defenses during exhaustive exercise in rats. *Acta Pharmacol Sin.* 2005;26:992-9.
134. Lockwood A H , J M McDonald, R E Reiman, A S Gelbard, J S Laughlin, T E Duffy, and F Plum. The dynamics of ammonia metabolism in man. Effects of liver disease and hyperammonemia. *J. Clin. Invest.* 1979; 63(3): 449-460.
135. Lüders H., Acharya J, Baumgartner C.Semiological Seizure Classification. *Epilepsia.*1998;39(9), 1006-1013.
136. Maiorino M, Aumann KD, Brigelius-Flohe R, Doria D, van den HJ, McCarthy J, Roveri A, Ursini F, Flohe L. Probing the presumed catalytic triad of selenium-containing peroxidases by mutational analysis of phospholipid hydroperoxide glutathione peroxidase (PHGPx), *Biol. Chem. Hoppe Seyler.* 1995; 376: 651-660.
137. Marangoz A. H. Deneysel epilepside kolinerjik ve nitrerjik maddelein etkilesimi. Ondokuzmayis Üniversitesi, Sağlık Bilimleri Enstitüsü Samsun, Doktora Tezi, 2010.
138. Marangoz, C.;Ayyildiz, M. & Agar, E. (1994). Evidence that sodium nitroprusside possesses anticonvulsant effects mediated through nitric oxide. *Neuroreport,* 5, 2454-2456.
139. Marangoz C., Deneysel epilepsi modelleri. O.M.Ü. Tıp dergisi. 1997; 14(3), 147-186.
140. Marangoz, C. Beyin korteksinde bulunan piramidal nöron tipleri ve bunların desarj sekli ile elektrokortikogram arasındaki iliski. Doktora tezi. Atatürk Üniversitesi, 1978 Erzurum
141. Martin J.H. The collective electrical behavior of cortical neurons: the electroencephalogram and the mechanisms of epilepsy. 1991.
142. Marzatico F, Pansarasa O, Bertorelli L, Somenzini L, Della Valle G. Blood free radical antioxidant enzymes and lipid peroxides following long-distance and lactacidemic performances in highly trained aerobic and sprint athletes. *J Sports Med Phys Fitness.* 1997;37:235-9.
143. Mastaloudis A, Leonard SW, Traber MG. Oxidative stress in athletes during extreme endurance exercise. *Free Radic Biol Med.* 2001; 31(2): 911-22.
144. Matsumoto H., Ajmonemarsan C. Cellular mechanisms in experimental epileptic seizures. *Science.* 1964; 144: 193-194.
145. McAnulty SR, McAnulty LS, Nieman DC, Mor- row JD, Utter AC, Dumke CL. Effect of resistance exercise and carbohydrate ingestion on oxidative stress. *Free Radic Res* 2005; 39(11):1219-24.
146. Mena P, Maynar M, Gutierrez JM, Maynar J, Timon J, Campillo JE. Erythrocyte free radical scavenger enzymes in bicycle professional racers. Adaptation to training. *Int J Sports Med.* 1991;12:563-6.

147. Mercan U, Toksikolojide Serbest Radikallerin Önemi, Y.Y.Ü. Veteriner Fakültesi Dergisi. 2004; 15 (1-2); 91-96.
148. Mercan U, Toksikolojide Serbest Radikallerin Önemi, Y.Y.Ü. Veteriner Fakültesi Dergisi. 2004; 15 (1-2); 91-96.
149. Miller M.W. (1987) The origin of corticospinal projection neurons in rats. *Exp Brain Res.* 67, 339-351.
150. Misra H.P., Fridovich I. The role of superoxide anion in the autoxidation of epinephrine and a simple assay for superoxide dismutase. *J. Biol. Chem.* 1972; 247, 3170-3175.
151. Morillas-Ruiz JM., Villegas Garcia JA., Lo'pez FJ., Vidal-Guevara ML., Zafrilla P. Effects of polyphenolic antioxidants on exercise induced oxidative stress. *Clin. Nutr.* 2006; 25: 444-453.
152. Mountcastle, V.B., Poggio, G.F. (1974) Structural organization and general physiology of thalamotelencephalic systems. In: Medical Physiology, Ed., Mountcastle, V.B. Mosby Comp. 227-253.
153. Nelson KB, Ellenberg JH. Predisposing and causative factors in childhood epilepsy. *Epilepsia* 1987; 1: 16-24.
154. Nichols JA., Katiyar SK. Skin photoprotection by natural polyphenols: anti-inflammatory, antioxidant and DNA repair mechanisms. *Arch Dermatol Res.* 2010; 302: 71-83.
155. Nicklas BJ, Brinkley TE. Exercise training as a treatment for chronic inflammation in the elderly. *Exerc Sport Sci Rev.* 2009; 37(4): 165-70.
156. Nieman DC, Williams AS, Shanely RA, et al. quercetin's influence on exercise performance and muscle mitochondrial biogenesis. *Med Sci Sports Exerc.* 2010;42(2):338-345.
157. Ohishi S, Kizaki T, Ookawara T, Sakurai T, Izawa T, Nagata N, Ohno H. Endurance training improves the resistance of rat diaphragm to exercise-induced oxidative stress. *Am J Respir Crit Care Med.* 1997;156:1579-85.
158. Ohno H, Yahata T, Sato Y, Yamamura K, Taniguchi N. Physical training and fasting erythrocyte activities of free radical scavenging enzyme systems in sedentary men. *Eur J Appl Physiol Occup Physiol.* 1988;57:173-6.
159. Oun A, Haldre S, Magi M. Incidence of adult epilepsy in Estonia. *Acta Neurol Scand*,2003; 108: 245-251.
160. Özdirim E. Pediatrik Nöroloji Hacettepe Üniversitesi Tıp Fakültesi A.B.D. Türkiye Saglik ve Tedavi Vakfi, 1983;Yayın No: 2, Ankara.
161. Palmer FM, Nieman DC, Henson DA, McAnulty SR, McAnulty L, Swick NS, Utter AC, Vinci DM, Morrow JD. Influence of vitamin C supplementation on oxidative and salivary IgA changes following an ultramarathon. *Eur J Appl Physiol.* 2003; 89(1): 100-107.

162. Palmer G.C., Stagnitto M.L., Ray R.K., Knowles M.A., Harvey R., Garske G.E. Anticonvulsant properties of calcium channel blockers in mice: n-methyl, -d-, l-aspartate and bay k 8644-induced convulsions are potently blocked by the dihydropyridines. *Epilepsia.* 1993; 34(2), 372-380.
163. Per S. Üzüm çekirdeği özütünün penisilinle uyarılan epileptiform aktiviteye etkisi. Erciyes üniversitesi, Sağlık Bilimleri Enstitüsü, Kayseri, Doktora Tezi, 2010.
164. Peterlongo F., Gabetta B., Fuzzati N., Griffini A., Lolla E., Pace R., Rufilli T. Characterization of proanthocyanidins from grape seeds. *Fitoterapia.* 2000; 71, 162-175. Philadelphia, Pennsylvania. 1999.
165. Pikulski M, Brodbelt JS. Differentiation of flavonoid glycoside isomers by using metal complexation and electrospray ionization mass spectrometry. *J am soc mass spectrom.* 2003; 14(12): 1437-53.
166. Podda M, Grundmann- Kollmann M. Low molecular weight antioxidants and their role in skin ageing. *Clinical And Experimental Dermatology.* 2001; 26: 578-582.
167. Powers SK., Lennon SL. Analysis Of Cellular Response To Free Radicals Focus On Exercise And Skeletal Muscle. *Proc. Nutr. Soc.* 1999; 58: 1025-1033.
168. Pryor WA, Houk KN, Foote CS, Fukuto JM, Ignarro LJ, Squadrito GL, et. Al. Free radical biology and medicine: it is a gas, man. *AJP-Regul Integr Comp Physiol.* 2006; 291: 491-511.
169. Purves D, Augustine, G.J, Fitzpatrick D, Katz L.C, LaMantia A.S, McNamara J.O, Williams S.M. *Neuroscience.* 2nd Ed. Sinauer Associates Inc.Publisher, Massachusetts, USA. 2001.
170. Qin MQ., Zhang GQ., Qin ZL. Effects of OPC on CK, MDA,SOD,GSH-PX for taekwondo athletes after heavy load training. *J. Shandong Inst. Phys. Edu. Sports* 2006; 22: 72-73.
171. Radák Z, Pucsok J, Mecseki S, Csont T, Ferdinand P. Muscle soreness-induced reduction in force generation is accompanied by increased nitric oxide content and DNA damage in human skeletal muscle. *Free Radic Biol Med.* 1999;26:1059-63.
172. Ramel A, Wagner KH, Elmadafa I. Plasma anti-oxidants and lipid oxidation after submaximal resistance exercise in men. *Eur J Nutr* 2004; 43(1):2-6.
173. Renda Y. Temel Tedavi. Fidan Kitabevi. 1. edisyon, 1983; Ankara
174. Rice-Evans CA, Miller NJ, Paganga G. Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radic Biol Med.* 1996;20:933-56.
175. Robert L., Godeau G., Gavignet C. The effect of proanthocyanidolic oligomers on vascular permeability a study using quantitative morphology. *Pathol Biol (Paris)* 1990;38; (6):608-16.

176. Rodriguez A.J., Pediatric sleep and epilepsy. *Curr. Neurol. Neurosci. Rep.* 2007; 7, 342-347.
177. Sander, J.W., The Incidence And Prevalence Of Epilepsy. *Current Opinion In Neurology*, 2003; 16(2), 65-170.
178. Sano T., Oda E., Yamashita T., Naemura A., Ijiri Y., Yamakoshi J., Yamamoto J. Anti-Thrombotic Effect Of Proanthocyanidin, A Purified Ingredient Of Grape Seed. *Thrombosis Research*. 2005;115: 115- 121.
179. Schmidt, R.F. (1989) Integrative functions of the central nervous system. In: *Human physiology*. Ed.(s), Schmidt, R.F., Thews, G., 2nd Ed. Springer-Verlag, Berlin, Heidelberg, 124-165.
180. Sen CK. Oxidants And Antioxidants In Exercise. *Journal Of Applied Physiology*. 1995; 79, 675-682.
181. Serdaroglu, A. Ozkan S., Aydin K., Gücüyener K., Tezcan S., Aycan S. Prevalence of epilepsy in turkish children between the ages of 0-16 years, *J. child Neurol.* 2004; 19(4), 271-274.
182. Servais S., Couturier K., Koubi H., Rouanet JL., Desplanches D., Sorigny-Mayet MH., Sempore B., Lavoie JM., Favier R. Effect of voluntary exercise on H₂O₂ release by subsarcolemmal and intermyofibrillar mitochondria. *Free Radic Biol Med.* 2003; 35:24-32.
183. Shao, J. Iwashita N., Ikeda F., Ogihara T., Uchida T., Shimizu T., Uchino H., Hirose T., Kawamori R., WatadaI H. Beneficial effects of candesartan, an angiotensin II type 1 receptor blocker, on beta-cell function and morphology in db/db mice. *Biochem Biophys Res Commun.* 2006; 344, 1224-1233.
184. Shao, Z.H. Terry L., Hoek V., Xie J., Wojcik K., Chan K.C., Chang Quing Li, Hamann K., Qin Y., Paul T. Schumacker and Lance B. B. Grape seed proanthocyanidins induce pro-oxidant toxicity in cardiomyocytes. *Cardiovasc. Toxicol.* 2003; 3, 331-339.
185. Shao ZH, Hsu CW, Chang WT, Waypa GB, Li J, Li D, Li CQ, Anderson T, Qin Y, Schumacker PT, Becker LB, Hoek TL. Cytotoxicity induced by grape seed proanthocyanidins: role of nitric oxide. *Cell Biol Toxicol.* 2006;22:149-58.
186. Shepherd, G.M. (1998). *The Synaptic Organization of the Brain*, Fourth Ed. Oxford University Press, New York, pp: 459-509
187. Siesjö BK, Memezawa H, Smith ML. Neurocytotoxicity: pharmacological implications. *Fundam Clin Pharmacol.* 1991; 5: 755-767.
188. Silva EM., Souza JNS., Rogez H., Rees JF., Larondelle Y. Antioxidant activities and polyphenolic contents of fifteen elected plant species from the amazonian region. *Food Chem.* 2007; 101: 1012-1018.
189. Silveira EM, Rodrigues MF, Krause MS, Vianna DR, Almeida BS, Rosato JS, Oliveira LP Jr, Curi R, de Bittencourt PI Jr. Acute exercise sti-

- mulates macrophage function: possible role of NFkappaB pathways. *Cell Biochem Funct.* 2007;25:63-73.
190. Silverstein F.S., Jensen F.E. Neonatal seizures, *Ann. Neurol.* 2007; 62, 112-120, 2007.
191. Singh S, Singh SK, Kumar M, Chandra K, Singh R. Ameliorative Potential of quercetin Against Paracetamol-induced Oxidative Stress in Mice Blood. *Toxicol Int.* 2011; 18(2): 140-5.
192. Sivritepe N, Asma üzüm ve saraptaki antioksidanlar. *Gıda. Dünya Yayınları.* 2000; 12, 73-78.
193. Sivritepe N., Doğada Oksidatif stres; asma üzüm ve sarapta antioksidanlar. *Anadolu, J. of AARI.* 2001;11(2) 180-135.
194. Smith J.A., Kolbucht-Braddon M., Gillam, I., Telford R.D. And Weidemann M.J. Changes in the susceptibility of red blood cells to oxidative and osmotic stress following submaximal exercise. *European Journal Of Applied Physiology And Occupational Physiologv.* 1995; 70, 427-436.
195. Smith JA, Kolbucht-Braddon M, Gillan I, Telford RD, Weidmann MJ. Changes in the susceptibility of red blood cell to oxidative and osmotic stress following sub-maximal exercise. *Eur J Appl Physiol* 1995; 70(5): 427-36.
196. Soslu R. Yüzme egzersizinin epilepsiye olan etkisinde bazı antioksidanların rolü. *Ondokuz Mayıs Üniversitesi, Sağlık Bilimleri Enstitüsü, Yüksek Lisans Tezi, Samsun, Ağustos 2011;*1,37,38.
197. Souza MA., Oliveira MS., Furian AF., Rambo LM., Ribeiro LR., Lima FD., Dalla Corte LC., Silva LF., Retamoso LT., Dalla Corte CL., Puntel GO., De Avila DS., Soares FA., Fighera MR., De Mello CF., Royes LF. Swimming training prevents pentylenetetrazol-induced inhibition of na⁺, k⁺-atpase activity, seizures, and oxidative stress. *Epilepsia.* 2009; 50: 811-823.
198. Spector A. Oxidative stress-induced cataract: mechanism of action. *FASEB J.* 1995; 9:1173-82.
199. Stadtman ER, Levine RL. Protein oxidation, *Ann N Y Acad Sc.* 2000; 899: 191–208.
200. Stohl W., Heinrich U., Aust D. Lycopene- rich products and dietary photoprotection. *Photochem Photobiol Sci.* 2006; 5: 238-242.
201. Svensson MB, Ekblom B, Cotgreave IA, Norman B, Sjöberg B, Ekblom O, Sjödin B, Sjödin A. Adaptive stress response of glutathione and uric acid metabolism in man following controlled exercise and diet. *Acta Physiol Scand.* 2002;176:43-56.
202. Şaşmaz GV. Erkek Farelerde Farklı Sürelerdeki Hafif Egzersizin Kas ve Karaciğer Antioksidan Sistemlerine Etkisi. Doktora. Ankara: Gazi Üniversitesi; 1997.

203. Şentürk H. Serbest Radikal Hasarının Hepato-Biliyer Sistem Hastalıklarındaki Rolü. Kocatepe Tıp Dergisi. 2004; 5, (ek sayı 1): 1-8.
204. Tanakol R. Antioksidan vitaminler: Hastalıkta ve sağılıkta önemleri. Klinik Gelişim Dergisi. 1998; 11: 347-357.
205. Tauler P, Aguiló A, Gimeno I, Guix P, Tur JA, Pons A. Different effects of exercise tests on the antioxidant enzyme activities in lymphocytes and neutrophils. J Nutr Biochem. 2004;15:479-84
206. Telugu ANR, Ayyagari NVL, Tamatam A, Linga Venkateshwar R, Gita S. Protective effects of quercetin during influenza virus induced oxidative stres. Asia Pac J Clin Nutr. 2000; 9(4): 314-317.
207. Tessier F, Margaritis I, Richard MJ, Moynot C, Marconnet P. Selenium and training effects on the glutathione system and aerobic performance. Med Sci Sports Exerc. 1995; 27:390-6.
208. Thompson D, Williams C, Garcia-Roves P, McGregor SJ, McArdle F, Jackson MJ. Post-exercise vitamin C supplementation and recovery from demanding exercise. Eur J Appl Physiol. 2003;89:393-400
209. Thompson-Gorman SL, Zweier JL. Evaluation of the role of xanthine oxidase in myocardial reperfusion injury. J Biol Chem. 1990; 265 (12): 6656-63.
210. Tietz NW. Clinical Guide to Laboratory Tests. W.B. Saunders Company. Philadelphia, Pennsylvania. 1995.
211. Tiidus PM. Radical species in inflammation and overtraining. Can J Physiol Pharmacol. 1998; 76:533-538.
212. Tutkun E., Ayyıldız M., Ağar E. Short-duration swimming exercise decreases penicillininduced epileptiform ECoG activity in rats. *Acta Neurobiol Exp* 2010; 70: 1-9.
213. Urso ML, Clarkson PM. Oxidative stress, exercise and antioxidant Supplementation. Toxicology, 2003; 189(1-2): 41 -54.
214. Uylaser V., İnce K. Saraptaki antioksidanlar ve fenolik bilesikler. Türkiye 10. Gıda Kongresi, Erzurum, 2008.
215. Valko M., Rhodes CJ., Moncol J., Izakovic M., Mazur M. Free radicals, metals and antioxidants in oxidative stress-induced cancer. *Chemico Biological Interactions*. 2006; 160: 1-40.
216. Venditti P, Di MS. Effect of training on antioxidant capacity, tissue damage, and endurance of adult male rats, *Int. J. Sports Med.* 1997; 18: 497-502.
217. Viitala P. Effects of Antioxidant Vitamin Supplementation on Resistance Exercise Induced Lipid Peroxidation in Trained and Untrained Participants. Canada: University of Lakehead; 2003.
218. Von Sonntag C. Free-Radical-Induced DNA Damage and Its Repair. Verlag Berlin Heidelberg New York: Springer; 2006.

219. Walden, J., Straub H., Speckmann E.J. Epileptogenesis: Contribution of calcium ions and antiepileptic calcium antagonists. *Acta Neurol Scand.* 1992;140, 41–46.
220. Wang, Q., Sun A.Y., Simonyi A., Miller D.K., Smith R.E., Luchtefeld R.G., Korthuis R.J., Sun G.Y. Oral administration of grape polyphenol extract ameliorates cerebral ischemia/reperfusion-induced neuronal damage and behavioral deficits in gerbils: comparison of pre- and post-ischemic administration, *J. Nutr. Biochem.* 2009; 20(5), 369-377.
221. Wattanapitayakul SK., Bauer JA. Oxidative pathways in cardiovascular disease: roles, chanisms, and therapeutic implications. *Pharmacol Ther.* 2001; 89:187–206.
222. Weight LM, Byrne MJ, Jacobs P. Haemolytic effects of exercise, *Clin. Sci. (Lond).* 1991; 81: 147-152.
223. Wenzel U, Nickel A, Kuntz S, Daniel H. Ascorbic asid suppresses druginduced apoptosis in human colon cancer cells by scavenging mitochondrial superoxide anions. *Carcinogenesis.* 2004; 25: 703-712.
224. Williams RW, Herrup K. The control of neuron number. *Annual Review of Neuroscience* 1988;11:423–53.
225. Wiseman H., Halliwell B. Damage to DNA by reactive oxygen and nitrogen species: role in inflammatory disease and progression to cancer. *Biochem J.* 1996; 313:17–29.
226. Wu D, Cederbaum AI. Alcohol, oxidative stress, and free radical damage. *Alcohol Res Health.* 2003; 27: 277-284.
227. Yamakoshi J., Kataok S., Koga T., Ariga T. Proanthocyanidin-rich extract from grape seeds attenuates the development of aortic atherosclerosis in cholesterol-fed rabbits. *Atherosclerosis.* 1999; 142:139- 149.
228. Yamamoto, N. Kabuto H., Matsumoto S., Ogawa N., Yokoi I. α-Tocopheryl-L-ascorbate-2-Ophosphate diester, a hydroxyl radical scavenger, prevents the occurrence of epileptic foci in a rat model of posttraumatic epilepsy, *Pathophysiology.* 2002; 8, 205–214.
229. Yanardag H, Genç B. *Pediatri.* 1983; Tomurcuk Matbaası, İstanbul
230. Ye X., Krohn RL., Liu W. "The cytotoxic effects of a novel IH636 grape seed proanthocyanidinn extract on cultured human cancer cells" *Mol Cell Biochem.* 1999 Jun;196(1-2):99-108.
231. Young IS, Woodside JV. Antioxidants in health and disease. *J Clin Pathol.* 2001; 54: 76–86.
232. Zhao J., Wang J., Chen Y., Agarwal R. "Anti-Tumor promoting activity of a polyphenolic fraction isolated from grape seeds in the mouse skin two-stage initiation-promotion protocol and identification of procyanidin B5-3'-Gallate as the most effective antioxidant constituent" 1999;(20):9.1737-1745.