

COVID-19 ÇOCUK HASTALARDA KLİNİK SEMPTOMLAR


Aysel MECİDOVA ¹
Ramin MAHMUDOV ²

3. BÖLÜM

SARS-CoV-2 enfeksiyonunun kuluçka süresi 1 ila 14 gün arasında değişmekte olup, çoğunlukla 3 ila 7 gün arasındadır ¹.

Çocuklarda erişkinlere göre, ağır klinik daha az görülmekle birlikte, altta yatan hastalığı olan, immünsüprese çocuklarda ve küçük yaş grubunda ciddi kliniğe rastlama oranı daha yüksektir ².


COVID-19’lu çocuklarda en yaygın klinik belirti ateş ve öksürüktür. Bundan başka yorgunluk, miyalji, burun tıkanıklığı, burun akıntısı, hapşırma, boğaz ağrısı, baş ağrısı, baş dönmesi, kusma ve karın ağrısı eşlik edebilir ^{3,4}.



Şekil 1 : Klinik semptomlar oranı ⁴.

¹ Uzm Dr, Çocuk Sağlığı ve Hastalıkları, Melhem International Hospital, Bakü, Azerbaycan, mecidovaysel@gmail.com

² Uzm Dr, Çocuk Sağlığı ve Hastalıkları, Melhem International Hospital, Bakü, Azerbaycan, dr-mahmudov@mail.ru



Şekil 4: COVID 19 çocuk olgularda akut pernio

Özel hasta grubu oldukları için çocuklara özel ilgi gösterilmelidir. Az sayıda COVID 19 çocuk vakalarının epidemiyolojik geçmişinin analizi ve SARS CoV-2'nin epidemiyolojik özelliklerinin daha iyi anlaşılması yolu ile daha etkili önleyici tedbirler ve tedavi politikaları sağlanmalıdır.

KAYNAKLAR

1. Updated diagnosis, treatment and prevention of COVID-19 in children: experts' consensus statement (condensed version of the second edition) Kun-Ling Shen¹, Yong-Hong Yang², Rong-Meng Jiang. World J Pediatr. 2020 Jun;16(3):232-239. doi: 10.1007/s12519-020-00362-4. Epub 2020 Apr 24
2. Jiang Y, Xu BP, Jin RM. Diagnosis, treatment and prevention of 2019 novel coronavirus infection in children: experts' consensus statement (First Edition) Chin J ApplClinPediatr. 2020;35:81-85. [Google Scholar]
3. COVID-19 epidemic: Disease characteristics in children Jiatong She, Lanqin Liu, Wenjun Liu J Med Virol. 2020 Jul;92(7):747-754/ doi: 10.1002/jmv.25807. Epub 2020 Apr 15
4. Swann, O. V., Holden, K. A., Turtle, L., Pollock, L., Fairfield, C. J., Drake, T. M., Semple, M. G. (2020). Clinical characteristics of children and young people admitted to hospital with covid-19 in United Kingdom: prospective multicentre observational cohort study. BMJ, m3249. doi:10.1136/bmj.m3249
5. Feng K, Yun YX, Wang XF, et al. First case of severe childhood novel coronavirus pneumonia in China. Chin J Pediatr. 2020;58(3):179-183. 10.3760/cma.j.issn.0578-1310.2020.03.003
6. Yi J, Xiaoxia L, Runming J, et al. Novel coronavirus infections: standard/protocol/guideline recommendations for the diagnosis, prevention and control of the 2019 novel coronavirus

- rus infection in children (the second edition). *Chin J ApplClinPediater*. 2020;35(2):143-150. 10.3760/cma.j.issn.2095-428X.2020.02.012
7. Shen K, Yang Y, Wang T, et al. Diagnosis, treatment, and prevention of 2019 novel coronavirus infection in children: experts' consensus statement. *World J Pediatr*. 2020 doi: 10.1007/s12519-020-00343-7.
 8. Epidemiological Characteristics of 2143 Pediatric Patients With 2019 Coronavirus Disease in China Yuanyuan Dong, Xi Mo, Yabin Hu, Xin Qi, Fang Jiang, Zhongyi Jiang, Shilu Tong DOI: 10.1542/peds.2020-0702
 9. Xia W, Shao J, Guo Y, Peng X, Li Z, Hu D. Clinical and CT features in pediatric patients with COVID-19 infection: Different points from adults. *Pediatr Pulmonol* 2020; 55: 1169-74
 10. National Health Commission of the People's Republic of China. Diagnosis and treatment plan of novel coronavirus pneumonia (Version7).<https://www.nhc.gov.cn/zyygj/s7653p/202003/46c9294a7dfe4cef80dc7f5912eb1989.shtml>. Accessed 4 Mar 2020
 11. Çokuğraş H, Önal P. SARS-CoV-2 infection in children. *Turk PediatriArs* 2020; 55(2): 95-102.
 12. T.C. SAĞLIK BAKANLIĞI COVID-19 BİLGİLENDİRME SAYFASI. Çocuk Hasta Yönetimive Tedavi Güncellenme Tarihi 03 Eylül 2020.
 13. Syndrome resembling Kawasaki disease in COVID-19 asymptomatic children. Rehman^a, Tariq Majeed^b, Mohammad Azam Ansari^a, Ebtesam A. Al-Suhaimi^c <https://doi.org/10.1016/j.jiph.2020.08.003>
 14. Paediatric multisystem inflammatory syndrome temporally associated with SARS-CoV-2 mimicking Kawasaki disease (Kawa-COVID-19): a multicentre cohort. Marie Poulety,^{1,2} Charlotte Borocco/ *Ann Rheum Dis*. 2020 Jun : annrheumdis-2020-217960. Published online 2020 Jun 11. doi: 10.1136/annrheumdis-2020-217960
 15. World Health Organization. Multisystem inflammatory syndrome in children and adolescents temporally related to COVID-19. 2020. <https://www.who.int/news-room/commentaries/detail/multisystem-inflammatory-syndrome-in-children-and-adolescents-with-covid-19>
 16. P.P. Liu, A. Blet, D. Smyth, H. Li The science underlying COVID-19: implications for the cardiovascular system *Circulation* (2020), 10.1161/circulationaha.120.047549
 17. Chilblains in children in the setting of COVID-19 pandemic David Andina MD1, Lucero Noguera-Morel MD2. *Pediatric Dermatology*. DOI: 10.1111/pde.14215