

Bölüm 1

BEYNİN DRENAJ SİSTEMİ [GLYMPHATIC SİSTEM]

İsmail Hakkı NUR¹

Metin içinde geçen kelimelerin kısaltmaları

| | |
|--|------|
| Alzheimer Hastalığı | AH |
| Amiloid Beta | Aβ |
| Amiloid Prekürsör Protein | APP |
| Aquaporin4 | AQP4 |
| Basal Membran | BM |
| Beyin Mikro Çevresi | BMC |
| Beyin Omur Sıvı [Serebrospinal Sıvı] | BOS |
| Cerebral Amiloid Anjiyopati | CAA |
| Chemokine Receptor 7 | CCR7 |
| Encephalomyelitis | EM |
| Extracelluler Aralık [hücre dışı aralık] | ECA |
| İndiocyenin Green | ICG |
| İnterstisyel Sistem | ISS |
| İnterstisyel Sıvı [Hücreler arası sıvı] | HAS |
| İntramural Periferyal Drenaj | IPH |
| Kan Beyin Bariyeri | KBB |
| Manyetik Rezonans Görüntüleme | MRG |
| Merkezi Sinir Sistemi | MSS |
| Multipl Scleröz | MS |
| Nöronal Mikrotübül Proteini | NMP |
| Parkinson hastalığı | PH |
| Pia mater | PİA |
| Subaraknoid aralık | SAA |

¹Prof. Dr. ERÜ. Veteriner Fakültesi Anatomi Anabilim Dalı Kayseri/TÜRKİYE. E-mail: hnur_55@hotmail.com

Sonuçta; gelişen teknikler, Alzheimer hastalığı, Alzheimer hastalığının en sık sonuçlarından biri olan demans ve MS gibi hastalıkların yönetiminde ve önlenmesinde, beyinden Tau ve A β 'nin ortamdaki uzaklaştırılması, kolaylaştıracak tedavilere yol açabilir.

Kaynakça

Abbott NJ. [2004] Evidence for bulk flow of brain interstitial fluid: significance of physiology and pathology. *Neurochem Int.* 2004; 45:545-552.

Abbott NJ, Friedman A. [2012] Overview and introduction: the blood-brain barrier in health and disease. *Epilepsia* 53[Suppl 6]:1-6

Abbott NJ, Ronnback L, Hansson E. [2006] Astrocyte endothelial interactions at the blood-brain barrier. *Nat Rev Neurosci* 7[1]:41-53

Adam-Vizi V. [2005] Production of reactive oxygen species in brain mitochondria: contribution by electron transport chain and non-electron transport chain sources. *Antioxid Redox Signal* 7[9-10]:1140-114

Andres K, Von Düring M, Muszynski K, Schmidt R [1987] Nerve fibres and their terminals of the dura mater encephali of the rat. *Anat Embryol* 175[3]:289-301

Armitage GA, Todd KG, Shuaib A, Winship IR. [2010] Laser speckle contrast imaging of collateral blood flow during acute ischemic stroke. *J Cereb Blood Flow Metab* 30[8]:1432-1436

Armulik, A.; Abramsson, A.; Betsholtz, C. [2005] Endothelial/pericyte interactions. *Circ. Res.* 97, 512-523.

Armulik, A.; Genove, G.; Mae, M.; Nisancioglu, M.H.; Wallgard, E.; Niaudet, C.; He, L.; Norlin, J.; Lindblom, P.; Strittmatter, K.; et al. [2010] Pericytes regulate the blood-brain barrier. *Nature*, 468, 557-561.

Aspelund A, Antila S, Proulx ST, Karlsen TV, Karaman S, Detmar M, Wiig H, Alitalo K [2015] A dural lymphatic vascular system that drains brain interstitial fluid and macromolecules. *J Exp Med.* 2015 Jun 29;212[7]:991-9

Attwell D, Buchan AM, Charpak S, Lauritzen M, Macvicar BA, Newman EA [2010] Glial and neuronal control of brain blood flow. *Nature* 468[7321]:232-243

Baeten, K.M.; Akassoglou, K. [2011] Extracellular matrix and matrix receptors in blood-brain barrier formation and stroke. *Dev. Neurobiol.*, 71, 1018-1039.

Beach TG, Potter PE, Kuo YM, et al. [2000] Cholinergic deafferentation of the rabbit cortex: a new animal model of A beta deposition. *Neurosci Lett.* 283:9-12.

Bechtel, K., Geschwind, M.D. [2013] Ethics in prion disease. *Prog. Neurobiol.* 110 29-44.

Bell, R.D.; Winkler, E.A.; Sagare, A.P.; Singh, I.; LaRue, B.; Deane, R.; Zlokovic, B.V. [2010] Pericytes control key neurovascular functions and neuronal phenotype in the adult brain and during brain aging. *Neuron* 68, 409-427.

Bell RD, Zlokovic BV. [2009] Neurovascular mechanisms and blood-brain-barrier disorder in Alzheimer's disease. *Acta Neuropathol.* 118:103-113.

Benjamin A. Plog and Maiken Nedergaard. [2018] The glymphatic system in CNS health and disease: past, present and future. *Annu Rev Pathol.* January 24; 13: 379-394

Ben-Zvi A, Lacoste B, Kur E, Andreone BJ, Mayshar Y, Yan H, Gu C [2014] Mfsd2a is critical for the formation and function of the blood-brain barrier. *Nature* 509:507-511.

Berne RM, Levy MN, Koeppen BM, Stanton BA. [2008] *Fizyoloji*, Ankara, Güneş Tıp Kitabevi, p. 96-8.

Betsholtz C. [2010] Pericytes regulate the blood-brain barrier. *Nature* 468[7323]:557-561

Bozanovic-Sosic R, Mollanji R, Johnston MG. [2001] Spinal and cranial contributions to total cerebrospinal fluid transport. *Am J Physiol Regul Integr Comp Physiol* 281:R909-R916

Buee L, Bussiere T, Buee-Scherrer V, et al. [2000] Tau protein isoforms, phosphorylation and role in neurodegenerative disorders. *Brain Res rev.* 33: 95- 130.

Carare [2017]. Intramural periarterial drainage of cerebral interstitial fluid as a target for therapy of neurological diseases. <https://www.cararegroup.org/lymphatic-drainage>

Carare R, Bernardes-Silva M, Newman T, Page A, Nicoll J, Perry V, Weller R [2008]. Solutes, but not cells, drain from the brain parenchyma along basement membranes of capillaries and arteries: significance for cerebral amyloid angiopathy and neuroimmunology. *Neuropathol Appl Neurobiol* 34[2]:131-144

Carare RO, Hawkes CA, Jeffrey M, Kalaria RN, Weller RO [2013] Review: cerebral amyloid angiopathy, prion angiopathy, CADASIL and the spectrum of protein elimination failure angiopathies [PEFA] in neurodegenerative disease with a focus on therapy. *Neuropathol Appl Neurobiol* 39:593-611

- Carare RO, Hawkes CA, Weller RO [2014] Afferent and efferent immunological pathways of the brain. *Anatomy, function and failure. Brain Behav Immun* 36:9-14
- Cipolla MJ, Li R, Vitullo L. [2004] Perivascular innervation of penetrating brain parenchymal arterioles. *J Cardiovasc Pharmacol* 44[1]:1-8
- Cserr HF, Cooper DN, Suri PK, Patlak CS. [1981] Efflux of radiolabeled polyethyleneglycols and albumin from rat brain. *Am J Physiol* 240:F319-F328
- Cserr HF, Harling-Berg CJ, Knopf PM [1992] Drainage of brain extracellular fluid into blood and deep cervical lymph and its immunological significance. *Brain Pathol* 2:269-276
- Cserr HF, Knopf PM [1992] Cervical lymphatics, the bloodbrain barrier and the immunoreactivity of the brain: a new view. *Immunol Today* 13:507-512
- Daneman, R.; Agalliu, D.; Zhou, L.; Kuhnert, F.; Kuo, C.J.; Barres, B.A. [2009] Wnt/ β -catenin signaling is required for CNS, but not non-CNS, angiogenesis [vol 106, pg 641, 2009]. *Proc. Natl. Acad. Sci. USA* 2009, 106, 641-646.
- Daneman, R.; Zhou, L.; Kebede, A.A., Barres, B.A. [2010] Pericytes are required for blood-brain barrier integrity during embryogenesis. *Nature*, 468, 562-566.
- Davson H, Welch K, Segal MB [1987] *Physiology and pathophysiology of the cerebrospinal fluid*. Churchill Livingstone, Edinburgh
- De Bault, L.E.; Cancilla, P.A. [1980] γ -Glutamyl transpeptidase in isolated brain endothelial cells: Induction by glial cells in vitro. *Science*, 207, 653-655.
- Del Bigio MR, Enno TL. [2008] Effect of hydrocephalus on rat brain extracellular compartment. *Cerebrospinal Fluid Res*: 12.
- Declèves X, Jacob A, Yousif S, Shawahna R, Potin S, Scherrmann JM. [2011] Interplay of drug metabolizing CYP450 enzymes and ABC transporters in the bloodbrain barrier. *Curr Drug Metab* 12[8]:732-741
- Deco, G., Rolls, E.T., Albantakis, L., Romo, R., [2013] Brain mechanisms for perceptual and reward-related decision-making. *Prog. Neurobiol.* 103, 194-213.
- Dichiro G. [1964] Movement of the cerebrospinal fluid in human beings. *Nature*. Oct 17;204:290-1.
- Donkin JJ, Vink R. [2010]. Mechanisms of cerebral edema in traumatic brain injury: therapeutic developments. *Current opinion in neurology*, 23, 3, 293-9.
- Drewes G. Marking tau for tangles and toxicity. *Trends Biochem Sci.* 2004;29:548-55. Review.
- Duvernoy HM, Delon S, Vannson JL. [1981] Cortical blood vessels of the human brain. *Brain Res Bull* 7[5]: 519-579,
- Emily Mathieu, Neeru Gupta, Amir Ahari, Xun Zhou, Joseph Hanna, and Yeni H. Yucel. [2017] Evidence for Cerebrospinal Fluid Entry Into the Optic Nerve via a Glymphatic Pathway. *IOVS*; September; Vol. 58 : No. 11 : 4784-91
- Engelhardt B, Carare RO, Bechmann I, Flügel A, Laman JD, Weller RO. [2016] Vascular, glial, and lymphatic immune gateways of the central nervous system. *Acta Neuropathol* 132:317-338
- Erik N. T. P. Bakker, Brian J. Bacskai, Michal Arbel-Ornath, Roxana Aldea, Beatrice Bedussi, Alan W. J. Morris, Roy O. Weller, Roxana O. Carare. [2016] Lymphatic Clearance of the Brain: Perivascular, Paravascular and Significance for Neurodegenerative Diseases. *Cell Mol Neurobiol.* Mar;36[2]:181-94
- Feijoo C, Campbell DG, Jakes R, et al. [2005] Evidence that phosphorylation of the microtubule-associated protein Tau by SAPK4/p38delta at Thr50 promotes microtubule assembly. *J Cell Sci.* 118:397-408.
- Fenstermacher, J.D., Kaye, T., 1988. Drug 'diffusion' within the brain. *Ann. N.Y. Acad. Sci.* 531, 29-39.
- Fordsmann JC, Ko RW, Choi HB, Thomsen K, Witgen BM, Mathiesen C, Lonstrup M, Piilgaard H, MacVicar BA, Lauritzen M. [2013] Increased 20-HETE synthesis explains reduced cerebral blood flow but not impaired neurovascular coupling after cortical spreading depression in rat cerebral cortex. *J Neurosci* 33[6]:2562-2570
- Fumagalli, S., Ortolano, F., De Simoni, M.G. [2014] A close look at brain dynamics: cells and vascular system seen by in vivo two-photon microscopy. *Prog. Neurobiol.* 121, 36-54.
- Gordon, G.R.; Howarth, C.; MacVicar, B.A. [2011] Bidirectional control of arteriole diameter by astrocytes. *Exp. Physiol.* 96, 393-399.
- Groothuis DR, Vavra MW, Schlageter KE, et al. [2007] Efflux of drugs and solutes from brain: the interactive roles of diffusional transcapillary transport, bulk flow and capillary transporters. *J Cereb Blood Flow Metab* 27[1]:43-56.
- Gursoy-Ozdemir Y, Can A, Dalkara T. [2004] Reperfusion-induced oxidative/nitrate injury to neurovascular unit after focal cerebral ischemia. *Stroke* 35[6]:1449-1453
- Hladky SB, Barrand MA. [2014] Mechanisms of fluid movement into, through and out of the brain: evaluation of the evidence. *Fluids Barriers CNS* 11[1]:1-32

- Hawkes C, Härtig W, Kacza J, et al. [2011] Perivascular drainage of solutes is impaired in the ageing mouse brain and in the presence of cerebral amyloid angiopathy. *Acta Neuropathol.*;121[4]:431-443.
- Hakan Erdoğan ve ark.[2013] Beyinin Lenfatik Drenaj ve Protein Eliminasyon Yetmezliğine Bağlı Arteriyopatileri. *Maltepe Tıp Dergisi*. Cilt: 5 Sayı: 3 . P.32-40
- Hamel E. [2006] Perivascular nerves and the regulation of cerebrovascular tone. *J Appl Physiol* [1985] 100[3]: 1059–1064
- Hamilton, N.B.; Attwell, D.; Hall, C.N. [2010] Pericyte-mediated regulation of capillary diameter: A component of neurovascular coupling in health and disease. *Front. Neuroenerg.*, 2, 1–14.
- Hall CN, Reynell C, Gesslein B, et al. [2014] Capillary pericytes regulate cerebral blood flow in health and disease. *Nature*. 508[7494]:55–60.
- Hardy J [2006] Amyloid at the blood vessel wall. *Nat Med*.12: 756-757.
- Harrison RV, Harel N, Panesar J, Mount RJ. [2002] Blood capillary distribution correlates with hemodynamic-based functional imaging in cerebral cortex. *Cereb Cortex* 12[3]:225–233
- Haydon, P.G.; Carmignoto, G. [2006] Astrocyte control of synaptic transmission and neurovascular coupling. *Physiol. Rev*. 86, 1009–1031.
- Helene Benveniste, Hedok Lee, and Nora D. Volkow. [2017] The Glymphatic Pathway: Waste Removal from the CNS via Cerebrospinal Fluid Transport. *The Neuroscientist*, Vol. 23[5] 454– 465
- Hrabetova S, Nicholson C. [2000] Dextran decreases extracellular tortuosity in thick-slice ischemia model. *J Cereb Blood Flow Metab* 20:1306–1310
- Hudetz AG. [1997] Blood flow in the cerebral capillary network: a review emphasizing observations with intravital microscopy. *Microcirculation* 4[2]:233–252
- Ichimura T, Fraser PA, Cserr HF [1991] Distribution of extracellular tracers in perivascular spaces of the rat brain. *Brain Res* 545 [1–2]:103–113
- Ide, K., Secher, N.H. [2000] Cerebral blood flow and metabolism during exercise. *Prog. Neurobiol*. 61 [4], 397–414.
- Iliff J, Wang M, Liao Y, et al. [2012] A paravascular pathway facilitates CSF flow through the brain parenchyma and the clearance of interstitial solutes, including amyloid β . *Sci Transl Med.*;4[147]:147ra111.
- Iliff JJ, Wang M, Zeppenfeld DM, Venkataraman A, Plog BA, et al. [2013] Cerebral arterial pulsation drives paravascular CSF-interstitial fluid exchange in the murine brain. *J Neurosci.*; 33[46]:18190–99
- Iliff J.J., A.S. Thrane, M. Nedergaard. [2017] The Glymphatic System and Brain Interstitial Fluid Homeostasis Primer on cerebrovascular diseases Second ed. Chapter 3. Page.17-21
- Janzer, R.C.; Raff, M.C. [1987] Astrocytes induce blood-brain barrier properties in endothelial cells. *Nature*, 325, 253–257.
- Jessen NA, Munk AS, Lundgaard I, Nedergaard M. [2015] The glymphatic system: a beginner's guide. *Neurochem Res*;40[12]:2583–99.
- Jessica Chen M, Sepramaniam S, Armugam A, Shyan Choy M, Manikandan J, Melendez AJ, Jeyaseelan K, Sang Cheung N. [2008] Water and Ion Channels: Crucial in the Initiation and Progression of Apoptosis in Central Nervous System? *Current Neuropharmacology*, 6, 2, 102-16.
- Johanson CE, Duncan JA, Klinge PM, Brinker T, Stopa EG, Silverberg GD [2008] Multiplicity of cerebrospinal fluid functions: new challenges in health and disease. *Cereb Fluid Res* 5:10
- Johnston M, Zakharov A, Papaiconomou C, Salmasi G, Armstrong D [2004] Evidence of connections between cerebrospinal fluid and nasal lymphatic vessels in humans, non-human primates and other mammalian species. *Cereb Fluid Res* 1:2–15
- Kahles T, Luedike P, Endres M, Galla HJ, Steinmetz H, Busse R, Neumann-Haefelin T, Brandes RP. [2007] NADPH oxidase plays a central role in blood-brain barrier damage in experimental stroke. *Stroke* 38[11]: 3000–3006
- Kang JE, Lim MM, Bateman RJ, Lee JJ, Smyth LP, Cirrito JR, and others. [2009]. Amyloid-beta dynamics are regulated by orexin and the sleep-wake cycle. *Science* 326:1005–7.
- Kastellakis, G., Cai, D.J., Mednick, S.C., Silva, A.J., Poirazi, P. [2014] Synaptic clustering within dendrites: an emerging theory of memory formation. *Prog. Neurobiol*. 14, 137-143
- Khang ET, Inman CB, Weller RO. [1990] Interrelationships of the pia mater and the perivascular [Virchow-Robin] spaces in the human cerebrum. *J Anat*.170:111-123.
- Kida S, Pantazis A, Weller R [1993] CSF drains directly from the subarachnoid space into nasal lymphatics in the rat. *Anatomy, histology and immunological significance. Neuropathol Appl Neurobiol* 19[6]:480–488
- Kida S, Steart PV, Zhang ET, et al. [1993] Perivascular cells act as scavengers in the cerebral perivascular spaces and remain distinct from pericytes, microglia and macrophages. *Acta Neuropathol*;85: 646-652.

Killer HE, Jaggi GP, Flammer J, et al. [2007] Cerebrospinal fluid dynamics between the intracranial and the subarachnoid space of the optic nerve. Is it always bidirectional? *Brain* 130:514-520

Killer HE, Laeng HR, Groscurth P. [1999] Lymphatic capillaries in the meninges of the human optic nerve. *J Neuroophthalmol.* 19: 222-228.

Klatzo I. [1994] Evolution of Brain Edema Concepts. In: *Brain Edema IX: Proceedings of the Ninth International Symposium Tokyo, May 16-19, 1993.* Eds: Ito U, Baethmann A, Hossmann K-A et al. Vienna: Springer Vienna, p. 3-6.

Laman JD, Weller RO [2013] Drainage of cells and soluble antigen from the CNS to regional lymph nodes. *J NeuroimmunePharmacol* 8:840-856.

Lauwers F, Cassot F, Lauwers-Cances V, Puwanarajah P, Duvernoy H [2008] Morphometry of the human cerebral cortex microcirculation: general characteristics and space-related profiles. *Neuroimage* 39[3]:936-948]

Le Bihan D, Johansen-Berg H. [2012] Diffusion MRI at 25: exploring brain tissue structure and function. *Neuroimage.* Jun;61[2]:324-41.

Lee H, Xie L, Yu M, Kang H, Feng T, et al. [2015] The effect of body posture on brain glymphatic transport. *J Neurosci.* 35[31]:11034-44.

Lee RM [1995] Morphology of cerebral arteries. *Pharmacol Ther* 66[1]:149-173

Lee, S.W.; Kim, W.J.; Choi, Y.K.; Song, H.S.; Son, M.J.; Gelman, I.H.; Kim, Y.J.; Kim, K.W. [2003] SSeCKS regulates angiogenesis and tight junction formation in blood-brain barrier. *Nat. Med.* 9, 900-906

Leger JG, Brandt R, Lee G. [1994] Identification of tau protein regions required for process formation in PC12 cells. *J Cell Sci.*107:3403-3412.

Levick JR, Michel CC. [2010] Microvascular fluid exchange and the revised Starling principle. *Cardiovasc Res* 87:198-210

Liebeskind DS. [2003] Collateral circulation. *Stroke* 34[9]: 2279-2284 .

Louveau A, Smirnov I, Keyes TJ, Eccles JD, Rouhani SJ, Peske JD, Derecki NC, Castle D, Mandell JW, Lee KS [2015] Structural and functional features of central nervous system lymphatic vessels. *Nature.* 2015 Jul 16;523[7560]:337-41

Mabuchi, T, Lucero, J, Feng, A, Koziol, J.A., del Zoppo, G.J. [2005] Focal cerebral ischemia preferentially affects neurons distant from their neighboring microvascular system. *J. Cereb. Blood Flow Metab.* 25 [2], 257-266.

Manley GT, Fujimura M, Ma T, Noshita N, Filiz F, Bollen AW, Chan P, Verkman AS. [2000] Aquaporin-4 deletion in mice reduces brain edema after acute water intoxication and ischemic stroke. *Nature medicine,* 6, 2, 159-63.

Markiewicz, I.; Lukomska, B. The role of astrocytes in the physiology and pathology of the central nervous system. *Acta Neurobiol. Exp.* 2006, 66, 343-358.

Mathiisen TM, Lehre KP, Danbolt NC, Ottersen OP. [2010] The perivascular astroglial sheath provides a complete covering of the brain microvessels: an electron microscopic 3D reconstruction. *Glia,* 58, 9, 1094-103.

May A, Goadsby PJ. [1999] The trigeminovascular system in humans: pathophysiologic implications for primary headache syndromes of the neural influences on the cerebral circulation. *J Cereb Blood Flow Metab* 19[2]: 115-127

Melanie D. Sweeney, Abhay P. Sagare and Berislav V. Zlokovic. Blood-brain barrier breakdown in Alzheimer disease and other neurodegenerative disorders. doi:10.1038/nrneuro.2017.188 Published online 29 Jan 2018

Moingeon P. [2013] Update on immune mechanisms associated with sublingual immunotherapy: practical implications for the clinician. *J Allergy Clin Immunol Pract* 1:228-241.

Morris AW, Carare RO, Schreiber S, Hawkes CA. [2014] The cerebrovascular basement membrane: role in the clearance of beta-amyloid and cerebral amyloid angiopathy. *Front Aging Neurosci* 6:251. doi:10.3389/fnagi.2014.00251

Morris AW, Sharp MM, Albargothy NJ, Fernandes R, Hawkes CA, Verma A, Weller RO, Carare RO [2016] Vascular basement membranes as pathways for the passage of fluid into and out of the brain. *Acta Neuropathol* 131:725-736.

Motti ED, Imhof HG, Yaşargil MG. [1986].The terminal vascular bed in the superficial cortex of the rat: an SEM study of corrosion casts. *J Neurosurg* 65: 831-846.

Nagelhus EA, Ottersen OP. [2013] Physiological roles of aquaporin-4 in brain. *Physiol Rev.* 93[4]:1543-62.

Nedergaard M, 2013. Garbage Truck of the Brain. *Science* [New York, N.Y.], 340, 6140, 1529

- Nicholson C, Kamali-Zare P, Tao L. [2011] Brain extracellular space as a diffusion barrier. *Comput Vis Sci* 14:309–325
- Nilsson C, Stahlberg F, Thomsen C, Henriksen O, Herning M, Owman C [1992] Circadian variation in human cerebrospinal fluid production measured by magnetic resonance imaging. *Am J Physiol* 262[1 Pt 2]:R20–R24
- Nishimoto I, Okamoto T, Matsuura Y, et al. [1993] Alzheimer amyloid protein precursor complexes with brain GTP-binding protein Go. *Nature*
- Oberheim, N.A.; Takano, T.; Han, X.; He, W.; Lin, J.H.; Wang, F.; Xu, Q.; Wyatt, J.D.; Pilcher, W.; Ojemann, J.G.; et al. [2009] Uniquely hominid features of adult human astrocytes. *J. Neurosci.* 29, 3276–3287.
- Okamoto Y, Yamamoto T, Kalaria RN, Senzaki H, Maki T, Hase Y, Kitamura A, Washida K, Yamada M, Ito H, Tomimoto H, Takahashi R, Ihara M [2012] Cerebral hypoperfusion accelerates cerebral amyloid angiopathy and promotes cortical microinfarcts. *Acta Neuropathol* 123[3]:381–394
- Owens, T.; Bechmann, I.; Engelhardt, B. [2008] Perivascular spaces and the two steps to neuroinflammation. *J. Neuropathol. Exp. Neurol.* 67, 1113–1121.
- Pacher P, Beckman JS, Liaudet L. [2007] Nitric oxide and peroxynitrite in health and disease. *Physiol Rev* 87[1]:315–424
- Pan, W., Kastin, A.J. [2007] Tumor necrosis factor and stroke: role of the blood–brain barrier. *Prog. Neurobiol.* 83 [6], 363–374
- Papadopoulos MC, Verkman AS. [2008] Potential utility of aquaporin modulators for therapy of brain disorders. *Progress in brain research*, 170, 589–601.
- Pardridge WM. [2012] Drug transport across the bloodbrain barrier. *J Cereb Blood Flow Metab* 32[11]: 1959–1972
- Peppiatt, C.M.; Howarth, C.; Mobbs, P. Attwell, D. [2006] Bidirectional control of CNS capillary diameter by pericytes. *Nature*, 443, 700–704.
- Petty, M.A., Lo, E.H. [2002]. Junctional complexes of the blood–brain barrier: permeability changes in neuroinflammation. *Prog. Neurobiol.* 68 [5], 311–323
- Phillips MJ, Needham M, Weller RO. [1997] Cervical lymph nodes in autoimmune encephalomyelitis in the Lewis rat. *J Pathol* 182:457–464.
- Pollay M. [2010] The function and structure of the cerebrospinal fluid outflow system. *Cerebrospinal Fluid Res* 7:9.
- Preston SD, Sterart PV, Wilkinson A, et al. [2003] Capillary and arterial cerebral amyloid angiopathy in Alzheimer’s disease: defining the perivascular route for the elimination of amyloid beta from the human brain. *Neuropathol Appl Neurobiol.* 29:106–117.
- Price DL, Borchelt DR, Sisodia SS. [1993] Alzheimer’s disease and the prion disorders amyloid β - protein and prion protein amyloidoses. *Proc Natl Acad Sci USA*;90: 6381–6384.
- Rennels ML, Gregory TF, Blaumanis OR, Fujimoto K, Grady PA [1985] Evidence for a ‘paravascular’ fluid circulation in the mammalian central nervous system, provided by the rapid distribution of tracer protein throughout the brain from the subarachnoid space. *Brain Res* 326[1]:47–63
- Roh JH, Jiang H, Finn MB, Stewart FR, Mahan TE, Cirrito JR, and others. [2014]. Potential role of orexin and sleep modulation in the pathogenesis of Alzheimer’s disease. *J Exp Med* 211:2487–96.
- Rostagno A, Ghiso J. [2008] Preamyloid lesions and cerebrovascular deposits in the mechanism of dementia: Lessons from Non- β -Amyloid cerebral Amyloidosis. *Neurodegenerative Diseases.* 5: 173-175
- Ruetzler CA, Furuya K, Takeda H, Hallenbeck JM. [2001] Brain vessels normally undergo cyclic activation and inactivation: evidence from tumor necrosis factor α , heme oxygenase-1, and manganese superoxide dismutase immunostaining of vessels and perivascular brain cells. *J Cereb Blood Flow Metab* 21[3]:244–252
- Salzman KL, Osborn AG, House P, et al. [2005] Giant tumefactive perivascular space. *Am J neuroradiol.* 26 :298-305.
- Savettieri, G. Di Liegro, I. Catania, C. Licata, L. Pitarresi, G.L. D’Agostino, S. Schiera, G. De Caro, V. Giandalia, G. Giannola, L.I. Cestelli, A. [2000] Neurons and ECM regulate occludin localization in brain endothelial cells. *Neuroreport.* 11, 1081–1084.
- Schley D, Carare-Nnadi R, Please CP, et al. [2006] Mechanisms to explain the reverse perivascular transport of solutes out of the brain. *J Theor Biol.*238:962- 974.
- Sidoryk-Wegrzynowicz, M.; Wegrzynowicz, M.; Lee, E.; Bowman, A.B.; Aschner, M. [2011] Role of astrocytes in brain function and disease. *Toxicol. Pathol.*, 39, 115–123
- Simon MJ, Iliff JJ. [2015] Regulation of cerebrospinal fluid [CSF] flow in neurodegenerative, neurovascular and neuroinflammatory disease. *Biochim Biophys Acta* 1862[3]:442–51

Sixt, M.; Engelhardt, B.; Pausch, F.; Hallmann, R.; Wendler, O.; Sorokin, L.M. [2001] Endothelial cell laminin isoforms, laminins 8 and 10, play decisive roles in T cell recruitment across the blood-brain barrier in experimental autoimmune encephalomyelitis. *J. Cell Biol.*, 153, 933–946.

Sorokin, L. [2010] The impact of the extracellular matrix on inflammation. *Nat. Rev. Immunol.*, 10, 712–723.

Sykova, E., Nicholson, C. [2008] Diffusion in brain extracellular space. *Physiol. Rev.*88 [4], 1277–1340.

Szentistványi I, Patlak C, Ellis R, Cserr H. [1984] Drainage of interstitial fluid from different regions of rat brain. *Am J Physiol.*;246 [6 Pt 2]:F835-44.

Takashi Kanda, [2015]. Central nervous system has a lymphatic system: What's next? *Clinical and Experimental Neuroimmunology* 6 347–348

Tilling, T. Korte, D. Hoheisel, D. Galla, H.J. [1998] Basement membrane proteins influence brain capillary endothelial barrier function in vitro. *J. Neurochem.* 71, 1151–1157

Tsutomu Nakada, Ingrid L. Kwee, Hironaka Igarashi and Yuji Suzuki. [2017] Aquaporin-4 Functionality and Virchow-Robin Space Water Dynamics: Physiological Model for Neurovascular Coupling and Glymphatic Flow. *Int. J. Mol. Sci.* 18, 1798;

Turgay Dalkara. [2017] Cerebral Microcirculation:An Introduction. Primer on cerebrovasculer diseases Second ed.. Cahpter 2. Page.11-16

Van Horsen, J.;Bo, L.; Vos, C.M.; Virtanen, I.; de Vries, H.E. [2005] Basement membrane proteins in multiple sclerosis-associated inflammatory cuffs: Potential role in influx and transport of leukocytes. *Neuropathol. Exp. Neurol.* 64, 722–729.

Van Zwam M, Huizinga R, Heijmans N, van Meurs M, Wierenga- Wolf AF, Melief MJ, Hintzen RQ, t Hart BA, Amor S,Boven LA, Laman JD. [2009a] Surgical excision of CNS-draining lymph nodes reduces relapse severity in chronic-relapsing experimental autoimmune encephalomyelitis. *J Pathol* 217:543–551.

Van Zwam M, Huizinga R, Melief MJ, Wierenga-Wolf AF, van Meurs M, Voerman JS, Biber KP, Boddeke HW, Hopken UE, Meisel C, Meisel A, Bechmann I, Hintzen RQ, t Hart BA, Amor S, Laman JD, Boven LA. [2009b] Brain antigens in functionally distinct antigen-presenting cell populations in cervical lymph nodes in MS and EAE. *J Mol Med* 87:273–286.

Veening JG, Barendregt HP [2010] The regulation of brain states by neuroactive substances distributed via the cerebrospinal fluid; a review. *Cerebrospinal Fluid Res* 7:1.

Wei G, Dawson VL, Zweier JL .[1999] Role of neuronal and endothelial nitric oxide synthase in nitric oxide generation in the brain following cerebral ischemia. *Biochim Biophys Acta* 1455[1]:23–34

Weller RO [2005] Microscopic morphology and histology of the human meninges. *Morphologie* 89:22–34

Weller RO, Djuanda E, Yow HY, et al. [2009] Lymphatic drainage of the brain and the pathophysiology of neurological disease. *Acta Neuropathol.*1171-14.

Weller RO, Galea I, Carare RO, et al. [2010] Pathophysiology of the lymphatic drainage of the central nervous system: implications for pathogenesis and therapy of multiple sclerosis. *Pathophysiology.*17: 295-306.

Weller RO, Hawkes CA, Carare RO, Hardy J [2015] Does the difference between PART and Alzheimer's disease lie in the age-related changes in cerebral arteries that trigger the accumulation of Abeta and propagation of tau? *Acta Neuropathol* 129:763–766.

Weller RO, Massey A, Newman TA, Hutchings M, Kuo YM, Roher AE [1998] Cerebral amyloid angiopathy: amyloid beta accumulates in putative interstitial fluid drainage pathways in Alzheimer's disease. *Am J Pathol* 153:725–733

Weller RO Subash M, Preston SD, et al. [2008] Perivascular drainage of amyloid- β peptides from the brain and its failure in cerebral amyloid angiopathy and Alzheimer's disease. *Brain Pathol.* 18: 253-266.

William I, Rosenblum, MD. And Benjamin W. Zweifa ACH. (1963). Cerebral Microcirculation in the Mouse Brain. <http://archneur.jamanetwork.com/> by a University of Calgary User on 05/26/2015 page:414- 423

Williams PL [ed]. [1995] *Gray's Anatomy*, 38th ed. Livingstone, Edinburgh. Churchill.

Winkler EA, Bell RD, Zlokovic BV [2011] Central nervous system pericytes in health and disease. *Nat Neurosci* 14[11]:1398–1405

Wolak DJ, Thorne RG.b [2013] Diffusion of macromolecules in the brain: implications for drug delivery *Mol Pharm.* May 6;10[5]:1492-504.

Wolfgang Zeman, Rabert, J and Innes,M. [1963] *Carigie's Neuroanatomy Of The Rat.*Academic Pres. New York. P:30-34

Wolters DA, Coenen-de Roo CJ, Mebius RE, van der Cammen MJ, Tirion F, Miltenburg AM, Kraal G. [1999] Intranasally induced immunological tolerance is determined by characteristics of the draining lymph nodes: studies with OVA and human cartilage gp-39. *J Immunol* 162:1994–1998

Xie L, Kang H, Xu Q, Chen MJ, Liao Y, Thiyagarajan M, and others. [2013]. Sleep drives metabolite clearance from the adult brain. *Science* 342:373–7.

Yiming Lei, Hongbin Han , Fan Yuan, Aqeel Javeed, Yong Zhao. [2017] The brain interstitial system: Anatomy, modeling, in vivo measurement, and applications. *Progress in Neurobiology* 157 230–246

Yu Yamazaki ID and Takahisa Kanekiyo [2017] Blood-Brain Barrier Dysfunction and the Pathogenesis of Alzheimer's Disease *Int. J. Mol. Sci.*, 18, 1965

Zador Z, Bloch O, Yao X, Manley GT, [2007]. Aquaporins: role in cerebral edema and brain water balance. *Progress in brain research*, 161, 185-94.

Zhang ET, Inman CB, Weller RO [1990] Interrelationships of the pia mater and the perivascular [Virchow-Robin] spaces in the human cerebrum. *J Anat* 170:111–123

Zhang ET, Richards HK, Kida S, Weller RO [1992] Directional and compartmentalised drainage of interstitial fluid and cerebrospinal fluid from the rat brain. *Acta Neuropathol* 83:233–239