

## Yoğun Bakımda Girişimsel İşlemler

Kübra KAYA GÜNEY<sup>1</sup>

Yoğun bakım ihtiyacı olan kritik hastalarda, yoğun bakımda kaldıkları süre zarfında birtakım girişimsel işlemlere gereksinim duyulmaktadır. Bu işlemler; medikal tedavilerin devamı için gerekli olan periferik venöz kateter uygulamaları kadar basit olabilirken, hemodinamik monitörizasyonda gerekli olacak pulmoner arter kateteri ya da havayolu kontrolü için gerekli olacak trakeostomi uygulamaları kadar invaziv olabilir.

Bu işlemlerin bazıları yardımcı sağlık personeli tarafından uygulanabilir olmasına rağmen; işlemler invaziv hale geldikçe, daha tecrübeli kişiler tarafından ve ultrasonografi gibi görüntüleme yöntemleri yardımıyla uygulanması gerekmektedir. Bu bölümde yoğun bakımda ihtiyacımız olabilecek bazı girişimsel işlemlerden bahsedilecektir.

### | Havayolu İşlemleri

Yoğun bakım ihtiyacı bulunan kritik hasta grubunda, destek oksijen tedavisine ek olarak mekanik ventilasyon ihtiyacı olabilir. Mekanik ventilasyon sağlanacak hastalar için yapay havayolu uygulamaları gerekmektedir. Bu hastalar için öncelikle endotrakeal, nazotrakeal yollar düşünülürken, endotrakeal işlemlere uygun olmayan hasta varlığında ya da acil havayolu sağlanması gereken zor entübasyon durumlarında doğrudan trakeaya uygulanan trakeostomi işlemleri de kullanılabilir (1).

<sup>1</sup> Uzm. Dr., Çankırı Devlet Hastanesi, Anesteziyoloji ve Reanimasyon, kkguney@outlook.com,  
0000-0002-1635-9873

## | Kaynaklar

1. Marino PL. The ICU book: Lippincott williams & wilkins; 2007.
2. De Jong A, Jung B, Jaber SJCC. Intubation in the ICU: we could improve our practice. *Critical Care*. 2014;18(2):1-7.
3. Higgs A, McGrath BA, Goddard C, et al. Guidelines for the management of tracheal intubation in critically ill adults. *British Journal of Anaesthesia* 2018;120(2):323-352.
4. Butterworth JF, Mackey DC, Wasnick JD. Morgan and Mikhail's clinical anesthesiology: *Morgan And Mikhail's Clinical Anesthesiology*. McGraw-Hill Education; 2018.
5. Nseir S, Brisson H, Marquette C-H, et al. Variations in endotracheal cuff pressure in intubated critically ill patients: prevalence and risk factors. *European Journal of Anaesthesiology* 2009;26(3):229-234.
6. Trouillet JL, Collange O, Belafia F, et al. Tracheotomy in the intensive care unit: guidelines from a French expert panel. 2018;8(1):1-15.
7. Hosokawa K, Nishimura M, Egi M, et al. Timing of tracheotomy in ICU patients: a systematic review of randomized controlled trials. *Critical Care*. 2015;19(1):1-12.
8. Putensen C, Theuerkauf N, Guenther U, et al. Percutaneous and surgical tracheostomy in critically ill adult patients: a meta-analysis. *Critical Care*. 2014;18(6):1-21.
9. Antonelli M, Michetti V, Di Palma A, et al. Percutaneous translaryngeal versus surgical tracheostomy: a randomized trial with 1-yr double-blind follow-up. *Critical Care Medicine*. 2005;33(5):1015-1020.
10. Cantais E, Kaiser E, Le-Goff Y, et al. Percutaneous tracheostomy: prospective comparison of the translaryngeal technique versus the forceps-dilatational technique in 100 critically ill adults. *Critical Care Medicine*. 2002;30(4):815-819.
11. Sanabria A. Which percutaneous tracheostomy method is better? A systematic review. *Respiratory care*. 2014;59(11):1660-1670.
12. Jolliet P, Chevrolet J.C. Bronchoscopy in the intensive care unit. *Intensive Care Medicine*. 18, 160-169.
13. Kreider ME, Lipson DA. Bronchoscopy for atelectasis in the ICU: a case report and review of the literature. *Chest*. 2003;124(1):344-350.
14. Nolan J, Kelly FE. Airway challenges in critical care. *Anaesthesia*. 2011;66:81-92.
15. Frerk C, Mitchell VS, McNarry AF, et al. Difficult Airway Society 2015 guidelines for management of unanticipated difficult intubation in adults. *British Journal of Anaesthesia*. 2015;115(6):827-848.
16. Soar J. The I-gel supraglottic airway and resuscitation—some initial thoughts. *Resuscitation*. 2007;74(1):197.
17. Taylor RW, Palagiri AV. Central venous catheterization. *Critical Care Medicine*. 2007;35(5):1390-1396.
18. McGee DC, Gould MK. Preventing complications of central venous catheterization. *New England Journal of Medicine* 2003. 348(12):1123-1133.
19. Saugel B, Scheeren TW, Teboul TJ. Ultrasound-guided central venous catheter placement: a structured review and recommendations for clinical practice. *Critical Care*. 2017;21(1):1-11.
20. Pinsky MR. Hemodynamic evaluation and monitoring in the ICU. *Chest*. 2007;132(6):2020-2029.
21. Gershengorn HB, Wunsch H, Scales DC, et al. Association between arterial catheter use and hospital mortality in intensive care units. *JAMA Internal Medicine*. 2014;174(11):1746-1754.

22. Scheer BV, Perel A, Pfeiffer UJ. Clinical review: complications and risk factors of peripheral arterial catheters used for haemodynamic monitoring in anaesthesia and intensive care medicine. *Critical Care*. 2002;6(3):1-7.
23. Garland A, Connors Jr AF. Indwelling arterial catheters in the intensive care unit: necessary and beneficial, or a harmful crutch? *American Journal of Respiratory and Critical Care Medicine*. 2010. p. 133-134.
24. Jin K, Murugan R, Sileanu FE, et al. Intensive monitoring of urine output is associated with increased detection of acute kidney injury and improved outcomes. *Chest*. 2017;152(5):972-979.
25. Khwaja, A. Kidney disease: Improving global outcomes (KDIGO)-Clinical practice guideline for acute kidney injury. *Nephron Clinical Practice*. 2012;2(Suppl 1):S1-S138.
26. Marklew A. Urinary catheter care in the intensive care unit. *Nursing in Critical Care*. 2004;9(1):21-27.
27. Chenoweth C, Saint S. Preventing catheter-associated urinary tract infections in the intensive care unit. *Critical Care Clinics*. 2013;29(1):19-32.
28. Lawrence E, Turner IG. Materials for urinary catheters: a review of their history and development in the UK. *Medical Engineering & Physics*. 2005;27(6):443-453.
29. Fulbrook P, Bongers A, Albarran JW. A European survey of enteral nutrition practices and procedures in adult intensive care units. *Journal Of Clinical Nursing*. 2007;16(11):2132-2141.
30. Preiser J-C, Arabi YM, Berger MM, et al. A guide to enteral nutrition in intensive care units: 10 expert tips for the daily practice. *Critical Care*. 2021;25(1):1-13.
31. Datt V, Tempe D, Virmani S, et al. Tracheobronchial placement of a feeding tube: another method of detection. *Anaesthesia*. 2004;59(5):514-515.
32. Williams TA, Leslie GD. A review of the nursing care of enteral feeding tubes in critically ill adults: part I. *Intensive and Critical Care Nursing*. 2004;20(6):330-343.
33. Williams TA, Leslie GD. A review of the nursing care of enteral feeding tubes in critically ill adults: part II. *Critical Care Nursing*. 2005;21(1):5-15.
34. Sanaie S, Mahmoodpoor A, Najafi M. Nasogastric tube insertion in anaesthetized patients: a comprehensive review. *Anaesthesiology Intensive Therapy*. 2017;49(1):57-65.
35. Lichtenstein D, Hulot J-S, Rabiller A, et al. Feasibility and safety of ultrasound-aided thoracentesis in mechanically ventilated patients. *Intensive Care Medicine*. 1999;25:955-958.
36. Rodriguez Lima DR, Yepes AF, Birchenall Jiménez CI, et al. Real-time ultrasound-guided thoracentesis in the intensive care unit: prevalence of mechanical complications. *The Ultrasound Journal*. 2020;12:1-8.
37. Grabau CM, Crago SF, Hoff LK, et al. Performance standards for therapeutic abdominal paracentesis. *Hepatology*. 2004;40(2):484-488.
38. Millington SJ, Koenig S. Better with ultrasound: paracentesis. *Chest*. 2018;154(1):177-184.