

GERİATRİ VE DİVERTİKÜLER HASTALIKLAR

Mehmet ASİL¹
Tacettin AKÇAL²

GİRİŞ

Divertiküller, gastrointestinal kanalın herhangi bir yerinde görülebilen, genellikle lumenin zayıf noktalarından dışa doğru gelişen küçük kesecik benzeri oluşumlardır. Gastrointestinal kanalın herhangi bir yerinde ortaya çıkabilemekle birlikte en sık kolonda görülürler. Kolon divertikülü görme sıklığı yaşla birlikte artar bu nedenle geriatrik hasta grubunda kolon divertikülleri ve bunlarla ilişkili hastalıklarla sık olarak karşılaşılmaktadır.

Kolon duvarının kas tabakası dâhil tüm katmanlarını içeren divertiküler gerçek divertiküler ve kas tabakasını içermeyen divertiküler ise yalancı (pseudodivertikül) divertiküler olarak sınıflandırılırlar, kolonda divertikülerinin çoğu yalancı divertikülerdir. Kolonda divertikülerin bulunması divertiküloz; divertikül ilişkili semptom, bulgu ve komplikasyonların ortaya çıkması ise divertiküler hastalık olarak tanımlanır. Kolanın divertiküler hastalığı Batı toplumlarında oldukça yaygındır (1,2). Batı toplumlarında kolon divertikülozu genellikle sol kolonda görülür ve çoğu yalancı divertiküldür. Kolon divertikülleri Doğu toplumlarında daha az görülür, daha çok

sağ kolonda yerlesirler ve çoğunluğu gerçek divertiküllerdir. Kolon divertikülü prevalansı ve insidansı yaşla artar. Yapılan çalışmalarla 40 yaşından önce %5 civarında olan prevalansın 60 yaş ve üzerinde %50'ye kadar çekabildiği bildirilmiştir (3-5). Kolon divertikülozu sıklığında zaman içerisinde de bir artış olduğu görülmektedir. Bu artış, ortalama yaşam süresinin uzaması ve dolasıyla yaşı nüfusun artması, batlı tarzı beslenme alışkanlıklarları, kolonoskopi, bilgisayarlı tomografi (BT) gibi tarama ve tanı yöntemlerinin tüm dünyada yaygın olarak kullanılması gibi birçok faktörle ilişkilidir. Divertiküler hastalıklar neden oldukları morbidite ve mortalite, tanı, tedavi ve hastane yarış maliyetleri nedeniyle tüm dünyada önemli bir sosyoekonomik sorun haline gelmiştir. Divertikülozun patogenezi bugüne kadar tam olarak anlaşılamamakla birlikte yaş, obezite, diyet ve hareketsizlik gibi birçok risk faktörleri tanımlanmıştır (6-9). Barsak mikrobiyotası ve düşük dereceli kolon inflamasyonunun da divertiküloz patogenezine katkıda bulunabileceği düşünülmektedir (10,11). Divertiküler hastalık cinsiyet farklılığı gözetmez ve Batı dünyasını etkileyen en yaygın kolon hastalığıdır (12). Kolon divertikülleri çoğu zaman asemptomatiktir ancak bazı

¹ Doç. Dr., Necmettin Erbakan Üniversitesi Tıp Fakültesi İç Hastalıkları AD., Gastroenteroloji BD., drmehmetasil@yahoo.com.tr, ORCID iD: 0000-0001-7332-686X

² Uzm. Dr., Necmettin Erbakan Üniversitesi, Tıp Fakültesi Hastanesi, Gastroenteroloji BD., t-akcal@hotmail.com, ORCID iD: 0000-0002-7218-8124

KAYNAKLAR

1. Cuomo R, Barbara G, Pace F, et al. Italian consensus conference for colonic diverticulosis and diverticular disease. *United European Gastroenterol J.* 2014 Oct;2(5):413-42. doi: 10.1177/2050640614547068
2. Peery AF, Sandler RS. Diverticular disease: reconsidering conventional wisdom. *Clin Gastroenterol Hepatol.* 2013 Dec;11(12):1532-7. doi: 10.1016/j.cgh.2013.04.048
3. Everhart JE, Ruhl CE. Burden of digestive diseases in the United States part II: lower gastrointestinal diseases. *Gastroenterology.* 2009 Mar;136(3):741-54. doi: 10.1053/j.gastro.2009.01.015
4. Feuerstein JD, Falchuk KR. Diverticulosis and Diverticulitis. *Mayo Clin Proc.* 2016 Aug;91(8):1094-104. doi: 10.1016/j.mayocp.2016.03.012
5. Shah SD, Cifu AS. Management of Acute Diverticulitis. *JAMA.* 2017 Jul 18;318(3):291-292. doi: 10.1001/jama.2017.6373
6. Liu PH, Cao Y, Keeley BR, et al. Adherence to a Healthy Lifestyle is Associated With a Lower Risk of Diverticulitis among Men. *Am J Gastroenterol.* 2017 Dec;112(12):1868-1876. doi: 10.1038/ajg.2017.398
7. Crowe FL, Appleby PN, Allen NE, et al. Diet and risk of diverticular disease in Oxford cohort of European Prospective Investigation into Cancer and Nutrition (EPIC): prospective study of British vegetarians and non-vegetarians. *BMJ.* 2011 Jul 19;343:d4131. doi: 10.1136/bmj.d4131
8. Strate LL, Liu YL, Aldoori WH, et al. Physical activity decreases diverticular complications. *Am J Gastroenterol.* 2009 May;104(5):1221-30. doi: 10.1038/ajg.2009.121
9. Rosemar A, Angerås U, Rosengren A. Body mass index and diverticular disease: a 28-year follow-up study in men. *Dis Colon Rectum.* 2008 Apr;51(4):450-5. doi: 10.1007/s10350-007-9172-5
10. Strate LL, Modi R, Cohen E, Spiegel BM. Diverticular disease as a chronic illness: evolving epidemiologic and clinical insights. *Am J Gastroenterol.* 2012 Oct;107(10):1486-93. doi: 10.1038/ajg.2012.194
11. Floch MH. A hypothesis: is diverticulitis a type of inflammatory bowel disease? *J Clin Gastroenterol.* 2006 Aug;40 Suppl 3:S121-5. doi: 10.1097/01.mcg.0000225502.29498.ba
12. Boynton W, Floch M. New strategies for the management of diverticular disease: insights for the clinician. *Therap Adv Gastroenterol.* 2013 May;6(3):205-13. doi: 10.1177/1756283X13478679
13. Shahedi K, Fuller G, Bolus R, et al. Long-term risk of acute diverticulitis among patients with incidental diverticulosis found during colonoscopy. *Clin Gastroenterol Hepatol.* 2013 Dec;11(12):1609-13. doi: 10.1016/j.cgh.2013.06.020
14. Ambrosetti P, Chautems R, Soravia C, et al. Long-term outcome of mesocolic and pelvic diverticular abscesses of the left colon: a prospective study of 73 cases. *Dis Colon Rectum.* 2005 Apr;48(4):787-91. doi: 10.1007/s10350-004-0853-z
15. Tursi A, Papa A, Danese S. Review article: the pathophysiology and medical management of diverticulosis and diverticular disease of the colon. *Aliment Pharmacol Ther.* 2015 Sep;42(6):664-84. doi: 10.1111/apt.13322.
16. Peery AF, Barrett PR, Park D, et al. A high-fiber diet does not protect against asymptomatic diverticulosis. *Gastroenterology.* 2012 Feb;142(2):266-72.e1. doi: 10.1053/j.gastro.2011.10.035
17. Floch MH, Bina I. The natural history of diverticulitis: fact and theory. *J Clin Gastroenterol.* 2004 May-Jun;38(5 Suppl 1):S2-7. doi: 10.1097/01.mcg.0000124003.07433. ee
18. Alatise OI, Arigbabu AO, Agbakwuru EA, et al. Spectrum of colonoscopy findings in Ile-Ife Nigeria. *Niger Postgrad Med J.* 2012 Dec;19(4):219-24.
19. Peery AF, Keku TO, Martin CF, et al. Distribution and Characteristics of Colonic Diverticula in a United States Screening Population. *Clin Gastroenterol Hepatol.* 2016 Jul;14(7):980-985.e1. doi: 10.1016/j.cgh.2016.01.020
20. Yamamichi N, Shimamoto T, Takahashi Y, et al. Trend and risk factors of diverticulosis in Japan: age, gender, and lifestyle/metabolic-related factors may cooperatively affect on the colorectal diverticula formation. *PLoS One.* 2015 Apr 10;10(4):e0123688. doi: 10.1371/journal.pone.0123688
21. Reichert MC, Lammert F. The genetic epidemiology of diverticulosis and diverticular disease: Emerging evidence. *United European Gastroenterol J.* 2015 Oct;3(5):409-18. doi: 10.1177/2050640615576676
22. Yang F, Lin L, Jiang X, et al. Increasing Diverticulosis in an Aging Population: A Colonoscopy-Based Study of 5-Year Trends in 26 463 Patients in Northern China. *Med Sci Monit.* 2018 May 6;24:2825-2831. doi: 10.12659/MSM.906864
23. Ubaldi E, Grattaglione I, Lapi F, et al. Overview on the management of diverticular disease by Italian General Practitioners. *Dig Liver Dis.* 2019 Jan;51(1):63-67. doi: 10.1016/j.dld.2018.07.015
24. Blachut K, Paradowski L, Garcarek J. Prevalence and distribution of the colonic diverticulosis. Review of 417 cases from Lower Silesia in Poland. *Rom J Gastroenterol.* 2004 Dec;13(4):281-5.
25. Yaşar M, Kayıkçı A. Kolonoskopİ Sonuçlarımızın Retrospektif Analizi. *Konuralp Tip Dergisi* 2010;2(3):6-9.
26. Korkmaz H, Kendir İC, Kerpiç O. Evaluation of colonoscopy outcomes with the indications, complications, and success of the procedure in our gastroenterology unit. *Endoscopy Gastrointestinal* 2015;23:9-13.
27. Bozdağ A, Gültürk B, Aksu A. Lower gastrointestinal endoscopies results. *Journal of Clinical and Experimental Investigations.* 2014;5(4):580-582 doi:10.5799/ahinjs.01.2014.04.0462.
28. Painter NS, Burkitt DP. Diverticular disease of the colon: a deficiency disease of Western civilization. *Br Med J.* 1971 May 22;2(5759):450-4. doi: 10.1136/bmj.2.5759.450
29. Peery AF, Sandler RS, Ahnen DJ, et al. Constipation and a low-fiber diet are not associated with diverticulosis. *Clin Gastroenterol Hepatol.* 2013 Dec;11(12):1622-7. doi: 10.1016/j.cgh.2013.06.033.

30. Granlund J, Svensson T, Olén O, et al. The genetic influence on diverticular disease--a twin study. *Aliment Pharmacol Ther.* 2012 May;35(9):1103-7. doi: 10.1111/j.1365-2036.2012.05069.x
31. Strate LL, Erichsen R, Baron JA, et al. Heritability and familial aggregation of diverticular disease: a population-based study of twins and siblings. *Gastroenterology.* 2013 Apr;144(4):736-742.e1; quiz e14. doi: 10.1053/j.gastro.2012.12.030
32. Wedel T, Büsing V, Heinrichs G, et al. Diverticular disease is associated with an enteric neuropathy as revealed by morphometric analysis. *Neurogastroenterol Motil.* 2010 Apr;22(4):407-14, e93-4. doi: 10.1111/j.1365-2982.2009.01445.x
33. Bassotti G, Battaglia E, Bellone G, et al. Interstitial cells of Cajal, enteric nerves, and glial cells in colonic diverticular disease. *J Clin Pathol.* 2005 Sep;58(9):973-7. doi: 10.1136/jcp.2005.026112
34. Golder M, Burleigh DE, Belai A, et al. Smooth muscle cholinergic denervation hypersensitivity in diverticular disease. *Lancet.* 2003 Jun 7;361(9373):1945-51. doi: 10.1016/S0140-6736(03)13583-0
35. Yan Y, Wu JS, Pan S. Age, alcohol, sex, and metabolic factors as risk factors for colonic diverticulosis. *World J Clin Cases.* 2022 Jan 7;10(1):136-142. doi: 10.12998/wjcc.v10.i1.136
36. Tursi A. Diverticulosis today: unfashionable and still under-researched. *Therap Adv Gastroenterol.* 2016 Mar;9(2):213-28. doi: 10.1177/1756283X15621228
37. Yuhara H, Corley DA, Nakahara F, et al. Aspirin and non-aspirin NSAIDs increase risk of colonic diverticular bleeding: a systematic review and meta-analysis. *J Gastroenterol.* 2014 Jun;49(6):992-1000. doi: 10.1007/s00535-013-0905-z
38. Sakuta H, Suzuki T. Prevalence rates of type 2 diabetes and hypertension are elevated among middle-aged Japanese men with colonic diverticulum. *Environ Health Prev Med.* 2007 Mar;12(2):97-100. doi: 10.1007/BF02898156
39. Burkitt DP. Epidemiology of cancer of the colon and rectum. *Cancer.* 1971;28:3-13.
40. Böttner M, Barrenschee M, Hellwig I, et al. The enteric serotonergic system is altered in patients with diverticular disease. *Gut.* 2013 Dec;62(12):1753-62. doi: 10.1136/gutnl-2012-302660
41. Wess L, Eastwood MA, Wess TJ, et al. Cross linking of collagen is increased in colonic diverticulosis. *Gut* 1995; 37:91.
42. Chan CC, Lo KKL, Chung ECH, et al. Colonic diverticulosis in Hong Kong: distribution pattern and clinical significance. *Clin Radiol.* 1998;53(11):842-4.
43. Rajendra S, Ho JJ. Colonic diverticular disease in a multi-racial Asian patient population has an ethnic predilection. *Eur J Gastroenterol Hepatol.* 2005;17:871-5.
44. Connelly TM, Berg AS, Hegarty JP, et al. The TNFSF15 gene single nucleotide polymorphism rs7848647 is associated with surgical diverticulitis. *Ann Surg.* 2014 Jun;259(6):1132-7. doi: 10.1097/SLA.0000000000000232
45. Aldoori WH, Giovannucci EL, Rockett HR, et al. A prospective study of dietary fiber types and symptomatic diverticular disease in men. *J Nutr.* 1998 Apr;128(4):714-9. doi: 10.1093/jn/128.4.714
46. Crowe FL, Balkwill A, Cairns BJ, et al.; Million Women Study Collaborators; Million Women Study Collaborators. Source of dietary fibre and diverticular disease incidence: a prospective study of UK women. *Gut.* 2014 Sep;63(9):1450-6. doi: 10.1136/gutjnl-2013-304644
47. Stollman N, Smalley W, Hirano I; AGA Institute Clinical Guidelines Committee. American Gastroenterological Association Institute Guideline on the Management of Acute Diverticulitis. *Gastroenterology.* 2015 Dec;149(7):1944-9. doi: 10.1053/j.gastro.2015.10.003
48. Barbara G, Scaioli E, Barbaro MR, et al. Gut microbiota, metabolome and immune signatures in patients with uncomplicated diverticular disease. *Gut.* 2017 Jul;66(7):1252-1261. doi: 10.1136/gutjnl-2016-312377
49. Peery AF, Keku TO, Addamo C, et al. Colonic Diverticula Are Not Associated With Mucosal Inflammation or Chronic Gastrointestinal Symptoms. *Clin Gastroenterol Hepatol.* 2018 Jun;16(6):884-891.e1. doi: 10.1016/j.cgh.2017.05.051
50. Tursi A, Elisei W. Role of Inflammation in the Pathogenesis of Diverticular Disease. *Mediators Inflamm.* 2019 Mar 14;2019:8328490. doi: 10.1155/2019/8328490
51. Strate LL, Morris AM. Epidemiology, Pathophysiology, and Treatment of Diverticulitis. *Gastroenterology.* 2019 Apr;156(5):1282-1298.e1. doi: 10.1053/j.gastro.2018.12.033
52. Niikura R, Nagata N, Shimbo T, et al. Colonoscopy can miss diverticula of the left colon identified by barium enema. *World J Gastroenterol.* 2013 Apr 21;19(15):2362-7. doi: 10.3748/wjg.v19.i15.2362
53. Flor N, Maconi G, Cornalba G, et al. The Current Role of Radiologic and Endoscopic Imaging in the Diagnosis and Follow-Up of Colonic Diverticular Disease. *AJR Am J Roentgenol.* 2016 Jul;207(1):15-24. doi: 10.2214/AJR.16.16138
54. Lembcke BJ, Strobel D, Dirks K, et al. Statement of the section internal medicine of the DEGUM - ultrasound obtains pole position for clinical imaging in acute diverticulitis. *Ultraschall Med.* 2015 Apr;36(2):191-5. doi: 10.1055/s-0034-1369761
55. Navaneethan U, Njei B, Venkatesh PG, et al. Timing of colonoscopy and outcomes in patients with lower GI bleeding: a nationwide population-based study. *Gastrointest Endosc.* 2014 Feb;79(2):297-306.e12. doi: 10.1016/j.gie.2013.08.001
56. Tursi A, Brandimarte G, Di Mario F, et al. Development and validation of an endoscopic classification of diverticular disease of the colon: the DICA classification. *Dig Dis.* 2015;33(1):68-76. doi: 10.1159/000366039
57. Tursi A, Brandimarte G, Di Mario F, et al. Predictive value of the Diverticular Inflammation and Complication Assessment (DICA) endoscopic classification on the outcome of diverticular disease of the colon: An international study. *United European Gastroenterol J.* 2016 Aug;4(4):604-13. doi: 10.1177/2050640615617636

58. Tursi A, Brandimarte G, Di Mario F, et al. P02.12. Predictive value of the “DICA” endoscopic classification on the outcome of diverticular disease of the colon: a 1-year Analysis from the international, multicenter, prospective study. *Digestive and Liver Disease Volume 51, Supplement 2: e152-e153(2019)*.
59. Kechagias A, Sofianidis A, Zografos G, et al. Index C-reactive protein predicts increased severity in acute sigmoid diverticulitis. *Ther Clin Risk Manag.* 2018 Oct 2;14:1847-1853. doi: 10.2147/TCRM.S160113.
60. van de Wall BJ, Draaisma WA, van der Kaaij RT, et al. The value of inflammation markers and body temperature in acute diverticulitis. *Colorectal Dis.* 2013 May;15(5):621-6. doi: 10.1111/codi.12072
61. Mäkelä JT, Klintrup K, Takala H, et al. The role of C-reactive protein in prediction of the severity of acute diverticulitis in an emergency unit. *Scand J Gastroenterol.* 2015 May;50(5):536-41. doi: 10.3109/00365521.2014.999350
62. Tursi A, Brandimarte G, Elisei W, Giorgetti GM, Incilingolo CD, Aiello F. Faecal calprotectin in colonic diverticular disease: a case-control study. *Int J Colorectal Dis.* 2009 Jan;24(1):49-55. doi: 10.1007/s00384-008-0595-9
63. Tursi A, Elisei W, Picchio M, et al. Moderate to severe and prolonged left lower-abdominal pain is the best symptom characterizing symptomatic uncomplicated diverticular disease of the colon: a comparison with fecal calprotectin in clinical setting. *J Clin Gastroenterol.* 2015 Mar;49(3):218-21. doi: 10.1097/MCG.0000000000000094
64. Tan WJ, Ng WQ, Sultana R, et al. Systematic review and meta-analysis of the use of serum procalcitonin levels to predict intra-abdominal infections after colorectal surgery. *Int J Colorectal Dis.* 2018 Feb;33(2):171-180. doi: 10.1007/s00384-017-2956-8
65. Lizardi-Cervera J, Vázquez-Elizondo G, Becerra-Laparra I, et al. Estudio comparativo de la presentación clínica y complicaciones de la diverticulitis aguda colónica en pacientes mayores y menores de 65 años [Comparative study of the clinical presentation and complications of acute colonic diverticulitis in patients older and younger than 65 years.]. *Rev Gastroenterol Mex.* 2008;73(3):153-8.
66. Hinckey EJ, Schaal PG, Richards GK. Treatment of perforated diverticular disease of the colon. *Adv Surg.* 1978;12:85-109. PMID: 735943.
67. Kaiser AM, Jiang JK, Lake JP, et al. The management of complicated diverticulitis and the role of computed tomography. *Am J Gastroenterol.* 2005 Apr;100(4):910-7. doi: 10.1111/j.1572-0241.2005.41154.x. PMID: 15784040.
68. Sartelli M, Moore FA, Ansaloni L, et al. A proposal for a CT driven classification of left colon acute diverticulitis. *World J Emerg Surg.* 2015 Feb 19;10:3. doi: 10.1186/1749-7922-10-3
69. Binda GA, Mataloni F, Bruzzone M, et al. Trends in hospital admission for acute diverticulitis in Italy from 2008 to 2015. *Tech Coloproctol.* 2018 Aug;22(8):597-604. doi: 10.1007/s10151-018-1840-z
70. Lidsky ME, Thacker JK, Lagoo-Deenadayalan SA, et al. Advanced age is an independent predictor for increased morbidity and mortality after emergent surgery for diverticulitis. *Surgery.* 2012 Sep;152(3):465-72. doi: 10.1016/j.surg.2012.06.038
71. Lidor AO, Segal JB, Wu AW, et al. Older patients with diverticulitis have low recurrence rates and rarely need surgery. *Surgery.* 2011 Aug;150(2):146-53. doi: 10.1016/j.surg.2011.05.006
72. Chabok A, Pählsman L, Hjern F, et al.; AVOD Study Group. Randomized clinical trial of antibiotics in acute uncomplicated diverticulitis. *Br J Surg.* 2012 Apr;99(4):532-9. doi: 10.1002/bjs.8688
73. Balk EM, Adam GP, Bhuma MR, et al. Diagnostic Imaging and Medical Management of Acute Left-Sided Colonic Diverticulitis : A Systematic Review. *Ann Intern Med.* 2022 Mar;175(3):379-387. doi: 10.7326/M21-1645
74. Fugazzola P, Ceresoli M, Coccolini F, et al. The WSES/SICG/ACOI/SICUT/AcEMC/SIFIPAC guidelines for diagnosis and treatment of acute left colonic diverticulitis in the elderly. *World J Emerg Surg.* 2022 Jan 21;17(1):5. doi: 10.1186/s13017-022-00408-0.
75. Jin-Dominguez F, Mansoor E, Panhwar MS, et al. Epidemiology of Diverticulitis and Prevalence of First-Ever Colorectal Cancer Postdiverticulitis in Adults in the United States: A Population-Based National Study. *Dis Colon Rectum.* 2021 Feb 1;64(2):181-189. doi: 10.1097/DCR.0000000000001837
76. Tursi A, Brandimarte G, Elisei W, Giorgetti GM, Incilingolo CD, Aiello F. Faecal calprotectin in colonic diverticular disease: a case-control study. *Int J Colorectal Dis.* 2009 Jan;24(1):49-55. doi: 10.1007/s00384-008-0595-9. Epub 2008 Oct 22. PMID: 18941760.
77. Lahner E, Esposito G, Zullo A, et al. High-fibre diet and *Lactobacillus paracasei* B21060 in symptomatic uncomplicated diverticular disease. *World J Gastroenterol.* 2012;18(41):5918-5924. doi: 10.3748/wjg.v18.i41.5918
78. Lamiki P, Tsuchiya J, Pathak S, et al. Probiotics in diverticular disease of the colon: an open label study. *J Gastrointest Liver Dis.* 2010 Mar;19(1):31-6
79. Lahner E, Bellisario C, Hassan C, et al. Probiotics in the Treatment of Diverticular Disease. A Systematic Review. *J Gastrointest Liver Dis.* 2016 Mar;25(1):79-86. doi: 10.15403/jgld.2014.1121.251.srw
80. Iannone A, Ruospo M, Wong G, et al. Mesalazine for People with Diverticular Disease: A Systematic Review of Randomized Controlled Trials. *Can J Gastroenterol Hepatol.* 2018 Sep 16;2018:5437135. doi: 10.1155/2018/5437135
81. Maconi G, Barbara G, Bosetti C, et al. Treatment of diverticular disease of the colon and prevention of acute diverticulitis: a systematic review. *Dis Colon Rectum.* 2011 Oct;54(10):1326-38. doi: 10.1097/DCR.0b013e318223cb2b
82. Bianchi M, Festa V, Moretti A, et al. Meta-analysis: long-term therapy with rifaximin in the management of uncomplicated diverticular disease. *Aliment Pharmacol Ther.* 2011 Apr;33(8):902-10. doi: 10.1111/j.1365-2036.2011.04606.x

83. Calini G, Abd El Aziz MA, Paolini L, et al. Symptomatic Uncomplicated Diverticular Disease (SUDD): Practical Guidance and Challenges for Clinical Management. *Clin Exp Gastroenterol.* 2023 Mar 28;16:29-43. doi: 10.2147/CEG.S340929. PMID: 37013200; PMCID: PMC10066719.)
84. Tursi A, Elisei W, Giorgetti G, et al. Role of fecal calprotectin in the diagnosis and treatment of segmental colitis associated with diverticulosis. *Minerva Gastroenterol Dietol.* 2011 Sep;57(3):247-55.
85. Freeman HJ. Natural history and long-term clinical behavior of segmental colitis associated with diverticulosis (SCAD syndrome). *Dig Dis Sci.* 2008 Sep;53(9):2452-7. doi: 10.1007/s10620-007-0173-y
86. Hassan C, Zullo A, Ierardi E, et al. Tumour necrosis factor alpha downregulation and therapeutic response to infliximab in a case of segmental colitis associated with diverticula. *Gut.* 2006 Apr;55(4):589-90. doi: 10.1136/gut.2005.084756
87. Tursi A, Nenna R, Danese S. Therapeutic Response to Adalimumab in a Case of Steroid-Dependent Segmental Colitis Associated With Diverticulosis. *Am J Gastroenterol.* 2021 Aug 1;116(8):1760-1761. doi: 10.14309/ajg.0000000000001226
88. Jensen DM, Ohning GV, Kovacs TO, et al. Natural history of definitive diverticular hemorrhage based on stigmata of recent hemorrhage and colonoscopic Doppler blood flow monitoring for risk stratification and definitive hemostasis. *Gastrointest Endosc.* 2016 Feb;83(2):416-23. doi: 10.1016/j.gie.2015.07.033
89. Shibata S, Shigeno T, Fujimori K, Kanai K, Yoshizawa K. Colonic diverticular hemorrhage: the hood method for detecting responsible diverticula and endoscopic band ligation for hemostasis. *Endoscopy.* 2014 Jan;46(1):66-9. doi: 10.1055/s-0033-1344890. Epub 2013 Nov 11. PMID: 24218306.