



BÖLÜM 10

Baş Boyun Kanseri: Larenjektomi ve Dil Kanserlerinde Değerlendirme

Harun AYAS¹
Müge Müzeyyen ÇİYLTEPE²

Genel Bilgiler

Larenks kanserleri, baş ve boyun kanserlerinin yaklaşık %25'ini oluşturan en yaygın ikinci malign tümörlerdir. Tüm vücut malignitelerinin ise %2-5'ininvoluşturmaktadır (1). Ülkemizde erkeklerde en sık rastlanan 8.kanser türüdür (2).

Başlıca risk faktörlerinin sigara ve alkol kullanımı olması larenks kanserlerinin önemini günden güne arttırmaktadır.

Baş ve boyun kanserlerine yönelik yapılacak müdahaleler bireylerintemel hayati etmenlerinde bozulmalara neden olabileceğinden yaşam kalitesini olumsuz etkilemektedir (Tablo 1) (3, s. 1; 4 s. 1095).

- *nefes alma,*
- *konuşma,*
- *beslenme,*
- *tad alma gibi*

¹ Uzm. DKT., TC Sağlık Bakanlığı İstanbul Erenköy Fizik Tedavi ve Rehabilitasyon Hastanesi (Anadolu Üniversitesi Sağlık Bilimleri Enstitüsü Dil ve Konuşma Terapisi AD. Doktora Programı), harunayas@anadolu.edu.tr, ORCID iD: 0000-0002-4169-4286

² Prof. Dr., Tarsus Üniversitesi, Sağlık Bilimleri Fakültesi, Dil ve Konuşma Terapisi Bölümü, mciiyltepe08@gmail.com, ORCID iD: 0000-0003-4161-8117

- Dil kökünün ve ağız tabanının simultane düşürülmesi oluşturulmuş
- Oral kavite ve orofarenkste negatif bir basınç ve
- Vakum oluşturulması
- Böylece “Hava moleküllerinin olfaktör epitele ulaşması” sağlanmıştır.

Kaynaklar

1. Nemr NK, Köhle J, Carvalho M ve ark. (2007). Functional study of the voice and swallowing following supracricoid laryngectomy. *Braz J Otorhinolaryngol*, 73 (2), 151-155.
2. TC Sağlık Bakanlığı 2017 verileri (2021). Ankara.
3. Balfour A, Rhys Evans PQ ve Patel, SG (2009). Head and Neck Malignancy: An Overview. P.Q. Montgomery, P.H. Rhys Evans ve P.J. Gullane (Editörler), Principles and practice of head and neck surgery and oncology (2 Ed.) içinde (s. 1- 13). London: CRC Press.
4. Logemann JA ve Bytell DE (1979). Swallowing disorders in three types of head and neck surgical patients. *Cancer*, 44 (3), 1095-1105.
5. Basut, O (2003). Larenks ve Hastalıkları Ders Notları. Uludağ Üniversitesi KBB AD.
6. Ludlow CL (2005). Central nervous system control of the laryngeal muscles in humans. *Respir Physiol Neurobiol*, 147:205–222.
7. Piazza C, Mangili S, Bon FD ve ark. (2014) Preoperative clinical predictors of difficult laryngeal exposure for microlaryngoscopy: The laryngoscore. *Laryngoscope*, 124:2561–2567
8. Lin E, Jiang J, Noon SD, Hanson DG (2000 Mar). Effects of head extension and tongue protrusion on voice perturbation measures. *J Voice*,14(1):8-16.
9. Seikel JA, King DW ve Drumright DG (2009). Anatomy & physiology for speech, language, and hearing (4th Edition). Clifton Park: Cengage Learning.
10. Soga T, Suzuki N, Kato K. ve ark. (2022). Long-term outcomes after surgery to prevent aspiration for patients with amyotrophic lateral sclerosis. *BMC Neurol*, 22:94, 1-8.
11. Schindler A, Mozzanica F ve Barbiera F (2012). Dysphagia evaluation and treatment after head and neck surgery. O. Ekberg (Editör), Dysphagia diagnosis and treatment içinde (s. 459-476). Malmö: Springer-Verlag Berlin Heidelberg.
12. Gaziano, J.E. (2002). Evaluation and management of oropharyngeal dysphagia in head and neck cancer. *Cancer Control*, 9 (5), 400-409.
13. Cömert E, Ulu Ş, Dursun E ve Aslan N (2015). Glottik Tümörlerin Tedavisinde Vertikal ve Suprakrikoid Parsiyel Larenjektomi. *Kocatepe Tıp Dergisi*, 16 (1), 51-56.
14. Goeleven A, Dejaeger E, Vander Poorten V ve Delaere P (2005). Swallowing and functional outcome after partial laryngectomy: a literature review. *B-ENT*, 1 (4), 165-172
15. Karabulut B, Basaran B, Yenice H ve ark. (2013). Larinks kanserli hastalarda ameliyat tipi, adjuvan radyoterapi ve spinal aksesuar sinir ile yaşam kalitesi arasındaki ilişki. *Kulak Burun Bogaz İhtis Derg*, 23 (3), 153- 162.
16. Tuncay A, Titz A ve Özcan M (2007). Parsiyel larenjektomi sonrası yutma fizyolojisindeki değişimler. *DIRİM*, 82 (1), 322-327.
17. Johnson JT (2013). Vertical partial laryngectomy. RL Ferris ve EN Myers (Editörler), Master Techniques in Otolaryngology-Head and Neck Surgery (Vol.1) (s. 199-206) Philadelphia: Lippincott Williams and Wilkins.
18. Weinstein G (2003). Partial laryngeal procedures. JF Ensley, JS Gutkind, JR Jacobs ve SM Lippman (Editörler), Head and neck cancer: Emerging perspectives içinde (s. 375-388). California: Academic press.

19. Rubesin SE, Eisele DW ve Jones B (2003). Pharyngography in the postoperative patient. B Jones (Editör), Normal and abnormal swallowing: Imaging in diagnosis and therapy (2 ed.) içinde (s. 167-204). New York: Springer-Verlag New York.
20. Sheahan P, Patel SG, Rhys Evans PH ve Ganly I (2009). Tumors of the larynx. PQ Montgomery, PH Rhys Evans ve PJ Gullane (Editörler), Principles and practice of head and neck surgery and oncology (2 ed.) içinde (s. 257-290). London: CRC Press.
21. Fuller DR, Pimentel JT ve Peregoy BM (2012). Applied anatomy and physiology for speech-language pathology and audiology. Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins.
22. Ganly I, Ibrahimspasic T, Patel SG ve Shah JP (2009). Tumors of the Oral Cavity. PQ Montgomery, PH Rhys Evans ve PJ Gullane (Editörler), Principles and practice of head and neck surgery and oncology (2 ed.) içinde (s. 160-191). London: CRC Press
23. Belafsky PC ve Lintzenich CR (2013). Development, anatomy, and physiology of the pharynx. R Shaker, PC Belafsky, GN Postma ve C Easterling (Editörler), Principles of deglutition: A multidisciplinary text for swallowing and its disorders içinde (s. 165-174). New York: Springer-Verlag New York.
24. Groher ME ve Crary MA (2010). Dysphagia: Clinical management in adults and children, Missouri: Mosby Inc.
25. Dholam KP, Pusalkar H, Bachher GK ve Somani PP (2013). Assessment of Quality of Life and Speech after Implant-Retained Oral Rehabilitation in Head and Neck Cancer Patients, *Journal of Oral Oncology*, vol. 2013, Article ID 283290, 1-6. <https://doi.org/10.1155/2013/283290>
26. Roxbury CR ve Chang SS (2016). Surgical management of oral tongue cancer. RT Sataloff (Editör), Surgical techniques in otolaryngology –head and neck surgery içinde (s. 71-76). New Delhi: Jaypee Brothers Medical Publishe
27. Patel RS, Gullane PJ, Novak CB ve Neligan PC (2009). Tumors of the larynx. PQ Montgomery, PH Rhys Evans ve PJ Gullane (Editörler), Principles and practice of head and neck surgery and oncology (2 ed.) içinde (s. 541-556). London: CRC Press.
28. Bhattacharya S, Thankappan K, Sukumaran SV ve ark. (2021). Volume and location of the defect as predictors of speech outcome after glossectomy: Correlation with a classification, *International Journal of Oral and Maxillofacial Surgery*; 50(12), 1533-1539,
29. Ahn SM ve Chang SS (2016). Floor of mouth resection. RT Sataloff (Editör), Surgical techniques in otolaryngology –head and neck surgery içinde (s. 65-70). New Delhi: Jaypee Brothers Medical Publishers.
30. Dwivedi RC, Rhys Evans PH ve Patel, SG (2009). Tumors of the oropharynx. P.Q. Montgomery, PH Rhys Evans, PJ Gullane (Editörler), Principles And Practice Of Head And Neck Surgery And Oncology (2 Ed.) içinde, (s. 192-233). London: CRC Press.
31. Ondrey FG ve Wright SK (2003). Neoplasms of the nasopharynx. J.B. Snow, J.J. Ballenger (Editörler), Ballenger's Otorhinolaryngology Head And Neck Surgery (16 Ed.) içinde (s. 1392-1408). Ontario: BC Decker.
32. Lovell SJ, Wong HB, Loh KS ve ark. (2005). Impact of dysphagia on quality-of-life in nasopharyngeal carcinoma. *Head Neck*, 27 (10), 864-872.
33. Wetmore SJ, Krueger K, Wesson K ve Blessing ML (1985). Long-term results of the Blom-Singer speech rehabilitation procedure. *Archives of Otolaryngology*, 111(2),106-9.
34. Singer MI ve Blom ED (1980) An endoscopic technique for restoration of voice after laryngectomy. *Ann Otolaryngology*, 89, 529-33.
35. Callaway E, Truelson JM, Wolf GT ve ark. (1992 Jun.). Predictive value of objective esophageal insufflation testing for acquisition of tracheoesophageal speech. *Laryngoscope*, 102(6):704-8.
36. Doyle PC (1994). Foundations of voice and speech Rehabilitation following laryngeal Cancer San Diego: Singular Publishing Group Inc.

37. Hillman RE, Walsh MJ, Wolf GT ve ark. (1998 May). Functional outcomes following treatment for advanced laryngeal cancer. Part I--Voice preservation in advanced laryngeal cancer. Part II--Laryngectomy rehabilitation: the state of the art in the VA System. Research Speech-Language Pathologists. Department of Veterans Affairs Laryngeal Cancer Study Group. *Ann Otol Rhinol Laryngol*, Suppl;172:1-27.
38. Kotake K, Suzukamo Y, Kai I ve ark. (2017 Mar.). Social support and substitute voice acquisition on psychological adjustment among patients after laryngectomy. *Eur Arch Otorhinolaryngol*, 274(3):1557-1565.
39. Blom ED, Singer MI, Hamaker R (1998). Tracheoesophageal voice restoration following total laryngectomy: Singular.
40. Ward EC, van As-Brooks CJ. Head and neck cancer: treatment, rehabilitation, and outcomes: Plural Publishing; 2014.
41. Blom ED, Singer MI ve Hamaker RC (1985 Apr.). An improved esophageal insufflation test. *Arch Otolaryngol*;111(4):211-2.
42. McGarvey SD ve Weinberg B (1984 Aug). Esophageal insufflation testing in non-laryngectomized adults. *J Speech Hear Disord*;49(3):272-7.
43. Şirin AA, Erdim I, Baykal B ve ark. (2015). Detection of ideal reservoir level after laryngectomy using endoillumination in voice rehabilitation. *Laryngoscope*, 125: E239–E244.
44. Aaronson NK, Ahmedzai S, Bergman B, ve ark. (1993). The European Organization for Research and Treatment of Cancer QLQ-C30: a quality-of-life instrument for use in international clinical trials in oncology. *Journal Of The National Cancer Institute*, 85(5):365-76. 81.
45. Güzelant A, Göksel T, Özkök S ve ark. (2004). The European Organization for Research and Treatment of Cancer QLQ-C30: an examination into the cultural validity and reliability of the Turkish version of the EORTC QLQ-C30. *European Journal of Cancer Care*, 13(2):13544.
46. Fayers P ve Bottomley A (2002). Quality of life research within the EORTC—the EORTC QLQ-C30. *European Journal of Cancer*, 38:12533.
47. Cankurtaran-Şahin E, Özalp E, Soygür, H ve ark. (2008). Understanding the reliability and validity of the EORTC QLQ-C30 in Turkish cancer patients. *European Journal of Cancer Care*, 17(1), 98-104.
48. Kılıç MA, Okur E & Yildirim İ ve ark. (2008). Ses Handikap Endeksi (Voice Handicap Index) Türkçe versiyonunun güvenilirliği ve geçerliliği. *Kulak Burun Boğaz İhtisas Dergisi*, 18. 139-47.
49. Tezcaner ZÇ, Aksoy S (2007). Reliability and validity of the Turkish version of the voice-related quality of life measure. *J Voice*, 31; 262.e7-262.e11.
50. Eadie, T. L. (2007, November). Application of the ICF in communication after total laryngectomy. In *Seminars in Speech and Language*, 28(04), 291-300.
51. Blood GW (1993). Development and assessment of a scale addressing communication needs of patients with laryngectomies. *American Journal of Speech-Language Pathology*, 2(3), 82-90.
52. Woodard TD, Oplatek A & Petruzzelli GJ (2007). Life after total laryngectomy: a measure of long-term survival, function, and quality of life. *Archives of Otolaryngology–Head & Neck Surgery*, 133(6), 526-532.
53. Mallis A, Goumas PD, Mastronikolis NS ve ark. (2011). Factors influencing quality of life after total laryngectomy: a study of 92 patients. *Eur Rev Med Pharmacol Sci*, 15(8), 937-942.
54. da Silva AP, Feliciano T, Freitas SV ve ark. (2015). Quality of life in patients submitted to total laryngectomy. *Journal of Voice*, 29(3), 382-388.
55. Palmer AD ve Graham MS (2004). The relationship between communication and quality of life in laryngeal speakers. *Journal of Speech Language Pathology and Audiology*, 28(1), 6-24.

56. McHorney CA, Robbins J, Lomax K ve ark. (2002). The SWAL-QOL and SWAL-CARE outcomes tool for oropharyngeal dysphagia in adults: III. Documentation of reliability and validity. *Dysphagia*, 17 (2), 97-114.
57. Demir N, Arslan SS, İnal Ö ve ark. (2016a). Reliability and validity of the Turkish version of the swallow quality of life questionnaire. *Türk Fizyoterapi ve Rehabilitasyon Dergisi*, 27 (1), 19-24.
58. Bjordal K, Ahlner-Elmqvist M, Tolleson E ve ark. (1994). Development of a European Organization for Research and Treatment of Cancer (EORTC) questionnaire module to be used in quality of life assessments in head and neck cancer patients. *EORTC Quality of Life Study Group*;33(8):879-85.
59. Bjordal K, Hammerlid E, Ahlner-Elmqvist M ve ark. (1999 March). Quality of life in head and neck cancer patients: Validation of the European Organization for Research and Treatment of Cancer Quality of Life Questionnaire-H&N, *Journal of Clinical Oncology*, 17(3):1008-1008-1019.
60. Güzelant A, Göksel T, Özkök S ve ark. (2004 May). The European Organization for Research and Treatment of Cancer QLQ-C30: An examination into the cultural validity and reliability of the Turkish version of the EORTC QLQ-C30, *Eur J Cancer Care* ;13(2):135-44.
61. Sarı SY, ESEN ÇSB, Yüce D ve ark. (2020 Feb.). Validation of the EORTC-QLQ-HN35 Questionnaire in Turkish Head and Neck Cancer Patients. *Turk J Oncol*, 35(2):144-9.
62. Demir N, Arslan SS, İnal Ö ve ark. Ünlüer NÖ (2016b). Reliability and validity of the Turkish eating assessment tool (T-EAT-10). *Dysphagia*, 31 (5), 644-649.
63. Belafsky PC, Mouadeb DA, Rees CJ ve ark. (2008). Validity and reliability of the Eating Assessment Tool (EAT-10). *Annals of Otolaryngology, Rhinology & Laryngology*, 117(12), 919-924.
64. Van Dam FS, Hilgers FJ, Emsbroek G, Touw FI, Van As CJ, De Jong N. Deterioration of olfaction and gustation as a consequence of total laryngectomy. *The laryngoscope*. 1999;109(7):1150-5.
65. Welge-Luessen A, Kobal G, Wolfensberger MJ (2000). Assessing olfactory function in laryngectomees using the Sniffin'Sticks test battery and chemosensory evoked potentials, 110(2):303.
66. Reed GF (1961). The long-term follow-up care of laryngectomized patients. *JAMA*, 175(11):980-5.
67. Hilgers FJ, van Dam FS, Keyzers S, Koster MN, van As CJ, Muller MJ (2000). Rehabilitation of olfaction after laryngectomy by means of a nasal airflow-inducing maneuver: the polite yawning technique. *Archives of Otolaryngology-Head & Neck Surgery*, 126(6):726-32.
68. Tekeli H, Altundağ A, Salihoglu M, Çayönü M, Kendirli MT (2013). The applicability of the "Sniffin'Sticks" olfactory test in a Turkish population, 19:1221.
69. Van Dam FS, Hilgers FJ, Emsbroek G ve ark. (1999) Deterioration of olfaction and gustation as a consequence of total laryngectomy. *The Laryngoscope*, 109(7):1150-5.