



BÖLÜM 13

Genetik Varyantlar ve Dil ve Konuşma Bozukluklarının Değerlendirilmesi

Sinem FIRTINA¹

Aslı KUTLU²

Varyant nedir?

2000'li yılların ortalarına kadar sıkça kullandığımız, toplumda %1'den daha sık görülen değişimlere "polimorfizm" ve toplum sıklığı %1'den daha az görülen değişimlere ise "mutasyon" terimleri artık yerini "varyant" terimine bırakmıştır. Günümüzde yeni nesil dizileme sistemlerinin, genetik hastalıkların tanısında aktif olarak kullanılması ile ortaya çıkan "yeni tanımlanmış-novel" genetik değişimlerin fazlalığı, genetik değişimlerin polimorfizm-mutasyon terimleri ile tanımlanmasının yetersiz kaldığını göstermiştir. 2015 yılında Amerika Medikal Genetik Derneği (ACMG)'nin yayınladığı kılavuza göre tüm genetik değişimler "varyant" adını almış, kliniğe etkisine göre de "patojenik", "muhtemel patojenik", "klinik anlamı bilinmeyen (VUS)", "benin" ve "muhtemel benin" olmak üzere beş ana sınıfta kategorize edilmiştir (1). Bu kılavuzda varyantlar toplum sıklığı, ailedeki kalıtım durumu, varyantın proteine etkisi ve fonksiyonel analizlerin olup olmaması işliğinde patojenik veya benin diye sınıflandırılmakta, herhangi bir sınıfa girememeyenler ise VUS olarak isimlendirilmektedir. Yani bir varyantın patojenitesi o varyantın tipine (yanlış anlamlı, delesyon, vs. gibi) göre değil; toplum içerisinde görülme sıklığı, protein yapısına etkisi ve ailede hasta olan ve olmayan bireylerdeki

¹ Dr. Öğr. Üyesi, İstanbul Üniversitesi-Cerrahpaşa, Cerrahpaşa Tıp Fakültesi, Tıbbi Genetik AD., sinem.firtina@iuc.edu.tr, ORCID ID: 0000-0002-3370-8545

² Dr. Öğr. Üyesi, İstinye Üniversitesi, Mühendislik ve Doğa Bilimleri Fakültesi, Moleküler Biyoloji ve Genetik Bölümü, asli.kutlu@istinye.edu.tr, ORCID 0000-0002-9169-388X

Tablo 1. Gen isimleri ve ilişkili dil ve konuşma bozukluğu kliniği (DEVAMI)

<i>SETBP1</i>	18q12.3	Çocukluk çağı konuşma apraksisi	(45)
		Gelişimsel dil bozukluğu	
<i>SETD1A</i>	16p11.2	Çocukluk çağı konuşma apraksisi	(45)
<i>SETX</i>	9q34.12	Disleksi	((41))
		Çocukluk çağı konuşma apraksisi	
<i>SMCR8</i>	11p11.2	Çocukluk çağı konuşma apraksisi	(35)
<i>SRPX2</i>	Xq22.1	Otizm spektrum bozukluğu	(97,98)
<i>TDP-43</i>	1p36.22	Afazi	(82)
<i>TNRBC</i>	22q13.1	Çocukluk çağı konuşma apraksisi	(45)
<i>TTRAP</i>	6p22.3	Disleksi	(76,99)
<i>WDR5</i>	9q34.2	Çocukluk çağı konuşma apraksisi	(45)
<i>ZEHX4</i>	8q21.13	Çocukluk çağı konuşma apraksisi	(45)
<i>ZGRF1</i>	15q25.1	Çocukluk çağı konuşma apraksisi	(35)
<i>ZNF385D</i>	3p24.3	Gelişimsel dil bozukluğu	(49)

Kaynaklar

- Richards, S., Aziz, N., Bale, S., Bick, D., Das, S., Gastier-Foster, J., ... & Rehm, H. L. (2015). Standards and guidelines for the interpretation of sequence variants: a joint consensus recommendation of the American College of Medical Genetics and Genomics and the Association for Molecular Pathology. *Genetics in medicine*, 17(5), 405-423. Doi: 10.1038/gim.2015.30.
- Kurahashi, H., Bolor, H., Kato, T., Kogo, H., Tsutsumi, M., Inagaki, H., & Ohye, T. (2009). Recent advance in our understanding of the molecular nature of chromosomal abnormalities. *Journal of human genetics*, 54(5), 253–260. Doi:10.1038/jhg.2009.35
- Montazerinezhad, S., Emamjomeh, A., & Hajieghrari, B. (2020). Chromosomal abnormality, laboratory techniques, tools and databases in molecular Cytogenetics. *Molecular Biology Reports*, 47(11), 9055-9073. Doi: 10.1007/s11033-020-05895-5.
- Hassold, T., & Hunt, P. (2001). To err (meiotically) is human: the genesis of human aneuploidy. *Nature Reviews Genetics*, 2(4), 280-291.
- Skuse, D., Printzlau, F., & Wolstencroft, J. (2018). Doi:10.1016/B978-0-444-63233-3.00024-5.
- Tsou, A. Y., Bulova, P., Capone, G., Chicoine, B., Gelaro, B., Harville, T. O., ... & Whitten, M. S. (2020). Medical care of adults with Down syndrome: A clinical guideline. *Jama*, 324(15), 1543-1556. Doi: 10.1001/jama.2020.17024.
- Meyer, R. E., Liu, G., Gilboa, S. M., Ethen, M. K., Aylsworth, A. S., Powell, C. M., ... & National Birth Defects Prevention Network. (2016). Survival of children with trisomy 13 and trisomy 18: A multi-state population-based study. *American journal of medical genetics Part A*, 170(4), 825-837. Doi: 10.1002/ajmg.a.37495.

8. Lin, C., Yang, L., & Rosenfeld, M. G. (2012). Molecular logic underlying chromosomal translocations, random or non-random?. *Advances in cancer research*, 113, 241-279. Doi: 10.1016/B978-0-12-394280-7.00015-4.
9. Ogilvie, C. M., & Scriven, P. N. (2002). Meiotic outcomes in reciprocal translocation carriers ascertained in 3-day human embryos. *European Journal of Human Genetics*, 10(12), 801-806. Doi: 10.1038/sj.ejhg.5200895.
10. Poot, M., & Hochstenbach, R. (2021). Prevalence and phenotypic impact of Robertsonian translocations. *Molecular syndromology*, 12(1), 1-11. Doi: 10.1159/000512676.
11. Srivastava, S., Love-Nichols, J. A., Dies, K. A., Ledbetter, D. H., Martin, C. L., Chung, W. K., ... & Miller, D. T. (2019). NDD Exome Scoping Review Work Group. Meta-analysis and multidisciplinary consensus statement: exome sequencing is a first-tier clinical diagnostic test for individuals with neurodevelopmental disorders. *Genet Med*, 21(11), 2413-2421. Doi: 10.1038/s41436-019-0554-6.
12. Kurtovic-Kozaric, A., Mehinovic, L., Stomornjak-Vukadin, M., Kurtovic-Basic, I., Catibasic, F., Kozaric, M., ... & Sumanovic-Glamuzina, D. (2016). Diagnostics of common microdeletion syndromes using fluorescence in situ hybridization: single center experience in a developing country. *Bosnian journal of basic medical sciences*, 16(2), 121. Doi: 10.17305/bjbjms.2016.994.
13. Whibley, A. C., Plagnol, V., Tarpey, P. S., Abidi, F., Fullston, T., Choma, M. K., ... & Raymond, F. L. (2010). Fine-scale survey of X chromosome copy number variants and indels underlying intellectual disability. *The American Journal of Human Genetics*, 87(2), 173-188. Doi: 10.1016/j.ajhg.2010.06.017.
14. Gu, S., Szafrański, P., Akdemir, Z. C., Yuan, B., Cooper, M. L., Magriñá, M. A., ... & Lupski, J. R. (2016). Mechanisms for complex chromosomal insertions. *PLoS Genetics*, 12(11), e1006446. Doi: 10.1371/journal.pgen.1006446.
15. Chien, C. W., Chao, A. S., Chang, Y. L., Chen, K. J., Peng, H. H., Lin, Y. T., ... & Chang, S. D. (2022). Frequency and clinical significance of chromosomal inversions prenatally diagnosed by second trimester amniocentesis. *Scientific Reports*, 12(1), 1-7. Doi: 10.1038/s41598-022-06024-x.
16. Myers, K. A., Bennett, M. F., Hildebrand, M. S., Coleman, M. J., Zhou, G., Hollingsworth, G., ... & Scheffer, I. E. (2021). Transcriptome analysis of a ring chromosome 20 patient cohort. *Epilepsia*, 62(1), e22-e28. Doi: 10.1111/epi.16766.
17. Cetin, Z., Mendilcioglu, I., Yakut, S. E. Z. İ. N., Berker-Karauzum, S. İ. B. E. L., Karaman, B., & Luleci, G. (2011). Turner syndrome with isochromosome Xq and familial reciprocal translocation t (4; 16)(p15. 2; p13. 1). *Balkan Journal of Medical Genetics: BJMG*, 14(1), 57. Doi: 10.2478/v10034-011-0019-y.
18. Yang, R., Guo, W., Wang, J., You, Y., Song, L., Jiang, M., & Li, Q. (2021). Isochromosome 11q Is Associated with Unique Characteristics and Poor Prognosis in Patients with Acute Myeloid Leukemia. *Clinical Laboratory*, 67(6). Doi: 10.7754/Clin.Lab.2020.191241.
19. Kloosterman, W. P., Guryev, V., van Roosmalen, M., Duran, K. J., de Bruijn, E., Bakker, S. C., ... & Cuppen, E. (2011). Chromothripsis as a mechanism driving complex de novo structural rearrangements in the germline. *Human molecular genetics*, 20(10), 1916-1924. Doi: 10.1093/hmg/ddr073.
20. Pös, O., Radvanszky, J., Buglyó, G., Pös, Z., Rusnakova, D., Nagy, B., & Szemes, T. (2021). DNA copy number variation: Main characteristics, evolutionary significance, and pathological aspects. *biomedical journal*, 44(5), 548-559. Doi: 10.1016/j.bj.2021.02.003.
21. Pearson, J. C., Lemons, D., & McGinnis, W. (2005). Modulating Hox gene functions during animal body patterning. *Nature Reviews Genetics*, 6(12), 893-904. Doi: 10.1038/nrg1689.

22. Butler, M. G. (2020). Imprinting disorders in humans: a review. *Current opinion in pediatrics*, 32(6), 719. Doi: 10.1097/MOP.0000000000000965
23. Buiting, K. (2010, August). Prader–Willi syndrome and Angelman syndrome. In *American Journal of Medical Genetics Part C: Seminars in Medical Genetics* (Vol. 154, No. 3, pp. 365–376). Hoboken: Wiley Subscription Services, Inc., A Wiley Company. Doi: 10.1002/ajmg.c.30273
24. Pelley, W.J., Protein synthesis and degradation (Chp17). *Elsevier's Integrated Review Biochemistry 2nd Edition* (pp:149-160) Elsevier, Saunders. Philadelphia, PA 19103-2899.
25. Zhu, Q., McAuliffe, J. M., Patel, N. K., Palmer-Hill, F. J., Yang, C. F., Liang, B., ... & Suzich, J. A. (2011). Analysis of respiratory syncytial virus preclinical and clinical variants resistant to neutralization by monoclonal antibodies palivizumab and/or motavizumab. *Journal of Infectious Diseases*, 203(5), 674–682. Doi: 10.1093/infdis/jiq100
26. Tokuriki, N., Stricher, F., Schymkowitz, J., Serrano, L., & Tawfik, D. S. (2007). The stability effects of protein mutations appear to be universally distributed. *Journal of molecular biology*, 369(5), 1318-1332. Doi: 10.1016/j.jmb.2007.03.069.
27. Guo, H. H., Choe, J., & Loeb, L. A. (2004). Protein tolerance to random amino acid change. *Proceedings of the National Academy of Sciences*, 101(25), 9205-9210. Doi: 10.1073/pnas.0403255101
28. Guerra, J., & Cacabelos, R. (2019). Genomics of speech and language disorders. *Journal of Translational Genetics and Genomics*, 3, 9. Doi: 10.20517/jtgg.2018.03
29. Szalontai, A., & Csiszár, K. (2013). Genetic insights into the functional elements of language. *Human Genetics*, 132(9), 959-986. Doi: 10.1007/s00439-013-1317-0
30. Sherman, B. M., & Korenman, S. G. (1975). Hormonal characteristics of the human menstrual cycle throughout reproductive life. *The Journal of clinical investigation*, 55(4), 699-706. Doi: 10.1172/JCI107979
31. Kent, R. D. (2022). The maturational gradient of infant vocalizations: developmental stages and functional modules. *Infant Behavior and Development*, 66, 101682. Doi: 10.1016/j.infbeh.2021.101682
32. Chenausky, K. V., & Tager-Flusberg, H. (2022). The importance of deep speech phenotyping for neurodevelopmental and genetic disorders: a conceptual review. *Journal of Neurodevelopmental Disorders*, 14(1), 1-14. Doi: 10.1186/s11689-022-09443-z
33. Luciano, M., Evans, D. M., Hansell, N. K., Medland, S. E., Montgomery, G. W., Martin, N. G., Wright, M. J., & Bates, T. C. (2013). A genome-wide association study for reading and language abilities in two population cohorts. *Genes, brain, and behavior*, 12(6), 645–652. Doi: 10.1111/gbb.12053
34. Eicher, J. D., Powers, N. R., Cho, K., Miller, L. L., Mueller, K. L., Ring, S. M., ... & Gruen, J. R. (2013). Associations of prenatal nicotine exposure and the dopamine related genes ANKK1 and DRD2 to verbal language. *PloS one*, 8(5), e63762. Doi: 10.1371/journal.pone.0063762
35. Peter, B., Wijsman, E. M., Nato Jr, A. Q., University of Washington Center for Mendelian Genomics, Matsushita, M. M., Chapman, K. L., ... & Raskind, W. H. (2016). Genetic candidate variants in two multigenerational families with childhood apraxia of speech. *PloS one*, 11(4), e0153864. Doi: 10.1371/journal.pone.0153864
36. Thevenon, J., Callier, P., Andrieux, J., Delobel, B., David, A., Sukno, S., ... & Faivre, L. (2013). 12p13. 33 microdeletion including ELKS/ERC1, a new locus associated with childhood apraxia of speech. *European Journal of Human Genetics*, 21(1), 82-88. Doi: 10.1038/ejhg.2012.116
37. Frigerio-Domingues, C., & Drayna, D. (2017). Genetic contributions to stuttering: the current evidence. *Molecular genetics & genomic medicine*, 5(2), 95-102. Doi: 10.1002/mgg3.276

38. Mez, J., Cosentino, S., Brickman, A. M., Huey, E. D., & Mayeux, R. (2013). Different demographic, genetic, and longitudinal traits in language versus memory Alzheimer's subgroups. *Journal of Alzheimer's Disease*, 37(1), 137-146. Doi: 10.3233/JAD-130320
39. Premi, E., Pilotto, A., Alberici, A., Papetti, A., Archetti, S., Seripa, D., ... & Borroni, B. (2012). FOXP2, APOE, and PRNP: new modulators in primary progressive aphasia. *Journal of Alzheimer's Disease*, 28(4), 941-950. Doi: 10.3233/JAD-2011-111541
40. Veerappa, A. M., Saldanha, M., Padakannaya, P., & Ramachandra, N. B. (2014). Family based genome-wide copy number scan identifies complex rearrangements at 17q21.31 in dyslexics. *American journal of medical genetics. Part B, Neuropsychiatric genetics : the official publication of the International Society of Psychiatric Genetics*, 165B(7), 572–580. Doi: 10.1002/ajmg.b.32260
41. Worthey, E. A., Raca, G., Laffin, J. J., Wilk, B. M., Harris, J. M., Jakielski, K. J., Dimmock, D. P., Strand, E. A., & Shriberg, L. D. (2013). Whole-exome sequencing supports genetic heterogeneity in childhood apraxia of speech. *Journal of neurodevelopmental disorders*, 5(1), 29. Doi: 10.1186/1866-1955-5-29
42. Newbury, D. F., Winchester, L., Addis, L., Paracchini, S., Buckingham, L. L., Clark, A., Cohen, W., Cowie, H., Dworzynski, K., Everitt, A., Goodyer, I. M., Hennessy, E., Kindley, A. D., Miller, L. L., Nasir, J., O'Hare, A., Shaw, D., Simkin, Z., Simonoff, E., Slonims, V., ... Monaco, A. P. (2009). CMIP and ATP2C2 modulate phonological short-term memory in language impairment. *American journal of human genetics*, 85(2), 264–272. Doi: 10.1016/j.ajhg.2009.07.004
43. Eicher, J. D., & Gruen, J. R. (2015). Language impairment and dyslexia genes influence language skills in children with autism spectrum disorders. *Autism Research*, 8(2), 229-234. Doi: 10.1002/aur.1436
44. Anthoni, H., Zucchelli, M., Mattsson, H., Müller-Myhsok, B., Fransson, I., Schumacher, J., Massinen, S., Onkamo, P., Warnke, A., Griesemann, H., Hoffmann, P., Nopola-Hemmi, J., Lyytinen, H., Schulte-Körne, G., Kere, J., Nöthen, M. M., & Peyrard-Janvid, M. (2007). A locus on 2p12 containing the co-regulated MRPL19 and C2ORF3 genes is associated to dyslexia. *Human molecular genetics*, 16(6), 667–677. Doi: 10.1093/hmg/ddm009
45. Eising, E., Carrion-Castillo, A., Vino, A., Strand, E. A., Jakielski, K. J., Scerri, T. S., ... & Fisher, S. E. (2019). A set of regulatory genes co-expressed in embryonic human brain is implicated in disrupted speech development. *Molecular psychiatry*, 24(7), 1065-1078. Doi: 10.1038/s41380-018-0020-x
46. Scerri, T. S., Paracchini, S., Morris, A., MacPhie, I. L., Talcott, J., Stein, J., ... & Monaco, A. P. (2010). Identification of candidate genes for dyslexia susceptibility on chromosome 18. *PloS one*, 5(10), e13712. Doi: 10.1371/journal.pone.0013712
47. Newbury, D. F., Winchester, L., Addis, L., Paracchini, S., Buckingham, L. L., Clark, A., ... & Monaco, A. P. (2009). CMIP and ATP2C2 modulate phonological short-term memory in language impairment. *The American Journal of Human Genetics*, 85(2), 264-272. Doi: 10.1016/j.ajhg.2009.07.004
48. Beloso, J. M., Bache, I., Guitart, M., Caballin, M. R., Halgren, C., Kirchhoff, M., ... & Tümer, Z. (2007). Disruption of the CNTNAP2 gene in a (7; 15) translocation family without symptoms of Gilles de la Tourette syndrome. *European Journal of Human Genetics*, 15(6), 711-713. Doi: 10.1038/sj.ejhg.5201824
49. Falsaperla, R., Pappalardo, X. G., Romano, C., Marino, S. D., Corsello, G., Ruggieri, M., Parano, E., & Pavone, P. (2020). Intronic Variant in CNTNAP2 Gene in a Boy With Remarkable Conduct Disorder, Minor Facial Features, Mild Intellectual Disability, and Seizures. *Frontiers in pediatrics*, 8, 550. Doi: 10.3389/fped.2020.00550
50. Eicher, J. D., Powers, N. R., Miller, L. L., Akshoomoff, N., Amaral, D. G., Bloss, C. S., Libiger, O., Schork, N. J., Darst, B. F., Casey, B. J., Chang, L., Ernst, T., Frazier, J., Kaufmann, W. E., Keating, B., Kenet, T., Kennedy, D., Mostofsky, S., Murray, S. S., Sowell, E. R., ... Pediatric

- Imaging, Neurocognition, and Genetics Study (2013). Genome-wide association study of shared components of reading disability and language impairment. *Genes, brain, and behavior*, 12(8), 792–801. Doi: 10.1111/gbb.12085
51. Landi, N., Frost, S. J., Mencl, W. E., Preston, J. L., Jacobsen, L. K., Lee, M., Yrigollen, C., Pugh, K. R., & Grigorenko, E. L. (2013). The COMT Val/Met polymorphism is associated with reading-related skills and consistent patterns of functional neural activation. *Developmental science*, 16(1), 13–23. Doi: 10.1111/j.1467-7687.2012.01180.x.
 52. Cheung, J., Petek, E., Nakabayashi, K., Tsui, L. C., Vincent, J. B., & Scherer, S. W. (2001). Identification of the human cortactin-binding protein-2 gene from the autism candidate region at 7q31. *Genomics*, 78(1-2), 7–11. Doi: 10.1006/geno.2001.6651.
 53. Anthoni, H., Sucheston, L. E., Lewis, B. A., Tapia-Páez, I., Fan, X., Zucchelli, M., Taipale, M., Stein, C. M., Hokkanen, M. E., Castrén, E., Pennington, B. F., Smith, S. D., Olson, R. K., Tomblin, J. B., Schulte-Körne, G., Nöthen, M., Schumacher, J., Müller-Myhsok, B., Hoffmann, P., Gilger, J. W., ... Kere, J. (2012). The aromatase gene CYP19A1: several genetic and functional lines of evidence supporting a role in reading, speech and language. *Behavior genetics*, 42(4), 509–527. Doi: 10.1007/s10519-012-9532-3.
 54. Scerri, T. S., Morris, A. P., Buckingham, L. L., Newbury, D. F., Miller, L. L., Monaco, A. P., Bishop, D. V., & Paracchini, S. (2011). DCDC2, KIAA0319 and CMIP are associated with reading-related traits. *Biological psychiatry*, 70(3), 237–245. Doi: 10.1016/j.biopsych.2011.02.005.
 55. Scerri, T. S., Macpherson, E., Martinelli, A., Wa, W. C., Monaco, A. P., Stein, J., Zheng, M., Suk-Han Ho, C., McBride, C., Snowling, M., Hulme, C., Hayiou-Thomas, M. E., Waye, M., Talcott, J. B., & Paracchini, S. (2017). The DCDC2 deletion is not a risk factor for dyslexia. *Translational psychiatry*, 7(7), e1182. Doi: 10.1038/tp.2017.151.
 56. Chen, Y., Zhao, H., Zhang, Y. X., & Zuo, P. X. (2017). DCDC2 gene polymorphisms are associated with developmental dyslexia in Chinese Uyghur children. *Neural regeneration research*, 12(2), 259–266. Doi: 10.4103/1673-5374.200809.
 57. Taipale, M., Kaminen, N., Nopola-Hemmi, J., Haltia, T., Myllyluoma, B., Lytyinen, H., Müller, K., Kaaranen, M., Lindsberg, P. J., Hannula-Jouppi, K., & Kere, J. (2003). A candidate gene for developmental dyslexia encodes a nuclear tetratricopeptide repeat domain protein dynamically regulated in brain. *Proceedings of the National Academy of Sciences of the United States of America*, 100(20), 11553–11558. Doi: 10.1073/pnas.1833911100.
 58. Lim, C. K., Ho, C. S., Chou, C. H., & Waye, M. M. (2011). Association of the rs3743205 variant of DYX1C1 with dyslexia in Chinese children. *Behavioral and brain functions: BBF*, 7, 16. Doi: 10.1186/1744-9081-7-16.
 59. Massinen, S., Tammimies, K., Tapia-Páez, I., Matsson, H., Hokkanen, M. E., Söderberg, O., Landegren, U., Castrén, E., Gustafsson, J. A., Treuter, E., & Kere, J. (2009). Functional interaction of DYX1C1 with estrogen receptors suggests involvement of hormonal pathways in dyslexia. *Human molecular genetics*, 18(15), 2802–2812. Doi: 10.1093/hmg/ddp215.
 60. Fagerheim, T., Raeymaekers, P., Tønnesen, F. E., Pedersen, M., Tranebjærg, L., & Lubs, H. A. (1999). A new gene (DYX3) for dyslexia is located on chromosome 2. *Journal of medical genetics*, 36(9), 664–669.
 61. Massinen, S., Wang, J., Laivuori, K., Bieder, A., Tapia Paez, I., Jiao, H., & Kere, J. (2016). Genomic sequencing of a dyslexia susceptibility haplotype encompassing ROBO1. *Journal of neurodevelopmental disorders*, 8, 4. Doi: 10.1186/s11689-016-9136-y
 62. Mandahl, N., Magnusson, L., Nilsson, J., Viklund, B., Arbjarian, E., von Steyern, F. V., Isaksson, A., & Mertens, F. (2017). Scattered genomic amplification in dedifferentiated liposarcoma. *Molecular cytogenetics*, 10, 25. Doi: 10.1186/s13039-017-0325-5.
 63. Fisher, S. E., Francks, C., Marlow, A. J., MacPhie, I. L., Newbury, D. F., Cardon, L. R., Ishikawa-Brush, Y., Richardson, A. J., Talcott, J. B., Gayán, J., Olson, R. K., Pennington, B. F., Smith, S. D., DeFries, J. C., Stein, J. F., & Monaco, A. P. (2002). Independent genome-wide

- scans identify a chromosome 18 quantitative-trait locus influencing dyslexia. *Nature genetics*, 30(1), 86–91. Doi: doi.org/10.1038/ng792
64. de Kovel, C. G., Hol, F. A., Heister, J. G., Willemen, J. J., Sandkuijl, L. A., Franke, B., & Padberg, G. W. (2004). Genomewide scan identifies susceptibility locus for dyslexia on Xq27 in an extended Dutch family. *Journal of medical genetics*, 41(9), 652–657. Doi: 10.1136/jmg.2003.012294.
 65. Panjwani, N., Wilson, M. D., Addis, L., Crosbie, J., Wirrell, E., Auvin, S., Caraballo, R. H., Kinali, M., McCormick, D., Oren, C., Taylor, J., Trounce, J., Clarke, T., Akman, C. I., Kugler, S. L., Mandelbaum, D. E., McGoldrick, P., Wolf, S. M., Arnold, P., Schachar, R., Strug, L. J. (2016). A microRNA-328 binding site in PAX6 is associated with centrotemporal spikes of rolandic epilepsy. *Annals of clinical and translational neurology*, 3(7), 512–522. Doi: 10.1002/acn3.320.
 66. Benayed, R., Gharani, N., Rossman, I., Mancuso, V., Lazar, G., Kamdar, S., Bruse, S. E., Tischfield, S., Smith, B. J., Zimmerman, R. A., Dicicco-Bloom, E., Brzustowicz, L. M., & Millonig, J. H. (2005). Support for the homeobox transcription factor gene ENGRAILED 2 as an autism spectrum disorder susceptibility locus. *American journal of human genetics*, 77(5), 851–868. Doi: 10.1086/497705.
 67. Bacon, C., & Rappold, G. A. (2012). The distinct and overlapping phenotypic spectra of FOXP1 and FOXP2 in cognitive disorders. *Human genetics*, 131(11), 1687–1698. Doi: 10.1007/s00439-012-1193-z.
 68. Hamdan, F. F., Daoud, H., Rochefort, D., Piton, A., Gauthier, J., Langlois, M., Foomani, G., Dobrzeniecka, S., Krebs, M. O., Joober, R., Lafrenière, R. G., Lacaille, J. C., Mottron, L., Drapeau, P., Beauchamp, M. H., Phillips, M. S., Fombonne, E., Rouleau, G. A., & Michaud, J. L. (2010). De novo mutations in FOXP1 in cases with intellectual disability, autism, and language impairment. *American journal of human genetics*, 87(5), 671–678. Doi: 10.1016/j.ajhg.2010.09.017.
 69. Le Fevre, A. K., Taylor, S., Malek, N. H., Horn, D., Carr, C. W., Abdul-Rahman, O. A., O'Donnell, S., Burgess, T., Shaw, M., Gecz, J., Bain, N., Fagan, K., & Hunter, M. F. (2013). FOXP1 mutations cause intellectual disability and a recognizable phenotype. *American journal of medical genetics. Part A*, 161A(12), 3166–3175. Doi: 10.1002/ajmg.a.36174.
 70. Chien, W. H., Gau, S. S., Chen, C. H., Tsai, W. C., Wu, Y. Y., Chen, P. H., Shang, C. Y., & Chen, C. H. (2013). Increased gene expression of FOXP1 in patients with autism spectrum disorders. *Molecular autism*, 4(1), 23. Doi: 10.1186/2040-2392-4-23.
 71. Reuter, M. S., Riess, A., Moog, U., Briggs, T. A., Chandler, K. E., Rauch, A., Stampfer, M., Steindl, K., Gläser, D., Joset, P., DDD Study, Krumbiegel, M., Rabe, H., Schulte-Mattler, U., Bauer, P., Beck-Wödl, S., Kohlhase, J., Reis, A., & Zweier, C. (2017). FOXP2 variants in 14 individuals with developmental speech and language disorders broaden the mutational and clinical spectrum. *Journal of medical genetics*, 54(1), 64–72. Doi: 10.1136/jmedgenet-2016-104094.
 72. Oswald, F., Klöble, P., Ruland, A., Rosenkranz, D., Hinz, B., Butter, F., Ramljak, S., Zechner, U., & Herlyn, H. (2017). The FOXP2-Driven Network in Developmental Disorders and Neurodegeneration. *Frontiers in cellular neuroscience*, 11, 212. Doi: 10.3389/fncel.2017.00212.
 73. Becker, M., Devanna, P., Fisher, S. E., & Vernes, S. C. (2018). Mapping of Human FOXP2 Enhancers Reveals Complex Regulation. *Frontiers in molecular neuroscience*, 11, 47. Doi: 10.3389/fnmol.2018.00047.
 74. Liégeois, F. J., Hildebrand, M. S., Bonthrone, A., Turner, S. J., Scheffer, I. E., Bahlo, M., Connelly, A., & Morgan, A. T. (2016). Early neuroimaging markers of FOXP2 intragenic deletion. *Scientific reports*, 6, 35192. Doi: 10.1038/srep35192.

75. Morgan, A., Fisher, S. E., Scheffer, I., & Hildebrand, M. (2016). *FOXP2-Related Speech and Language Disorders*. In M. P. Adam (Eds.) et al., *GeneReviews[®]*. University of Washington, Seattle.
76. Pinel, P., Fauchereau, F., Moreno, A., Barbot, A., Lathrop, M., Zelenika, D., Le Bihan, D., Poline, J. B., Bourgeron, T., & Dehaene, S. (2012). Genetic variants of FOXP2 and KIAA0319/TTRAP/THEM2 locus are associated with altered brain activation in distinct language-related regions. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 32(3), 817–825. Doi: 10.1523/JNEUROSCI.5996-10.2012.
77. Roll, P., Vernes, S. C., Bruneau, N., Cillario, J., Ponsole-Lenfant, M., Massacrier, A., Rudolf, G., Khalife, M., Hirsch, E., Fisher, S. E., & Szepetowski, P. (2010). Molecular networks implicated in speech-related disorders: FOXP2 regulates the SRPX2/uPAR complex. *Human molecular genetics*, 19(24), 4848–4860. Doi: 10.1093/hmg/ddq415.
78. Newbury, D. F., Bonora, E., Lamb, J. A., Fisher, S. E., Lai, C. S., Baird, G., Jannoun, L., Slonims, V., Stott, C. M., Merricks, M. J., Bolton, P. F., Bailey, A. J., Monaco, A. P., & International Molecular Genetic Study of Autism Consortium (2002). FOXP2 is not a major susceptibility gene for autism or specific language impairment. *American journal of human genetics*, 70(5), 1318–1327. Doi: 10.1086/339931.
79. Clovis, Y. M., Enard, W., Marinaro, F., Huttner, W. B., & De Pietri Tonelli, D. (2012). Convergent repression of Foxp2 3'UTR by miR-9 and miR-132 in embryonic mouse neocortex: implications for radial migration of neurons. *Development (Cambridge, England)*, 139(18), 3332–3342. Doi: 10.1242/dev.078063.
80. Deters, K. D., Nho, K., Risacher, S. L., Kim, S., Ramanan, V. K., Crane, P. K., Apostolova, L. G., Saykin, A. J., & Alzheimer's Disease Neuroimaging Initiative (2017). Genome-wide association study of language performance in Alzheimer's disease. *Brain and language*, 172, 22–29. Doi: 10.1016/j.bandl.2017.04.008.
81. Kazemi, N., Estiar, M. A., Fazilaty, H., & Sakhinia, E. (2018). Variants in GNPTAB, GNP-TG and NAGPA genes are associated with stutterers. *Gene*, 647, 93–100. Doi: 10.1016/j.gene.2017.12.054.
82. Rogalski, E., Weintraub, S., & Mesulam, M. M. (2013). Are there susceptibility factors for primary progressive aphasia?. *Brain and language*, 127(2), 135–138. Doi: 10.1016/j.bandl.2013.02.004.
83. Comings, D. E., Wu, S., Chiu, C., Muhleman, D., & Sverd, J. (1996). Studies of the c-Harvey-Ras gene in psychiatric disorders. *Psychiatry research*, 63(1), 25–32. Doi: 10.1016/0165-1781(96)02829-6.
84. Harold, D., Paracchini, S., Scerri, T., Dennis, M., Cope, N., Hill, G., Moskvina, V., Walter, J., Richardson, A. J., Owen, M. J., Stein, J. F., Green, E. D., O'Donovan, M. C., Williams, J., & Monaco, A. P. (2006). Further evidence that the KIAA0319 gene confers susceptibility to developmental dyslexia. *Molecular psychiatry*, 11(12), 1085–1061. Doi: 10.1038/sj.mp.4001904.
85. Shi, Z., Luo, G., Fu, L., Fang, Z., Wang, X., & Li, X. (2013). miR-9 and miR-140-5p target FoxP2 and are regulated as a function of the social context of singing behavior in zebra finches. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 33(42), 16510–16521. Doi: 10.1523/JNEUROSCI.0838-13.2013.
86. Jiménez-Romero, S., Carrasco-Salas, P., & Benítez-Burraco, A. (2018). Language and Cognitive Impairment Associated with a Novel p.Cys63Arg Change in the MED13L Transcriptional Regulator. *Molecular syndromology*, 9(2), 83–91. Doi: 10.1159/000485638.
87. Judson, M. C., Amaral, D. G., & Levitt, P. (2011). Conserved subcortical and divergent cortical expression of proteins encoded by orthologs of the autism risk gene MET. *Cerebral cortex (New York, N.Y. : 1991)*, 21(7), 1613–1626. Doi: 10.1093/cercor/bhq223.
88. Sousa, I., Clark, T. G., Toma, C., Kobayashi, K., Choma, M., Holt, R., Sykes, N. H., Lamb, J. A., Bailey, A. J., Battaglia, A., Maestrini, E., Monaco, A. P., & International Molecular Gene-

- tic Study of Autism Consortium (IMGSAC) (2009). MET and autism susceptibility: family and case-control studies. *European journal of human genetics : EJHG*, 17(6), 749–758. Doi: 10.1038/ejhg.2008.215.
89. Castermans, D., Wilquet, V., Parthoens, E., Huysmans, C., Steyaert, J., Swinnen, L., Fryns, J. P., Van de Ven, W., & Devriendt, K. (2003). The neurobeachin gene is disrupted by a translocation in a patient with idiopathic autism. *Journal of medical genetics*, 40(5), 352–356. Doi: 10.1136/jmg.40.5.352.
90. Villanueva, P., Nudel, R., Hoischen, A., Fernández, M. A., Simpson, N. H., Gilissen, C., Reader, R. H., Jara, L., Echeverry, M. M., Francks, C., Baird, G., Conti-Ramsden, G., O'Hare, A., Bolton, P. F., Hennessy, E. R., SLI Consortium, Palomino, H., Carvajal-Carmona, L., Veltman, J. A., Cazier, J. B., ... Newbury, D. F. (2015). Exome sequencing in an admixed isolated population indicates NFXL1 variants confer a risk for specific language impairment. *PLoS genetics*, 11(3), e1004925. Doi: 10.1371/journal.pgen.1004925.
91. Nudel, R., Simpson, N. H., Baird, G., O'Hare, A., Conti-Ramsden, G., Bolton, P. F., Hennessy, E. R., SLI Consortium, Ring, S. M., Davey Smith, G., Francks, C., Paracchini, S., Monaco, A. P., Fisher, S. E., & Newbury, D. F. (2014). Genome-wide association analyses of child genotype effects and parent-of-origin effects in specific language impairment. *Genes, brain, and behavior*, 13(4), 418–429. Doi: 10.1111/gbb.12127.
92. Veerappa, A. M., Saldanha, M., Padakannaya, P., & Ramachandra, N. B. (2014). Family based genome-wide copy number scan identifies complex rearrangements at 17q21.31 in dyslexics. *American journal of medical genetics. Part B, Neuropsychiatric genetics : the official publication of the International Society of Psychiatric Genetics*, 165B(7), 572–580. Doi: 10.1002/ajmg.b.32260.
93. Naqvi, S., Cole, T., Graham, J.M. (2000) Cole-Hughes macrocephaly syndrome and associated autistic manifestations. *AM J Med Genet*. Doi: 10.1002/1096-8628(20000911)94:2<149::aid-ajmg7>3.0.co;2-#
94. Hannula-Jouppi, K., Kaminen-Ahola, N., Taipale, M., Eklund, R., Nopola-Hemmi, J., Kääriäinen, H., & Kere, J. (2005). The axon guidance receptor gene ROBO1 is a candidate gene for developmental dyslexia. *PLoS genetics*, 1(4), e50. Doi: 10.1371/journal.pgen.0010050.
95. St Pourcain, B., Cents, R. A., Whitehouse, A. J., Haworth, C. M., Davis, O. S., O'Reilly, P. F., Roulstone, S., Wren, Y., Ang, Q. W., Velders, F. P., Evans, D. M., Kemp, J. P., Warrington, N. M., Miller, L., Timpson, N. J., Ring, S. M., Verhulst, F. C., Hofman, A., Rivadeneira, F., Meaburn, E. L., Davey Smith, G. (2014). Common variation near ROBO2 is associated with expressive vocabulary in infancy. *Nature communications*, 5, 4831. Doi: 10.1038/ncomms5831.
96. Kalnak, N., Stamouli, S., Peyrard-Janvid, M., Rabkina, I., Becker, M., Klingberg, T., Kere, J., Forssberg, H., & Tammimies, K. (2018). Enrichment of rare copy number variation in children with developmental language disorder. *Clinical genetics*, 94(3-4), 313–320. Doi: 10.1111/cge.13389.
97. Sia, G. M., Clem, R. L., & Huganir, R. L. (2013). The human language-associated gene SRPX2 regulates synapse formation and vocalization in mice. *Science (New York, N.Y.)*, 342(6161), 987–991. Doi: 10.1126/science.1245079.
98. Soteros, B. M., Cong, Q., Palmer, C. R., & Sia, G. M. (2018). Sociability and synapse subtype-specific defects in mice lacking SRPX2, a language-associated gene. *PloS one*, 13(6), e0199399. Doi: 10.1371/journal.pone.0199399.
99. Anthoni, H., Sucheston, L. E., Lewis, B. A., Tapia-Páez, I., Fan, X., Zucchelli, M., Taipale, M., Stein, C. M., Hokkanen, M. E., Castrén, E., Pennington, B. F., Smith, S. D., Olson, R. K., Tomblin, J. B., Schulte-Körne, G., Nöthen, M., Schumacher, J., Müller-Myhsok, B., Hoffmann, P., Gilger, J. W., ... Kere, J. (2012). The aromatase gene CYP19A1: several genetic and functional lines of evidence supporting a role in reading, speech and language. *Behavior genetics*, 42(4), 509–527. Doi: 10.1007/s10519-012-9532-3.