

Current Research in Pharmacy and Pharmaceutical Sciences II

Editor

Cem YAMALI



© Copyright 2024

Printing, broadcasting and sales rights of this book are reserved to Academician Bookstore House Inc. All or parts of this book may not be reproduced, printed or distributed by any means mechanical, electronic, photocopying, magnetic paper and/or other methods without prior written permission of the publisher. Tables, figures and graphics cannot be used for commercial purposes without permission. This book is sold with banderol of Republic of Türkiye Ministry of Culture.

ISBN 978-625-399-763-2	Page and Cover Design Typesetting and Cover Design by Akademisyen
Book Title Current Research in Pharmacy and Pharmaceutical Sciences II	Publisher Certificate Number 47518
Editor Cem YAMALI ORCID iD: :0000-0002-4833-7900	Printing and Binding Vadi Printingpress
Publishing Coordinator Yasin DİLMEN	Bisac Code MED072000
	DOI 10.37609/akya.3054

Library ID Card

Current Research in Pharmacy and Pharmaceutical Sciences II / editor : Cem Yamalı.
Ankara : Akademisyen Yayınevi Kitabevi, 2024.
141 page. : figure, table. ;
Includes Bibliography and Index.
ISBN 9786253997632
1. Pharmaceutics.

WARNING

The information contained in this product is only presented as a source for licensed medical workers. It should not be used for any professional medical advice or medical diagnosis. It does not constitute a doctor-patient, therapist-patient and / or any other health-presentation service relationship between the Bookstore and the recipient in any way.

This product is not a synonym or a substitute for professional medical decisions. The Academician Bookstore and its affiliated companies, writers, participants, partners and sponsors are not responsible for injuries and / or damage to humans and devices arising from all applications based on product information.

In the case of prescription of drugs or other chemicals, checking over the current product information for each drug defined by the manufacturer to determine the recommended dose, duration, method and contraindications of the drug is recommended.

It is the physician's own responsibility to determine the optimal treatment an dose for the patient, and to establish a basis for the knowledge and experience of the treating physician about the patient.

The Academician Bookstore is not responsible for any changes to the product, repackaging and customizations made by a third party.

GENERAL DISTRIBUTION

Akademisyen Kitabevi AŞ

Halk Sokak 5 / A Yenışehir / Ankara

Tel: 0312 431 16 33

siparis@akademisyen.com

www.akademisyen.com

PREFACE

Based in Ankara in Turkey, the independent academic publisher, *Akademisyen Publishing House*, has been publishing books for almost 35 years. As the directors of *Akademisyen Publishing House*, we are proud to publish more than 2700 books across disciplines so far, especially in Health Sciences. We also publish books in Social Sciences, Educational Sciences, Physical Sciences, and also books on cultural and artistic topics.

Akademisyen Publishing House has recently commenced the process of publishing books in the international arena with the “**Scientific Research Book**” series in Turkish and English. The publication process of the books, which is expected to take place in March and September every year, will continue with thematic subtitles across disciplines

The books, which are considered as permanent documents of scientific and intellectual studies, are the witnesses of hundreds of years as an information recording platform. As *Akademisyen Publishing House*, we are strongly committed to working with a professional team. We understand the expectations of the authors, and we tailor our publishing services to meet their needs. We promise each author for the widest distribution of the books that we publish.

We thank all of the authors with whom we collaborated to publish their books across disciplines.

Akademisyen Publishing House Inc.

CONTENTS

Chapter 1	Pharmacogenetics of Antidepressants: Overview of Dosing Strategies in Major Depressive Disorder.....	1
	<i>Saja SAİD</i>	
	<i>Gül ÖZBEY</i>	
Chapter 2	Therapeutic Use of Cannabinoids: Clinical Overview and Recent Updates	13
	<i>Beril ALTUN</i>	
Chapter 3	The Xanthine Oxidase Inhibitory Activities of Natural-Based Compounds Targeting Gout.....	35
	<i>Nurcan DEDEOĞLU</i>	
Chapter 4	The Relationship of Dementia and Diabetes	53
	<i>Mehtap TUGRAK SAKARYA</i>	
Chapter 5	Rational Use of Drugs	71
	<i>Dilan ÖZMEN ÖZGÜN</i>	
Chapter 6	Endocrine Therapy in Breast Cancer: Recent Advances in the Drugs Used	83
	<i>Dilek AKSOY</i>	
Chapter 7	Strategies to Increase Solubility and Bioavailability of Drugs.....	95
	<i>İrem ÇİNAR</i>	
	<i>Emrah ÖZAKAR</i>	
	<i>Rukiye SEVİNÇ ÖZAKAR</i>	
Chapter 8	Vesicular Drug Delivery Systems.....	109
	<i>Muhammet Enes ÖZMUTLU</i>	
	<i>Rukiye SEVİNÇ ÖZAKAR</i>	
	<i>Emrah ÖZAKAR</i>	
Chapter 9	Definition of Pharmacovigilance and Its Historical Development in the World and Türkiye.....	125
	<i>Berna ÖZTÜRK KARAGÖZ</i>	

AUTHORS

Res. Asst. Dilek AKSOY

Selcuk University Faculty of Pharmacy, Department of Pharmaceutical Chemistry

PhD Beril ALTUN

Turkish Medicines and Medical Devices Agency

İrem ÇİNAR

Pharmacist

Assist. Prof. Dr. Nurcan DEDEOĞLU

Adana Alparslan Türkeş Science and Technology University

Asst. Prof. Dr. Berna ÖZTÜRK KARAGÖZ

AICU Faculty of Medicine, Department of Internal Medical Sciences, Department of Medical Pharmacology

Assoc. Prof. Dr. Emrah ÖZAKAR

Atatürk University, Faculty of Pharmacy, Pharmaceutical Technology Department

Assoc. Prof. Dr. Rukiye SEVİNÇ ÖZAKAR

Atatürk University, Faculty of Pharmacy, Pharmaceutical Technology Department

Associate Professor Gül ÖZBEY

Akdeniz University Medical Faculty Department of Medical Pharmacology

Assist. Prof. Dilan ÖZMEN ÖZGÜN

Agri Ibrahim Cecen University, Faculty of Pharmacy

Muhammet Enes ÖZMUTLU

Pharmacist

Research assistant Saja SAİD

Akdeniz University Medical Faculty Department of Medical Pharmacology

Assoc. Prof. Dr. Mehtap TUGRAK SAKARYA

Tokat Gaziosmanpasa University Faculty of Pharmacy

BÖLÜM 1

ORTOGNATİK TEDAVİ VE KÖK REZORPSİYONU

Merve Ece ERDEM¹
Celal IRGIN²

GİRİŞ

Ortognatik tedavi, maksilla ve mandibulanın cerrahi yöntemlerle yeniden konumlandırılmasıyla iskeletsel anomalilerin, malokluzyonların, yüz profilinin ve hava yolunun iyileştirilmesini sağlayan bir tedavi yöntemidir (1, 2). Şiddetli iskeletsel uyumsuzluğa sahip, büyüme ve gelişimi tamamlanmış erişkin hastalarda hem iskeletsel hem de dentoalveolar yapıyı düzeltmek için ortodontik tedaviyi cerrahi ile birleştirerek uygulanan ortognatik tedavi günümüzde yaygın olarak uygulanmaktadır (3). Maksiller-mandibular retrüzyonlar, maksiller vertikal yetersizlik ve mandibular prognati en sık ortognatik tedavi gerektiren dentofasiyal deformitelerdir. Bu deformitelerin tedavisinde maksilla için Le Fort I osteotomisi, mandibula için ise bilateral sagittal split ramus osteotomisi (BSSRO) günümüzde popüler olarak uygulanan cerrahi tekniklerdir (4).

Ortognatik tedavi prosedürleri invaziv işlemlerdir. Ortognatik cerrahi sonrası kan akımının geçici olarak azalması ile iskemi oluşabilmekte, osteoklastik aktivitedeki artış ve cerrahi ile dokularda meydana gelen travma neticesinde diş ve çevre dokular olumsuz olarak etkilenebilmektedir. Bu değişimlere bağlı olarak nekroz, alveolar kemik kaybı, dişeti çekilmesi, kök rezorpsiyonu, pulpa obliterasyonu meydana gelebilmektedir. Cerrahi sırasında dişlere direkt zarar verildiğinde ise dişlerde devitalizasyon ve kanal tedavisi ihtiyacı veya diş kaybı olabileceği gibi cerrahi sonrası ağız hijyenini sağlamadaki zorluklara bağlı olarak mukogingival dokularda istenmeyen değişikliklerde görülebilmektedir (5-8).

¹ Arş. Gör., Erciyes Üniversitesi, Diş Hekimliği Fakültesi, Ortodonti AD., erdemmervece@gmail.com
ORCID iD: 0000-0001-9183-9597

² Dr. Öğr. Üyesi, Erciyes Üniversitesi, Diş Hekimliği Fakültesi, Ortodonti AD.,
ORCID iD: 0000-0002-1535-3402

KAYNAKLAR

1. Wu RT, Wilson AT, Gary CS, Steinbacher DM. Complete reoperation in orthognathic surgery. *Plastic and Reconstructive Surgery*. 2019;143(5):1053e-9e.
2. Daluz ADJ, da Silva TVS, Tôrres BO, Costa DFN, de Morais Santos LA. Long-term airway evolution after orthognathic surgery: Systematic Review. *Journal of Stomatology, Oral and Maxillofacial Surgery*. 2021.
3. Bell RB. A history of orthognathic surgery in North America. *Journal of Oral and Maxillofacial Surgery*. 2018;76(12):2466-81.
4. Schendel SA. Orthognathic surgey. *Plastic surgery*. 2000;2:871-95.
5. Lee K-M, Kim Y-I, Park S-B, Son W-S. Alveolar bone loss around lower incisors during surgical orthodontic treatment in mandibular prognathism. *The Angle Orthodontist*. 2012;82(4):637-44.
6. Alqahtani KA, Shaheen E, Morgan N, Shujaat S, Politis C, Jacobs R. Impact of orthognathic surgery on root resorption: a systematic review. *Journal of Stomatology, Oral and Maxillofacial Surgery*. 2022.
7. Dos Santos MC, Iwaki LCV, Valladares-Neto J, Inoue-Arai MS, Ramos AL. Impact of orthognathic surgery on the prevalence of dehiscence in Class II and Class III surgical-orthodontic patients: A cone beam computed tomographic study. *The Angle Orthodontist*. 2021;91(5):611-8.
8. Weinspach K, Staufenbiel I, Günay H, Geurtsen W, Schweska-Polly R, Demling AP. Influence of orthognathic surgery on periodontal tissues. Springer; 2011.
9. Patel S, Kanagasigam S, Ford TP. External cervical resorption: a review. *Journal of endodontics*. 2009;35(5):616-25.
10. Brezniak N, Wasserstein A. Root resorption after orthodontic treatment: Part 1. Literature review. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1993;103(1):62-6.
11. McLaughlin KD. Quantitative determination of root resorption during orthodontic treatment. *Am J Orthod*. 1964;50:143.
12. Lupi JE, Handelman CS, Sadowsky C. Prevalence and severity of apical root resorption and alveolar bone loss in orthodontically treated adults. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1996;109(1):28-37.
13. Mavragani M, Bøe OE, Wisth PJ, Selvig KA. Changes in root length during orthodontic treatment: advantages for immature teeth. *The European Journal of Orthodontics*. 2002;24(1):91-7.
14. ÖZDEMİR O, HAZAR E, KOÇAK S, KOÇAK MM, SAĞLAM BC. Kök Rezorpsiyonları. *Uluslararası Diş Hekimliği Bilimleri Dergisi*. 2019;5(2):38-44.
15. Harris EF, Kineret SE, Tolley EA. A heritable component for external apical root resorption in patients treated orthodontically. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1997;111(3):301-9.
16. Al-Qawasmi RA, Hartsfield Jr JK, Everett ET, Flury L, Liu L, Foroud TM, et al. Genetic predisposition to external apical root resorption. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2003;123(3):242-52.
17. Rosen CJ. *Primer on the metabolic bone diseases and disorders of mineral metabolism*: John Wiley & Sons; 2009.
18. Davidovitch Z. Etiologic factors in force-induced root resorption. *Biological mechanisms of tooth movement and craniofacial adaptation*. 1996;34:9-355.
19. Marshall JA. The relation of malnutrition to dental pathology. *Internat J Orthodontia*. 1931;17:527-50.
20. Goldie RS, King GJ. Root resorption and tooth movement in orthodontically treated, calcium-deficient, and lactating rats. *American Journal of Orthodontics*. 1984;85(5):424-30.
21. Gonzales C, Hotokezaka H, Matsuo K-I, Shibazaki T, Yozgatian JH, Darendeliler MA, et al. Effects of steroidal and nonsteroidal drugs on tooth movement and root resorption in the rat molar. *The Angle Orthodontist*. 2009;79(4):715-26.
22. Leiker BJ, Nanda RS, Currier GF, Howes RI, Sinha PK. The effects of exogenous prostaglandins on orthodontic tooth movement in rats. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1995;108(4):380-8.

23. Simmons DJ, Kunin AS. Autoradiographic and biochemical investigations of the effect of cortisone on the bones of the rat. *Clinical Orthopaedics and Related Research* (1976-2007). 1967;55:201-16.
24. Ong CK, Walsh LJ, Harbrow D, Taverner AA, Symons AL. Orthodontic tooth movement in the prednisolone-treated rat. *The Angle Orthodontist*. 2000;70(2):118-25.
25. Kirschneck C, Wolf M, Reicheneder C, Wahlmann U, Proff P, Roemer P. Strontium ranelate improved tooth anchorage and reduced root resorption in orthodontic treatment of rats. *European journal of pharmacology*. 2014;744:67-75.
26. Krishnan S, Pandian S, Kumar A. Effect of bisphosphonates on orthodontic tooth movement— an update. *Journal of clinical and diagnostic research: JCDR*. 2015;9(4):ZE01.
27. Putranto R, Oba Y, Kaneko K, Shioyasono A, Moriyama K. Effects of bisphosphonates on root resorption and cytokine expression during experimental tooth movement in rats. *orthodontic waves*. 2008;67(4):141-9.
28. Graber T, Vanarsdall R, Vig K. *Current principles and techniques*. Mosby-Year Book. 1994;685.
29. Sameshima GT, Sinclair PM. Predicting and preventing root resorption: Part I. Diagnostic factors. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2001;119(5):505-10.
30. Rudolph CE. A comparative study in root resorption in permanent teeth. *The Journal of the American Dental Association* (1922). 1936;23(5):822-6.
31. Newman WG. Possible etiologic factors in external root resorption. *American journal of orthodontics*. 1975;67(5):522-39.
32. Preoteasa CT, Ionescu E, Preoteasa E, Comes C, Buzea M-C, Grămescu A. Orthodontically induced root resorption correlated with morphological characteristics. *Rom J Morphol Embryol*. 2009;50(2):257-62.
33. Odenrick L, Brattström V. Nailbiting: frequency and association with root resorption during orthodontic treatment. *British journal of orthodontics*. 1985;12(2):78-81.
34. Otis LL, Hong JS-H, Tuncay OC. Bone structure effect on root resorption. *Orthodontics & craniofacial research*. 2004;7(3):165-77.
35. Linge L, Linge BO. Patient characteristics and treatment variables associated with apical root resorption during orthodontic treatment. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1991;99(1):35-43.
36. Andreassen J. External root resorption: its implication in dental traumatology, paedodontics, periodontics, orthodontics and endodontics. *International endodontic journal*. 1985;18(2):109-18.
37. Wickwire NA, McNeil MH, Norton LA, Duell RC. The effects of tooth movement upon endodontically treated teeth. *The Angle Orthodontist*. 1974;44(3):235-42.
38. Mattison GD, Delivanis HP, Delivanis PD, Johns PI. Orthodontic root resorption of vital and endodontically treated teeth. *Journal of endodontics*. 1984;10(8):354-8.
39. Remington DN, Joondeph DR, Årtun J, Riedel RA, Chapko MK. Long-term evaluation of root resorption occurring during orthodontic treatment. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1989;96(1):43-6.
40. Mirabella AD, Årtun J. Prevalence and severity of apical root resorption of maxillary anterior teeth in adult orthodontic patients. *European journal of orthodontics*. 1995;17(2):93-9.
41. Owman-Moll P, Kurol J, Lundgren D. Repair of orthodontically induced root resorption in adolescents. *The Angle Orthodontist*. 1995;65(6):403-8.
42. Huang GJ, Richmond S, Vig KW. *Evidence-based orthodontics*: John Wiley & Sons; 2018.
43. Kuperstein R. External apical root resorption of the maxillary central incisor in anterior open bite malocclusion. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2005;127(3):393-4.
44. Sringkarnboriboon S, Matsumoto Y, Soma K. Root resorption related to hypofunctional periodontium in experimental tooth movement. *Journal of Dental Research*. 2003;82(6):486-90.
45. Taner T, Cig'er S, Sençift Y. Evaluation of apical root resorption following extraction therapy in subjects with Class I and Class II malocclusions. *The European Journal of Orthodontics*. 1999;21(5):491-6.

46. Beck BW, Harris EF. Apical root resorption in orthodontically treated subjects: analysis of edgewise and light wire mechanics. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1994;105(4):350-61.
47. Jung Y-H, Cho B-H. External root resorption after orthodontic treatment: a study of contributing factors. *Imaging science in dentistry*. 2011;41(1):17-21.
48. Kaley J, Phillips C. Factors related to root resorption in edgewise practice. *The Angle Orthodontist*. 1991;61(2):125-32.
49. Deng Y, Sun Y, Xu T. Evaluation of root resorption after comprehensive orthodontic treatment using cone beam computed tomography (CBCT): a meta-analysis. *BMC Oral Health*. 2018;18(1):1-14.
50. Jiang R-p, McDonald J, Fu M-k. Root resorption before and after orthodontic treatment: a clinical study of contributory factors. *The European Journal of Orthodontics*. 2010;32(6):693-7.
51. Levander E, Malmgren O. Evaluation of the risk of root resorption during orthodontic treatment: a study of upper incisors. *The European Journal of Orthodontics*. 1988;10(1):30-8.
52. McFadden WM, Engstrom C, Engstrom H, Anholm JM. A study of the relationship between incisor intrusion and root shortening. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1989;96(5):390-6.
53. Casa MA, Faltin RM, Faltin K, Sander F-G, Arana-Chavez VE. Root resorptions in upper first premolars after application of continuous torque moment intra-individual study. *Journal of Orofacial Orthopedics/Fortschritte der Kieferorthopädie*. 2001;62(4):285-95.
54. Proffit WR, Fields H, Sarver D. *Contemporary orthodontics* 4th ed. Philadelphia: Mosby. 2007.
55. Aras B, Cheng LL, Turk T, Elekdag-Turk S, Jones AS, Darendeliler MA. Physical properties of root cementum: part 23. Effects of 2 or 3 weekly reactivated continuous or intermittent orthodontic forces on root resorption and tooth movement: a microcomputed tomography study. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2012;141(2):e29-e37.
56. Kumasaki-Haga T, Konoo T, Yamaguchi K, Hayashi H. Effect of 8-hour intermittent orthodontic force on osteoclasts and root resorption. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2009;135(3):278. e1-. e8.
57. Brezniak N, Wasserstein A. Root resorption after orthodontic treatment: Part 2. Literature review. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1993;103(2):138-46.
58. Darendeliler MA, Kharbanda OP, Chan EK, Srivicharnkul P, Rex T, Swain MV, et al. Root resorption and its association with alterations in physical properties, mineral contents and resorption craters in human premolars following application of light and heavy controlled orthodontic forces. *Orthodontics & craniofacial research*. 2004;7(2):79-97.
59. Han G, Huang S, Von den Hoff JW, Zeng X, Kuijpers-Jagtman AM. Root resorption after orthodontic intrusion and extrusion: an intraindividual study. *The angle orthodontist*. 2005;75(6):912-8.
60. Stuteville O. Injuries caused by orthodontic forces and the ultimate results of these injuries. *American Journal of Orthodontics and Oral Surgery*. 1938;24(2):103-19.
61. Brezniak N, Wasserstein A. Orthodontically induced inflammatory root resorption. Part II: The clinical aspects. *The Angle Orthodontist*. 2002;72(2):180-4.
62. Brezniak N, Wasserstein A. Orthodontically induced inflammatory root resorption. Part I: the basic science aspects. *The Angle Orthodontist*. 2002;72(2):175-9.
63. Oppenheim A. Tissue changes, particularly in the bone incident to tooth movement. *Am J Orthod*. 1911;3:113-32.
64. Bassett CAL, Becker RO. Generation of electric potentials by bone in response to mechanical stress. *Science*. 1962;137(3535):1063-4.
65. Bosshardt D, Masseredjian V, Nanci A. Root resorption and tissue repair in orthodontically treated human premolars. *Biological mechanisms of tooth eruption, resorption and replacement by implants* Boston: Harvard Society for the Advancement of Orthodontics. 1998:425-37.
66. Brudvik P, Rygh P. The repair of orthodontic root resorption: an ultrastructural study. *The European Journal of Orthodontics*. 1995;17(3):189-98.

67. Dindaroğlu F, Doğan S. Root resorption in orthodontics. *Turkish journal of orthodontics*. 2016;29(4):103.
68. Cheng LL, Türk T, Elekdağ-Türk S, Jones AS, Yu Y, Darendeliler MA. Repair of root resorption 4 and 8 weeks after application of continuous light and heavy forces on premolars for 4 weeks: a histology study. *American journal of orthodontics and dentofacial orthopedics*. 2010;138(6):727-34.
69. Proffit WR, White RP, Sarver DM. *Contemporary treatment of dentofacial deformity*: Mosby St. Louis; 2003.
70. Fonseca RJ. *Oral and Maxillofacial Surgery-Inkling Enhanced E-Book: 3-Volume Set*: Elsevier Health Sciences; 2017.
71. McLaughlin R, Arnett G. *Facial and dental planning for orthodontists and surgeons*. Mosby; 2004.
72. Wolford LM. *Orthodontics for orthognathic surgery. Peterson's principles of Oral and Maxillofacial Surgery*: Springer; 2022. p. 1801-24.
73. Peiro-Guijarro MA, Guijarro-Martinez R, Hernandez-Alfaro F. Surgery first in orthognathic surgery: a systematic review of the literature. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2016;149(4):448-62.
74. Bell WH. *Surgical correction of dentofacial deformities. New concepts*. 1985.
75. Ho C-T, Denadai R, Lin H-H, Lo L-J. Three-dimensional computer-assisted orthognathic surgery: traditional hybrid versus full digital planning models. *Annals of Plastic Surgery*. 2021;86(2S):S70-S7.
76. Epker BN. Vascular considerations in orthognathic surgery: I. Mandibular osteotomies. *Oral surgery, oral medicine, oral pathology*. 1984;57(5):467-72.
77. Kim Y-K. Complications associated with orthognathic surgery. *Journal of the Korean Association of Oral and Maxillofacial Surgeons*. 2017;43(1):3-15.
78. Ellingsen RH. Pulpal response to orthognathic surgery: a long-term radiographic study. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1993;103(4):338-43.
79. Wolford LM. Comprehensive post orthognathic surgery orthodontics: complications, misconceptions, and management. *Oral and Maxillofacial Surgery Clinics*. 2020;32(1):135-51.
80. Emshoff R, Kranewitter R, Gerhard S, Norer B, Hell B. Effect of segmental Le fort I osteotomy on maxillary tooth typerelated pulpal blood-flow characteristics. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2000;89(6):749-52.
81. Gaszyńska E, Kozakiewicz M. Complications of surgical treatment of mandibular prognathism. *Polski merkuriusz lekarski: organ Polskiego Towarzystwa Lekarskiego*. 2008;25(145):27-31.
82. Zhao D, Xue K, Meng J, Hu M, Bi F, Tan X. Orthodontically induced external apical root resorption considerations of root-filled teeth vs vital pulp teeth: a systematic review and meta-analysis. *BMC Oral Health*. 2023;23(1):1-10.
83. Proffit WR, Fields HW, Larson B, Sarver DM. *Contemporary orthodontics-e-book*: Elsevier Health Sciences; 2018.
84. Årtun J, Van't Hullenaar R, Doppel D, Kuijpers-Jagtman AM. Identification of orthodontic patients at risk of severe apical root resorption. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2009;135(4):448-55.

BÖLÜM 2

ORTODONTI VE 3 BOYUTLU STEREOFOTOGRAMETRI

Berna EVRENOL¹
Sanaz SADRY²

GİRİŞ

Gelişen teknoloji, medikal hayatın her alanına olduğu gibi diş hekimliğine de çeşitli yenilikler getiriyor. Özellikle teşhis ve tedavi planlamasında kullanılan cihazlar son teknolojiye uyum sağlayarak sürekli değişiyor ve gelişiyor. Böylece ortodontik tedavi gibi başlangıç bitiş kıyaslanması yapılan branşların da bu teknolojik gelişmeleri takip etmesi kaçınılmaz olmaktadır.

Yıllardan beri ortodonti hastalarının rutin olarak alınan başlangıç kayıtları, ara kayıtları ve bitiş kayıtları ile hastanın diagnozu, tedavi planlaması ve stabilite kontrolü dikkatli ve detaylı bir şekilde takip edilebilmektedir.

Ortodontik tedavide alınan kayıtlar kemik ve dişler ile ilgili sert doku kayıtları (sefalometrik, panoramik, anteroposterior röntgenler veya 3D tomografi) ve yumuşak dokuyu inceleyebileceğimiz fotoğraf kayıtlarından oluşmaktadır.

Teknolojinin gelişmesi ile fotoğraf kayıtlarının yerini 3 boyutlu modellemeler almaya başlamıştır. Hızla gelişen teknolojiye rağmen günümüzde özellikle yumuşak doku morfolojisini incelerken 3 boyutlu stereofotogrametri en ideal ve kabul gören anamnez araçlarından biri olarak kabul edilmektedir(1-3). Gelişen sistemler ve yazılımlar aracılığı ile vücudun bir bölgesinin veya tamamının üç boyutlu kaydını almak çok hızlı olmaktadır. Stereofotogrametri sistemlerinde 1.5 milisaniye gibi bir zamanda görüntü almak mümkündür (1-3)Bu bölümde, 3 boyutlu stereofotogrametrinin ne olduğu, nasıl geliştiği, stereofotogrametri sistemleri, görüntü elde etme yöntemleri ve ortodonti alanında kullanımındaki avantajları ve dezavantajları hakkında bilgi verilecek ve ortodonti rutinine girebilmesi için gerekli olanlar tartışılacaktır.

¹ Dr. Öğr. Üyesi, İstanbul Atlas Üniversitesi, Diş Hekimliği Fakültesi, Diş Hekimliği Bölümü, berna.evrenol@atlas.edu.tr, ORCID iD: 0009-0002-5774-9058

² Doç. Dr., İstanbul Atlas Üniversitesi, Diş Hekimliği Fakültesi, Ortodonti AD., sanaz.sadry@atlas.edu.tr, ORCID iD: 0000-0002-2160-0908

KAYNAKLAR

1. Görgülü S, Duran GS, Dindaroğlu F. Güncel Bilgiler Işığında Ortodonti (1.Baskı).Erhan Özdi-ler, Gümüş Kitabevi, Ankara, 2015:367-381.
2. Kau CH, Richmond S, Zhurov A, Ovsenik M, Tawfik W, Borbely P, English JD. Use of 3-dimen- sional surface acquisition to study facial morphology in 5 populations. Am J Orthod Dentofa- cial Orthop 2010;137:S56.e1-S56.e9.
3. Karataş OH, Toy E. Three dimensional imaging techniques: A literature review. Eur J Dent 2014;8(1):1-9.
4. Deacon AT, Anthony AG, Bhatia SN, Muller JP. Evaluation of a CCD-based facial measurement system. Int J Med Inform 1991;16(2):213-28.
5. Hajeer MY, Mao Z, Millett DT, Ayoub AF, Siebert JP. A new three-dimensional method of assessing facial volumetric changes after orthognathic treatment. Cleft Palate Craniofac J 2005;42:113-20.
6. Ayoub AF, Siebert P, Moos KE, Wray D, Urquhart C, Niblett TB. A vision-based three-dimen- sional capture system for maxillofacial assessment and surgical planning. Br J Oral Maxillofac Surg 1998;36:353-7.
7. Tzou CHJ, Frey M. Evolution of 3D Surface Imaging Systems in Facial Plastic Surgery. Facial Plast Surg Clin N Am 2011;19:591-602.
8. Ras F, Habets L, van Ginkel FC, Prah-Andersen B. Method for quantifying facial asymmetry in three dimensions using stereophotogrammetry. Angle Orthod 1995;65(3):233-239.
9. Pojda,D.;Tomaka,A.A.; Luchowski, L.; Tarnawski, M. Integration and Application of Mul- timodal Measurement Techniques: Relevance of Photogrammetry to Orthodontics. Sensors 2021,21,8026. [https:// doi.org/10.3390/s21238026](https://doi.org/10.3390/s21238026)
10. Trucco, E.; Verri, A. *Introductory Techniques for 3-D Computer Vision*; Prentice-Hall, Inc.: Up- per Saddle River, NJ, USA, 1998.
11. Faugeras, O. *Three-Dimensional Computer Vision: A Geometric Viewpoint*; Artificial Intellige- nce Series; MIT Press: Cambridge, MA, USA, 1993.
12. Hartley, R.; Zisserman, A. *Multiple View Geometry in Computer Vision*; Cambridge University Press: Cambridge, MA, USA, 2001.
13. Moulon, P.; Monasse, P.; Marlet, R. Global Fusion of Relative Motions for Robust, Accurate and Scalable Structure from Motion. In Proceedings of the ICCV—International Conference on Computer Vision, Sydney, Australia, 1-8 December 2013; pp. 3248-3255.
14. Triggs, B.; McLauchlan, P.F.; Hartley, R.I.; Fitzgibbon, A.W. Bundle Adjustment—A Modern Synthesis. Vision Algorithms: Theory and Practice; Triggs, B., Zisserman, A., Szeliski, R., Eds.; Springer: Berlin/Heidelberg, Germany, 2000; pp. 298-372.
15. Brunner, K., 2006. Karten dokumentieren den Rückzug der Gletscher seit 1850. In: K. Kriz, W. Cartwright, A. Pucher and M. Kinberger (eds), Kartographie als Kommunikationsmedium. Wiener Schriften zur Geographie und Kartographie, 17, Institut für Geographie und Regional- forschung, Universität Wien, pp. 191-200.
16. Rinner, K. and Burkhardt, R. (eds), 1972. Gletscherphotogrammetrie. In: Handbuch der Ver- messungskunde. Photogrammetrie, Band III a/2, in German, J.B. Metzlersche Verlagsbuch- handlung, Stuttgart, pp. 1428-1470.1. Angle EH. *Treatment of malocclusion of the teeth and fractures of the maxillae*. In: *Angle's System*, ed 6. Philadelphia: SS White Dental Mfg Co; 1900.
17. Karatas OH, Toy E. Three-dimensional imaging techniques: A literature review. Eur J Dent 2014;8:132-40. DOI: 10.4103/1305-7456.126269
18. Thalmaan D. Die Stereogrammetrie: ein diagnostisches Hilfsmittelinder Kieferorthopaedie [Stereophotogrammetry: a diagnostic device in orthodontology]. Zurich (Switzerland): Uni- versity Zurich, Switzerland; 1944 [German].
19. Burke PH, Beard FH. Stereophotogrammetry of the face. A preliminary investigation into the

- accuracy of a simplified system evolved for contour mapping by photography. *Am J Orthod* 1967;53(10):769–82.
20. Heike CL, Upson K, Stuhaug E, Weinberg SM. 3D digital stereophotogrammetry: a practical guide to facial image acquisition. *Head Face Med* 2010;28:6-18.
 21. Maal TJ, van Loon B, Plooiij JM, et al. Registration of 3-dimensional facial photographs for clinical use. *J Oral Maxillofac Surg* 2010;68(10):2391–401.
 22. Weinberg SM, Naidoo S, Govier DP, et al. Anthropometric precision and accuracy of digital three-dimensional photogrammetry: comparing the Genex157 and 3dMD imaging systems with one another and with direct anthropometry. *Journal of Craniofacial Surgery* 2006;17(3):477-83.
 23. Singh GD, Levy-Bercowski D, Yáñez MA, Santiago PE. Three-dimensional facial morphology following surgical repair of unilateral cleft lip and palate in patients after nasoalveolar molding. *Orthodontics & Craniofacial Research* 2007;10(3):161-66.
 24. Seager DC, Kau CH, English JD, et al. Facial morphologies of an adult Egyptian population and an adult Houstonian white population compared using 3D imaging. *The Angle Orthodontist* 2009;79(5):991-99.
 25. Weinberg SM, Neiswanger K, Richtsmeier JT, et al. Three-dimensional morphometric analysis of craniofacial shape in the unaffected relatives of individuals with nonsyndromic orofacial clefts: a possible marker for genetic susceptibility. *American Journal of Medical Genetics Part A* 2008;146(4):409-20.
 26. Wong JY, Oh AK, Ohta E, et al. Validity and reliability of craniofacial anthropometric measurement of 3D digital photogrammetric images. *The Cleft Palate–Craniofacial Journal* 2008;45(3):232-39.
 27. White JE, Ayoub AF, Hosey M-T, et al. Three-dimensional facial characteristics of Caucasian infants without cleft and correlation with body measurements. *The Cleft Palate-Craniofacial Journal* 2004;41(6):593 – 602.
 28. Hood C, Hosey M, Bock M, et al. Facial characterization of infants with cleft lip and palate using a three-dimensional capture technique. *The Cleft Palate-Craniofacial Journal* 2004;41(1):27-35.
 29. Ackerman JL, Proffit WR, Sarver DM. The emerging soft tissue paradigm in orthodontic diagnosis and treatment planning. *Clin Orthod Res* 1999;2:49–52.
 30. Spear FM, Kokich VG, Mathews DP. Interdisciplinary management of anterior dental esthetics. *JADA* 2006;137:160–169.
 31. Shaw WC. The influence of children's dentofacial appearance on their social attractiveness as judged by peers and lay adults. *Am J Orthod* 1981;79:399 – 415.
 32. Peck S, Peck L. Facial realities and oral esthetics. In: McNamara JA Jr, editor. *Esthetics and the treatment of facial form. Craniofacial Growth Series, Volume 28.* Ann Arbor: Center for Human Growth and Development; University of Michigan, 1993;77-113.
 33. Kerosuo H, Hausen H, Laine T, Shaw WC. The influence of incisal malocclusion on the social attractiveness of young adults in Finland. *Eur J Orthod* 1995;17(6):505-512.
 34. Rhodes G. The evolutionary psychology of facial beauty. *Annu Rev Psychol* 2006;57:199-226.
 35. Kiyak HA. Cultural and psychologic influences on treatment demand. *Semin in Orthod* 2000;6:242-248.
 36. Elif F, Erbay, DDS, MS, PhD, a and Cem M. Caniklioğlu, DDS, PhD. Soft tissue profile in Anatolian Turkish adults: Part II. Comparison of different soft tissue analyses in the evaluation of beauty. *Am J Orthod Dentofacial Orthop* 2002;121:65-72.
 37. Wong JY, Oh AK, Ohta E, et al. Validity and reliability of craniofacial anthropometric measurement of 3D digital photogrammetric images. *Cleft Palate Craniofac J* 2008;45:232-239.
 38. Vander Meera WJ, Dijkstra PU, Visser A, Vissink A, Rene Y. Reliability and validity of measurements of facial swelling with astereo photogrammetry optical three-dimensional scanner. *Br J Oral Maxillofac Surg* 2014;52:922-927.
 39. Weinberg SM, Kolar JC. Three-dimensional surface imaging: limitations and considerations from the anthropometric perspective. *J Craniofac Surg* 2005;16:847-851.

Güncel Ortodonti Çalışmaları III

40. Rosati R, De Menezes M, Rossetti A, et al. Digital dental cast placement in 3-dimensional, full-face reconstruction: a technical evaluation. *Am J Orthod Dentofacial Orthop* 2010;138(1):84-8.
41. Plooij JM, Maal TJJ, Haers P, Borstlap WA, Kuijpers-Jagtman AM, Berge SJ: Digital three - dimensional image fusion processes for planning and evaluating orthodontics and orthognathic surgery. A systematic review. *Int Oral Maxillofac Surg* 2011;40:341-352.
42. Chung How Kau, Stephen Richmond, Angela Incrapera, Jeryl English, James Jiong Xia. Three - dimensional surface acquisition systems for the study of facial morphology and their application to maxillofacial surgery. . *Int J Med Robotics Comput Assist Surg* 2007;3:97-110.
43. De Menezes M, Rosati R, Ferrario VF, et al. Accuracy and reproducibility of a 3-dimensional stereophotogrammetric imaging system. *J Oral Maxillofac Surg* 2010;68(9):2129-35.
44. Scarfe WC, Farman AG, Sukovic P. Clinical applications of cone beam computed tomography in dental practice. *J Can Dent Assoc* 2006;72:75-80.
45. Naudi KB, Benramadan R, Brocklebank L, Ju X, Khambay B, Ayoub A. The virtual human face: superimposing the simultaneously captured 3D photorealistic skin surface of the face on the untextured skin image of the CBCT scan. *Int J Oral Maxillofac Surg* 2013;42:393-400.
46. Plooij JM, Swennen GRJ, Rangel FA, Maal TJJ, Schutyser FAC, Bronkhorst EM, Kuijpers- Jagtman AM, Berge SJ. Evaluation of reproducibility and reliability of 3D soft tissue analysis using 3D stereophotogrammetry. *Int Oral Maxillofac Surg* 2009;38:267-273.

BÖLÜM 3

ORTODONTİDE DİJİTAL TEKNOLOJİLER

Rumeysa BİLİCİ GEÇER¹

Sanaz SADRY²

GİRİŞ

Son yıllarda teknoloji alanında yaşanan gelişmeler diş hekimliği alanında da olmak üzere birçok alanda kullanılmaktadır. Bilgisayar destekli tasarım (CAD) ve bilgisayar destekli üretim (CAM) teknolojilerinin ortaya çıkışı, 3 boyutlu (3D) baskı üretimini gerçekleştiren 3D yazıcıların kullanımı, ağız içi tarayıcı gibi bilgisayar destekli yazılım ve donanım araçlarının kullanımı ortodonti pratiğinde yaygınlaşmıştır. Dijital iş akışının ortodontik tedavilere entegre edilmesiyle, teşhis yöntemlerinin geliştirilmesi, farklı tedavi seçenekleri ve planlamalarının kullanımı gibi hekimin konfor alanını genişleten güncellemeler yaşanmaktadır. Ortodontik tedavilerin başarısını arttırmak için güncel ve dijital teknolojilerin bilinmesi, araştırılması ve geleneksel yöntemlerle karşılaştırılması önem teşkil etmektedir.

DİJİTAL ÜÇ BOYUTLU TEKNOLOJİLER

1970'li yıllarda Duret ve Preston tarafından diş hekimliği pratiğine dahil edilen bilgisayar destekli tasarım (CAD) ve bilgisayar destekli üretim (CAM) sistemi; toplanan veriler ile farklı ürün tasarlamak ve bunları üretmek için kullanılan bilgisayar destekli bir teknoloji sistemidir. CAD/CAM teknolojisi, bilgisayar yazılımı aracılığıyla üç boyutlu (3D) görüntülerin manipülasyonuna ve özelleştirilmiş cihazlar sayesinde farklı malzemelere 3D yazdırılmasına olanak tanır (1). CAD/CAM teknolojisi ile hastaların diş arklarının dijital görüntüsünün alınması; bu görüntülerin belirli bir yazılımda görselleştirilmesi ve işlenmesi; tasarlanan cihazların üretileceği modeller 3D baskı dosyaları oluşturulur. Bu işleme dijital iş akışı adı verilir (1).

¹ Dr. Öğr. Üyesi, İstanbul Aydın Üniversitesi, Diş Hekimliği Fakültesi, Ortodonti AD., drumeysabilici@gmail.com, ORCID iD: 0009-0001-0839-5831

² Doç. Dr., İstanbul Atlas Üniversitesi, Diş Hekimliği Fakültesi, Ortodonti AD., sanaz.sadry@atlas.edu.tr, ORCID iD: 0000-0002-2160-0908

3D baskının avantajları olduğu gibi maliyetinin yüksek olması, özel teknik beceri gerektirmesi gibi limitasyonları da mevcuttur (55). Centenero ve ark (43) yaptığı çalışmada 3D görüntülemenin, cerrahın sert ve yumuşak dokunun asimetrisi ve kant gibi fenomenleri içeren malformasyonları değerlendirmesini kolaylaştırdığını bildirmiştir. Özetle, 3D baskı, bazı sınırlamaları olmasına rağmen ortognatik cerrahide bir dizi avantaj sunmaktadır. Hassas, özelleştirilmiş cerrahi yardımcılar üretme yeteneği, geleneksel yöntemlere göre önemli bir ilerlemeyi temsil etmektedir.

SONUÇ

Dijital teknolojilerin ortodontide kullanımının yaygınlaşmasına bağlı olarak hastalar için daha estetik, konforlu, hızlı tedavi seçenekleri sunulabilmektedir. Hekim için de tedavi planlanması ve tedavi seçeneklerinin geliştirilmesine imkân tanımaktadır. Dijital iş akışı 3 boyutlu yazılımlar ile tedavi simülasyonlarına olanak tanımakta olup hasta hekim arasındaki iletişimi de arttırmaktadır. Dijitalleşmenin en büyük dezavantajı ise kullanılan cihazların ve sanal programların maliyetleri ve bu cihazlarla çalışacak olan personelin eğitimleri için gerekli yatırımlardır.

KAYNAKLAR

1. Cunha T, Barbosa IDS, Palma KK. Orthodontic digital workflow: devices and clinical applications. *Dental Press J Orthod.* 2021;26(6):e21spe6.
2. Kravitz ND, Groth C, Jones PE, Graham JW, Redmond WR. Intraoral digital scanners. *J Clin Orthod.* 2014;48(6):337-47.
3. Lecocq G. Digital impression-taking: Fundamentals and benefits in orthodontics. *Int Orthod.* 2016;14(2):184-94.
4. YAVUZ E, YILMAZ S. Diş Hekimliğinde Yeni ve Hızla İlerleyen Üretim Teknolojisi: 3 Boyutlu Yazıcılar. *Akdeniz Tıp Dergisi.* 2021;7(2):197-205.
5. Kihara H, Sugawara S, Yokota J, Takafuji K, Fukazawa S, Tamada A, et al. Applications of three-dimensional printers in prosthetic dentistry. *J Oral Sci.* 2021;63(3):212-6.
6. Fan D, Li Y, Wang X, Zhu T, Wang Q, Cai H, et al. Progressive 3D printing technology and its application in medical materials. *Frontiers in pharmacology.* 2020;11:122.
7. Van Noort R. The future of dental devices is digital. *Dental materials.* 2012;28(1):3-12.
8. Jain P, Kuthe A. Feasibility study of manufacturing using rapid prototyping: FDM approach. *Procedia Engineering.* 2013;63:4-11.
9. Yap YL, Wang C, Sing SL, Dikshit V, Yeong WY, Wei J. Material jetting additive manufacturing: An experimental study using designed metrological benchmarks. *Precision engineering.* 2017;50:275-85.
10. Han UK, Vig KW, Weintraub JA, Vig PS, Kowalski CJ. Consistency of orthodontic treatment decisions relative to diagnostic records. *Am J Orthod Dentofacial Orthop.* 1991;100(3):212-9.
11. Hunter WS, Priest WR. Errors and discrepancies in measurement of tooth size. *J Dent Res.* 1960;39:405-14.
12. Peluso MJ, Josell SD, Levine SW, Lorei BJ, editors. Digital models: an introduction. *Seminars in Orthodontics;* 2004: Elsevier.
13. Rheude B, Sadowsky PL, Ferriera A, Jacobson A. An evaluation of the use of digital study models in orthodontic diagnosis and treatment planning. *Angle Orthod.* 2005;75(3):300-4.

14. Rossini G, Parrini S, Castroflorio T, Deregibus A, Debernardi CL. Diagnostic accuracy and measurement sensitivity of digital models for orthodontic purposes: A systematic review. *American journal of orthodontics and dentofacial orthopedics*. 2016;149(2):161-70.
15. Plugge TV, Schlager S, Nelson K, Nahles S, Metzger MC. Precision of intraoral digital dental impressions with iTero and extraoral digitization with the iTero and a model scanner. *Am J Orthod Dentofacial Orthop*. 2013;144(3):471-8.
16. Taneva E, Kusnoto B, Evans CA. 3D scanning, imaging, and printing in orthodontics. *Issues in contemporary orthodontics*. 2015;148(5):862-7.
17. Narongdej P, Hassanpour M, Alterman N, Rawlins-Buchanan F, Barjasteh E. Advancements in Clear Aligner Fabrication: A Comprehensive Review of Direct-3D Printing Technologies. *Polymers (Basel)*. 2024;16(3).
18. Ryu JH, Kwon JS, Jiang HB, Cha JY, Kim KM. Effects of thermoforming on the physical and mechanical properties of thermoplastic materials for transparent orthodontic aligners. *Korean J Orthod*. 2018;48(5):316-25.
19. Tian Y, Chen C, Xu X, Wang J, Hou X, Li K, et al. A Review of 3D Printing in Dentistry: Technologies, Affecting Factors, and Applications. *Scanning*. 2021;2021:9950131.
20. Macri M, Murmura G, Varvara G, Traini T, Festa F. Clinical performances and biological features of clear aligners materials in orthodontics. *Frontiers in Materials*. 2022;9:819121.
21. Maspero C, Tartaglia GM. 3D Printing of Clear Orthodontic Aligners: Where We Are and Where We Are Going. *Materials (Basel)*. 2020;13(22).
22. Edelmann A, English JD, Chen SJ, Kasper FK. Analysis of the thickness of 3-dimensional-printed orthodontic aligners. *Am J Orthod Dentofacial Orthop*. 2020;158(5):e91-e8.
23. Brown MW, Koroluk L, Ko CC, Zhang K, Chen M, Nguyen T. Effectiveness and efficiency of a CAD/CAM orthodontic bracket system. *Am J Orthod Dentofacial Orthop*. 2015;148(6):1067-74.
24. Hegele J, Seitz L, Claussen C, Baumert U, Sabbagh H, Wichelhaus A. Clinical effects with customized brackets and CAD/CAM technology: a prospective controlled study. *Prog Orthod*. 2021;22(1):40.
25. Weber DJ, 2nd, Koroluk LD, Phillips C, Nguyen T, Proffit WR. Clinical effectiveness and efficiency of customized vs. conventional preadjusted bracket systems. *J Clin Orthod*. 2013;47(4):261-6; quiz 8.
26. Buckley J. Lingual orthodontics: an illustrated review with the incognito fully customised appliance. *J Ir Dent Assoc*. 2012;58(3):149-55.
27. Wiechmann D, Rummel V, Thalheim A, Simon JS, Wiechmann L. Customized brackets and archwires for lingual orthodontic treatment. *Am J Orthod Dentofacial Orthop*. 2003;124(5):593-9.
28. Tarraf NE, Ali DM. Present and the future of digital orthodontics☆. *Seminars in Orthodontics*. 2018.
29. Sachdeva RC. SureSmile technology in a patient--centered orthodontic practice. *J Clin Orthod*. 2001;35(4):245-53.
30. Aldrees AM. Do customized orthodontic appliances and vibration devices provide more efficient treatment than conventional methods? *Korean J Orthod*. 2016;46(3):180-5.
31. Gracco A, Tracey S. The insignia system of customized orthodontics. *J Clin Orthod*. 2011;45(8):442-51; quiz 67-8.
32. Abutayyem H, Alsalam AAA, Iqbal RM, Alkhabuli J, El-Din Mohamed SK. Robotic use in orthodontics: literature review. *Oral Health & Dental Science*. 2019;3:1-5.
33. Silverman E, Cohen M. A report on a major improvement in the indirect bonding technique. *J Clin Orthod*. 1975;9(5):270-6.
34. Guenther TA, Larson BE, editors. Indirect bonding: A technique for precision and efficiency. *Seminars in Orthodontics*; 2007: Elsevier.
35. Pamukcu H, Ozsoy OP. Indirect Bonding Revisited. *Turk J Orthod*. 2016;29(3):80-6.
36. Echarri P, Kim TW. Double transfer trays for indirect bonding. *J Clin Orthod*. 2004;38(1):8-13.
37. Daub J, Berzins DW, Linn BJ, Bradley TG. Bond strength of direct and indirect bonded brackets after thermocycling. *Angle Orthod*. 2006;76(2):295-300.

38. Ciuffolo F, Epifania E, Duranti G, De Luca V, Raviglia D, Rezza S, Festa F. Rapid prototyping: a new method of preparing trays for indirect bonding. *Am J Orthod Dentofacial Orthop.* 2006;129(1):75-7.
39. von Glasenapp J, Hofmann E, Supple J, Jost-Brinkmann PG, Koch PJ. Comparison of Two 3D-Printed Indirect Bonding (IDB) Tray Design Versions and Their Influence on the Transfer Accuracy. *J Clin Med.* 2022;11(5).
40. BIÇAKÇI AA, Feyza HOLOĞLU, Sibel AKBULUT, Emrah SOYLU, b Nihat AKBULUT, b. Türkiye Klinikleri *J Oral Maxillofac Surg-Special Topics.* 2016;2(2):18-25.
41. Proffit WR, Fields HW, Larson B, Sarver DM. *Contemporary orthodontics-e-book:* Elsevier Health Sciences; 2018.
42. Bell WH, Guerrero CA. Distraction osteogenesis of the facial skeleton: pmph usa; 2007.
43. Aboul-Hosn Centenero S, Hernandez-Alfaro F. 3D planning in orthognathic surgery: CAD/CAM surgical splints and prediction of the soft and hard tissues results – our experience in 16 cases. *J Craniomaxillofac Surg.* 2012;40(2):162-8.
44. Xia JJ, Gateno J, Teichgraber JF, Christensen AM, Lasky RE, Lemoine JJ, Liebschner MA. Accuracy of the computer-aided surgical simulation (CASS) system in the treatment of patients with complex craniomaxillofacial deformity: A pilot study. *J Oral Maxillofac Surg.* 2007;65(2):248-54.
45. Metzger MC, Hohlweg-Majert B, Schwarz U, Teschner M, Hammer B, Schmelzeisen R. Manufacturing splints for orthognathic surgery using a three-dimensional printer. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2008;105(2):e1-7.
46. Lee YC, Kim SG. Redefining precision and efficiency in orthognathic surgery through virtual surgical planning and 3D printing: a narrative review. *Maxillofac Plast Reconstr Surg.* 2023;45(1):42.
47. Nkenke E, Zachow S, Benz M, Maier T, Veit K, Kramer M, et al. Fusion of computed tomography data and optical 3D images of the dentition for streak artefact correction in the simulation of orthognathic surgery. *Dentomaxillofac Radiol.* 2004;33(4):226-32.
48. Elnagar MH, Aronovich S, Kusnoto B. Digital Workflow for Combined Orthodontics and Orthognathic Surgery. *Oral Maxillofac Surg Clin North Am.* 2020;32(1):1-14.
49. Kamio T, Onda T. Fused Deposition Modeling 3D Printing in Oral and Maxillofacial Surgery: Problems and Solutions. *Cureus.* 2022;14(9):e28906.
50. Etemad-Shahidi Y, Qallandar OB, Evenden J, Alifui-Segbaya F, Ahmed KE. Accuracy of 3-Dimensionally Printed Full-Arch Dental Models: A Systematic Review. *J Clin Med.* 2020;9(10).
51. Yang J, Li H, Xu L, Wang Y. Selective laser sintering versus conventional lost-wax casting for single metal copings: A systematic review and meta-analysis. *J Prosthet Dent.* 2022;128(5):897-904.
52. Wu P, Hu L, Li H, Feng L, Liu Y, Zhang S, et al. Clinical application and accuracy analysis of 3D printing guide plate based on polylactic acid in mandible reconstruction with fibula flap. *Ann Transl Med.* 2021;9(6):460.
53. Kessler A, Dosch M, Reymus M, Folwaczny M. Influence of 3D-printing method, resin material, and sterilization on the accuracy of virtually designed surgical implant guides. *J Prosthet Dent.* 2022;128(2):196-204.
54. Javan R, Schickel M, Zhao Y, Agbo T, Fleming C, Heidari P, et al. Using 3D-Printed Mesh-Like Brain Cortex with Deep Structures for Planning Intracranial EEG Electrode Placement. *J Digit Imaging.* 2020;33(2):324-33.
55. Chen Z, Mo S, Fan X, You Y, Ye G, Zhou N. A Meta-analysis and Systematic Review Comparing the Effectiveness of Traditional and Virtual Surgical Planning for Orthognathic Surgery: Based on Randomized Clinical Trials. *J Oral Maxillofac Surg.* 2021;79(2):471 e1 – e19.

BÖLÜM 4

TEMPOROMANDİBULAR EKLEM PROBLEMLERİNİN TEDAVİSİNDE GENEL YAKLAŞIMLAR KISIM 1: KESİN TEDAVİ YAKLAŞIMLARI

Cansu DÜZGÜN¹

GİRİŞ

ÇEŞİTLİ TEMPOROMANDİBULAR BOZUKLUKLARIN BİRBİRLERİYLE İLİŞKİLERİ

Temporomandibular eklem bozukluklarında (TMB) doğru teşhis koymak ve tedavi uygulamak çoğu zaman zor ve karmaşık olabilmektedir. Hastaların semptomlarının çoğunlukla tek bir hastalığın özelliklerine birebir uymaması, gerçekte hastaların birden fazla rahatsızlıktan muzdarip olmaları, özellikle teşhis konulmasını zorlaştırmaktadır. Aslında, birçok hastada sadece birkaç durum bir arada bulunmakla kalmaz, aynı zamanda bir bozukluk diğerinin oluşumuna katkıda bulunabilir. Bu nedenle, birden fazla bozukluk mevcut olduğunda, birincil bozukluğun ikincil bozukluktan ayırt etmek için bir girişimde bulunulması uygundur.

Hastaların değerlendirilmesinde ve tedavisinde çeşitli temporomandibular bozuklukların karşılıklı ilişkisi her zaman dikkate alınmalıdır. Örneğin lokal miyalji veya miyofasial ağrı gibi çiğneme kaslarındaki bir bozukluktan muzdarip bir hasta, genellikle ilk şikayetini kas ağrısı olarak söyleyecektir. Kaslardaki bu durum zamanla eklem içi basınç artışı ve subklinik olarak diskte düzensizliğe neden olacak ve eklemlerden 'clicking' tarzında ses gelme olasılığını artıracaktır. Burada çiğneme kaslarındaki bozukluk, eklem diskinde düzensizliğe neden olmuştur. Başka bir hasta çenesine aldığı hafif bir travmadan sonra ekleminden 'clicking' şeklinde ses geldiğinden şikayetçi olabilir. Eğer bu seslere ağrı da eşlik ediyorsa, kaslar fazladan kasılarak çene hareketlerini kısıtlamaya dolayısıyla ağrılı hareketi engellemeye yönelik harekete geçebilir. Bu da lokal miyaljiye sebep olur. Burada diskteki bir bozukluk ikincil olarak kas ağrısına yani miyaljiye sebebiyet vermiştir.

¹ Uzm. Dt., Cansu Düzgün Ortodonti Kliniği, dr.cansuduzgun@gmail.com,
ORCID iD: 0000-0003-4760-0225

artan stres seviyeleri ile ilgili olabilir. Diurnal aktivite genellikle hastanın farkındalık seviyesine getirilebildiğinden, hasta eğitimi ve bilişsel farkındalık stratejileri ile iyi yönetilir. Hasta eğitimi, dişlerin sadece çiğneme, konuşma ve yutma sırasında temas etmesi gerektiğini hastaya bildirerek başlamalıdır. Diğer tüm zamanlarda çene, dişler birbirlerinden ayrı olacak şekilde yerleştirilmelidir.

Nokturnal bruksizm ise diş temaslarından değil (37), daha çok duygusal stres seviyeleri (38) ve uyku düzenleri (33) gibi diğer faktörlerden etkileniyor gibi görünmektedir. Bu farklılıklar nedeniyle, noktürnal bruksizm hasta eğitimine, rahatlama ve biofeedback tekniklerine ve oklüzal değişikliklere zayıf yanıt verir (39). Bazı durumlarda, oklüzal aparey tedavisi ile etkili bir şekilde (en azından kısa bir süre için) azaltılabilir (40). Ancak, bir uyku laboratuvarında kaydedildiği üzere, oklüzal aparey tedavisinin gece bruksizmi üzerindeki uzun vadeli etkileri etkileyici değildir. Aslında, bir çalışmada (41), deneklerin sadece %36'sında gece bruksizmi azalırken, %43'ünün aktivitesinde artış görülmüştür. Oklüzal apareylerin bruksizmi etkileme mekanizması net değildir.

Diurnal ve nokturnal parafonksiyonel aktiviteler karakter ve köken olarak farklı olabileceğinden, bunların tanımlanması ve ayrılması önemlidir. Genellikle bu ayırım, semptomların zamanlamasına ilişkin dikkatli bir öykü ile yapılabilir (örneğin, gece bruksizmi ile ilişkili uyanma sırasında ağrı). Mevcut parafonksiyonel aktivite türünün belirlenmesi daha etkili tedavi seçimine olanak sağlar.

KAYNAKLAR

1. De Boever JA, Carlsson GE, Klineberg IJ. Need for occlusal therapy and prosthodontic treatment in the management of temporomandibular disorders. Part II: Tooth loss and prosthodontic treatment. *J Oral Rehabil.* 2000;27(8):647-59. doi: 10.1046/j.1365-2842.2000.00623.x.
2. The long-term effect of occlusal therapy on self-administered treatment outcomes of TMD. *J Orofac Pain.* 1998;12(1):75-88.
3. Ramfjord SP AM. *Occlusion.* In: ed 3. Philadelphia, PA: Saunders Co.; 1983.
4. Okeson JP, Kemper JT, Moody PM. A study of the use of occlusion splints in the treatment of acute and chronic patients with craniomandibular disorders. *J Prosthet Dent.* 1982;48(6):708-12.
5. Bergström I, List T, Magnusson T. A follow-up study of subjective symptoms of temporomandibular disorders in patients who received acupuncture and/or interocclusal appliance therapy 18-20 years earlier. *Acta Odontol Scand.* 2008;66(2):88-92. doi: 10.1080/00016350801978660.
6. Türp JC, Jokstad A, Motschall E, Schindler HJ, Windecker-Gétaz I, Ettl DA. Is there a superiority of multimodal as opposed to simple therapy in patients with temporomandibular disorders? A qualitative systematic review of the literature. *Clin Oral Implants Res.* 2007;(183):138-50. doi: 10.1111/j.1600-0501.2007.01480.x.
7. Nilsson AM, Dahlström L. Perceived symptoms of psychological distress and salivary cortisol levels in young women with muscular or disk-related temporomandibular disorders. *Acta Odontol Scand.* 2010;68(5):284-8. doi: 10.3109/00016357.2010.494620.
8. DE LEEUW JRJ, STEENKS MH, ROS WJG, BOSMAN F, WINNUBST JAM, SCHOLTE AM. Psychosocial aspects of craniomandibular dysfunction. An assessment of clinical and community findings. *J Oral Rehabil.* 1994;21(2):127-43. doi: 10.1111/j.1365-2842.1994.tb01132.x.

9. Grassi C, Passatore M. Action of the sympathetic system on skeletal muscle. *Ital J Neurol Sci*. 1988;9(1):23-8. doi: 10.1007/BF02334403.
10. Fechir M, Schlereth T, Purat T, Kritzmann S, Geber C, Eberle T, et al. Patterns of sympathetic responses induced by different stress tasks. *Open Neurol J*. 2008;2:25-31. doi: 10.2174/1874205X00802010025
11. Balasubramaniam R, de Leeuw R, Zhu H, Nickerson RB, Okeson JP, Carlson CR. Prevalence of temporomandibular disorders in fibromyalgia and failed back syndrome patients: a blinded prospective comparison study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*. 2007;104(2):204-16. doi: 10.1016/j.tripleo.2007.01.012
12. Molin C, Edman G SD. Psychological studies of patients with mandibular pain dysfunction syndrome. 2. Tolerance for experimentally induced pain. *Sven Tandlak Tidsskr*. 1973 Jan;66(1):15-23.
13. Restrepo CC, Vásquez LM, Alvarez M, Valencia I. Personality traits and temporomandibular disorders in a group of children with bruxing behaviour. *J Oral Rehabil*. 2008;35(8):585-93. doi: 10.1111/j.1365-2842.2007.01838.x.
14. MOULTON RE. Psychiatric considerations in maxillofacial pain. *J Am Dent Assoc*. 1955;51(4):408-14. doi: 10.14219/jada.archive.1955.0208.
15. Lesse S. Atypical facial pain syndromes of psychogenic origin; complications of their misdiagnosis. *J Nerv Ment Dis*. 1956;124(4):346-51. doi: 10.1097/00005053-195610000-00002.
16. SOUTHWELL J, DEARY IJ, GEISSLER P. Personality and anxiety in temporomandibular joint syndrome patients. *J Oral Rehabil*. 1990;17(3):239-43. doi: 10.1111/j.1365-2842.1990.tb00004.x.
17. Michelotti A, Martina R, Russo M, Romeo R. Personality characteristics of temporomandibular disorder patients using M.M.P.I. *Cranio*. 1998;16(2):119-25. doi: 10.1080/08869634.1998.11746048.
18. De Leeuw R, Bertoli E, Schmidt JE, Carlson CR. Prevalence of post-traumatic stress disorder symptoms in orofacial pain patients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*. 2005;99(5):558-68. doi: 10.1016/j.tripleo.2004.05.016.
19. Sherman JJ, Carlson CR, Wilson JF, Okeson JP MJ. Post-traumatic stress disorder among patients with orofacial pain. *J Orofac Pain*. 2005;19(4):309-17.
20. Meldolesi GN, Picardi A, Accivile E, Toraldo Di Francia R, Biondi M. Personality and psychopathology in patients with temporomandibular joint pain-dysfunction syndrome. A controlled investigation. *Psychother Psychosom*. 2000;69(6):322-8. doi: 10.1159/000012415.
21. Van Selms MKA, Lobbezoo F, Wicks DJ, Hamburger HL, Naeije M. Craniomandibular pain, oral parafunctions, and psychological stress in a longitudinal case study. *J Oral Rehabil*. 2004;31(8):738-45. doi: 10.1111/j.1365-2842.2004.01313.x.
22. Giraki M, Schneider C, Schäfer R, Singh P, Franz M, Raab WHM, et al. Correlation between stress, stress-coping and current sleep bruxism. *Head Face Med*. 2010;(5)6:2. doi: 10.1186/1746-160X-6-2
23. Carlson CR, Okeson JP, Falace DA, Nitz AJ, Curran SL AD. Comparison of psychologic and physiologic functioning between patients with masticatory muscle pain and matched controls. *J Orofac Pain*. 1993;7(1):15-22.
24. Al-Khotani A, Naimi-Akbar A, Gjerset M, Albadawi E, Bello L, Hedenberg-Magnusson B, et al. The associations between psychosocial aspects and TMD-pain related aspects in children and adolescents. *J Headache Pain*. 2016;(17):30. doi: 10.1186/s10194-016-0622-0.
25. Tournavitis A, Tortopidis D, Fountoulakis K, Menexes G, Koidis P. Psychopathologic Profiles of TMD Patients with Different Pain Locations. *Int J Prosthodont*. 2017;30(3):251-257. doi: 10.11607/ijp.5155.
26. Baggi L, Rubino IA, Zanna V, Martignoni M. Personality disorders and regulative styles of patients with temporo-mandibular joint pain dysfunction syndrome. *Percept Mot Skills*. 1995;80(1):267-73. doi: 10.2466/pms.1995.80.1.267.
27. Okeson JP. *Bell's oral and facial pain*. In: 6th ed. Chicago, IL: Quintessence Publishing Co; 2014. p. 435-501.
28. Giannakopoulos NN, Keller L, Rammelsberg P, Kronmüller KT, Schmitter M. Anxiety and depression in patients with chronic temporomandibular pain and in controls. *J Dent*. 2010;38(5):369-76. doi: 10.1016/j.jdent.2010.01.003.

Güncel Ortodonti Çalışmaları III

29. Glaros AG, Burton E. Parafunctional clenching, pain, and effort in temporomandibular disorders. *J Behav Med.* 2004;27(1):91-100. doi: 10.1023/b:jobm.0000013646.04624.8f.
30. Jacobson E. *Progressive relaxation*. In: University of Chicago Press. Chicago, IL; 1968.
31. Nestoriuc Y, Rief W, Martin A. Meta-analysis of biofeedback for tension-type headache: efficacy, specificity, and treatment moderators. *J Consult Clin Psychol.* 2008;76(3):379-96. doi: 10.1037/0022-006X.76.3.379.
32. Dave Singh G, Maher GJ, Padilla RR. Customized mandibular orthotics in the prevention of concussion/mild traumatic brain injury in football players: a preliminary study. *Dent Traumatol.* 2009;25(5):515-21. doi: 10.1111/j.1600-9657.2009.00808.x.
33. OKESON JP, PHILLIPS BA, BERRY DTR, BALDWIN RM. Nocturnal bruxing events: a report of normative data and cardiovascular response. *J Oral Rehabil.* 1994;21(6):623-30.
34. Raphael KG, Sirois DA, Janal MN, Wigren PE, Dubrovsky B, Nemelivsky L V., et al. Sleep bruxism and myofascial temporomandibular disorders: a laboratory-based polysomnographic investigation. *J Am Dent Assoc.* 2012;143(11):1223-31.
35. Lavigne GJ, Khoury S, Abe S, Yamaguchi T, Raphael K. Bruxism physiology and pathology: an overview for clinicians. *J Oral Rehabil.* 2008;35(7):476-94. doi: 10.1111/j.1365-2842.2008.01881.x.
36. Rompré PH, Daigle-Landry D, Guitara F, Montplaisir JY, Lavigne GJ. Identification of a sleep bruxism subgroup with a higher risk of pain. *J Dent Res.* 2007;86(9):837-42. doi: 10.1177/154405910708600906.
37. Rugh JD. *Oral Habits Disorders*. In: Behavioral Aspects in Dentistry. New York, NY: Appleton-Century-Crofts; 1982. p. 179-202.
38. Hicks RA, Conti P. Nocturnal bruxism and self reports of stress-related symptoms. *Percept Mot Skills.* 1991;72(3 Pt 2):1182. doi: 10.2466/pms.1991.72.3c.1182.
39. Bailey JO RJ. Effects of occlusal adjustment on bruxism as monitored by nocturnal EMG recordings. *J Dent Res.* 1980;317.
40. FUCHS P. The muscular activity of the chewing apparatus during night sleep. An examination of healthy subjects and patients with functional disturbances. *J Oral Rehabil.* 1975;2(1):35-48. doi: 10.1111/j.1365-2842.1975.tb00909.x.
41. Sjöholm T, Kauko T, Kempainen P, Rauhala E. Long-term use of occlusal appliance has impact on sleep structure. *J Oral Rehabil.* 2014;41(11):795-800. doi: 10.1111/joor.12201.

BÖLÜM 5

TEMPOROMANDİBULAR EKLEM PROBLEMLERİNİN TEDAVİSİNDE GENEL YAKLAŞIMLAR KISIM 2: DESTEKLEYİCİ TEDAVİ YAKLAŞIMLARI

Cansu DÜZGÜN¹

GİRİŞ

Destekleyici tedaviler, temporomandibular bozukluk (TMB) bulunan hastaların semptomlarını değiştirmeye yöneliktir ve genellikle bozukluğun etiyojisi üzerinde hiçbir etkisi yoktur. Birçok hasta TMB'tan büyük ölçüde muzdarip olduğundan, destekleyici tedavi genellikle semptomların anında rahatlamasını sağlamada son derece yararlıdır. Bununla beraber destekleyici tedavinin yalnızca semptomatik olduğunu ve kesin tedavinin yerine geçmediği her zaman hatırlanmalıdır. Uzun süreli tedavi başarısı elde edilebilmesi için etiyojolojik faktörlerin ele alınması ve ortadan kaldırılması gerekir. Destekleyici tedavi, ağrı ve işlev bozukluğunun azaltılmasına yöneliktir. İki genel destekleyici tedavi türü farmakolojik tedavi ve fizik tedavidir.

FARMAKOLOJİK TEDAVİLER

Farmakolojik tedaviler TMB semptomlarını azaltmada yardımcı olurlar fakat hastaların bu ilaçların kesin tedavi yöntemi olmadığını bilmeleri gerekir. En sık kullanılan ilaç grupları analjezikler, antiinflamatuvarlar, kas gevşeticiler, anksiyolitik ajanlar, antidepresanlar, antikonvülsif ajanlar, enjekte veya topikal olarak uygulanan ilaçlardır. Klinisyenlerin ilaçların reçete edilme şekline de dikkat etmesi gerekir. Birçok TMB periyodik veya döngüsel semptomlar gösterdiğinden ilaçların 'gerektiğinde al' şeklinde reçete edilme eğilimi vardır. Hastaların bu şekilde yönlendirilmesi, ilaçlara psikolojik veya fiziksel bağımlılığa yol açabilir (1). Genel öneri, TMB için ilaç endike olduğunda belirli bir süre için düzenli aralıklarla ilacı reçete etmektir.

¹ Uzm. Dt., Cansu Düzgün Ortodonti Kliniği, dr.cansuduzgun@gmail.com,
ORCID iD: 0000-0003-4760-0225

Akupunktur bazı TMB semptomlarında başarıyla kullanılmıştır (79) ancak hastalar daha geleneksel tedavileri tercih ediyor gibi görünmektedir (80). Akupunkturun TME ağrısı için oklüzal splint kadar etkili olduğunu gösteren çalışmalar mevcuttur (81). Akupunktura eklenen elektrik stimülasyonunun (elektrik akupunkturu) endojen opioid sisteminin aktivasyonu yoluyla ağrıyı azalttığı gösterilmiştir (82). Akupunkturun TMB semptomları üzerinde bir miktar etkisi olsa da etki mekanizması tam olarak anlaşılammıştır. Bu alanda daha fazla araştırma yapılması kesinlikle gereklidir (83).

Akupunktur ve TENS benzer mekanizmalar ile çalışıyor gibi görünse de fizyolojik olarak farklı olduklarını gösteren bazı kanıtlar vardır. Akupunkturun ağrı modülasyonu için endorfinleri kullandığı görülürken, TENS bunu yapmayabilir (84).

KAYNAKLAR

1. Black RG. The chronic pain syndrome. Surg Clin North Am [Internet]. 1975 [cited 2024 Feb 19];55(4):999–1011. Available from: <https://pubmed.ncbi.nlm.nih.gov/52196/>
2. Abbadie C, Besson JM. Chronic treatments with aspirin or acetaminophen reduce both the development of polyarthritis and Fos-like immunoreactivity in rat lumbar spinal cord. Pain [Internet]. 1994 [cited 2024 Feb 19];57(1):45–54. Available from: <https://pubmed.ncbi.nlm.nih.gov/8065795/>
3. Okeson JP. General Considerations in the Treatment of Temporomandibular Disorders. In: Management of Temporomandibular Disorders and Occlusion. Mosby Inc.; 2019.
4. Straube S, Derry S, McQuay HJ, Moore RA. Effect of preoperative Cox-II-selective NSAIDs (coxibs) on postoperative outcomes: a systematic review of randomized studies. Acta Anaesthesiol Scand [Internet]. 2005 May [cited 2024 Feb 19];49(5):601–13. Available from: <https://pubmed.ncbi.nlm.nih.gov/15836672/>
5. Ta LE, Dionne RA. Treatment of painful temporomandibular joints with a cyclooxygenase-2 inhibitor: A randomized placebo-controlled comparison of celecoxib to naproxen. Pain [Internet]. 2004 Sep [cited 2024 Feb 19];111(1–2):13–21. Available from: <https://pubmed.ncbi.nlm.nih.gov/15327804/>
6. Quinn JH, Kent JN, Moise A, Lukiw WJ. Cyclooxygenase-2 in synovial tissue and fluid of dysfunctional temporomandibular joints with internal derangement. J Oral Maxillofac Surg [Internet]. 2000 [cited 2024 Feb 19];58(11):1229–32. Available from: <https://pubmed.ncbi.nlm.nih.gov/11078133/>
7. Stanko JR. Review of oral skeletal muscle relaxants for the craniomandibular disorder (CMD) practitioner. Cranio [Internet]. 1990 [cited 2024 Feb 19];8(3):234–43. Available from: <https://pubmed.ncbi.nlm.nih.gov/2083431/>
8. Tseng TC WS. Locus of action of centrally acting muscle relaxants, diazepam and tybamate – PubMed [Internet]. J Pharmacol Exp Ther. 1971 [cited 2024 Feb 19]. p. 350–60. Available from: <https://pubmed.ncbi.nlm.nih.gov/5570459/>
9. Herman CR, Schiffman EL, Look JO RD. The effectiveness of adding pharmacologic treatment with clonazepam or cyclobenzaprine to patient education and self-care for the treatment of jaw pain upon awakening: a randomized clinical trial – PubMed [Internet]. J Orofac Pain. 2002 [cited 2024 Feb 19]. p. 64–70. Available from: <https://pubmed.ncbi.nlm.nih.gov/11889661/>
10. Denucci DJ, Dionne RA, Dubner R. Identifying a neurobiologic basis for drug therapy in TMDs. J Am Dent Assoc [Internet]. 1996 [cited 2024 Feb 19];127(5):581–93. Available from: <https://pubmed.ncbi.nlm.nih.gov/8642138/>
11. Rugh JD HJ. Nocturnal bruxism and temporomandibular disorders – PubMed [Internet]. Adv Neurol. 1988 [cited 2024 Feb 19]. p. 329–41. Available from: <https://pubmed.ncbi.nlm.nih.gov/3278546/>

12. Wiffen P, Collins S, McQuay H, Carroll D, Jadad A, Moore A. Anticonvulsant drugs for acute and chronic pain. *Cochrane database Syst Rev* [Internet]. 2000 Jul 24 [cited 2024 Feb 19];(3):CD001133. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/10908487>
13. Nemcovsky CE, Gross MD. A comparative study of the stereognathic ability between patients with myofascial pain dysfunction syndrome and a control group. *Cranio* [Internet]. 1991 [cited 2024 Feb 19];9(1):35–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/1843477/>
14. T S, PJ W. Antidepressants for neuropathic pain. *Cochrane database Syst Rev* [Internet]. 2005 Jul 20 [cited 2024 Feb 19];(3). Available from: <https://pubmed.ncbi.nlm.nih.gov/16034979/>
15. Plesh O, Curtis D, Levine J, Mccall Jr WD. Amitriptyline treatment of chronic pain in patients with temporomandibular disorders. *J Oral Rehabil* [Internet]. 2000 Oct [cited 2024 Feb 19];27(10):834–41. Available from: <https://pubmed.ncbi.nlm.nih.gov/11065017/>
16. Zakrzewska JM. Diagnosis and management of non-dental orofacial pain. *Dent Update* [Internet]. 2007 [cited 2024 Feb 19];34(3). Available from: <https://pubmed.ncbi.nlm.nih.gov/17506453/>
17. Kerrick JM, Fine PG, Lipman AG, Love G. Low-dose amitriptyline as an adjunct to opioids for postoperative orthopedic pain: a placebo-controlled trial. *Pain* [Internet]. 1993 [cited 2024 Feb 19];52(3):325–30. Available from: <https://pubmed.ncbi.nlm.nih.gov/8460050/>
18. Moja L, Cusi C, Sterzi R, Canepari C. Selective serotonin re-uptake inhibitors (SSRIs) for preventing migraine and tension-type headaches. *Cochrane database Syst Rev* [Internet]. 2005 [cited 2024 Feb 19];(3). Available from: <https://pubmed.ncbi.nlm.nih.gov/16034880/>
19. Ware JC. Tricyclic antidepressants in the treatment of insomnia – PubMed [Internet]. *J Clin Psychiatry*. 1983 [cited 2024 Feb 19]. p. 25–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/6355074/>
20. Wilke WS, Mackenzie AH. Proposed pathogenesis of fibrositis. *Cleve Clin Q* [Internet]. 1985 [cited 2024 Feb 19];52(2):147–54. Available from: <https://pubmed.ncbi.nlm.nih.gov/3861274/>
21. Gendreau RM, Thorn MD, Gendreau JF, Kranzler JD, Ribeiro S, Gracely RH, Williams DA, Mease PJ, McLean SA CD. Efficacy of milnacipran in patients with fibromyalgia – PubMed [Internet]. *J Rheumatol*. 2005 [cited 2024 Feb 19]. p. 1975–85. Available from: <https://pubmed.ncbi.nlm.nih.gov/16206355/>
22. Taylor CP, Gee NS, Su TZ, Kocsis JD, Welty DF, Brown JP, et al. A summary of mechanistic hypotheses of gabapentin pharmacology. *Epilepsy Res* [Internet]. 1998 [cited 2024 Feb 19];29(3):233–49. Available from: <https://pubmed.ncbi.nlm.nih.gov/9551785/>
23. Ifuku M, Iseki M, Hidaka I, Morita Y, Komatus S, Inada E. Replacement of gabapentin with pregabalin in postherpetic neuralgia therapy. *Pain Med* [Internet]. 2011 [cited 2024 Feb 19];12(7):1112–6. Available from: <https://pubmed.ncbi.nlm.nih.gov/21692969/>
24. Okeson JP. Bell's oral and facial pain. In: 7th ed. Quintessence Publishing Co; 2014.
25. Tremont-Lukats IW, Challapalli V, McNicol ED, Lau J, Carr DB. Systemic administration of local anesthetics to relieve neuropathic pain: a systematic review and meta-analysis. *Anesth Analg* [Internet]. 2005 [cited 2024 Feb 19];101(6):1738–49. Available from: <https://pubmed.ncbi.nlm.nih.gov/16301253/>
26. Kamanli A, Kaya A, Ardicoglu O, Ozgocmen S, Zengin FO, Bayık Y. Comparison of lidocaine injection, botulinum toxin injection, and dry needling to trigger points in myofascial pain syndrome. *Rheumatol Int* [Internet]. 2005 [cited 2024 Feb 19];25(8):604–11. Available from: <https://pubmed.ncbi.nlm.nih.gov/15372199/>
27. Danzig W, May S, McNeill C MA. Effect of an anesthetic injected into the temporomandibular joint space in patients with TMD – PubMed [Internet]. *J Craniomandib Disord*. 1992 [cited 2024 Feb 19]. p. 288–95. Available from: <https://pubmed.ncbi.nlm.nih.gov/1298765/>
28. Gracely RH, Lynch SA, Bennett GJ. Painful neuropathy: altered central processing maintained dynamically by peripheral input. *Pain* [Internet]. 1992 [cited 2024 Feb 19];51(2):175–94. Available from: <https://pubmed.ncbi.nlm.nih.gov/1484715/>
29. Black RG, Bonica JJ. Analgesic blocks. *Postgrad Med* [Internet]. 1973 [cited 2024 Feb 19];53(6):105–10. Available from: <https://pubmed.ncbi.nlm.nih.gov/4701606/>
30. Ernest EA. Temporomandibular joint and craniofacial pain. In: 2nd ed. MONTGOMERY: Ernest publications; 1983.

Güncel Ortodonti Çalışmaları III

31. Laskin JL, Wallace WR DB. Use of bupivacaine hydrochloride in oral surgery-a clinical study – PubMed [Internet]. *J Oral Surg*. 1977 [cited 2024 Feb 19]. p. 25–9. Available from: <https://pubmed.ncbi.nlm.nih.gov/264254/>
32. Guttu RL, Page DG, Laskin DM. Delayed healing of muscle after injection of bupivacaine and steroid. *Ann Dent* [Internet]. 1990 Jun [cited 2024 Feb 19];49(1):5–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/2346299/>
33. Wenneberg B, Kopp S GH. Long-term effect of intra-articular injections of a glucocorticosteroid into the TMJ: a clinical and radiographic 8-year follow-up – PubMed [Internet]. *J Craniomandib Disord*. 1991 [cited 2024 Feb 19]. p. 11–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/1809765/>
34. Toller P. Non-surgical treatment of dysfunctions of the temporo-mandibular joint – PubMed [Internet]. *Oral Sci Rev*. 1976 [cited 2024 Feb 19]. p. 70–85. Available from: <https://pubmed.ncbi.nlm.nih.gov/775372/>
35. Sewall SR, Ryan DE, Kwon PH, Oyen OJ. The effects of intra-articular deposition of betamethasone in the goat temporomandibular joint. *J Oral Maxillofac Surg* [Internet]. 1995 [cited 2024 Feb 19];53(12):1435–9. Available from: <https://pubmed.ncbi.nlm.nih.gov/7490654/>
36. Kopp S, Carlsson GE, Haraldson T, Wenneberg B. Long-term effect of intra-articular injections of sodium hyaluronate and corticosteroid on temporomandibular joint arthritis. *J Oral Maxillofac Surg* [Internet]. 1987 [cited 2024 Feb 19];45(11):929–35. Available from: <https://pubmed.ncbi.nlm.nih.gov/3478440/>
37. Basterzi Y, Sari A, Demirkan F, Unal S, Arslan E. Intraarticular hyaluronic acid injection for the treatment of reducing and nonreducing disc displacement of the temporomandibular joint. *Ann Plast Surg* [Internet]. 2009 Mar [cited 2024 Feb 19];62(3):265–7. Available from: <https://pubmed.ncbi.nlm.nih.gov/19240522/>
38. Alpaslan GH, Alpaslan C. Efficacy of temporomandibular joint arthrocentesis with and without injection of sodium hyaluronate in treatment of internal derangements. *J Oral Maxillofac Surg* [Internet]. 2001 [cited 2024 Feb 19];59(6):613–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/11381380/>
39. Guarda-Nardini L, Tito R, Staffieri A, Beltrame A. Treatment of patients with arthrosis of the temporomandibular joint by infiltration of sodium hyaluronate: a preliminary study. *Eur Arch Otorhinolaryngol* [Internet]. 2002 [cited 2024 Feb 19];259(5):279–84. Available from: <https://pubmed.ncbi.nlm.nih.gov/12107534/>
40. Manfredini D, Piccotti F, Guarda-Nardini L. Hyaluronic acid in the treatment of TMJ disorders: a systematic review of the literature. *Cranio* [Internet]. 2010 [cited 2024 Feb 19];28(3):166–76. Available from: <https://pubmed.ncbi.nlm.nih.gov/20806734/>
41. Svensson P, Houe L A-NL. Effect of systemic versus topical nonsteroidal anti-inflammatory drugs on postexercise jaw-muscle soreness: a placebo-controlled study – PubMed [Internet]. *J Orofac Pain*. 1997 [cited 2024 Feb 19]. p. 353–62. Available from: <https://pubmed.ncbi.nlm.nih.gov/9656912/>
42. Hersh EV, Pertes RA OH. Topical capsaicin-pharmacology and potential role in the treatment of temporomandibular pain – PubMed [Internet]. *J Clin Dent*. 1994 [cited 2024 Feb 19]. p. 54–9. Available from: <https://pubmed.ncbi.nlm.nih.gov/7528023/>
43. Gray RJ, Quayle AA, Hall CA, Schofield MA. Physiotherapy in the treatment of temporomandibular joint disorders: a comparative study of four treatment methods. *Br Dent J* [Internet]. 1994 Apr 9 [cited 2024 Feb 19];176(7):257–61. Available from: <https://pubmed.ncbi.nlm.nih.gov/8186034/>
44. Butts R, Dunning J, Pavkovich R, Mettillie J, Mourad F. Conservative management of temporomandibular dysfunction: A literature review with implications for clinical practice guidelines (Narrative review part 2). *J Bodyw Mov Ther* [Internet]. 2017 Jul 1 [cited 2024 Feb 19];21(3):541–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/28750962/>
45. Nelson SJ, Ash MM. An evaluation of a moist heating pad for the treatment of TMJ/muscle pain dysfunction. *Cranio* [Internet]. 1988 [cited 2024 Feb 19];6(4):355–9. Available from: <https://pubmed.ncbi.nlm.nih.gov/3255522/>

46. Burgess JA, Sommers EE, Truelove EL, Dworkin SF. Short-term effect of two therapeutic methods on myofascial pain and dysfunction of the masticatory system. *J Prosthet Dent* [Internet]. 1988 [cited 2024 Feb 19];60(5):606–10. Available from: <https://pubmed.ncbi.nlm.nih.gov/3199321/>
47. SCHWARTZ LL. Ethyl chloride treatment of limited, painful mandibular movement. *J Am Dent Assoc* [Internet]. 1954 May 1 [cited 2024 Feb 19];48(5):497–507. Available from: <https://pubmed.ncbi.nlm.nih.gov/13162691/>
48. Simons DG, Travell JG SL. Travell & Simons' myofascial pain and dysfunction: a trigger point manual. In: 2nd ed. Baltimore, MD: Williams & Wilkins; 1999.
49. Esposito CJ, Veal SJ, Farman AG. Alleviation of myofascial pain with ultrasonic therapy. *J Prosthet Dent* [Internet]. 1984 [cited 2024 Feb 19];51(1):106–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/6583380/>
50. Draper DO, Mahaffey C, Kaiser D, Eggett D, Jarmin J. Thermal ultrasound decreases tissue stiffness of trigger points in upper trapezius muscles. *Physiother Theory Pract* [Internet]. 2010 [cited 2024 Feb 19];26(3):167–72. Available from: <https://pubmed.ncbi.nlm.nih.gov/20331373/>
51. Phero JC, Raj PP MJ. Transcutaneous electrical nerve stimulation and myoneural injection therapy for management of chronic myofascial pain – PubMed [Internet]. *Dent Clin North Am*. 1987 [cited 2024 Feb 19]. p. 703–23. Available from: <https://pubmed.ncbi.nlm.nih.gov/3319718/>
52. Silveira PCL, Victor EG, Schefer D, Silva LA, Streck EL, Paula MM, et al. Effects of therapeutic pulsed ultrasound and dimethylsulfoxide (DMSO) phonophoresis on parameters of oxidative stress in traumatized muscle. *Ultrasound Med Biol* [Internet]. 2010 Jan [cited 2024 Feb 19];36(1):44–50. Available from: <https://pubmed.ncbi.nlm.nih.gov/19900747/>
53. Dixit N, Bali V, Baboota S, Ahuja A, Ali J. Iontophoresis – an approach for controlled drug delivery: a review. *Curr Drug Deliv* [Internet]. 2007 Nov 14 [cited 2024 Feb 19];4(1):1–10. Available from: <https://pubmed.ncbi.nlm.nih.gov/17269912/>
54. Lark MR, Gangarosa LP. Iontophoresis: an effective modality for the treatment of inflammatory disorders of the temporomandibular joint and myofascial pain. *Cranio* [Internet]. 1990 [cited 2024 Feb 19];8(2):108–19. Available from: <https://pubmed.ncbi.nlm.nih.gov/2073691/>
55. Schiffman EL, Braun BL LB. Temporomandibular joint iontophoresis: a double-blind randomized clinical trial – PubMed [Internet]. *J Orofac Pain*. 1996 [cited 2024 Feb 19]. p. 157–65. Available from: <https://pubmed.ncbi.nlm.nih.gov/9133860/>
56. Jain R, Jain E, Dass AG, Wickstrom O, Walter N, Atkinson PJ. Evaluation of transdermal steroids for trapeziometacarpal arthritis. *J Hand Surg Am* [Internet]. 2010 Jun [cited 2024 Feb 19];35(6):921–7. Available from: <https://pubmed.ncbi.nlm.nih.gov/20452733/>
57. Murphy GJ. Electrical physical therapy in treating TMJ patients. *J Craniomandibular Pract* [Internet]. 1983 [cited 2024 Feb 19];1(2):67–73. Available from: <https://pubmed.ncbi.nlm.nih.gov/6610005/>
58. Mohl ND, Ohrbach RK, Crow HC, Gross AJ. Devices for the diagnosis and treatment of temporomandibular disorders. Part III: Thermography, ultrasound, electrical stimulation, and electromyographic biofeedback. *J Prosthet Dent* [Internet]. 1990 [cited 2024 Feb 19];63(4):472–7. Available from: <https://pubmed.ncbi.nlm.nih.gov/2184233/>
59. Sternbach RA, Ignelzi RJ, Deems LM, Timmermans G. Transcutaneous electrical analgesia: a follow-up analysis. *Pain* [Internet]. 1976 [cited 2024 Feb 19];2(1):35–41. Available from: <https://pubmed.ncbi.nlm.nih.gov/1088450/>
60. Marchand S, Charest J, Li J, Chenard JR, Lavignolle B, Laurencelle L. Is TENS purely a placebo effect? A controlled study on chronic low back pain. *Pain* [Internet]. 1993 [cited 2024 Feb 19];54(1):99–106. Available from: <https://pubmed.ncbi.nlm.nih.gov/8378107/>
61. Ferreira AP de L, Da Costa DRA, De Oliveira AIS, Carvalho EAN, Conti PCR, Costa YM, et al. Short-term transcutaneous electrical nerve stimulation reduces pain and improves the masticatory muscle activity in temporomandibular disorder patients: a randomized controlled trial. *J Appl Oral Sci* [Internet]. 2017 Mar 1 [cited 2024 Feb 19];25(2):112–20. Available from: <https://pubmed.ncbi.nlm.nih.gov/28403351/>

62. Jay GW, Brunson J, Branson SJ. The effectiveness of physical therapy in the treatment of chronic daily headaches. *Headache* [Internet]. 1989 [cited 2024 Feb 19];29(3):156–62. Available from: <https://pubmed.ncbi.nlm.nih.gov/2785094/>
63. Núñez SC, Garcez AS, Suzuki SS, Ribeiro MS. Management of mouth opening in patients with temporomandibular disorders through low-level laser therapy and transcutaneous electrical neural stimulation. *Photomed Laser Surg* [Internet]. 2006 Feb [cited 2024 Feb 19];24(1):45–9. Available from: <https://pubmed.ncbi.nlm.nih.gov/16503788/>
64. Seifi M, Ebadifar A, Kabiri S, Badiee MR, Abdolazimi Z, Amdjadi P. Comparative effectiveness of Low Level Laser therapy and Transcutaneous Electric Nerve Stimulation on Temporomandibular Joint Disorders. *J lasers Med Sci* [Internet]. 2017 [cited 2024 Feb 19];8(Suppl 1):S27–31. Available from: <https://pubmed.ncbi.nlm.nih.gov/29071032/>
65. Magri LV, Carvalho VA, Rodrigues FCC, Bataglioni C, Leite-Panissi CRA. Effectiveness of low-level laser therapy on pain intensity, pressure pain threshold, and SF-MPQ indexes of women with myofascial pain. *Lasers Med Sci* [Internet]. 2017 Feb 1 [cited 2024 Feb 19];32(2):419–28. Available from: <https://pubmed.ncbi.nlm.nih.gov/28054261/>
66. Wall PD. The gate control theory of pain mechanisms. A re-examination and re-statement. *Brain* [Internet]. 1978 Mar [cited 2024 Feb 19];101(1):1–18. Available from: <https://pubmed.ncbi.nlm.nih.gov/205314/>
67. Maloney GE, Mehta N, Forgione AG, Zawawi KH, Al-Badawi EA, Driscoll SE. Effect of a passive jaw motion device on pain and range of motion in TMD patients not responding to flat plane intraoral appliances. *Cranio* [Internet]. 2002 [cited 2024 Feb 19];20(1):55–65. Available from: <https://pubmed.ncbi.nlm.nih.gov/11831346/>
68. Haketa T, Kino K, Sugisaki M, Takaoka M, Ohta T. Randomized clinical trial of treatment for TMJ disc displacement. *J Dent Res* [Internet]. 2010 Nov [cited 2024 Feb 19];89(11):1259–63. Available from: <https://pubmed.ncbi.nlm.nih.gov/20739691/>
69. Magnusson T SM. Therapeutic jaw exercises and interocclusal appliance therapy. A comparison between two common treatments of temporomandibular disorders – PubMed [Internet]. *Swed Dent J*. 1999 [cited 2024 Feb 19]. p. 27–37. Available from: <https://pubmed.ncbi.nlm.nih.gov/10371003/>
70. Melzack R, Wall PD. Pain mechanisms: a new theory. *Science* [Internet]. 1965 [cited 2024 Feb 19];150(3699):971–9. Available from: <https://pubmed.ncbi.nlm.nih.gov/5320816/>
71. Austin BD, Shupe SM. The role of physical therapy in recovery after temporomandibular joint surgery. *J Oral Maxillofac Surg* [Internet]. 1993 [cited 2024 Feb 19];51(5):495–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/8478756/>
72. Nicolakis P, Erdogmus B, Kopf A, Ebenbichler G, Kollmitzer J, Piehslinger E, et al. Effectiveness of exercise therapy in patients with internal derangement of the temporomandibular joint. *J Oral Rehabil* [Internet]. 2001 [cited 2024 Feb 19];28(12):1158–64. Available from: <https://pubmed.ncbi.nlm.nih.gov/11874517/>
73. Gage JP. Collagen biosynthesis related to temporomandibular joint clicking in childhood. *J Prosthet Dent* [Internet]. 1985 [cited 2024 Feb 19];53(5):714–7. Available from: <https://pubmed.ncbi.nlm.nih.gov/3858538/>
74. Darnell MW. A proposed chronology of events for forward head posture. *J Craniomandibular Pract* [Internet]. 1983 [cited 2024 Feb 19];1(4):49–54. Available from: <https://pubmed.ncbi.nlm.nih.gov/6586880/>
75. Komiyama O, Kawara M, Arai M, Asano T, Kobayashi K. Posture correction as part of behavioural therapy in treatment of myofascial pain with limited opening. *J Oral Rehabil* [Internet]. 1999 [cited 2024 Feb 19];26(5):428–35. Available from: <https://pubmed.ncbi.nlm.nih.gov/10373091/>
76. Faulin EF, Guedes CG, Feltrin PP, Joffiley CMMSC. Association between temporomandibular disorders and abnormal head postures. *Braz Oral Res* [Internet]. 2015 [cited 2024 Feb 19];29(1):1–6. Available from: <https://pubmed.ncbi.nlm.nih.gov/26017489/>

77. Wright EF, Domenech MA, Fischer JR. Usefulness of posture training for patients with temporomandibular disorders. J Am Dent Assoc [Internet]. 2000 [cited 2024 Feb 19];131(2):202–10. Available from: <https://pubmed.ncbi.nlm.nih.gov/10680388/>
78. Raustia AM, Pohjola RT. Acupuncture compared with stomatognathic treatment for TMJ dysfunction. Part III: Effect of treatment on mobility. J Prosthet Dent [Internet]. 1986 [cited 2024 Feb 19];56(5):616–23. Available from: <https://pubmed.ncbi.nlm.nih.gov/3464742/>
79. Fernandes A, Moura D, Da Silva L, De Almeida E, Barbosa G. Acupuncture in Temporomandibular Disorder Myofascial Pain Treatment: A Systematic Review. J oral facial pain headache [Internet]. 2017 Jul [cited 2024 Feb 19];31(3):225–32. Available from: <https://pubmed.ncbi.nlm.nih.gov/28738107/>
80. List T, Helkimo M KR. Pressure pain thresholds in patients with craniomandibular disorders before and after treatment with acupuncture and occlusal splint therapy: a controlled clinical study – PubMed [Internet]. J Orofac Pain. 1993 [cited 2024 Feb 19]. p. 275–82. Available from: <https://pubmed.ncbi.nlm.nih.gov/9116627/>
81. Türp JC, Komine F, Hugger A. Efficacy of stabilization splints for the management of patients with masticatory muscle pain: a qualitative systematic review. Clin Oral Investig [Internet]. 2004 [cited 2024 Feb 19];8(4):179–95. Available from: <https://pubmed.ncbi.nlm.nih.gov/15179561/>
82. Almeida RT, Duarte IDG. Nitric oxide/cGMP pathway mediates orofacial antinociception induced by electroacupuncture at the St36 acupoint. Brain Res [Internet]. 2008 Jan 10 [cited 2024 Feb 19];1188(1):54–60. Available from: <https://pubmed.ncbi.nlm.nih.gov/18062942/>
83. Türp JC. Limited evidence that acupuncture is effective for treating temporomandibular disorders. Evid Based Dent [Internet]. 2011 [cited 2024 Feb 19];12(3):89. Available from: <https://pubmed.ncbi.nlm.nih.gov/21979775/>
84. Hansson P, Ekblom A, Thomsson M, Fjellner B. Influence of naloxone on relief of acute oro-facial pain by transcutaneous electrical nerve stimulation (TENS) or vibration. Pain [Internet]. 1986 [cited 2024 Feb 19];24(3):323–9. Available from: <https://pubmed.ncbi.nlm.nih.gov/3515293/>

BÖLÜM 6

EXTRAALVEOLAR MİNİ İMPLANTLARIN ORTODONTİDE KULLANIMI

Fatih ATABAY¹
Yazgi AY ÜNÜVAR²

GİRİŞ

Başarılı bir ortodontik tedavi için ankraj kontrolü çok önemlidir. İdeal ankrajın sağlanması, ankrajı güçlendirmek için geliştirilen çeşitli yöntemlerin çoğu (headgear, intermaksiller elastik kullanımı vb.) hasta uyumuna bağlı olduğundan genellikle zordur (1). Geçici ankraj aygıtlarının (TAD) yaygın olarak kullanılması ile ankraj güçlendirilerek daha öngörülebilir diş hareketleri elde edilmiştir. Bu anlamda geçici ankraj aygıtlarından biri olan minividalar, ortodontik tedavide iskeletsel ankraj sağlamak amacıyla üretilmiştir (2). Minividaların hasta kooperasyonuna gerek kalmadan çeşitli ortodontik kuvvetlere dayanma özelliği, düşük maliyeti, biyouyumluluğu, yerleştirme ve çıkarma kolaylığı nedeniyle her geçen gün ortodontik tedavide kullanımı artmıştır (3,4). Minividalar, maksilla ve mandibulada çeşitli bölgelere yerleştirilebilmektedir ve nispeten düşük başarısızlık oranına (yaklaşık %13,5) sahiptir (5). Bununla birlikte çok sayıda çalışma, minividaların başarı oranı ile yerleştirme bölgesinin anatomisi arasında güçlü bir korelasyon olduğunu göstermektedir (6). Minividaların başarısında göz önünde bulundurulması gereken en önemli faktörlerden biri, yerleştirme yerindeki kemik kalınlığı ve kalitesidir (7). Ayrıca, minividaların kök ile teması başarısızlığın en sık nedenlerinden biri olarak kabul edilir. Bu nedenle minividaları kök ile temas etmeden yerleştirmek için uygun bir yöntem bulmak önem arz etmektedir (8).

Son dönemde mandibular bukkal shelf ve IZC bölgeleri minivida uygulamaları için ekstraradiküler yerleştirme yeri olarak yaygın bir şekilde kullanılmaktadır. Ayrıca interradiküler minivida uygulamalarına kıyasla daha yüksek başarı oranına sahiptir (9).

¹ Arş. Gör., Aydın Adnan Menderes Üniversitesi, Diş Hekimliği Fakültesi, Ortodonti AD., fatih.atabay@adu.edu.tr, ORCID iD: 0009-0006-7805-9805

² Doç. Dr., Aydın Adnan Menderes Üniversitesi, Diş Hekimliği Fakültesi, Ortodonti AD., yazgi.ay@adu.edu.tr, ORCID iD: 0000-0002-1455-9855

KAYNAKLAR

1. Chang HP, Tseng YC. Miniscrew implant applications in contemporary orthodontics. *Kaohsiung Journal of Medicine Science*. 2014 Mar;30(3):111–115.
2. Papadopoulos MA, Tarawneh F. The use of miniscrew implants for temporary skeletal anchorage in orthodontics: a comprehensive review. *Oral Surgery Oral Medicine Oral Pathology Oral Radiology Endodontology*. 2007 May;103(5):e6-15.
3. Cousley RRJ, Sandler PJ. Advances in orthodontic anchorage with the use of mini-implant techniques. *British Dental Journal*. 2015 Feb 16;218(3):E4.
4. Prabhu J, Cousley RRJ. Current products and practice: bone anchorage devices in orthodontics. *Journal of Orthodontics*. 2006 Dec;33(4):288–307.
5. Papageorgiou SN, Zogakis IP, Papadopoulos MA. Failure rates and associated risk factors of orthodontic miniscrew implants: a meta-analysis. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2012 Nov;142(5):577-595.e7.
6. Alharbi F, Almuzian M, Bearn D. Miniscrews failure rate in orthodontics: systematic review and meta-analysis. *European Journal of Orthodontics*. 2018 Sep 28;40(5):519–530.
7. Kim HJ, Yun HS, Park HD, Kim DH, Park YC. Soft-tissue and cortical-bone thickness at orthodontic implant sites. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2006 Aug;130(2):177–182.
8. Kuroda S, Yamada K, Deguchi T, Hashimoto T, Kyung HM, Takano-Yamamoto T. Root proximity is a major factor for screw failure in orthodontic anchorage. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2007 Apr;131(4 Suppl):S68-73.
9. Chang C, Liu SSY, Roberts WE. Primary failure rate for 1680 extra-alveolar mandibular buccal shelf mini-screws placed in movable mucosa or attached gingiva. *The Angle Orthodontist*. 2015 Nov;85(6):905–910.
10. Singh K, Kumar D, Jaiswal RK, Bansal A. Temporary anchorage devices – Mini-implants. *National Journal of Maxillofacial Surgery*. 2010 Jan;1(1):30–34.
11. Costa A, Raffaini M, Melsen B. Miniscrews as orthodontic anchorage: a preliminary report. *International Journal of Adult Orthodontics Orthognathic Surgery* 1998;13(3):201–209.
12. De Clerck H, Geerinckx V, Siciliano S. The Zygoma Anchorage System. *Journal of Clinical Orthodontics*. 2002 Aug;36(8):455–459.
13. Liou EJW, Pai BCJ, Lin JCY. Do miniscrews remain stationary under orthodontic forces? *American Journal of Orthodontics and Dentofacial Orthopedics*. 2004 Jul;126(1):42–47.
14. Park YC, Lee SY, Kim DH, Jee SH. Intrusion of posterior teeth using mini-screw implants. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2003 Jun;123(6):690–694.
15. Ohashi E, Pecho OE, Moron M, Lagravere MO. Implant vs screw loading protocols in orthodontics. *The Angle Orthodontist*. 2006 Jul;76(4):721–727.
16. Wilmes B, Drescher D. A miniscrew system with interchangeable abutments. *Journal of clinical orthodontics*. 2008 Oct;42(10):574–580; quiz 595.
17. Proffit W, Fields Jr H, Sarver D. *Contemporary Orthodontics*, 5th ed. St. Louis: Mosby, Elsevier Health Sciences; 2013.
18. Chen Y, Kyung HM, Zhao WT, Yu WJ. Critical factors for the success of orthodontic mini-implants: a systematic review. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2009 Mar;135(3):284–291.
19. Meredith N. Assessment of implant stability as a prognostic determinant. *The International Journal of Prosthodontics*. 1998;11(5):491–501.
20. Baumgaertel S. Predrilling of the implant site: Is it necessary for orthodontic mini-implants? *American Journal of Orthodontics and Dentofacial Orthopedics*. 2010 Jun;137(6):825–829.
21. Reynders R, Ronchi L, Bipat S. Mini-implants in orthodontics: a systematic review of the literature. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2009 May;135(5):564.e1-19; discussion 564-565.
22. Cheng SJ, Tseng IY, Lee JJ, Kok SH. A prospective study of the risk factors associated with failure of mini-implants used for orthodontic anchorage. *The International Journal of Oral Maxillofacial Implants*. 2004;19(1):100–106.

23. Freudenthaler JW, Haas R, Bantleon HP. Bicortical titanium screws for critical orthodontic anchorage in the mandible: a preliminary report on clinical applications. *Clinical Oral Implants Research*. 2001 Aug;12(4):358–363.
24. Poggio PM, Incorvati C, Velo S, Carano A. “Safe zones”: a guide for miniscrew positioning in the maxillary and mandibular arch. *The Angle Orthodontist*. 2006 Mar;76(2):191–197.
25. Miyawaki S, Koyama I, Inoue M, Mishima K, Sugahara T, Takano-Yamamoto T. Factors associated with the stability of titanium screws placed in the posterior region for orthodontic anchorage. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2003 Oct;124(4):373–378.
26. Wiechmann D, Meyer U, Büchter A. Success rate of mini – and micro-implants used for orthodontic anchorage: a prospective clinical study. *Clinical Oral Implants Research*. 2007 Apr;18(2):263–267.
27. Kuroda S, Sugawara Y, Deguchi T, Kyung HM, Takano-Yamamoto T. Clinical use of miniscrew implants as orthodontic anchorage: success rates and postoperative discomfort. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2007 Jan;131(1):9–15.
28. Lim JW, Kim WS, Kim IK, Son CY, Byun HI. Three dimensional finite element method for stress distribution on the length and diameter of orthodontic miniscrew and cortical bone thickness. *Korean Journal of Orthodontics* [Internet]. 2016 Jun 15 [cited 2023 Oct 12];33(1):11–20. Available from: <http://www.koreamed.org/SearchBasic.php?RID=2271906>
29. Cha JY, Takano-Yamamoto T, Hwang CJ. The effect of miniscrew taper morphology on insertion and removal torque in dogs. *The International Journal of Oral and Maxillofacial Implants*. 2010;25(4):777–783.
30. Song YY, Cha JY, Hwang CJ. Mechanical characteristics of various orthodontic mini-screws in relation to artificial cortical bone thickness. *The Angle Orthodontist*. 2007 Nov;77(6):979–985.
31. Park HS, Jeong SH, Kwon OW. Factors affecting the clinical success of screw implants used as orthodontic anchorage. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2006 Jul;130(1):18–25.
32. Carano A, Melsen B. Implants in orthodontics. Interview. *Progress in Orthodontics*. 2005;6(1):62–69.
33. Suzuki M, Deguchi T, Watanabe H, Seiryu M, Iikubo M, Sasano T, et al. Evaluation of optimal length and insertion torque for miniscrews. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2013 Aug;144(2):251–259.
34. Kuroda S, Sakai Y, Tamamura N, Deguchi T, Takano-Yamamoto T. Treatment of severe anterior open bite with skeletal anchorage in adults: comparison with orthognathic surgery outcomes. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2007 Nov;132(5):599–605.
35. Chen YJ, Chang HH, Lin HY, Lai EHH, Hung HC, Yao CCJ. Stability of miniplates and miniscrews used for orthodontic anchorage: experience with 492 temporary anchorage devices. *Clinical Oral Implants Research*. 2008 Nov;19(11):1188–1196.
36. Costa A, Pasta G, Bergamaschi G. Intraoral hard and soft tissue depths for temporary anchorage devices. *Seminars in Orthodontics*. 2005 Mar;11(1):10–5.
37. Cousley R. *The Orthodontic Mini-implant Clinical Handbook*. 2nd ed. Wiley-Blackwell; 2020.
38. Drago CJ, Del Castillo RA. A retrospective analysis of osseotite NT implants in clinical practice: 1-year follow-up. *International Journal of Periodontics and Restorative Dentistry*. 2006 Aug;26(4):337–345.
39. Carano A, Lonardo P, Velo S, Incorvati C. Mechanical properties of three different commercially available miniscrews for skeletal anchorage. *Progress in Orthodontics*. 2005;6(1):82–97.
40. Yoo SH, Park YC, Hwang CJ, Kim JY, Choi EH, Cha JY. A comparison of tapered and cylindrical miniscrew stability. *European Journal of Orthodontics*. 2014 Oct;36(5):557–562.
41. Brown RN, Sexton BE, Gabriel Chu TM, Katona TR, Stewart KT, Kyung HM, et al. Comparison of stainless steel and titanium alloy orthodontic miniscrew implants: a mechanical and histologic analysis. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2014 Apr;145(4):496–504.
42. Christensen FB, Dalstra M, Sejlind F, Overgaard S, Bünger C. Titanium-alloy enhances bone-pedicle screw fixation: mechanical and histomorphometrical results of titanium-alloy versus stainless steel. *European Spine Journal*. 2000 Apr;9(2):97–103.

Güncel Ortodonti Çalışmaları III

43. Jang I, Shim SC, Choi DS, Cha BK, Lee JK, Choe BH, et al. Effect of TiO₂ nanotubes arrays on osseointegration of orthodontic miniscrew. *Biomedical Microdevices*. 2015 Aug;17(4):76.
44. Kim SH, Lee SJ, Cho IS, Kim SK, Kim TW. Rotational resistance of surface-treated mini-implants. *The Angle Orthodontist*. 2009 Sep;79(5):899–907.
45. Lee SJ, Ahn SJ, Lee JW, Kim SH, Kim TW. Survival analysis of orthodontic mini-implants. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2010 Feb;137(2):194–199.
46. Chapman JR, Harrington RM, Lee KM, Anderson PA, Tencer AF, Kowalski D. Factors affecting the pullout strength of cancellous bone screws. *Journal of Biomechanical Engineering*. 1996 Aug;118(3):391–398.
47. Brinley CL, BehrentsR, Kim KB, Condoor S, Kyung HM, Buschang PH. Pitch and longitudinal fluting effects on the primary stability of miniscrew implants. *The Angle Orthodontist*. 2009 Nov;79(6):1156–1161.
48. Kim HJ, Yun HS, Park HD, Kim DH, Park YC. Soft-tissue and cortical-bone thickness at orthodontic implant sites. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2006 Aug;130(2):177–182.
49. Holmes DC, Loftus JT. Influence of bone quality on stress distribution for endosseous implants. *Journal of Oral Implantology*. 1997;23(3):104–111.
50. Marquezan M, Mattos CT, Sant'Anna EF, de Souza MMG, Maia LC. Does cortical thickness influence the primary stability of miniscrews?: A systematic review and meta-analysis. *The Angle Orthodontist*. 2014 Nov;84(6):1093–103.
51. Wilmes B, Rademacher C, Olthoff G, Drescher D. Parameters affecting primary stability of orthodontic mini-implants. *Journal of Orofacial Orthopedics*. 2006 May;67(3):162–174.
52. Schätzle M, Golland D, Roos M, Stawarczyk B. Accuracy of mechanical torque-limiting gauges for mini-screw placement. *Clinical Oral Implants Research*. 2010 Aug;21(8):781–788.
53. Motoyoshi M, Hirabayashi M, Uemura M, Shimizu N. Recommended placement torque when tightening an orthodontic mini-implant. *Clinical Oral Implants Research*. 2006 Feb;17(1):109–114.
54. Motoyoshi M, Inaba M, Ono A, Ueno S, Shimizu N. The effect of cortical bone thickness on the stability of orthodontic mini-implants and on the stress distribution in surrounding bone. *International Journal Of Oral and Maxillofacial Surgery*. 2009 Jan;38(1):13–18.
55. Motoyoshi M, Ueno S, Okazaki K, Shimizu N. Bone stress for a mini-implant close to the roots of adjacent teeth--3D finite element analysis. *International Journal Of Oral and Maxillofacial Surgery*. 2009 Apr;38(4):363–368.
56. Ono A, Motoyoshi M, Shimizu N. Cortical bone thickness in the buccal posterior region for orthodontic mini-implants. *International Journal Of Oral and Maxillofacial Surgery*. 2008 Apr;37(4):334–340.
57. Misch C. Bone character: *second vital implant criterion*. *Dent Today*. 1988;7(5):39–40.
58. Hutton JE, Heath MR, Chai JY, Harnett J, Jemt T, Johns RB, et al. Factors related to success and failure rates at 3-year follow-up in a multicenter study of overdentures supported by Brånemark implants. *International Journal of Oral and Maxillofacial Implants*. 1995;10(1):33–42.
59. Holm L, Cunningham SJ, Petrie A, Cousley RRJ. An in vitro study of factors affecting the primary stability of orthodontic mini-implants. *The Angle Orthodontist*. 2012 Nov;82(6):1022–1028.
60. Santiago RC, de Paula FO, Fraga MR, Picorelli Assis NMS, Vitral RWF. Correlation between miniscrew stability and bone mineral density in orthodontic patients. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2009 Aug;136(2):243–250.
61. Wehrbein H. Bone quality in the midpalate for temporary anchorage devices. *Clinical Oral Implants Research*. 2009 Jan;20(1):45–49.
62. Kim HJ, Yun HS, Park HD, Kim DH, Park YC. Soft-tissue and cortical-bone thickness at orthodontic implant sites. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2006 Aug;130(2):177–182.
63. Lee JS, Kim DH, Park YC, Kyung SH, Kim TK. The efficient use of midpalatal miniscrew implants. *The Angle Orthodontist*. 2004 Oct;74(5):711–714.

64. Park HS, Lee SK, Kwon OW. Group distal movement of teeth using microscrew implant anchorage. *The Angle Orthodontist*. 2005 Jul;75(4):602–609.
65. Hu KS, Kang MK, Kim TW, Kim KH, Kim HJ. Relationships between dental roots and surrounding tissues for orthodontic miniscrew installation. *The Angle Orthodontist* [Internet]. 2009 Jan [cited 2023 Oct 12];79(1):37–45. Available from: <https://pubmed.ncbi.nlm.nih.gov/19123704/>
66. Lim HJ, Eun CS, Cho JH, Lee KH, Hwang HS. Factors associated with initial stability of miniscrews for orthodontic treatment. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2009 Aug;136(2):236–242.
67. Yadav S, Upadhyay M, Liu S, Roberts E, Neace WP, Nanda R. Microdamage of the cortical bone during mini-implant insertion with self-drilling and self-tapping techniques: a randomized controlled trial. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2012 May;141(5):538–546.
68. Chen Y, Shin HI, Kyung HM. Biomechanical and histological comparison of self-drilling and self-tapping orthodontic microimplants in dogs. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2008 Jan;133(1):44–50.
69. Wilmes B, Panayotidis A, Drescher D. Fracture resistance of orthodontic mini-implants: a biomechanical in vitro study. *European Journal of Orthodontics*. 2011 Aug;33(4):396–401.
70. Chen Y, Kyung HM, Gao L, Yu WJ, Bae EJ, Kim SM. Mechanical properties of self-drilling orthodontic micro-implants with different diameters. *The Angle Orthodontist*. 2010 Sep;80(5):821–827.
71. Homolka P, Beer A, Birkfellner W, Nowotny R, Gahleitner A, Tschabitscher M, et al. Bone mineral density measurement with dental quantitative CT prior to dental implant placement in cadaver mandibles: pilot study. *Radiology*. 2002 Jul;224(1):247–252.
72. Lim SA, Cha JY, Hwang CJ. Insertion torque of orthodontic miniscrews according to changes in shape, diameter and length. *The Angle Orthodontist*. 2008 Mar;78(2):234–240.
73. Motoyoshi M, Matsuoka M, Shimizu N. Application of orthodontic mini-implants in adolescents. *International Journal Of Oral and Maxillofacial Surgery*. 2007 Aug;36(8):695–699.
74. Melsen B. Mini-implants: Where are we? *Journal of clinical orthodontics*. 2005 Sep;39(9):539–47; quiz 531–532.
75. Kyung HM, Park HS, Bae SM, Sung JH, Kim IB. Development of orthodontic micro-implants for intraoral anchorage. *Journal of clinical orthodontics*. 2003 Jun;37(6):321–8; quiz 314.
76. Carano A, Velo S, Leone P, Siciliani G. Clinical applications of the Miniscrew Anchorage System. *Journal of clinical orthodontics*. 2005 Jan;39(1):9–24; quiz 29–30.
77. Park HS, Hwangbo ES, Kwon TG. Proper mesiodistal angles for microimplant placement assessed with 3-dimensional computed tomography images. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2010 Feb;137(2):200–206.
78. Wilmes B, Su YY, Drescher D. Insertion angle impact on primary stability of orthodontic mini-implants. *The Angle Orthodontist*. 2008 Nov;78(6):1065–1070.
79. Oh TJ, Shotwell JL, Billy EJ, Wang HL. Effect of flapless implant surgery on soft tissue profile: a randomized controlled clinical trial. *Journal of Periodontology*. 2006 May;77(5):874–882.
80. Gupta N, Kotrashetti SM, Naik V. A comparative clinical study between self tapping and drill free screws as a source of rigid orthodontic anchorage. *Journal of Maxillofacial and Oral Surgery*. 2012 Mar;11(1):29–33.
81. Yi J, Ge M, Li M, Li C, Li Y, Li X, et al. Comparison of the success rate between self-drilling and self-tapping miniscrews: a systematic review and meta-analysis. *European Journal of Orthodontics*. 2017 Jun 1;39(3):287–293.
82. Singh S, Mogra S, Shetty VS, Shetty S, Philip P. Three-dimensional finite element analysis of strength, stability, and stress distribution in orthodontic anchorage: a conical, self-drilling miniscrew implant system. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2012 Mar;141(3):327–336.
83. Florvaag B, Kneuert P, Lazar F, Koebeke J, Zöller JE, Braumann B, et al. Biomechanical properties of orthodontic miniscrews. An in-vitro study. *Journal of Orofacial Orthopedics*. 2010 Jan;71(1):53–67.

Güncel Ortodonti Çalışmaları III

84. Crismani AG, Bertl MH, Celar AG, Bantleon HP, Burstone CJ. Miniscrews in orthodontic treatment: review and analysis of published clinical trials. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2010 Jan;137(1):108–113.
85. Holberg C, Winterhalder P, Rudzki-Janson I, Wichelhaus A. Finite element analysis of mono – and bicortical mini-implant stability. *European Journal of Orthodontics*. 2014 Oct;36(5):550–556.
86. Brettin BT, Grosland NM, Qian F, Southard KA, Stuntz TD, Morgan TA, et al. Bicortical vs monocortical orthodontic skeletal anchorage. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2008 Nov;134(5):625–635.
87. Ren Y, Maltha JC, Kuijpers-Jagtman AM. Optimum force magnitude for orthodontic tooth movement: a systematic literature review. *The Angle Orthodontist*. 2003 Feb;73(1):86–92.
88. Park HS, Kyung HM, Sung JH. A simple method of molar uprighting with micro-implant anchorage. *Journal of clinical orthodontics*. 2002 Oct;36(10):592–596.
89. Park HS, Kwon TG. Sliding mechanics with microscrew implant anchorage. *The Angle Orthodontist*. 2004 Oct;74(5):703–710.
90. Huja SS, Litsky AS, Beck FM, Johnson KA, Larsen PE. Pull-out strength of monocortical screws placed in the maxillae and mandibles of dogs. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2005 Mar;127(3):307–313.
91. Roberts WE, Turley PK, Brezniak N, Fielder PJ. Implants: Bone physiology and metabolism. *CDA Journal*. 1987 Oct;15(10):54–61.
92. Gelgör IE, Büyükyılmaz T, Karaman AIY, Dolanmaz D, Kalayci A. Intraosseous screw-supported upper molar distalization. *The Angle Orthodontist*. 2004 Dec;74(6):838–850.
93. Romanos G, Toh CG, Siar CH, Swaminathan D, Ong AH, Donath K, et al. Peri-implant bone reactions to immediately loaded implants. An experimental study in monkeys. *Journal of Periodontology*. 2001 Apr;72(4):506–511.
94. Cope JB. Temporary anchorage devices in orthodontics: A paradigm shift. *Seminars in Orthodontics*. 2005 Mar;11(1):3–9.
95. Kravitz ND, Kusnoto B. Risks and complications of orthodontic miniscrews. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2007 Apr;131(4 Suppl):S43–51.
96. Melsen B, Verna C. Miniscrew implants: The Aarhus anchorage system. *Seminars in Orthodontics*. 2005 Mar;11(1):24–31.
97. Asscherickx K, Vannet B Vande, Wehrbein H, Sabzevar MM. Root repair after injury from mini-screw. *Clinical Oral Implants Research*. 2005 Oct;16(5):575–578.
98. Dula K, Mini R, van der Stelt PF, Buser D. The radiographic assessment of implant patients: decision-making criteria. *International Journal of Oral and Maxillofacial Implants*. 2001;16(1):80–89.
99. Morea C, Dominguez GC, Wuo ADV, Tortamano A. Surgical guide for optimal positioning of mini-implants. *Journal of clinical orthodontics*. 2005 May;39(5):317–321.
100. Carano A, Velo S, Incorvati C, Poggio P. Clinical applications of the Mini-Screw-Anchorage-System (M.A.S.) in the maxillary alveolar bone. *Progress in Orthodontics*. 2004;5(2):212–235.
101. Suzuki EY, Buranastidporn B. An adjustable surgical guide for miniscrew placement. *Journal of clinical orthodontics*. 2005 Oct;39(10):588–590.
102. Giancotti A, Arcuri C, Barlattani A. Treatment of ectopic mandibular second molar with titanium miniscrews. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2004 Jul;126(1):113–117.
103. Ozen T, Orhan K, Gorur I, Ozturk A. Efficacy of low level laser therapy on neurosensory recovery after injury to the inferior alveolar nerve. *Head and Face Medicine*. 2006 Feb 15;2:3.
104. Sujatha N, Manjunath KY, Balasubramanyam V. Variations of the location of the greater palatine foramina in dry human skulls. *Indian Journal of Dental Research*. 2005;16(3):99–102.
105. Denio D, Torabinejad M, Bakland LK. Anatomical relationship of the mandibular canal to its surrounding structures in mature mandibles. *Journal of Endodontics*. 1992 Apr;18(4):161–165.
106. Torgay A, Aydin E, Cilasun U, Durmaz L, Arslan G. Subcutaneous emphysema after dental treatment: a case report. *Paediatr Anaesth*. 2006 Mar;16(3):314–317.
107. Heyman SN, Babayof I. Emphysematous complications in dentistry, 1960-1993: an illustrative

Güncel Ortodonti Çalışmaları III

- case and review of the literature. *Quintessence International* 1995 Aug;26(8):535–543.
108. Schuman NJ, Owens BM, Shelton JT. Subcutaneous emphysema after restorative dental treatment. *Compendium of Continuing Education in Dentistry*. 2001 Jan;22(1):38–40, 42.
 109. Monsour PA, Savage NW. Cervicofacial emphysema following dental procedures. *Australian Dental Journal*. 1989 Oct;34(5):403–4026.
 110. Ardekian L, Oved-Peleg E, Mactei EE, Peled M. The clinical significance of sinus membrane perforation during augmentation of the maxillary sinus. *Journal of Oral and Maxillofacial Surgery*. 2006 Feb;64(2):277–282.
 111. Reiser GM, Rabinovitz Z, Bruno J, Damoulis PD, Griffin TJ. Evaluation of maxillary sinus membrane response following elevation with the crestal osteotome technique in human cadavers. *International Journal of Oral and Maxillofacial Implants*. 2001;16(6):833–840.
 112. Brånemark PI, Adell R, Albrektsson T, Lekholm U, Lindström J, Rockler B. An experimental and clinical study of osseointegrated implants penetrating the nasal cavity and maxillary sinus. *Journal of Oral and Maxillofacial Surgery*. 1984 Aug;42(8):497–505.
 113. Trisi P, Rebaudi A. Progressive bone adaptation of titanium implants during and after orthodontic load in humans. *International Journal of Periodontics and Restorative Dentistry*. 2002 Feb;22(1):31–43.
 114. Heidemann W, Gerlach KL, Gröbel KH, Köllner HG. Influence of different pilot hole sizes on torque measurements and pullout analysis of osteosynthesis screws. *Journal of Craniomaxillofacial Surgery*. 1998 Feb;26(1):50–55.
 115. Büchter A, Wiechmann D, Koerdt S, Wiesmann HP, Piffko J, Meyer U. Load-related implant reaction of mini-implants used for orthodontic anchorage. *Clinical Oral Implants Research*. 2005 Aug;16(4):473–479.
 116. Misch CE. Density of bone: effect on treatment plans, surgical approach, healing, and progressive bone loading. *International Journal of Oral Implantology*. 1990;6(2):23–31.
 117. Lee JS, Kim DH, Park YC, Kyung SH, Kim TK. The efficient use of midpalatal miniscrew implants. *The Angle Orthodontist*. 2004 Oct;74(5):711–714.
 118. Heidemann W, Terheyden H, Gerlach KL. Analysis of the osseous/metal interface of drill free screws and self-tapping screws. *Journal of Craniomaxillofacial Surgery*. 2001 Apr;29(2):69–74.
 119. Othman S, Haugen E, Gjerme P. The effect of chlorhexidine supplementation in a periodontal dressing. *Acta Odontologica Scandinavica*. 1989 Dec;47(6):361–366.
 120. Ohmae M, Saito S, Morohashi T, Seki K, Qu H, Kanomi R, et al. A clinical and histological evaluation of titanium mini-implants as anchors for orthodontic intrusion in the beagle dog. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2001 May;119(5):489–497.
 121. Liou EJW, Chen PH, Wang YC, Lin JCY. A computed tomographic image study on the thickness of the infrazygomatic crest of the maxilla and its clinical implications for miniscrew insertion. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2007 Mar;131(3):352–356.
 122. Tavares A, Crusoe-Rebello IM, Neves FS. Tomographic evaluation of infrazygomatic crest for orthodontic anchorage in different vertical and sagittal skeletal patterns. *Journal of Clinical and Experimental Dentistry* [Internet]. 2020 [cited 2023 Oct 13];12(11):e1015–1020. Available from: <https://pubmed.ncbi.nlm.nih.gov/33262865/>
 123. Liu H, Wu X, Yang L, Ding Y. Safe zones for miniscrews in maxillary dentition distalization assessed with cone-beam computed tomography. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2017 Mar;151(3):500–506.
 124. Melsen B, Costa A. Immediate loading of implants used for orthodontic anchorage. *Clinical Orthodontics and Research*. 2000 Feb;3(1):23–28.
 125. Murugesan A, Jain RK. A 3D comparison of dimension of infrazygomatic crest region in different vertical skeletal patterns: A retrospective study. *International Orthodontics*. 2020 Dec;18(4):770–775.
 126. Vargas EOA, Lopes de Lima R, Nojima LI. Mandibular buccal shelf and infrazygomatic crest thicknesses in patients with different vertical facial heights. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2020 Sep;158(3):349–356.

127. Murugesan A, Sivakumar A. Comparison of bone thickness in infrazygomatic crest area at various miniscrew insertion angles in Dravidian population – A cone beam computed tomography study. *International Orthodontics*. 2020 Mar;18(1):105–114.
128. Du B, Zhu J, Li L, Fan T, Tan J, Li J. Bone depth and thickness of different infrazygomatic crest miniscrew insertion paths between the first and second maxillary molars for distal tooth movement: A 3-dimensional assessment. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2021 Jul;160(1):113–123.
129. Suzuki A, Masuda T, Takahashi I, Deguchi T, Suzuki O, Takano-Yamamoto T. Changes in stress distribution of orthodontic miniscrews and surrounding bone evaluated by 3-dimensional finite element analysis. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2011 Dec;140(6):e273-280.
130. Arango E. Age differences in relation to bone thickness and length of the zygomatic process of the maxilla, infrazygomatic crest, and buccal shelf area. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2022;161(4):510–518.
131. Paul P, Mathur AK, Chitra P. Stress distribution patterns in mini-implant and bone in the infra-zygomatic crest region at different angulations: A finite element study. *Journal of World Federation of Orthodontists*. 2021 Mar;10(1):29–34.
132. He JD, Chou TM, Chang HP, Chen JH, Yang YH, Moore DJ. Predictable reproduction of the buccal shelf area in mandibular dentures. *International Journal of Prosthodontics*. 2007;20(5):535–537.
133. Elshebiny T, Palomo JM, Baumgaertel S. Anatomic assessment of the mandibular buccal shelf for miniscrew insertion in white patients. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2018 Apr;153(4):505–511.
134. Gandhi V, Upadhyay M, Tadinada A, Yadav S. Variability associated with mandibular buccal shelf area width and height in subjects with different growth pattern, sex, and growth status. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2021 Jan;159(1):59–70.
135. Kolge NE, Patni VJ, Potnis SS. Tomographic mapping of buccal shelf area for optimum placement of bone screws: A three-dimensional cone-beam computed tomography evaluation. *APOS Trends in Orthodontics*. 2019 Dec 31;9(4):241–245.
136. Chang C, Liu SSY, Roberts WE. Primary failure rate for 1680 extra-alveolar mandibular buccal shelf mini-screws placed in movable mucosa or attached gingiva. *The Angle Orthodontist* [Internet]. 2015 Nov 1 [cited 2023 Oct 13];85(6):905–910. Available from: <https://pubmed.ncbi.nlm.nih.gov/25603272/>
137. Chang CH, Lin JS, Eugene Roberts W. Failure rates for stainless steel versus titanium alloy infrazygomatic crest bone screws: A single-center, randomized double-blind clinical trial. *The Angle Orthodontist* [Internet]. 2019 Jan 1 [cited 2023 Oct 13];89(1):40–46. Available from: <https://pubmed.ncbi.nlm.nih.gov/30372127/>

BÖLÜM 7

SINIF II MALOKLÜZYONLARIN FONKSİYONEL TEDAVİLERİ

Özge ÜNLÜOĞLU¹
Yazgi AY ÜNÜVAR²

GİRİŞ

Baş ve yüz bölgesindeki iskeletsel yapılardaki denge bazı çevresel ve kalıtsal faktörlerin etkisi ile bozulabilir ve iskeletsel düzeyde birtakım uyumsuzluklar oluşabilir (1). Sınıf II maloklüzyonlar ortodontide sıklıkla rastlanılan anomalilerdendir ve popülasyonun neredeyse %30'unda rastlanılmaktadır (2). Angle 1899'da maksiller kesici dişlerin konumlarına göre Sınıf II maloklüzyonları Sınıf II Bölüm 1 ve Sınıf II Bölüm 2 olarak sınıflandırmıştır (3). Sınıf II Bölüm 1 maloklüzyonlarda artmış overjet ve protrüziv üst keser dişler görülürken, Sınıf II Bölüm 2 maloklüzyonlarda aşırı dik üst keserler ve artmış overbite ile karakterizedir (4).

Fonksiyonel ortodontik tedavi çenelerin yapı bozukluklarının ve yanlış pozisyonlarının fonksiyonel uyarıcılar ile elde edildiği bir tedavidir (5). Kaslar aracılığı ile çene kemiklerine veya dişler aracılığı ile periodontal ligament ve alveolar kemiklerine kuvvetler iletilerek kemiğin yapısını düzenlemektedirler (6).

Fonksiyonel ortopedik tedavi amacıyla kullanılan apareylere fonksiyonel ortopedik apareylere denir. Sınıf II fonksiyonel ortopedik aygıtlar; mandibulayı aşağıda ve önde pozisyonlandırarak; yumuşak doku ve kaslarda oluşan gerilime bağlı basıncın dişsel ve iskeletsel yapılara iletmesi sonucu meydana gelen büyüme modifikasyonu ve diş hareketi ile mandibular yetersizlik vakalarının tedavisini sağlar (5,7). Fonksiyonel tedavilerde; apareylere hareketli (aktivatör, bionatör, frankel, twinblok vb.) veya sabit (herbst, forsus, powerscope, jasper jumper, mara vb.) olarak kullanılabilir.

¹ Arş. Gör., Aydın Adnan Menderes Üniversitesi, Diş Hekimliği Fakültesi, Ortodonti AD., ozge.unluoglu@adu.edu.tr, ORCID iD: 0009-0008-4124-3507

² Doç. Dr., Aydın Adnan Menderes Üniversitesi, Diş Hekimliği Fakültesi, Ortodonti AD., yazgi.ay@adu.edu.tr, ORCID iD: 0000-0002-1455-9855

KAYNAKLAR

1. Dağsuyu İ. M., Baydaş B. Sınıf II Bölüm 1 maloklüzyonlu bireylerde fonksiyonel ortopedik tedavi etkilerinin aksiyografik ve sefalometrik yöntemlerle incelenmesi. *Atatürk Üniversitesi Diş Hekimliği Fakültesi Dergisi*. 2011 Mar 1;196-212.
2. Gelgör IE, Karaman AI, Ercan E. Prevalence of malocclusion among adolescents in central anatolia. *European Journal of Dentistry*. 2007 Jul;1(3):125-131.
3. Angle E. *Classification of malocclusion*. Dental Cosmos. 1899;41:248-350.
4. Bishara SE. Class II Malocclusions: Diagnostic and clinical considerations with and without treatment. *Seminars in Orthodontics*. 2006 Mar;12(1):11-24.
5. Proffit W, Fields H, Sarver D. *Contemporary Orthodontics*. 5th ed. Mosby; 2013.
6. Graber L, Vanarsdall RJ, Vig K. *Orthodontics Current Principles and Techniques*. 5th ed. Mosby; 2011.
7. Moyers RE, Riolo ML, Guire KE, Wainright RL, Bookstein FL. Differential diagnosis of Class II malocclusions. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1980 Nov;78(5):477-494.
8. Bishara S, Saunders W. *Textbook of Orthodontics*. Saunders Book Company; 2001.
9. Perillo L, Masucci C, Ferro F, Apicella D, Baccetti T. Prevalence of orthodontic treatment need in southern Italian schoolchildren. *The European Journal of Orthodontics*. 2010 Feb 1;32(1):49-53.
10. Sarı Z, Uysal T, Karaman AI, Başçiftçi FA, Üşümez S, Demir A. ortodontik maloklüzyonlar ve tedavi seçeneklerinin değerlendirilmesi: Epidemiyolojik çalışma. *Turkish Journal of Orthodontics*. 2003 Aug;16(2):119-126.
11. Sayin MO, Türkkahraman H. Malocclusion and crowding in an orthodontically referred Turkish population. *The Angle Orthodontist*. 2004 Oct;74(5):635-639.
12. Richard A, Smith D. The etiology of Angle Class II division I malocclusion. *The Angle Orthodontist*. 1939 Jan;9(1).
13. Bowman SJ. Class II combination therapy. *Journal of Clinical Orthodontics*. 1998 Oct;32(10):611-620.
14. Dale JG. Interceptive guidance of occlusion with emphasis on diagnosis. *Alpha Omegan*. 1999 Dec;92(4):36-43.
15. Pădure H, Negru AR, Stanciu D. The class II/1 anomaly of hereditary etiology vs. thumb-sucking etiology. *Journal of Medicine and Life*. 2012 June 12;5(2):239-241.
16. Souki BQ, Pimenta GB, Souki MQ, Franco LP, Becker HMG, Pinto JA. Prevalence of malocclusion among mouth breathing children: do expectations meet reality? *International Journal of Pediatric Otorhinolaryngology*. 2009 May;73(5):767-773.
17. Ülgen M. *Ortodonti: Anomaliler, Sefalometri, Etiyoloji, Büyüme ve Gelişim, Tanı*. 4th ed.: Ankara Üniversitesi Diş Hekimliği Fakültesi Yayınları; 2010. 133-135 p.
18. Larsson E. The effect of finger-sucking on the occlusion: a review. *European of Journal Orthodontics*. 1987 Nov;9(4):279-282.
19. Lear CS, Flanagan JB, Moorrees CF. The frequency of deglutition in man. *Archives of Oral Biology*. 1965;10:83-100.
20. Ülgen M. *Ortodontik tedavi prensipleri*. 4th ed. İstanbul Üniversitesi Diş Hekimliği Fakültesi; 1993.
21. Lundström A. *Tooth Size and Occlusion in Twins*. S. Karger; 1948.
22. Novruzov Z, Uslu Ö. Mandibular rotasyon modelinin, sagittal maksillomandibular konuma göre dağılımı ve değerlendirilmesi. *European Annals of Dental Sciences*. 33.
23. Rothstein T, Yoon-Tarlie C. Dental and facial skeletal characteristics and growth of males and females with Class II, division I malocclusion between the ages of 10 and 14 (revisited)-part I: Characteristics of size, form, and position. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2000 Mar;117(3):320-332.
24. Fisk G, Culbert M, Grainger R, Hemrend B, Moyers R. The morphology and physiology of distocclusion: A summary of our present knowledge. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1953 Jan;39(1):3-12.
25. Kubota M, Nakano H, Sanjo I, Satoh K, Sanjo T, Kamegai T, et al. Maxillofacial morphology and masseter muscle thickness in adults. *European of Journal Orthodontics*. 1998 Oct;20(5):535-542.
26. Kiliaridis S, Engström C, Thilander B. The relationship between masticatory function and craniofacial morphology. I. A cephalometric longitudinal analysis in the growing rat fed a soft Diet. *European of Journal Orthodontics*. 1985 Nov;7(4):273-283.

Güncel Ortodonti Çalışmaları III

27. Ahlgren JG, Ingervall BF, Thilander BL. Muscle activity in normal and postnormal occlusion. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1973 Nov;64(5):445–456.
28. Kirschnock C, Römer P, Proff P, Lippold C. Association of dentoskeletal morphology with incisor inclination in Angle Class II patients: A retrospective cephalometric study. *Head Face Medicine*. 2013 Sep 3;9:24.
29. Al-Khateeb EAA, Al-Khateeb SN. Anteroposterior and vertical components of Class II division 1 and division 2 malocclusion. *The Angle Orthodontist*. 2009 Sep;79(5):859–866.
30. Karlsen AT. Craniofacial morphology in children with Angle Class II-1 malocclusion with and without deepbite. *The Angle Orthodontist*. 1994;64(6):437–446.
31. Blair S. A cephalometric roentgenographic appraisal of the skeletal morphology of Class I, Class II, Div. 1, and Class II, Div. 2 (Angle) malocclusions. *The Angle Orthodontist*. 1954;24:106–119.
32. McNamara JA. Components of class II malocclusion in children 8-10 years of age. *The Angle Orthodontist*. 1981 Jul;51(3):177–202.
33. Drelich R. A cephalometric study of untreated class II, division 1 malocclusion 1. *The Angle Orthodontist*. 1948;18(3):70–75.
34. Walkow TM, Peck S. Dental arch width in Class II Division 2 deep-bite malocclusion. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2002 Dec;122(6):608–613.
35. Katsavrias EG. Morphology of the temporomandibular joint in subjects with Class II Division 2 malocclusions. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2006 Apr;129(4):470–478.
36. Hedges RB. A Cephalometric evaluation of Class II Division 2. *The Angle Orthodontist*. 1958;28: 191-197.
37. Pancherz H, Zieber K, Hoyer B. Cephalometric characteristics of Class II division 1 and Class II division 2 malocclusions: a comparative study in children. *The Angle Orthodontist*. 1997;67(2):111–120.
38. Brezniak N, Arad A, Heller M, Dinbar A, Dinte A, Wasserstein A. Pathognomonic cephalometric characteristics of Angle Class II Division 2 malocclusion. *The Angle Orthodontist*. 2002 Jun;72(3):251–257.
39. Steiner C. Cephalometrics for you and me. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1953;39(10):729–755.
40. Gazilerli U. *Normal kapanışlı 13-16 yaş arasındaki Ankara çocuklarında Steiner normları*. [Ankara]; 1976.
41. Pancherz H. Dentofacial orthopedics or orthognathic surgery: is it a matter of age? *American Journal of Orthodontics and Dentofacial Orthopedics*. 2000 May;117(5):571–574.
42. Doğan K, Başaran Ğ, Hamamci N, Hamamci O. Noncompliance therapy: Veltri appliance. *World Journal of Orthodontics*. 2009;10(1):e1-6.
43. McNamara J, Brudon W, Kokich V. *American Journal of Orthodontics and dentofacial orthopedics*. Needham Press Ann Arbor; 2001.
44. Ghafari J, Macari AT. Component analysis of Class II, Division 1 discloses limitations for transfer to Class I phenotype. *Seminars in Orthodontics*. 2014;20(4):253–271.
45. Gianelly AA, Vaitas AS, Thomas WM. The use of magnets to move molars distally. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1989 Aug;96(2):161–167.
46. Proffit WR, Phillips C, Douvartzidis N. A comparison of outcomes of orthodontic and surgical-orthodontic treatment of Class II malocclusion in adults. *American Journal of Orthodontics and dentofacial orthopedics*. 1992 Jun;101(6):556–565.
47. Toth LR, McNamara JA. Treatment effects produced by the twin-block appliance and the FR-2 appliance of Fränkel compared with an untreated Class II sample. *American Journal of Orthodontics and dentofacial orthopedics*. 1999 Dec;116(6):597–609.
48. Owen AH. Morphologic changes in the sagittal dimension using the Fränkel appliance. *American Journal of Orthodontics and dentofacial orthopedics*. 1981 Dec;80(6):573–603.
49. Muzy E. *La thérapeutique orthopedique fonctionnelle de la face*. Julien Prelat. Paris; 1952.
50. Graber TM. *Functional Appliances in: orthodontics current principles and techniques*. St. Louis The C. V. Mosby Compan; 1985.
51. Lagerström LO, Nielsen IL, Lee R, Isaacson RJ. Dental and skeletal contributions to occlusal correction in patients treated with the high-pull headgear-activator combination. *American Journal of Orthodontics and dentofacial orthopedics*. 1990 Jun;97(6):495–504.

Güncel Ortodonti Çalışmaları III

52. Büyüksağın Ö. *Sınıf II, Bölüm I maloklüzyonlarda vardimon sistemi fonksiyonel ortopedik magnetik apareyin, diş-çene-yüz sistemi üzerindeki etkilerinin sefalometrik olarak incelenmesi*. Gülhane Askeri Tıp Akademisi Sağlık Bilimleri Enstitüsü; 1995.
53. McNamara JA. Neuromuscular and skeletal adaptations to altered function in the orofacial region. *American Journal of Orthodontics and dentofacial orthopedics*. 1973 Dec;64(6):578-606.
54. King GJ, Keeling SD, Hocesvar RA, Wheeler TT. The timing of treatment for Class II malocclusions in children: a literature review. *The Angle Orthodontist*. 1990;60(2):87-97.
55. Tofani MI. Mandibular growth at puberty. *American Journal of Orthodontics and dentofacial orthopedics*. 1972 Aug;62(2):176-195.
56. Hotz RP. Application and appliance manipulation of functional forces. *American Journal of Orthodontics and dentofacial orthopedics*. 1970 Nov;58(5):459-478.
57. Harvold EP, Vargervik K. Morphogenetic response to activator treatment. *American Journal of Orthodontics and dentofacial orthopedics*. 1971 Nov;60(5):478-490.
58. Faltin KJ, Faltin RM, Baccetti T, Franchi L, Ghiozzi B, McNamara JA. Long-term effectiveness and treatment timing for Bionator therapy. *The Angle Orthodontist*. 2003 Jun;73(3):221-230.
59. Coben SE. Growth and Class II treatment. *American Journal of Orthodontics and dentofacial orthopedics*. 1966 Jan;52(1):5-26.
60. Baccetti T, Franchi L, Toth LR, McNamara JA. Treatment timing for Twin-block therapy. *American Journal of Orthodontics and dentofacial orthopedics*. 2000 Aug;118(2):159-170.
61. Von Bremen J, Pancherz H. Efficiency of early and late Class II Division 1 treatment. *American Journal of Orthodontics and dentofacial orthopedics*. 2002 Jan;121(1):31-37.
62. Baccetti T, Franchi L, McNamara JA. An improved version of the cervical vertebral maturation (CVM) method for the assessment of mandibular growth. *The Angle Orthodontist*. 2002 Aug;72(4):316-323.
63. Flores-Mir C, Nebbe B, Major PW. Use of skeletal maturation based on hand-wrist radiographic analysis as a predictor of facial growth: a systematic review. *The Angle Orthodontist*. 2004 Feb;74(1):118-124.
64. Greulich W, Pyle S. *Radiographic atlas of skeletal development of hand and wrist*. Stanford, California; 1959.
65. Fishman LS. Radiographic evaluation of skeletal maturation. A clinically oriented method based on hand-wrist films. *The Angle Orthodontist*. 1982 Apr;52(2):88-112.
66. Kucukkeles N, Acar A, Biren S, Arun T. Comparisons between cervical vertebrae and hand-wrist maturation for the assessment of skeletal maturity. *Journal of Clinical Pediatric Dentistry*. 1999;24(1):47-52.
67. Hassel B, Farman AG. Skeletal maturation evaluation using cervical vertebrae. *American Journal of Orthodontics and Dentofacial orthopedics*. 1995 Jan;107(1):58-66.
68. Chen JY, Will LA, Niederman R. Analysis of efficacy of functional appliances on mandibular growth. *American Journal of Orthodontics and Dentofacial orthopedics*. 2002 Nov;122(5):470-476.
69. Graber TM, Rakosi T, Petrovic AG. *Dentofacial Orthopedics with Functional Appliances*. 2nd ed. 2009.
70. Wahl N. Orthodontics in 3 millennia. Chapter 9: functional appliances to midcentury. *American Journal of Orthodontics and Dentofacial orthopedics*. 2006 Jun;129(6):829-833.
71. Bishara SE, Ziaja RR. Functional appliances: a review. *American Journal of Orthodontics and Dentofacial orthopedics*. 1989 Mar;95(3):250-258.
72. Franchi L, Alvetro L, Giuntini V, Masucci C, Defraia E, Baccetti T. Effectiveness of comprehensive fixed appliance treatment used with the Forsus Fatigue Resistant Device in Class II patients. *The Angle Orthodontist*. 2011 Jul;81(4):678-683.
73. Clark WJ. The twin block traction technique. *European of Journal Orthodontics*. 1982 May;4(2):129-138.
74. Gill DS, Lee RT. Prospective clinical trial comparing the effects of conventional Twin-block and mini-block appliances: Part 1. Hard tissue changes. *American Journal of Orthodontics and Dentofacial orthopedics*. 2005 Apr;127(4):465-472; quiz 517.
75. Clark WJ. The twin block technique. A functional orthopedic appliance system. *American Jour-*

Güncel Ortodonti Çalışmaları III

- nal of Orthodontics and Dentofacial orthopedics*. 1988 Jan;93(1):1–18.
76. Baysal A, Uysal T. *Mandibular retrognatiye bağlı Sınıf II maloklüzyona sahip çocuklarda twin-blok ve herbst apareylerinin yumusak doku etkilerinin karşılaştırılması*. 2010.
 77. Fränkel R. Decrowding during eruption under the screening influence of vestibular shields. *American Journal of Orthodontics and Dentofacial orthopedics*. 1974 Apr;65(4):372–406.
 78. McNamara J, Rolf Fränkel, 1908-2001. *American Journal of Orthodontics and Dentofacial Orthopedics*. 2002;121:238–239.
 79. McNamara JA, Hulse SA. The functional regulator (FR-3) of Fränkel. *American Journal of Orthodontics and Dentofacial orthopedics*. 1985 Nov;88(5):409–424.
 80. Stucki N, Ingervall B. The use of the Jasper Jumper for the correction of Class II malocclusion in the young permanent dentition. *European of Journal Orthodontics*. 1998 Jun;20(3):271–281.
 81. Ritto AK, Ferreira AP. Fixed functional appliances--a classification. *The Functional Orthodontist*. 2000;17(2):12–30, 32.
 82. Pancherz H. Treatment of class II malocclusions by jumping the bite with the Herbst appliance. A cephalometric investigation. *American Journal of Orthodontics and Dentofacial orthopedics*. 1979 Oct;76(4):423–442.
 83. Pancherz H. The Herbst appliance--its biologic effects and clinical use. *American Journal of Orthodontics and Dentofacial orthopedics*. 1985 Jan;87(1):1–20.
 84. Nalbantgil D, Arun T, Sayinsu K, Fulya I. Skeletal, dental and soft-tissue changes induced by the Jasper Jumper appliance in late adolescence. *The Angle Orthodontist*. 2005 May;75(3):426–436.
 85. Pancherz H, Fackel U. The skeletofacial growth pattern pre – and post-dentofacial orthopaedics. A long-term study of Class II malocclusions treated with the Herbst appliance. *European of Journal Orthodontics*. 1990 May;12(2):209–218.
 86. Sabbagh A. *Orthodontic Treatment of the Class II Noncompliant Patient: Current Principles and Techniques*. Edinburg, London, New York, Oxford, Philadelphia, St Louis, Sydney; 2006.
 87. Pancherz H. The effects, limitations, and long-term dentofacial adaptations to treatment with the Herbst appliance. *Seminars in Orthodontics*. 1997 Dec;3(4):232–243.
 88. Heinig N, Göz G. Clinical application and effects of the Forsus spring. A study of a new Herbst hybrid. *Journal of Orofacial Orthopedics*. 2001 Nov;62(6):436–450.
 89. Meriç P. *Mandibular retrognati hastalarında iki farklı fonksiyonel apareyin havayolu hacmine etkilerinin bilgisayarlı tomografi ile incelenmesi*. [Diyarbakır]: Dicle Üniversitesi Sağlık Bilimleri Enstitüsü; 2012.
 90. Thomas M. A chairside perspective of Forsus™ Class II correctors. *Orthodontic Perspective*. 2009;16:10–11.
 91. Ozdemir F, Ulkur F, Nalbantgil D. Effects of fixed functional therapy on tongue and hyoid positions and posterior airway. *The Angle Orthodontist*. 2014 Mar;84(2):260–264.
 92. Jasper JJ, McNamara JA. The correction of interarch malocclusions using a fixed force module. *American Journal of Orthodontics and Dentofacial Orthopedics*. 1995 Dec;108(6):641–650.
 93. Blackwood HO. Clinical management of the Jasper Jumper. *Journal of Clinical Orthodontics*. 1991 Dec;25(12):755–760.
 94. Cope JB, Buschang PH, Cope DD, Parker J, Blackwood HO. Quantitative evaluation of craniofacial changes with Jasper Jumper therapy. *The Angle Orthodontist*. 1994;64(2):113–122.
 95. DeVincenzo J. The Eureka Spring: a new interarch force delivery system. *Journal of Clinical Orthodontics*. 1997 Jul;31(7):454–467.
 96. Stromeyer EL, Caruso JM, DeVincenzo JP. A cephalometric study of the Class II correction effects of the Eureka Spring. *The Angle Orthodontist*. 2002 Jun;72(3):203–210.
 97. Bakhtiari S, Sadry S. Sınıf II maloklüzyonların tedavisinde kullanılan fonksiyonel ortopedik apareyler. *Aydın Dental Journal*. 2019;5(1):51–56.

BÖLÜM 8

ORTODONTİDE ŞEFFAF PLAKLARA GENEL BAKIŞ

Pervin BİLGİNER¹

GİRİŞ

Ortodontik tedavi tekniklerinin yaşadığımız yüzyılda teknolojiye paralel olarak süratle gelişmesi ile bu tedavi biçimine olan ilgi her yaş gurubunda giderek artmaktadır. Gelişmiş aygıtların çocuk hastalar tarafından daha kabul edilebilir hale gelmesi, ebeveynlerin geçtiğimiz yüzyıla göre daha bilinçli olması, estetik algının modern yaşamda çocukluk yaşlarında bile gelişiyor olması, daha çok diş hekimliği ziyareti çocuk ve genç hastaların sayısında artış oluşturmuştur. Gelişmiş ülkelerdeki nüfusun yaşam kalitesinin artarak sağlıklı ve doğal yaşlanması ve bireylerin kendi dişlerini kullanarak geçirdikleri yaşam dilimlerinin uzaması çocuklar kadar yetişkinlerin de ortodontik tedaviye eskisine göre daha fazla ilgi duymasına yol açmıştır. Modern dünyada diş görünüşünün öneminin genç yaşlı çocuk ayrımı gözetmeksizin her yaş için yükselişi ile birlikte ortodontik tedavilerin estetik sonuçlarının arzulanması bir yana tedavi süreçlerinin de estetik bir şekilde yapılabilmesi hekimlerden talep edilir olmuştur. Bütün bunlara ek olarak ortodontik aygıt üreten teknoloji firmalarının pazarlamalarını bilginin hızla yayıldığı internet ortamını da kullanarak doğrudan tüketiciye yapmaları estetik ortodontik araçlara olan talebi arttırmaktadır. Yetişkin bireylerin işe alım süreçlerinde ortodontik tedavileri için kullanılan ortodontik apareylerin önemini araştıran bir çalışmada braket kullanan yetişkinlerin işe alım mülakatları esnasında diğer adaylardan daha az başarılı ve yetersiz algılandıklarına dair bir çalışma mevcuttur (1). Hızlı teknolojik atılımların diagnostik tıp ve diş hekimliği ile ilişkisi ve ortodonti alanındaki son gelişmeler, üç boyutlu yazıcıların kullanımının diş hekimliği alanında da yaygınlaşarak bu yazıcılarda ürün üretiminde kullanılan polimer plastiklerinin çeşitliliğinin artması (2), üretimi üç boyutlu yazıcı ve polimer esaslı plastiklere dayanan ve herkes tarafından ortodontinin estetik yüzü olan şeffaf plakların ortodonti bilim dalının önemli bir aygıtı haline gelmesine yol açmıştır.

¹ Dr. Öğr. Üyesi, İstanbul Kent Üniversitesi, Diş Hekimliği Fakültesi, Ortodonti AD.,
pervinbilginer@gmail.com, ORCID iD: 0009-0007-8731-4414

KAYNAKLAR:

1. Suliman Alsaeed , Kelvin I. Afrashtehfar , Muneerah H. Alharbi , Shaden S.Alfarraj , Shahad A. Alluhaydan , Fai A. Abahussain , Ghaida M. Alotaibi , Mohammed A. Awawdeh : Impact of Orthodontic Appliances on Hiring Prospects in Saudi Arabia: A Cross-Sectional Study. Cureus Open Access original article. DOI: 10.7759/
2. Seymour RB. Polymers are everywhere. J Chem Educ. 1988;65(4):3273.
3. Kusy RP: Orthodontic biomaterials: from the past to the present. Angle Orthod. 2002, 71:501-12. 10.1043/0003-3219(2002)072 0501: OBFTPT2.0.CO;2
4. Afrashtehfar, K. Patient and miniscrew implant factors influence the success of orthodontic miniscrew implants. Evid Based Dent 17, 109–110 (2016). <https://doi.org/10.1038/sj.ebd.6401202>
5. Merve Berika Kadioğlu , Berrak Çakmak , Ezgi Kardelen Altunal , Meliha Rübendiz Evaluation of Orthodontic Treatment Method Preferences of Dentistry Students, Dentists and Orthodontic Residents.Turkish Journal of orthodontics.DOI: 10.4274/TurkJOrthod.2022.2021.0238
6. Biao Xiang, Xingxing Wang, gang Wu, Yichen Xu, menghan Wang, Yanking Yang & Quingyu Wang: The force effects of two types of polyethylene terephthalate glyc-olmodified clear aligners immersed in artificial saliva. Scientific reports. 2021 May 12;11(1):10052. doi: 10.1038/s41598-021-89425-8..
7. Nucera R., Dolci C., Bellocchio A.M., Costa S., Barbera S., Rustico L., Farronato M., Militi A., Portelli M. Effects of Composite Attachments on Orthodontic Clear Aligners Therapy: A Systematic Review. Materials. 2022; 15:533. doi: 10.3390/ma15020533
8. Simon M, Keilig L., Schwarze J, et al. forces and moments generated by removable thermoplastic aligners: incisor torque, premolar derotation and molar distalization. Am J Orthod Dentofacial Orthop. 2014;145(6): 728-736
9. Greco M., Rossini G., Rombolà A. G-Block: Posterior Anchorage Device Tads-Supported after Molar Distalization with Aligners: An Adult Case Report. Int. Orthod. 2022; 20:100687. doi: 10.1016/j.ortho.2022.100687.
10. Lombardo L., Albertini P., Siciliani G. The hybrid approach: A solution to overcome unpredictable movements in clear aligner therapy. APOS Trends Orthod. 2020; 10:72–77. doi: 10.25259/APOS_48_2020.
11. Galluccio G. Is the Use of Clear Aligners a Real Critical Change in Oral Health Prevention and Treatment? Clin. Ter. 2021; 172:113–115. doi: 10.7417/CT.2021.2295.
12. Proffit; Contemporary Orthodontics. 5th ed. St Louis, Mosby 2013