

IŞIK& ÖZTUNA

ADLI TOKSİKOLOJİ

Klinik, Nöropsikiyatrik Ve Postmortem Değerlendirme

YAZARLAR

Uzm. Dr. Cihangir IŞIK
Dr. Şeyda ÖZTUNA

EDİTÖRLER

Prof. Dr. Melike NEBİOĞLU YILDIZ
Doç. Dr. Abdullah Osman KOÇAK
Öğr. Gör. Feray BUCAK



© Copyright 2024

Bu kitabin, basim, yayın ve satış hakları Akademisyen Kitabevi A.Ş.'ne aittir. Anılan kuruluşun izni alınmadan kitabın tümü ya da bölümleri mekanik, elektronik, fotokopi, manyetik kağıt ve/veya başka yöntemlerle çoğaltılamaz, basılamaz, dağıtılamaz. Tablo, şekil ve grafikler izin alınmadan, ticari amaç kullanılamaz. Bu kitap T.C. Kültür Bakanlığı bandrolü ile satılmaktadır.

ISBN	Yayın Koordinatörü
978-625-399-925-4	Yasin DİLMEN
Kitap Adı	Sayfa ve Kapak Tasarımı
Adli Toksikoloji Klinik, Nöropsikiyatrik ve Postmortem Değerlendirme	Akademisyen Dizgi Ünitesi
Yazarlar	Yayınçı Sertifika No
Cihangir İŞIK ORCID iD: 0000-0002-8223-5457 Şeyda ÖZTUNA ORCID iD: 0000-0002-0899-1377	47518
Editörler	Baskı ve Cilt
Melike NEBİOĞLU YILDIZ ORCID iD: 0000-0002-5901-0364 Abdullah Osman KOÇAK ORCID iD: 0000-0002-1678-4474 Feray BUCAK ORCID iD: 0000-0002-2453-8310	Vadi Matbaacılık
DOI	Bisac Code
10.37609/akya.3156	MED102000

Kütüphane Kimlik Kartı

İşik, Cihangir ve diğer.

Adli Toksikoloji Klinik, Nöropsikiyatrik ve Postmortem Değerlendirme / Cihangir İşik, Şeyda Öztuna;
ed. Melike Nebioğlu Yıldız [ve başkaları].
Ankara : Akademisyen Yayınevi Kitabevi, 2024.
255 s. : resim, şekil, tablo. ; 160x235 mm.
Kaynakça var.
ISBN 9786253999254
1. Tip--Ruh Sağlığı ve Hastalıkları.

UYARI

Bu üründe yer alan bilgiler sadece lisanslı tıbbi çalışanlar için kaynak olarak sunulmuştur. Herhangi bir konuda profesyonel tıbbi danışmanlık veya tıbbi tani amacıyla kullanılmamalıdır. Akademisyen Kitabevi ve aile arasında herhangi bir şekilde doktor-hasta, terapist-hasta ve/veya başka bir sağlık sunum hizmeti ilişkisi oluşturmaz. Bu ürün profesyonel tıbbi kararların esleniği veya yedeği değildir. Akademisyen Kitabevi ve bağlı şirketleri, yazarları, katılımcıları, partnerleri ve sponsorları ürün bilgilerine dayalı olarak yapılan bütün uygulamalardan doğan, insanlarda ve cihazlarda yarananma ve/veya hasarlardan sorumlu değildir.

İlaçların veya başka kimyasalların reçete edildiği durumlarda, tavsiye edilen dozunu, ilaçın uygulanacak süresi, yöntemi ve kontraendikasyonlarını belirlemek için, okuyucuya üretici tarafından her ilaca dair sunulan güncel ürün bilgisini kontrol etmesi tavsiye edilmektedir. Dozun ve hasta için en uygun tedavinin belirlenmesi, tedavi eden hekimin hastaya dair bilgi ve tecrübelere dayanak oluşturmması, hekimin kendi sorumluluğundadır.

Akademisyen Kitabevi, üçüncü bir taraf tarafından yapılan ürünü dair değişiklikler, tekrar paketlemeler ve özelstellirmelerden sorumlu değildir.

GENEL DAĞITIM

Akademisyen Kitabevi A.Ş.

Halk Sokak 5 / A

Yenişehir / Ankara

Tel: 0312 431 16 33

siparis@akademisyen.com

www.akademisyen.com

Bu kitabı yazarken beni her adımda destekleyen sevgili eşim Ayşegül'e ve biriciğim oğlum Ulaş'a en derin teşekkürlerimi sunmak istiyorum. Ayşegül, sabrın, sevgin ve anlayışın sayesinde bu süreci kolaylıkla aşabildim. Her zaman yanında olup beni motive ettiğin için minnettarım.

Oğlum Ulaş, seninle geçirdiğim her an, bana hayatı gerçek mutlulukları hatırlattı. Hayatımda olduğunuz için şanslıyım ve bu kitabı sizlerin desteği olmadan tamamlayamazdım. Teşekkürler.....

Uzm.Dr. Cihangir IŞIK

Birlikte çalıştığım sürede, desteklerini esirgemeyen değerli başhekimim Doç. Dr. Abdullah Osman Koçak'a teşekkür ederim

Uzm.Dr. Cihangir Işık

Hayatımın her anında hissettiğim, gücümün kaynağı olan canım kardeşim Ela'yi burada anmak istiyorum. Onun kalbi iyilikle ve sevgi ile doluydu; her zaman çevresindekilere umut ve neşe saçardı. Onunla paylaştığımız anılar, bana her gün ilham vermeye devam ediyor. Bu kitabı onun hatirasına adamak, onun yaşamış olduğu güzel anıları ve dokunduğu hayatları yüceltmek istiyorum. Ela, sonsuza dek kalbimizde yaşayacak ve yazdığım her kelimedede onun sevgi dolu ruhunu hissedeceğim.

Uzm.Dr. Cihangir Işık

ÖNSÖZ

Adli toksikoloji adaletin sağlanmasında bilimsel bilginin uygulanmasını içeren karmaşık ve özveri gerektiren bir disiplindir. Bu kitap adli toksikolojinin temellerine dair kapsamlı bir rehber sunmayı amaçlamakta ve okuyucularımıza bu kritik alanda derinlemesine bir anlayış kazandırmayı hedeflemektedir.

Adli toksikolojinin başlangıç noktası olarak bu kitabın birkaç önemli amacı bulunmaktadır. İlk olarak adli toksikolojinin temel kavramlarını ayrıntılı bir şekilde ele almayı hedefliyoruz. İkinci olarak, toksik maddelerin tanımlanması, nicelendirilmesi ve etkilerinin değerlendirilmesi süreçlerine dair güncel ve geçerli bilgileri paylaşmak istiyoruz. Son olarak, adli vakalarda toksikolojik analizlerin nasıl uygalandığı, sonuçların nasıl yorumlandığı ve hukuki bağlamda nasıl kullanıldığı konusundaki bilgileri aktarmak istiyoruz.

Bu kitabın temel hedef kitlesi, adli toksikoloji alanında eğitim gören öğrenciler, adli tıp uzmanları ve uzmanlık öğrencileri, adli psikiyatri profesyonelleri, profesyonel adli bilimciler, laboratuar çalışanları ve hukuki süreçlerde adli toksikolojik bilgiye ihtiyaç duyan hukukçulardır. Ancak alan dışındaki okutucular için bile konuların anlaşılır ve erişebilir olmasına dikkat edilmiştir.

Bilim sürekli gelişen ve yenilenen bir alan olduğundan, bu kitabın içerikleri de en güncel bilimsel verilere dayanılmıştır. Aynı zamanda, практикé yönelik bilgiler sunarak okuyucularımızın bu alanda karşılaşabilecekleri çeşitli durumlara hazırlıklı olmalarını sağlamayı hedeflemektedir.

Kitabın, adli toksikolojiye ilgi duyan herkes için faydalı ve ilham verici olmasını umuyorum.

Uzm. Dr. Cihangir IŞIK

İÇİNDEKİLER

BÖLÜM 1

ADLI TOKSİKOLOJİNİN TEMEL PRENSİPLERİ

1.1. Örnek Çeşitleri ve Kullanımları.....	3
1.1.1. Analiz.....	4
1.1.1.1.Tarama Testleri	4
1.1.1.2.Doğrulama Testleri	5
1.1.2. Test Panelleri	5
1.1.3. Ölüm	5
1.1.3.1.Otropsi Bulguları	5
1.1.3.2.Sonuçların Yorumlanması	6

BÖLÜM 2

İLAÇLARIN SINIFLANDIRILMASI

2.1. Alkol.....	9
2.1.1. Etanol.....	9
2.1.2. Metanol (Metil Alkol).....	12
2.1.3. İsopropil Alkol.....	12
2.1.4. Etilen Glikol	12
2.2. Opiat/Opioid	13
2.2.1. Eroin	14
2.2.2. Metadon	15
2.2.3. Fentanil ve Sentetik Opioidler.....	15
2.3. Sempatomimetikler	16
2.3.1. Kokain	16
2.3.2. Metamfetamin.....	17
2.3.3. Yeni Kuşak Parti İlaçları Stimülanlar	17
2.4. Kannabinoidler.....	18
2.4.1. Marijuana (Esrar).....	18

içindekiler

2.4.2. Sentetik Kannabinoidler	19
2.4.3. Sentetik Kannabinoidler ile Marijuananın Etkilerinin Karşılaştırılması	19
2.5. Halüsinojenler	19
2.6. İnhalenler	20
2.7. Metaller	20
2.7.1. Kurşun	20
2.7.2. Arsenik	21
2.8. İnsülin	22
2.9. Toksikoloji Sonuçlarını Etkileyen Bazı Faktörler	26
2.10. Zehirlenmelerde Klinik Belirti ve Sendromlar	27
2.10.1. Kolinerjik Sendrom	27
2.10.2. Antikolinerjik Sendrom	28
2.10.3. Adrenerjik Sendrom	28
2.10.4. Narkotik (Opioid) Sendrom	29
2.10.5. Narkotik (Sedatif/Hipnotik) Sendrom	29
2.10.6. Serotonin Sendrom	30
2.10.7. Ekstrapiramidal Sendrom (EPS)	30

BÖLÜM 3

TOKSİKOKİNETİK VE TOKSİKOGENETİK

3.1. Serbestleşme	33
3.2. Emilim	33
3.3. Dağılım	33
3.4. Metabolizma	34
3.5. Atılım	34
3.6. Temel Kinetik Parametreler	34
3.6.1. Birincil Parametreler	34
3.6.1.1. Birincil Parametrelerin Temel İlkeleri	34
3.6.1.2. Klirens	35
3.6.1.2.1. Renal Klirens	35
3.6.1.3. Plazma Eliminasyon Yarı Ömrü	35
3.6.1.3.1. Birinci Derece Eliminasyon ve Eliminasyon Oranı Sabiti (K_e)	35
3.6.1.4. Biyoyararlanım (F)	36

3.6.2. İkincil Parametreler	36
3.7. Adli Toksikolojide Toksikokinetik ve Toksikogenetik.....	36
3.7.1. Serbestleşme	37
3.7.2. Absorbsiyon.....	37
3.7.2.1. Dağılım Sabiti (KD) (Log P).....	37
3.7.2.2. Gastrointestinal Sistem Emilimine Etki Eden Faktörler	38
3.7.2.2.1. pH Değeri.....	38
3.7.2.2.2. İyon Tuzağı	38
3.7.2.2.3. İntestinal İlk Geçiş Metabolizması	38
3.7.2.2.4. P-Glikoprotein Transport Mekanizması.....	39
3.7.3. Dağılım	39
3.7.4. Metabolizma	39

BÖLÜM 4

ADLI TOKSİKOLOJİDE POLİMORFİZM ÖRNEKLERİ

4.1. Faz I Enzimleri.....	41
4.2. Faz II Enzimleri	41
4.3. Atılım	42
4.4. Enterohepatik Döngü	42
4.5. İlaçların Stabilitesi ve Postmortem Örneklerde Artefakt Oluşması.....	42
4.5.1. Numune Alma Artefaktları ve İlaç Stabilitesini Artırmaya Yönelik Önlemler	42

BÖLÜM 5

ÖNEMLİ TOKSİN ÖRNEKLERİ

5.1. Kadmiyum.....	45
5.1.1. Maruziyet.....	45
5.1.2. Toksikokinetik	45
5.1.3. Akut Toksisite	45
5.1.4. Kronik Toksisite	46
5.2. Civa	46
5.2.1. Maruziyet.....	46
5.2.2. Toksikokinetik	46
5.2.3. Akut Toksisite	46

içindekiler

5.2.4. Kronik Toksisite	46
5.3. Talyum	47
5.3.1. Maruziyet.....	47
5.3.2. Toksikokinetik	47
5.3.3. Akut Toksisite	47
5.3.4. Kronik Toksisite	48
5.4. Solvent ve Gaz Zehirlenmeleri	48
5.4.1. Karbonmonoksit (Co).....	48
5.4.2. Karbondioksit (Co ₂).....	48
5.4.3. Ozon (O ₃).....	48
5.4.4. Nitrojen Oksitleri.....	48
5.4.4.1. Nitröz Oksit (N ₂ O);	48
5.4.4.2. Nitrik Oksit (No);	49
5.4.5. Sülfür Dioksit	49
5.4.6. Fosgen.....	49
5.4.7. Fosfin.....	49
5.4.8. Flor	49
5.4.9. Klor.....	50
5.4.10. Siyanürler	50
5.4.11. Solventler.....	51
5.4.11.1. Hidrokarbonlar	51
5.4.11.1.1. Aromatik Hidrokarbonlar	51
5.4.11.1.2. Alifatik Hidrokarbonlar	51

BÖLÜM 6

DOĞAL ZEHİRLER

6.1. Toksinler.....	53
6.1.1. Aconitum Napellus	54
6.1.2. Amanita Phalloides (Ölüm Şapkası Mantarı) (Köygöçüren Mantarı)	54
6.1.3. Atropa Belladonna	55
6.1.4. Catha Edulis (Yemen Otu).....	57
6.1.5. Colchicum Autumnale	58
6.1.6. Conium Maculatum	59

6.1.7. Datura Stramonium (Bostan Karanfili)	60
6.1.8. Nerium Oleander (Zakkum)	61
6.1.9. Taxus Baccata (Porsuk)	62
6.2. Venomlar	64
6.2.1. Örümcekler	64
6.2.1.1. Nörotoksik Venom.....	65
6.2.1.1.1. Latroductus, Hexathlidae ve Missulena	65
6.2.1.1.2. Phoneutria (Brezilya Gezgin Örümceği).....	65
6.2.1.2. Nekrotik Venom	66
6.2.2. Akrepler	67
6.2.3. Yılanlar	67
6.2.3.1. Deniz Yılanı Zehri.....	69
6.2.3.2. Elapidae Zehri	69

BÖLÜM 7**PESTİSİTLER**

7.1. İnsektisitler.....	72
7.1.1. Organoklorinler	73
7.1.2. Antikolinesterazlar.....	74
7.1.3. Organofosfatlı ve Karbamatlı İnsektisitler	75
7.1.2. Piretroidler	77
7.1.3. Neonikotinoidler.....	78
7.2. Herbositler	79
7.2.1. Klorofenoksi Komponentleri.....	79
7.2.2. Bipiridin Türevleri.....	79
7.2.3. Organofosfatlı (OP) Herbositler	81
7.3. Fungisitler	81
7.3.1. Heksaklorobenzen	81
7.3.2. Pentaklorofenol.....	82
7.3.3. Dityokarbamatlar	82
7.3.4. Fatilamidler.....	82
7.4. Rodentisitler.....	82
7.4.1. Antikoagülanlar	83

7.4.2. Striknin	84
-----------------------	----

BÖLÜM 8

KİMYASAL SİLAHLAR

8.1. Sinir Ajanları.....	86
8.2. Sinir Ajanlarının Sınıflandırılması	87
8.2.1. G-Sınıfı Sinir Ajanları	87
8.2.2. V-Sınıfı Sinir Ajanları.....	88
8.2.3. Novichok Ajanı.....	88
8.2.4. Zyklon-B.....	88
8.2.5. Sarin.....	89
8.2.6. CS Gazi.....	90

BÖLÜM 9

DOPİNG

9.1. Yasaklı Maddeler ve Doping Yöntemleri.....	91
9.2. Örnek Alma Prosedürleri	92
9.3. Analiz Yöntemleri	93
9.3.1. Doğal (Endojen) Hormonların Sentetik (Eksojen) Hormonlardan Ayırımı.....	93
9.3.2. Peptit Hormon Analizleri.....	93
9.4. Onaylanmamış Maddeler ve Karaborsa.....	94
9.5. Doping Amacıyla Sık Kullanılan Onaylanmamış Maddelerin Biyokimsayal Etkileri	
95	

BÖLÜM 10

UYUŞTURUCU KULLANIMININ PATOLOJİSİ

10.1. Ön İncelemeler.....	98
10.1.1. Olay Yerinin İncelemesi	98
10.1.1.1. Excited Deliryum	100
10.1.1.2. Kokain Vücut Paketleyicileri	100
10.2. Otopsi Süreci.....	101
10.2.1. Kalbin İncelenmesi	103
10.2.1.1. Kalbin Çıkarılması	103

10.2.1.2. Koroner Arterlerin İncelenmesi.....	105
10.2.1.3. Bypass Graftlerinin İncelenmesi	106
10.2.1.4. İskemik Kalp Hastalıklarında Miyokardın İncelenmesi.....	107
10.2.1.5. Kardiyomiyopati Durumlarında Kalbin İncelenmesi.....	108
10.2.1.6. Kalp Kapaklarının İncelenmesi.....	108
10.2.1.6.1. Protez Kalp Kapakları.....	109
10.2.1.7. Aortun İncelenmesi	110
10.2.1.8. İletim Sisteminin İncelenmesi.....	110
10.2.1.9. Kardiyak Hipertrofinin Değerlendirilmesi	112
10.2.1.10. Uyuşturucu Bağımlılarında Meydana Gelen Miyokardiyal Değişiklikler..	112
10.2.1.10.1. Epidemiyoloji.....	113
10.2.1.10.2. Miyokard Hipertrofisi	113
10.2.1.11. Sempatomimetik Kullanıcılarında Miyokard Hastalığı	115
10.2.1.12. Opiat Bağımlılarında Miyokard Hastalığı.....	116
10.2.1.13. HIV Enfeksiyonu ile İlişkili Miyokard Hastalıkları.....	117
10.2.1.14. Endokardit	118
10.2.1.14.1. İnsidans ve Klinik Profil	118
10.2.1.14.2. Postmortem İnceleme.....	119
10.2.1.14.3. Klinik Tanı	120

BÖLÜM 11

İLAÇ KÖTÜYE KULLANIMININ VASKÜLER ETKİLERİ

11.1. Kokain.....	124
11.1.1. Kokain Kullanımına Bağlı Vazospazm ve Mikrovasküler Direnç	125
11.1.2. Kokain Kullanımına Bağlı Trombozis.....	126
11.1.3. Kokain Kullanımına Bağlı Gelişen Hızlı Ateroskleroz	127
11.1.4 Kokain Kullanımına Bağlı Endotel Disfonksiyonu.....	127
11.1.5. Kokain Kullanımına Bağlı Gelişen Hemodinamik Değişiklikler.....	128
11.1.6. Kokain Kullanımına Bağlı Vaskülit Gelişimi	128
11.1.7. Kokainin Diğer İlaçlarla Sinerjik Etkileşimi	129
11.2. Metamfetamin	129
11.3. Eroin.....	130

içindekiler

11.4. Nikotin	131
11.5. Solventler	131
11.6. Medikal İlaçların Kullanımı ile İlişkili Vaskülopatiler	131
11.6.1. Ergot Alkaloidleri	132
11.6.2. Efedrin ve Psödoefedrin	133
11.6.3. Fenilpropanolamin	133
11.6.4. Triptofan	134

BÖLÜM 12

AKÇİĞERLERİN İNCELENMESİ

12.1. Crack İçicilerinde Ortaya Çıkan Patolojiler	135
12.2. IV İlaç Kullanımına Bağlı Ortaya Çıkan Değişiklikler	137
12.3. Aspirasyon Pnömonisi	138

BÖLÜM 14

MERKEZİ SİNİR SİSTEMİNİN İNCELENMESİ

13.1. Alkole Bağlı Gelişen Bozukluklar	139
13.2. Excited Deliryum	141
13.3. Serebral Hemoraji	142
13.4. Vaskülit	144
13.5. Nöbet	144
13.6 Parkinsonizm	145
13.7 Hipoksik İskemik Encefalopati	145
13.8 Uyuşturucu Kullanımına Bağlı Merkezi Sinir Sistemi Enfeksiyonları	146

BÖLÜM 14

UYUTUCU UYUŞTURUCU KULLANIMININ NÖROKİMYASI

14.1 Bağımlılık ve Dopamin Transportu	147
14.1.1. Dopamin Uptaki	148
14.2. Madde Kötüye Kullanımı ve Dopamin Transportu	148
14.2.1. Kokain	148
14.2.2 Amfetamin	149
14.2.3. Opiyatlar	150

14.2.4. Fensiklidin (PCP)	151
14.2.5. Marijuana.....	152
14.2.6. Etanol.....	153
14.2.7. Nikotin	154

BÖLÜM 15**KRONİK KOKAİN KULLANIMININ NÖROPSİKIYATRİK ETKİLERİ**

15.1. Psikotik Bozuklukların Ayırıcı Tanısı	155
15.2. Kokaine Bağlı Deliryum	157
15.2.1. Değişken Dopaminerjik İletim ve Kokain Deliryum Sendromu.....	159

BÖLÜM 16**KOKAİN BAĞIMLILIĞI VE NÖROKİMYASAL ADAPTASYONLAR**

16.1. Kokain Bağımlılığının Nörokimyası.....	164
16.1.1. Dopamin (DA) Taşıyıcıları ve Kokain Bağımlılığı	165
16.1.1.1. Dopamin (DA) Taşıyıcılarının Kokain ile Regülasyonu.....	165
16.1.1.2. Kokainin DA Taşıyıcı ve Kokain Takviyesi ile Etkileşim Oranı	166
16.1.1.3. Kokain Farmakoterapilerinde Hedef Olarak DA Taşıyıcısı	166
16.1.2. DA Reseptörleri ve Kokain Bağımlılığı	167
16.1.2.1. Kokainin İndüklediği D ₁ Reseptör Adaptasyonları	168
16.1.2.2. Kokainin İndüklediği D ₂ Reseptör Adaptasyonları	169
16.1.2.3. Kokainin İndüklediği D ₃ Reseptör Adaptasyonları	170
16.1.2.4. Kokain Farmakoterapilerinde Hedef Olarak DA Reseptörleri	171
16.1.3. Kappa Opioiderjik Reseptörler.....	172
16.1.3.1. Kappa Reseptörlerinin Kokain Tarafından Regülasyonu	173
16.1.3.2. Kokainin Farmakoterapisinde Kappa Reseptör İlaçlar	174
16.1.4. Serotonin Taşıyıcıları.....	175
16.1.4.1. Kokain Farmakoterapisinde Hedef Olarak 5-HT Taşıyıcısı	175
16.1.5. Glutamat Reseptörleri.....	176
16.1.5.1. Farmakoterapilerin Hedefi Olarak Glutamat Reseptörleri	176

BÖLÜM 17

RELAPSIN NÖROBİYOLOJİSİ

17.1. Rakip Teoriler	177
17.2. Hayvanlarda Uyuşturucu Arama Davranış Modellemesi	179
17.3. Relapsın Nörokimyasal Substratları	180
17.4. Relapsın Nörofarmakolojik Substratları	184
17.5. Relapsta İtrasellüler Substratlar	188
17.6. Kronik Uyuşturucu Kullanımına Yanıt Olarak Mezolimbik Dopamin Sistemindeki Adaptasyonlar	190
17.6.1. Dopamin Nöronlarında Adaptasyon	191
17.6.2. Nükleus Akümbensteki Nöronların Adaptasyonu	193
KAYNAKLAR.....	195

KAYNAKLAR

- Abu-Qare AW, Abou-Donia MB (October 2002). "Sarin: health effects, metabolism, and methods of analysis". *Food and Chemical Toxicology*. Amsterdam, Netherlands: Elsevier. **40** (10): 1327–33.
- Ackerman, J. M. & White, F. J. Decreased activity of rat A10 dopamine neurons following withdrawal from repeated cocaine, *Eur J Pharmacol*, 218, 171, 1992.
- Acri, J.B., Carter, S.R., Alling, K., Geter-Douglas, B., Dijkstra, D., Wikstrom, H., Katz, J.L., Witkin, J.M. Assessment of cocaine-like discriminative stimulus effects of dopamine D3 receptor ligands. *Eur. J. Pharmacol.* 281, R7, 1995.
- Adams J, Brierley J, Connor R, Treip CS. The effects of systemic hypotension upon the human brain: clinical and neuropathological observations in 11 cases. *Brain* 89: 235-268, 1966. Adams RD, Victor M, Mancall EL. Central pontine myelinolysis: a hitherto undescribed disease occurring in alcoholics and malnourished patients. *Arch Neurol Psychiatr* 81: 154-172, 1959.
- Adelman L, Aronson S. The neuropathologic complications of narcotics addiction. *Bull NY Acad Med* 45: 225-234, 1969.
- Aderjan, R.E. & Skopp, G. (1998) Formation and clearance of active and inactive metabolites of opiates in humans. *Therapeutic Drug Monitoring* 20, 561–9.
- Afonso, J. & Reis, F. (2012) Dexmedetomidine: current role in anesthesia and intensive care. *Revista Brasileira de Anestesiologia* 62(1), 118–33.
- Aggarwal SK. Cocaine-associated intracranial hemorrhage: absence of vasculitis in 14 cases. *Neurology* 46: 1741-1743, 1996.
- Ahmad, S., Ellis, J. C., Kamwendo, H. & Molyneux, E. (2006) Efficacy and safety of intranasal lorazepam versus intramuscular paraldehyde for protracted convulsions in children: an open randomised trial. *Lancet* 367(9522), 1591–7.
- Ahonen, J., Olkkola, K.T., Takala, A. & Neuvonen, P.J. (1999) Interaction between fluconazole and midazolam in intensive care patients. *Acta Anaesthesia Scandinavica* 43(5), 509–14.
- Albanis, T.A., Hela, D., Papakostas, G. & Goutner, V. (1996) Concentration and bioaccumulation of organochlorine pesticide residues in heron and their prey in wetlands of Thermaikos Gulf, Macedonia, Greece. *Science of the Total Environment* 182, 11–19.
- Alburges, M.E., Narang, N. and Wamsley, J.K.: Alterations in the dopaminergic receptor system after chronic administration of cocaine. *Synapse* 14:314-323, 1993.
- Aldridge, W.N. (1990) An assessment of the toxicological properties of pyrethroids and their neurotoxicity. *Critical Reviews in Toxicology* 21, 89–103.
- Alexander, C.B., McBay, A.J. & Hudson, R.P. (1982) Isopropanol and isopropanol deaths-ten years' experience. *Journal of Forensic Sciences* 27, 541–8.
- Alfred, S., Coleman, P., Harris, D., Wigmore, T., Stachowski, E. & Graudins, A. (2005) Delayed neurologic sequelae resulting from epidemic diethylene glycol poisoning. *Clinics in Toxicology (Philadelphia)* 43/3, 155-9.

- Aloyo, V.J., Pazdalski, P.S., Kirifides, A.L., Harvey, J.A., Behavioral sensitization, behavioral tolerance, and increased [³H]WIN 35,428 binding in rabbit caudate nucleus after repeated injections of cocaine. *Pharmacol. Biochem. Behav.* 52, 335, 1995.
- Amara, S. and Kuhar, M.J., Neurotransmitter transporters: recent progress, *Annual Rev. Neurosci.*, 16, 73, 1993.
- Ambre, J.J., Connelly, T.J. & Ruo, T.I. (1991) A kinetic model of benzoylecgonine disposition after cocaine administration in humans. *Journal of Analytical Toxicology* 15, 17-20.
- Amejdki-Chab, N., Costentin, J. and Bonnet, J.-J., Kinetic analysis of the chloride dependence of the neuronal uptake of dopamine and effect of anions on the ability of substrates to compete with the binding of the dopamine uptake inhibitor GBR 12783, *J. Neurochem.*, 58, 793, 1992.
- Ananda1, K. J.; Mohan, K.; Kamran, Ansar; Sharada, R. (Şubat 2009). "Snake bite in dogs and its successful treatment" (PDF). *Veterinary World*. Cilt 2 (2 bas.). s. 67. Erişim tarihi: 3 Nisan 2023.
- Anderson P (1998). "Missouri brown recluse spider: a review and update". *Mo Med.* 95 (7). ss. 318-22. PMID 9666677.
- Anderson, P.H., Biochemical and pharmacological characterization of [³H]GBR 12935 binding in vitro to rat striatal membranes: labeling of the dopamine uptake complex, *J. Neurochem.*, 48, 1887, 1987.
- Andresen, H., Stimpfl, T., Sprys, N., Schnitgerhans, T. & Müller, A. (2008) Liquid ecstasy – a significant drug problem. *Deutsche Ärzteblatt International* 105, 599–603.
- Angrist, B.M. "Cocaine in the context of prior central nervous system stimulant epidemics". In: Volkow N. Swann AC, eds. "Cocaine in the Brain (Mind in Medicine Series)". New Brunswick, NJ: Rutgers University Press; 1990:7-24.
- Anuradhani Kasturiratne, A. Rajitha Wickremasinghe, Nilanthi de Silva, N. Kithsiri Gunawardena, Arunasalam Pathmeswaran, Ranjan Premaratna, Lorenzo Savioli, David G. Laloo, H. Janaka de Silva: The Global Burden of Snakebite: A Literature Analysis and Modelling Based on Regional Estimates of Envenoming and Deaths. *PLoS Medicine* Vol. 5, No. 11, e218
- Arndt, T. (2012a) Problematik, Klinik und Beispiele der Spurenelementvergiftung – Cadmium. *Toxichem Krimtech* 79, 127–36.
- Arndt, T. (2012b) Problematik, Klinik und Beispiele der Spurenelementvergiftung – Quecksilber. *Toxichem Krimtech* 79, 51–60.
- Arnold, E.K. & Beasley, V.R. (1989) The pharmacokinetics of chlorinated phenoxy acid herbicides: a literature review. *Veterinary and Human Toxicology* 31, 121–5.
- Aronson, S.C., Black, J.E., McDougle, C.J., Scanley, B.E., Jatlow, P., Kosten, T.R., Heninger, G.R., Price, L.H. Serotonergic mechanisms of cocaine effects in humans. *Psychopharmacol.* 119, 179, 1995.
- Ashani Y, Shapira S, Levy D, Wolfe AD, Doctor BP, Raveh L (January 1991). "Butyrylcholinesterase and acetylcholinesterase prophylaxis against Soman poisoning in mice". *Biochemical Pharmacology*. 41 (1): 37-41.
- Ashton, H. (2005) The diagnosis and management of benzodiazepine dependence. *Current Opinion in Psychiatry* 18(3), 249–55.
- Atkinson, D. (1985) Toxicological properties of glyphosate, a summary. In: Grossbard, E. & Atkinson, D. (eds) *The Herbicide Glyphosate*, pp. 127–33. London: Butterworths.

- Authier, N., Balayssac, D., Sautereau, M. et al. (2009) Benzodiazepine dependence: focus on withdrawal syndrome. *Annales Pharmaceutiques Françaises* 67(6), 408–13.
- Auwärter, V., Dresen, S., Weinmann, W., Müller, M., Pütz, M. & Ferreiros, N. (2009) ‘Spice’ and other herbal blends: harmless incense or cannabinoid designer drugs? *Journal of Mass Spectrometry* 44, 832–7.
- Bagasra, O., Forman, L.J., Howedy A., and Whittle P. A potential vaccine for cocaine abuse prophylaxis. *Immunopharmacology* 23, 173, 1992.
- Bailer-Gallanda, B. (1991). Amoklauf gegen die Wirklichkeit: NS-Verbrechen und “revisionistische” Geschichtsschreibung (in German). J. Bailer, F. Freund, T. Geisler, W. Lasek, N. Neugebauer, G. Spenn, W. Wegner. Wien: Bundesministerium fuer Unterricht und Kultur. ISBN 978-3-901142-07-9.
- Bailey, D.N. (1981) Methaqualone ingestion: evaluation of present status. *Journal of Analytical Toxicology* 5(6), 279–82.
- Baker S.P. The injury fact book. 2nd ed. New York Oxford University Press (1992).
- Balali-Mood M, Abdollahim M., Eds. (2014) Basic and Clinical Toxicology of Organophosphorus Compounds, Springer. ISBN 978-1447156253
- Barceloux, D.G., Bond, G.R., Krenzelok, E.P. et al. (2002) American Academy of Clinical Toxicology practice guidelines on the treatment of methanol poisoning. *Journal of ToxicologyClinical Toxicology* 40, 415–46.
- Barnard, E.A., Skolnick, P., Olsen, R.W. et al.. (1998) International Union of Pharmacology. XV. Subtypes of gamma-aminobutyric acidA receptors: classification on the basis of subunit structure and receptor function. *Pharmacological Reviews* 50(2), 291–313.
- Barnett, V.T., Bergmann, F. Humphrey, H. & Chediak, J. (1992) Diffuse alveolar hemorrhage secondary to superwarfarin ingestion. *Chest* 102, 1301–2.
- Barr, D. & Needham, L. (2002) Analytical methods for biological monitoring of exposure to pesticides: a review. *Journal of Chromatography B* 778, 5–29.
- Barr, G. A., Sharpless, N. S., Cooper, S. & Schiff, S. R. Classical conditioning, decay and extinction of cocaine-induced hyperactivity and stereotypy, *Life Sci*, 33, 1341, 1983.
- Barraclough, B.M., Nelson, B., Bunch, J. & Sainsbury, P. (1971) Suicide and barbiturate prescribing. *Journal of the Royal College of General Practitioners* 21(112), 645–53.
- Baruch, E., Vernon, L.F. & Hasbun, R.J. (2007) Intractable nausea caused by zolpidem withdrawal: a case report. *Journal of Addiction Medicine* 1(1), 48–50.
- Baselt, R.C. (2011) Disposition of Toxic Drugs and Chemicals in Man, 9th edn. Foster City, CA: Biomedical Publishing.
- Baselt, R.C., Yoshikawa, D., Chang J. & Li, J. (1993) Improved longterm stability of blood cocaine in evacuated collection tubes. *Journal of Forensic Sciences* 38, 935–7.
- Baselt, Randall C.; Cravey, Robert H. (2017). Disposition of Toxic Drugs and Chemicals in Man. Seal Beach, California: Biomedical Publications. pp. 1926–1928. ISBN 978-0-81510547-3.
- Basmadjian, G.P., Singh, S., Sastrodjojo, B., Smith, B.T. Avor, K.S., Chang, F., Mills, S.L., Seale T.W. Generation of polyclonal catalytic antibodies against cocaine using transition state analogs of cocaine conjugated to diphtheria toxoid. *Chem. Pharm. Bull.* 43, 1902, 1995.
- Basu, A., Brown, S., Kirkham, N., Ramesh, V., Leech, S. & Devlin, A. (2009) Coma blisters in 2 children on anticonvulsant medication. *Journal of Child Neurology* 24(8), 1021–5.

- Batki, S.L., Manfredi, L.B., Jacob, P., Jones, R.T. Fluoxetine for cocaine dependence in methadone maintenance: quantitative plasma and urine cocaine/benzoylecgonine concentrations. *J. Clin. Psychopharmacol.* 13,243, 1993.
- Batki, S.L., Washburn A., Manfredi L., Murphy, L., Herbst M.D., Delucchi K., Jones T., Nanda N., Jacob, P., Jones R.T., Fluoxetine in primary and secondary cocaine dependence: outcome using quantitative benzoylecgonine concentration. National Institute of Drug Abuse Research Monograph 141, 140, 1994.
- Battaglia, G., Norman, A. B., Hess, E. J. & Creese, I. D2 dopamine receptor-mediated inhibition of forskolin-stimulated adenylate cyclase activity in rat, *Neurosci Lett*, 59, 177, 1985.
- Bauman, J.W., Madhu, C., McKim, J.M.J. et al. (1992) Introduction of hepatic metallothionein by paraquat. *Toxicology and Applied Pharmacology* 117, 223–41.
- Baumann, M.H., Char, G.U., De Costa, B.R., Rice, K.C., and Rothman, R.B. GBR 12909 attenuates cocaine-induced activation of mesolimbic dopamine neurons in the rat. *J. Pharmacol. Exp. Therap.* 271,1216, 1994.
- Becquemont, L., Mouajjah, S., Escaffre, O., Beaune, P., Funck-Brentano, C. & Jaillon, P. (1999) Cytochrome P-450 3A4 and 2C8 are involved in zopiclone metabolism. *Drug Metabolism and Disposition* 27(9), 1068–73.
- Bennett, R. G. and R. S. Vetter. (2004). “An approach to spider bites: erroneous attribution of dermonecrotic lesions to brown recluse and hobo spider bites in Canada”. *Canadian Fam Physician*. Cilt 50. ss. 1098-1101.
- Bergman, J., Madras, B.K., Johnson, S.E. and Spealman, R.D., Effects of cocaine and related drugs in nonhuman primates. III. Self-administration by squirrel monkeys, *J. Pharmacol. Exp. Ther.*, 251, 150, 1989. (9)
- Berkman, C.E., Underiner, G.E., and Cashman, J.R. Synthesis of an immunogenic template for the generation of catalytic antibodies for (-) cocaine hydrolysis. *J. Org. Chem*, 61, 5686, 1996.
- Berkowitz, B.A., Ngai, S.H., Yang, J.C., Hempstead, J. & Spector S. (1975) The disposition of morphine in surgical patients. *Clinical Pharmacology and Therapeutics* 17, 629–35.
- Bernheim, P.J. & Cox, J.N. (1960) Heat stroke and amphetamine intoxication in a sportsman. *Schweizerische Medizinische Wochenschrift* 90, 322–31.
- Besenhofer, L.M., Adegboyega, P.A., Berlels, M. et al. (2010) Inhibition of metabolism of diethylene glycol prevents target organ toxicity in rats. *Toxicological Science* 117/1, 25–35.
- Bessac BF, Sivula M, von Hehn CA, Caceres AI, Escalera J, Jordt SE (April 2009). “Transient receptor potential ankyrin 1 antagonists block the noxious effects of toxic industrial isocyanates and tear gases”. *FASEB Journal*. **23** (4): 1102–14. doi:10.1096/fj.08117812. PMID 19036859.
- Beuck, S., Schänzer, W. & Thevis, M. (2011) Investigation of the in vitro metabolism of the emerging drug candidate S107 for doping-preventive purposes. *Journal of Mass Spectrometry* 46, 112–30.
- BGA (Bundesgesundheitsamt) (1992) Amalgam- Nebenwirkungen und Bewertung der Toxizität. *Zahnärzt Mitteilungen* 19, 10/92.
- Bide, R. W.; Armour, S. J.; Yee, E. (2005). “GB toxicity reassessed using newer techniques for estimation of human toxicity from animal inhalation toxicity data: new method for estimating acute human toxicity (GB)”. *Journal of Applied Toxicology*. **25** (5): 393–409. doi:10.1002/jat.1074. ISSN 0260-437X. PMID 16092087. S2CID 8769521.

- Bidlingmaier, M. & Strasburger, C.J. (2010) Growth hormone. Handbook of Experimental Pharmacology 195, 187–200.
- Binford GJ, Bodner MR, Cordes MH, Baldwin KL, Rynerson MR, Burns SN, Zobel-Thropp PA (Mart 2009). “Molecular evolution, functional variation, and proposed nomenclature of the gene family that includes sphingomyelinase D in sicariid spider venoms”. Molecular Biology and Evolution. **26** (3). ss. 547- 66. doi:10.1093/molbev/msn274. PMC 2767091 \$2. PMID 19042943.
- Binford GJ, Cordes MH, Wells MA (Nisan 2005). “Sphingomyelinase D from venoms of *Loxosceles* spiders: evolutionary insights from cDNA sequences and gene structure”. Toxicon : Official Journal of the International Society on Toxicology. **45** (5). ss. 547-60. doi:10.1016/j.toxicon.2004.11.011. PMID 15777950.
- Bismuth, C., Inns, R.H. & Marrs, T.C. (1992) Efficacy, toxicology and clinical use of oximes. In: Ballantyne, B. & Marrs, T.C. (eds) Clinical and Experimental Toxicology of Organophosphates and Carbamates, pp. 555–77. Oxford: Butterworth-Heinemann.
- Blackwood, Milton E (June 1998). “Beyond the Chemical Weapons Stockpile: The Challenge of Non-Stockpile Materiel | Arms Control Association”. www.armscontrol.org. Retrieved June 28, 2022.
- Blain, P.G. (2011) Organophosphorus poisoning (acute). Clinical Evidence (Online) 2102, 1–17
- Bohrod MG. Primary degeneration of the corpus callosum (Marchiafava's disease). Arch Neurol Psychiatr 47:465-473, 1942.
- Boja, J.W., Cadet, J.L., Kopajtic, T.A., Lever, J., Seltzman, H.H., Wylick, C.D., Lewin, A.H., Abraham, P. and Carroll, F.I., Selective labeling of the dopamine transporter by the high affinity ligand 3 β -(4-[125I]iodophenyl)tropane-2-carboxylic acid isopropyl ester, Mol. Pharmacol., 47, 779, 1995.
- Boja, J.W., Carroll, F.I., Rahman, M.A., Philip, A., Lewin, A.H. and Kuhar, M.J.: New, potent cocaine analogs: ligand binding and transport studies in rat striatum. Eur. J. Pharm. 184: 329- 332, 1990.
- Boja, J.W., Markham, L., Patel, A., Uhl, G. and Kuhar, M.J., Expression of a single dopamine transporter cDNA can confer two cocaine binding sites, Neuroreport, 3, 247, 1992.
- Boja, J.W., Mitchell, W.M., Patel, A., Kopajtic, T.A., Carroll, F.I., Lewin, A.H., Abraham, P. and Kuhar, M.J., High affinity binding of [125I]RTI-55 to dopamine and serotonin transporters in rat brain, Synapse, 12, 27, 1992.
- Bonderud, Douglas. “What Is a Cytotoxin?” (İngilizce). wiseGEEK. 5 Ağustos 2016 tarihinde kaynağından arşivlendi. Erişim tarihi: 15 Ağustos 2023.
- Bonte, W. (2000) Congener analysis. In: Siegel, J.A., Saukko, P.J., Knupfer, G.C. (eds) Encyclopedia of Forensic Sciences, pp. 93–102. London: Academic Press.
- Borgå, K., Gabrielsen, G.W. & Skaare, J.U. (2001) Biomagnification of organochlorines along a Barents Sea food chain. Environmental Pollution 113(2), 187–98
- Borger, Julian (15 March 2018). “UK spy poisoning: Russia tells UN it did not make nerve agent used in attack”. The Guardian. Retrieved 15 March 2018.
- Bosshard, G., Ulrich, E. & Bar, W. (2003) 748 cases of suicide assisted by a Swiss right-to-die organisation. Swiss Medical Weekly 133(21– 22), 310–17.
- Boumba, V.A. & Vougiouklakis, T. (2005) Evaluation of the methods used for carboxyhaemoglobin analysis in postmortem blood. International Journal of Toxicology 24/4, 275

- Boumba, V.A., Mitselou, A. & Vougiouklakis, T. (2004) Fatal poisoning from ingestion of *Datura stramonium* seeds. *Veterinary and Human Toxicology* 46(2), 81–2.
- Bouthenet, M.-L., Souil, E., Martres, M.-P., Sokoloff, P., Giros, B. & Schwartz, J.-C. Localization of dopamine D3 receptor mRNA in the rat brain using in situ hybridization histochemistry: comparison with dopamine D2 receptor mRNA, *Brain Res*, 564, 203, 1991.
- Bowyer, J.F., Spuler, K.P. and Weiner, N., Effects of phencyclidine, amphetamine and related compounds on dopamine release from and uptake into striatal synaptosomes, *J. Pharmacol. Exp. Ther.*, 229, 671, 1984.
- Bozheyeva, Gulbarshyn (Summer 2000). The Pavlodar Chemical Weapons Plant in Kazakhstan: History and Legacy (PDF) (Report). The Nonproliferation Review. Retrieved 14 March 2018.
- Brailsford, A.D., Cowan, D.A. & Kicman, A.T. (2012) Pharmacokinetic Properties of gammaHydroxybutyrate (GHB) in Whole Blood, Serum, and Urine. *Journal of Analytical Toxicology* 36, 88–95.
- Brauer, L.H., Johanson, C.E., Schuster, S.R., Rothman, R.B., and de Wit, H. Evaluation of phentermine and fenfluramine, alone and in combination in normal healthy volunteers. *Neuropsychopharmacology* 14, 233, 1995.
- Brent, J., McMurtin, K., Phillips, S. et al. (2001) Fomepizole for the treatment of methanol poisoning. *New England Journal of Medicine* 344, 424–29.
- Brick, J. & Erickson, C.K. (2009) Intoxication is not always visible: an unrecognised prevention challenge. *Alcoholism Clinical and Experimental Research* 33, 1489–1507.
- Brierley J. The neuropathology of brain hypoxia. *Scientific Foundations of Neurology*, M. Critchley (Ed.). Philadelphia, F.A. Davis Company, 1972.
- Broadbent, J., Gaspard, T.M., and Dworkin, S.I. Assessment of the discriminative stimulus effects of cocaine in the rat: lack of interaction with opioids. *Pharmacol. Biochem. and Behav.* 51, 379 1995.
- Broderick, P.A., Phelan, F.T., Eng, F., and Wechsler, R.T. Ibogaine modulates cocaine responses which are altered due to environmental habituation: In vivo microvoltammetric and behavioral studies. *Pharmacol. Biochem. and Behav.* 49, 711, 1994.
- Brog, J. S., Salyapongse, A., Deutch, A. Y. & Zahm, D. S. The patterns of afferent innervation of the core and shell in the “accumbens” part of the ventral striatum: immunohistochemical detection of retrogradely transported fluoro-gold, *J Comp Neurol*, 338, 225, 1993.
- Brône B, Peeters PJ, Marrannes R, Mercken M, Nuydens R, Meert T, Gijsen HJ (September 2008). “Tear gasses CN, CR, and CS are potent activators of the human TRPA1 receptor”. *Toxicology and Applied Pharmacology*. 231 (2): 150– 6. doi:10.1016/j.taap.2008.04.005. PMID 18501939.
- Broomfield CA, Lockridge O, Millard CB (May 1999). “Protein engineering of a human enzyme that hydrolyzes V and G nerve agents: design, construction and characterization”. *Chemico-Biological Interactions*. 119–120: 413–8. doi:10.1016/S00092797(99)00053-8. PMID 10421478.
- Bro-Rasmussen, F. (1996) Contamination by persistent chemicals in food chain and human health. *Science of the Total Environment* 188 (Suppl 1), S45–60.
- Brown, E. E. & Fibiger, H. C. Cocaine-induced conditioned locomotion: absence of associated increases in dopamine release, *Neuroscience*, 48, 621, 1992.

- Brown, E. E. & Fibiger, H. C. Differential effects of excitotoxic lesions of the amygdala on cocaine-induced conditioned locomotion and conditioned place preference, *Psychopharmacology*, 113, 123, 1993.
- Brown, E. E., Robertson, G. S. & Fibiger, H. C. Evidence for conditioned neuronal activation following exposure to a cocaine-paired environment: role of forebrain limbic structures, *J Neurosci*, 12, 4112, 1992.
- Browning, Christopher R. (2004). *The Origins of the Final Solution : The Evolution of Nazi Jewish Policy, September 1939 – March 1942. Comprehensive History of the Holocaust*. Lincoln: University of Nebraska Press. ISBN 0-8032-1327-1.
- Bryant S, Pittman L (2003). "Dapsone use in *Loxosceles reclusa* envenomation: is there an indication?". *Am J Emerg Med*. 21 (1). ss. 89- 90. doi:10.1053/ajem.2003.50021. PMID 12563594.
- Bucaretschi, Fábio; Bertani, Rogério; De Capitani, Eduardo Mello; Hyslop, Stephen (2018), "Envenomation by Wandering Spiders (Genus *Phoneutria*)", Vogel, Carl-Wilhelm; Seifert, Steven A.; Tambourgi, Denise V. (Ed.), *Clinical Toxinology in Australia, Europe, and Americas, Toxinology (İngilizce)*, Dordrecht: Springer Netherlands, ss. 101154, doi:10.1007/978-94-017-7438-3_63, ISBN 978-94-017-7438-3, erişim tarihi: 11 Ekim 2020
- Buchanan, S. L., Thompson, R. H., Maxwell, B. L. & Powell, D. A. Efferent projections of the medial prefrontal cortex in the rabbit, *Exp Brain Res*, 100, 469, 1994.
- Buck, K.K. and Amara, S.G. Chimeric dopamine-norepinephrine transporters delineate structural domains influencing selectivity for catecholamines and 1-methyl-4phenylpyridinium. *Proc. Natl. Acad. Sci.* 91. 12584, 1994.
- Buckley, N.A., Dawson, A.H., Whyte, I.M. & O'Connell, D.L. (1995) Relative toxicity of benzodiazepines in overdose. *British Medical Journal* 310(6974), 219–21.
- Buire, A.C., Vitry, F., Hoizey, G., Lamiable, D. & Trenque, T. (2009) Overdose of meprobamate: plasma concentration and Glasgow Coma Scale. *British Journal of Clinical Pharmacology* 68(1), 126–7.
- Burchfiel, J.L., Duffy, F.H. & van Sim, M. (1976) Persistent effects of sarin and dieldrin upon the primate electroencephalogram. *Toxicology and Applied Pharmacology* 35, 365–79.
- Burton K. "The Brown Recluse Spider: Finally stopped in its tracks". 24 Ekim 2009 tarihinde kaynağından arşivlendi. Erişim tarihi: 2 Eylül 2023.
- Bus, J.S., Aust, S.D. & Gibson, J.E. (1977) Lipid peroxidation as a proposed mechanism of paraquat toxicity. In: Autor, A.P. (ed.) *Biochemical Mechanism of Paraquat Toxicity*, pp. 157– 73. London: Academic Press.
- Busse, F., Omidi, L., Leichtle, A. et al. (2008) Lead poisoning due to adulterated Marijuana. *New England Journal of Medicine* 358, 1641–2
- Caine ,S.B., and Koob, G.F. Pretreatment with the dopamine agonist 7-OH-DPAT shifts the cocaine self-administration dose-effect function to the left under different schedules in the rat. *Behavioral Pharmacol*. 6, 333, 1995.
- Caine, S. B. & Koob, G. F. Modulation of cocaine self-administration in the rat through D3 dopamine receptors, *Science*, 260, 1814, 1993.
- Caine, S.B., and Koob G.F. Modulation of cocaine self-administration in the rat through D3 dopamine receptors. *Science* 260, 1814, 1993.

- Caine, S.B., and Koob, G.F. Effects of dopamine D-1 and D-2 antagonists on cocaine selfadministration under different schedules of reinforcement in the rat. *J. Pharmacol. Exp. Therap.* 270, 209, 1994.
- Caine, S.B., Heinrichs, S.C., Coffin, V.L., and Koob, G.F. Effects of the dopamine D-1 antagonist SCH 23390 microinjected into the accumbens, amygdala or striatum on cocaine selfadministration in the rat. *Brain Res.* 692, 47, 1995.
- Callahan, P. M., Appel, J. B. & Cunningham, K. A. Dopamine D1 and D2 mediation of the discriminative stimulus properties of d-amphetamine and cocaine, *Psychopharmacology*, 103, 50, 1991.
- Calligaro, D.O. and Eldefraei, M.E., High affinity stereospecific binding of [³H]cocaine in striatum and its relationship to the dopamine transporter, *Membr. Biochem.*, 7, 87, 1988.
- Callum Borchers, Sean Spicer takes his questionable claims to a new level in Hitler-Assad comparison, *The Washington Post* (April 11, 2017).
- Cameron, D. L. & Williams, J. T. Dopamine D1 receptors facilitate transmitter release, *Nature*, 366, 344, 1993.
- Campbell BG. Cocaine abuse with hyperthermia, seizures and fatal complications. *Med J Austal* 149: 387-389, 1988.
- Cao, C.J., Shamoo, A.E. and Eldefrawi, M.E., Cocaine-sensitive, ATP-dependent dopamine uptake in striatal synaptosomes, *Biochem. Pharmacol.*, 39, R9, 1990.
- Caplan L. Intracerebral hemorrhage revisited. *Neurology* 38: 624-627, 1988.
- Carey, R.J., Dai, H., Krost, M., and Huston, J.P. The NMDA Receptor and cocaine: evidence that MK-801 can induce behavioral sensitization effects. *Pharmacol. Biochem. Behav.* 51, 901, 1995
- Carlezon, W. A., Jr., Boundy, V. A., Kalb, R. G., Neve, R. & Nestler, E. J. Increased sensitivity to the stimulant actions of morphine after infection of VTA with an HSV vector expressing GLUR1, *Soc Neurosci Abstr*, 22, 171, 1996.
- Carnes, Sam Abbott; Watson, Annetta Paule (August 4, 1989). "Disposing of the US Chemical Weapons Stockpile: An Approaching Reality". *JAMA*. **262** (5): 653–659. doi:10.1001/jama.1989.03430050069029. ISSN 0098-7484. PMID 2746817.
- Carrera, M.R., Ashley, J.A., Parsons, L.H., Wirschung, P., Koob, G.F. Suppression of psychoactive effects of cocaine by active immunization. *Nature* 378, 727, 1995.
- Carroll, F.I., Rahman, M.A., Abraham, P., Parham, K., Lewin, A.H., Dannals, R.F., Shaya, E., Scheffel, U., Wong, D.F., Boja, J.W. and Kuhar, M.J., [123I]3β-4-(iodophenyl) tropan2βcarboxylic acid methyl ester (RTI-55), a unique cocaine receptor ligand for imaging the dopamine and serotonin transporters in vivo, *Med. Chem. Res.*, 1, 289, 1991.
- Carroll, M.E., Lac, S.T., Asencio M., Kragh, R. Fluoxetine reduces intravenous cocaine selfadministration in rats. *Pharmacol. Biochem. Behav.* 35, 237, 1990.
- Carron PN, Yersin B (June 2009). "Management of the effects of exposure to tear gas". *BMJ*. **338**: b2283. doi:10.1136/bmj.b2283. PMID 19542106. S2CID 7870564.
- Carter, C. J. Glutamatergic pathways from the medial prefrontal cortex to the anterior striatum, nucleus accumbens and substantia nigra, *Br J Pharmacol*, 70, 50, 1980.
- Castelvecchi, Davide (2019). "Novichok nerve agents banned by chemical-weapons treaty". *Nature*. doi:10.1038/d41586-019-03686-y. PMID 33244185. S2CID 213503403. Cepeda, C., Buchwald, N. A. & Levine, M. S. Neuromodulatory actions

- of dopamine in the neostriatum are dependent upon the excitatory amino acid receptor subtypes activated, Proc Natl Acad Sci USA, 90, 9576, 1993.
- Cerruti, C., Pilote, N. S., Uhl, G. & Kuhar, M. J. Reduction in dopamine transporter mRNA after cessation of repeated cocaine administration, Mol Brain Res, in press, 1994.
- Chai, Peter R.; Hayes, Bryan D.; Erickson, Timothy B.; Boyer, Edward W. (January 2018). "Novichok agents: a historical, current, and toxicological perspective". Toxicology Communications. 2 (1): 45– 48. doi:10.1080/24734306.2018.1475151. PMC 6039123. PMID 30003185. S2CID 49661943 .
- Chavez-Noriega, L. E. & Stevens, C. F. Increased neurotransmitter release at excitatory synapse produced by direct activation of adenylate cyclase in rat hippocampal slices, J Neurosci, 14, 310, 1994.
- Chen, N.H., and Reith, M.E.A. Autoregulation and monoamine interactions in the ventral tegmental area in the absence and presence of cocaine: A microdialysis study in freely moving rats. J. Pharmacol. Exp. Therap. 271, 1597, 1994.
- Chiatt, L.D. Reinforcing and subjective effects of methylphenidate in humans. Behav. Pharmacol. 5, 281, 1994.
- Childress, A. R., McLellan, A. T. & O'brien, C. P. Extinguishing conditioned responses in drug dependent persons. in Learning factors in drug dependence: NIDA Research Monograph, DHHS Publication No. ADM-88-1576, ed. Ray, B., U.S. Government Printing Office, Washington, 1988, 137.
- Chippaux, J. P.; Williams, V; White, J. (19 Mart 1991). "Snake Venom Variability: Methods of Study, Results and Interpretation" (PDF). Toxicon. Cilt 29 (11 bas.). ss. 1279-1303. 30 Temmuz 2019 tarihinde kaynağından arşivlendi (PDF). Erişim tarihi: 12 Haziran 2023. Chitwood, D. Patterns and consequences of cocaine use. In: National Institute on Drug Abuse, Res. Monog. Ser. 61: 111-129, 1985.
- Christenson, J.G. Radioimmunoassay for benzoyl ecgonine. US Patent 4, 102, 979, 1978.
- Christie, M. J. Excitotoxic lesions suggest an aspartatergic projection from the rat medial prefrontal cortex to ventral tegmental area, Brain Res, 333, 169, 1985.
- Christie, M. J., Summers, R. J., Stephenson, J. A., C.J., C. & Beart, P. M. Excitatory amino acid projections to the nucleus accumbens spti in the rat: a retrograde transport study utilizing D[3H] aspartate and [3H] GABA, Neuroscience, 22, 425, 1987.
- Ciliax, B.J., Heilman, C., Demchyshyn, L.L., Pristupa, Z.B., Ince, E., Hersch, S.M., Niznik, H.B. and Levey, A.I., The dopamine transporter: immunochemical characterization and localization in brain, J. Neurosci., 15, 1714, 1995.
- Claren SK. Recognition of fetal alcohol syndrome. JAMA 245: 2436-2439, 1981.
- Clark, J.A., Liu, L., Price, M., Hersh, B., Edelson, M., and Pasternak, G.W. Kappa opiate receptor multiplicity: Evidence for two U50,488-sensitive κ1 subtypes and a novel κ3 subtype. J. Pharmacol. Exp. Therap. 251, 461, 1989.
- Claye, L.H., Akunne, H.C., Davis, M.D., DeMattos, S., and Soliman, K.F.A. Behavioral and neurochemical changes in the dopaminergic system after repeated cocaine administration. Mol. Neurobiol. 11, 55, 1995.
- Cline, E.J., Scheffel, U., Boja, J.W., Mitchell, W.M., Carroll, F.I., Abraham, P., Lewin, A.H. and Kuhar, M.J., In vivo binding of [125I]RTI-55 to dopamine and serotonin transporters in rat brain, Synapse, 12, 37, 1992.
- Cockburn H. (20 March 2018). "Soviet-era scientists contradict Moscow's claims Russia never made Novichok nerve agent". The Independent.

- Colwell, C. S. & Levine, M. S. Excitatory synaptic transmission in neostriatal neurons: regulation by cyclic AMP-dependent mechanisms, *J Neurosci*, 15, 1704, 1995.
- Comer, S. D., Lac, S. T., Curtis, L. K. & Carroll, M. E. Effect of buprenorphine and naltrexone on reinstatement of cocaine-reinforced responding in rats, *J Pharmacol Exp Ther*, 267, 1993.
- Comer, S.D., Lac, S.T., Curtis, L.K., and Carroll, M.E. Effects of buprenorphine and naltrexone on reinstatement of cocaine-reinforced responding in rats. *J. Pharmacol. Exp. Therap.* 267, 1470, 1993.
- Conium maculatum L.” Inchem. IPCS (International Programme on Chemical Safety). Retrieved 2012-07-06.
- Contostavlos DL. Massive subarachnoid hemorrhage due to laceration of the vertebral artery associated with fracture of the transverse process of the atlas. *J Forensic Sci* 16: 40-56, 1971.
- Cordes MH, Binford GJ (Şubat 2006). “Lateral gene transfer of a dermonecrotic toxin between spiders and bacteria”. *Bioinformatics* (Oxford, England). **22** (3). ss. 264- 8. doi:10.1093/bioinformatics/bti811. PMID 16332712.
- Corson BB, Stoughton RW (1928). “Reactions of Alpha, Beta-Unsaturated Dinitriles”. *Journal of the American Chemical Society*. **50** (10): 2825–2837. doi:10.1021/ja01397a037.
- Corson BB, Stoughton RW (1928). “Reactions of Alpha, Beta-Unsaturated Dinitriles”. *J Am Chem Soc*. **50** (10): 2825–2837. doi:10.1021/ja01397a037.
- Corum, James S., *The Roots of Blitzkrieg*, University Press of Kansas, USA, 1992, pp.106107.
- Costentin, J., Duterte-Boucher, D., Panissaud, C. and Michael-Titus, A., Dopamine D1 and D2 receptors mediate opposite effects of apomorphine on the body temperature of reserpined mice. *Neuropharmacol*. 29: 31-35, 1990.
- Coulter, P. B.; Callahan, J. J.; Link, R.S. Physical Constants of Thirteen V Agents (PDF). U. S. Army Chemical Warfare Laboratories Technical Report (Report). CWLR-2346. Retrieved 28 July 2022.
- Courville CB. Effects of Alcohol on the Nervous System of Man. San Lucas Press, Los Angeles, CA, 1966.
- Cox, B.A., Rosser, M.P., Kozlowski, M.R., Duwe, K.M., Neve, R.L., and Neve, K.A. Regulation and functional characterization of a rat recombinant dopamine D3 receptor. *Synapse* 21, 1, 1995.
- Cravioto H, Korein J, Silberman J. Wernicke's encephalopathy: a clinical and pathological study of 28 autopsied cases. *Arch Neurol* 4:510-519,1961.
- Crawford, V. Comorbidity of substance misuse and psychiatric disorders. *Current opinion in Psychiatry* 1996, 9:231-234.
- Croddy, Wirtz & Larsen 2001, p. 201
- Crosby, R.D., Halikas J.A., Carlson, G. Pharmacotherapeutic interventions for cocaine abuse: present practices and future directions. *J. Addict. Dis.* 10, 13, 1991.
- Cunningham, K.A., Lakoski J.M. The interaction of cocaine with serotonin dorsal raphe neurons. Single unit extracellular recording studies. *Neuropsychopharmacology* 3, 41, 1990.
- Cunningham, K.A., Paris, J.M., Goeders N.E. Chronic cocaine enhances serotonin autoregulation and serotonin uptake binding. *Synapse* 11, 112, 1992.

- Curran, E. J. & Watson, S. J. J. Dopamine receptor mRNA expression patterns by opioid peptide cells in the nucleus accumbens of the rat: a double *in situ* hybridization study, *J Comp Neurol*, 361, 57, 1995. 79. Diaz, J., Levesque, D., Lammers, C. H., Griffon, N., Matres, M. P. & Schwartz, J. C. Phenotypical characterization of neurons expressing the dopamine D3 receptor in the rat brain, *Neuroscience*, 65, 731, 1995.
- D. Hank Ellison (August 24, 2007). *Handbook of Chemical and Biological Warfare Agents*, Second Edition. CRC Press. pp. 567–570. ISBN 978-0-8493-1434-6.
- Daan Noort,* Alex Fidder, Debora van der Riet-van Oeveren, Ruud Busker, and Marcel J. van der Schans. Verification of Exposure to Novichok Nerve Agents Utilizing a Semitargeted Human Butyrylcholinesterase Nonapeptide Assay. *Chem. Res. Toxicol.* 2021, 34, 1926–1932 Dackis, C.A., Gold, M.S., Sweeney, D.R., Byron, J.P., Climko, R. Single dose bromocriptine reverses cocaine craving. *Psychiatry Res.* 20, 261, 1987.
- Daras M, Tuchman AJ, Koppel BS, Samkoff LM, Weitzner I, Marc J. Neurovascular complications of cocaine. *Acta Neurol Scand* 90: 124-129, 1994.
- Darling & Noste 2016
- Davis G, Williams A, Markey S et al. Chronic parkinsonism secondary to intravenous injection of meperidine analogs. *Psych Res* 1: 249-254, 1979.
- Davis GG, Swalwell CI. The incidence of acute cocaine or methamphetamine intoxication in deaths due to ruptured cerebral (berry) aneurysms. *J Forensic Sci* 41: 626-628, 1996.
- Davis, GD. Cocaine-induced excited delirium. *Forensic Pathology Check Sample*, No. FP 96- 9. Chicago, Ill: American Society of Clinical Pathologists, 1996.
- DE patent 438818, Heerdt, Walter, "Verfahren zur Schaedlingsbekämpfung", issued 27 December 1926, assigned to Deutsche Gesellschaft für Schädlingsbekämpfung mbH.
- De Vooght-Johnson, Ryan (1 January 2017). "Iranian chemists identify Russian chemical warfare agents". *spectroscopyNOW.com*. Wiley. Retrieved 18 March 2018.
- De Wit H., Wise R.A. Blockade of cocaine reinforcement in rats with the dopamine receptor blocker pimozide, but not the noradrenergic blockers phentolamine and phenoxybenzamine. *Can. J. Psychol.* 31, 195, 1977.
- De Wit, H. & Stewart, J. Drug reinstatement of heroin-reinforced responding in the rat, *Psychopharmacology*, 79, 29, 1983.
- De Wit, H. & Stewart, J. Reinstatement of cocaine-reinforced responding in the rat, *Psychopharmacology*, 75, 134, 1981.
- DeFrance, J. F., Sikes, R. W. & Chronister, R. B. Dopamine action in the nucleus accumbens, *J Neurophysiol*, 54, 1568, 1985.
- Degenhardt; et al. (July 2004). "Improvements of the Fluoride Reactivation Method for the Verification of Nerve Agent Exposure". *Journal of Analytical Toxicology*. Oxfordshire, England: Oxford University Press. **28** (5): 364– 371. doi:10.1093/jat/28.5.364. PMID 15239857.
- Derlet RW, Albertson TE. Emergency department presentation of cocaine intoxication. *Ann Emerg Med* 18: 182-186, 1989.
- Di Chiara, G. & Imperato, A. Drugs abused by humans preferentially increase synaptic dopamine concentrations in the mesolimbic system of freely moving rats, *Proc Natl Acad Sci USA*, 85, 5274, 1988.
- Di Ciano, P., Blaha, C. D. & Phillips, A. G. Conditioned increases in motor activity and dopamine concentrations in the nucleus accumbens of the rat following repeated administration of cocaine or d-amphetamine, *Soc Neurosci Abstr*, 21, 2103, 1995.

- Diana, M., Pistis, M., Carboni, S., Gessa, G. & Rossetti, Z. L. Profound decrement of mesolimbic dopaminergic neuronal activity during ethanol withdrawal syndrome in rats: electrophysiological and biochemical evidence, Proc Natl Acad Sci USA, 90, 7966, 1993.
- DiChiara, G. and Imperato, A. Opposite effects of mu and kappa opiate agonists on dopamine release in the nucleus accumbens and in the dorsal caudate of freely moving rats. J. Pharmacol. Exp. Therap. 244, 1067, 1988.
- DiChiara, G. and Imperato, A., Drugs abused by humans preferentially increase synaptic dopamine concentrations in the mesolimbic system of freely moving rats, Proc. Natl. Acad. Sci., 85, 5274, 1988. 12. Coyle, J.T. and Synder, S.H., Catecholamine uptake by synaptosomes in homogenates of rat brain: stereospecificity in different areas, J. Pharmacol. Exp. Ther., 170, 221, 1969.
- Doctor BP, Blick DW, Caranto G, Castro CA, Gentry MK, Larrison R, Maxwell DM, Murphy MR, Schutz M, Waibel K (June 1993). "Cholinesterases as scavengers for organophosphorus compounds: protection of primate performance against Soman toxicity". Chemico-Biological Interactions. 87 (1–3): 285–93. doi:10.1016/0009-2797(93)90056-5. PMID 8343986.
- Drummer, Olaf H.; Roberts, Anthony N.; Bedford, Paul J.; Crump, Kerryn L.; Phelan, Michael H. (1995). "Three deaths from hemlock poisoning". The Medical Journal of Australia. 162 (5): 592–593. doi:10.5694/j.1326-5377.1995.tb138553.x
- Dubocovich, M.L. and Zahniser, N.R., Binding characteristics of the dopamine uptake inhibitor [³H]nomifensine to striatal membranes, Biochem. Pharmacol., 34, 1137, 1985.
- Dunbar (June 2020). "Venomics Approach Reveals a High Proportion of Lactrodectus-Like Toxins in the Venom of the Noble False Widow Spider *Steatoda nobilis*". Toxins (İngilizce). 12 (6): 402.
- Dzombak, David A.; Ghosh, Rajat S.; Wong-Chong, George M. (2005). Cyanide in Water and Soil: Chemistry, Risk, and Management. Boca Raton: CRC Press. ISBN 978-1-4200-3207-9.
- Eddleston M, Szinicz L, Eyer P, Buckley N (May 2002). "Oximes in acute organophosphorus pesticide poisoning: a systematic review of clinical trials". QJM. 95 (5): 275–83. doi:10.1093/qjmed/95.5.275. PMC 1475922. PMID 11978898.
- Effects of zolpidem on the architecture and cyclical structure of sleep in poor sleepers. Drugs in Experimental Clinical Research 21(4), 161–9.
- Egilmez, Y., Jung, M.E., Lane, J.D., Emmett-Oglesby, M.W. Dopamine release during cocaine self-administration in rats: effect of SCH 23390. Brain Res. 701, 142, 1995.
- Ehrman, R. N., Robbins, S. J., Childress, A. R. & O'Brien, C. P. Conditioned responses to cocaine-related stimuli in cocaine abuse patients., Psychopharmacology, 107, 523, 1992.
- Eikelboom, R. & Stewart, J. Conditioning of drug-induced physiological responses, Psychol Rev, 89, 507, 1982.
- Ellison DH (2008). Handbook of chemical and biological warfare agents (2nd ed.). Boca Raton: CRC Press. ISBN 978-0-8493-1434-6. OCLC 82473582.
- Eric Croddy (2002). Chemical and Biological Warfare: A Comprehensive Survey for the Concerned Citizen. Springer. p. 131. ISBN 9780387950761.

- Espino-Solis GP, Riaño-Umbarila L, Becerril B, Possani LD (Mart 2009). "Antidotes against venomous animals: state of the art and prospectives". *Journal of Proteomics.* **72** (2). ss. 183- 99. doi:10.1016/j.jprot.2009.01.020. PMID 19457345.
- Ettenberg, A. Haloperidol prevents the reinstatement of amphetamine-rewarded runway responding in rats, *Pharmacol Biochem Behav*, 36, 635, 1990.
- Evans, Richard J. (2008). *The Third Reich At War*. New York: Penguin Books. ISBN 978-014-311671-4.
- Fassihi, Farnaz (October 27, 2002), "In Iran, grim reminders of Saddam's arsenal", *New Jersey Star Ledger*, archived from the original on December 13, 2007, retrieved April 22, 2020
- Fatemeh Mirbabaei, Ali Mohammad-Khah, Mohammad Taghi Naseri, Mehran Babri, Sajjad Mousavi Faraz, Seyyed Esmail Hosseini, Davood Ashrafi. Unambiguous identification and determination of A234-Novichok nerve agent biomarkers in biological fluids using GC– MS/MS and LC–MS/MS Analytical and Bioanalytical Chemistry (2022) 414:3429–3442. <https://doi.org/10.1007/s00216-022-03964-1>
- Fedorov, Lev (27 July 1994), *Chemical Weapons in Russia: History, Ecology, Politics*, retrieved 13 March 2018
- Feofanov, A. V.; Sharonov, G. V.; Dubinnyi, M. A.; Astapova, M. V.; Kudelina, I. A.; Dubovskii, P. V.; Rodionov, D. I.; Utkin, Yu. N.; Arseniev, A. S. (18 Mart 2010). "Comparative Study of Structure and Activity of Cytotoxins from Venom of the Cobras *Naja oxiana*, *Naja kaouthia*, and *Naja haje*" (PDF). *Biochemistry* (Moscow). Cilt 69 (10 bas.). ss. 1148-1157. Erişim tarihi: 15 Ağustos 2023.
- Ferre, S., Fuxe, K., Von Euler, G., Johansson, B. & Fredholm, B. B. Adenosine- dopamine interactions in the brain, *Neuroscience*, 51, 501, 1992.
- Fibiger, H. C., Phillips, A. G. & Brown, E. E. The neurobiology of cocaine-induced reinforcement, *Ciba Found Symp*, 166, 96, 1992.
- Fidder, A., Noort, D., Hulst, A. G., De Ruiter, R., Van der Schans, M. J., Benschop, H. P., and Langenberg, J. P. (2002) Retrospective detection of exposure to organophosphorus anti- cholinesterases: mass spectrometric analysis of phosphorylated human butyrylcholinesterase. *Chem. Res. Toxicol.* 15, 582–590.
- Fischman MW, Schuster CR, Resnekov L, Shick JFE, Krasnegar NA, Fennell W, Freedman DX. Cardiovascular and subjective effects of intravenous cocaine administration in humans. *Arch Gen Psych* 33: 983-989, 1976.
- Fishburn CS, Belleli D, David C, Carmon S and Fuchs S. A novel short isoform of the D3 dopamine receptor generated by alternative splicing in the third cytoplasmic loop. *J. Biol. Chem.* 268, 5872, 1993.
- Fisher CM. Pathological observations in hypertensive cerebral hemorrhage. *J Neuropathol Exp Neurol* 30: 536-550, 1971.
- Fitzgerald, L. W., Ortiz, J., Hamedani, A. G. & Nestler, E. J. Regulation of glutamate receptor subunit expression by drugs of abuse and stress: common adaptations among cross- sensitizing agents, *J Neurosci*, 16, 274, 1996.
- Fitzgerald, L.W., Ortiz J., Hamedani A.G., and Nestler, E.J. Drugs of abuser and stress increase the expression of GluR1 and NMDAR1 glutamate receptor subunits in the rat ventral tegmental areal: Common adaptations among cross-sensitizing agents. *J. Neurosci.* 16, 274, 1996.

- Fowler, J.S., Volkow, N.D., Wolf, A.P., Dewey, S.L., Schlyer, D.J., MacGregor, R.R., Hitzmann, R., Logan, J., Bendriem, B., Gatley, S.J. and Christman, D.R., Mapping cocaine binding sites in human and baboon brain in vivo, *Synapse*, 4, 371, 1989.
- Franca, Tanos; Kitagawa, Daniel; Cavalcante, Samir; Da Silva, Jorge; Nepovimova, Eugenie; Kuca, Kamil (2019). "Novichoks: The Dangerous Fourth Generation of Chemical Weapons". *International Journal of Molecular Sciences*. **20** (5): 1222. doi:10.3390/ijms20051222. PMC 6429166. PMID 30862059.
- Franca, Tanos; Kitagawa, Daniel; Cavalcante, Samir; da Silva, Jorge; Nepovimova, Eugenie; Kuca, Kamil (11 March 2019). "Novichoks: The Dangerous Fourth Generation of Chemical Weapons". *International Journal of Molecular Sciences*. **20** (5): 1222. doi:10.3390/ijms20051222. PMC 6429166. PMID 30862059.
- Fredericks RK, Lefkowitz DS, Challa VR, et. al. Cerebral vasculitis associated with cocaine abuse. *Stroke* 22: 1437-1439, 1991.
- Friedman, J.H., Feinberg, S.S. and Feldman, R.G., A neuroleptic malignant like syndrome due to levodopa therapy withdrawal. *J.A.M.A* , 254:2792-2795, 1985.
- From Cooperation to Complicity: Degussa in the Third Reich, Peter Hayes, 2004, pp 2, 272, ISBN 0-521-78227-9
- Fudala, P.J., Johnson, R.E., Jaffe J.H. Outpatient comparison of buprenorphine and methadone maintenance. II. Effects on cocaine usage, retention time in study and missed clinical visits. In Harrison L, ed. Problems of drug dependence, National Institute of Mental Health Research Monograph, 105, 587, 1991.
- Fyodorov, Lev; Mirzayanov, Vil (20 September 1992). "A Poison Policy". Moscow News. No. 39.
- Gallacher, G. A potential vaccine for cocaine abuse prophylaxis? *Immunopharmacology* 27, 79, 1994.
- Galloway, M.P., Regulation of dopamine and serotonin synthesis by acute administration of cocaine. *Synapse* 6, 63, 1990.
- Gawin F.H., Allen D., Humblestone, B. Outpatient treatment of "crack" cocaine smoking with flupentixol decanoate. *Arch. Gen. Psychiatry* 46, 322, 1989.
- Gawin, F.H. and Kleber, H. D. Abstinence symptomatology and psychiatric diagnosis in cocaine abusers. *Arch. Gen. Psych.* 43: 107 - 113, 1986.
- Gawin, F.H., Cocaine addiction: psychology and neurophysiology. *Science* 251: 1580-1586, 1991.
- Gawin, F.H., Cocaine Addiction: psychology and neurophysiology. *Science*, 251,11580, 1991
- Gawin, F.H., Neuroleptic reduction of cocaine-induced paranoia, but not euphoria? *Psychopharmacology* 90, 142, 1986.
- Gelernter, J., Kranzler, H.R., Satel, S.L., and Rao, P.A. Genetic association between dopamine transporter protein alleles and cocaine-induced paranoia. *Neuropsychopharmacology* 1994- Vol. 11, No. 3.
- Gerber, G. J. & Stretch, R. Drug-induced reinstatement of extinguished self-administration behavior, *Pharmacol Biochem Behav*, 3, 1066, 1975.
- Gerfen, C. R., Engber, T. M., Mahan, L. C., Susel, Z., Chase, T. N. et al. D1 and D2 dopamine receptor-regulated gene expression of striatonigral and striatopallidal neurons, *Science*, 250, 1429, 1990.
- Gingrich, J.A., and Caron, M.G., Recent advances in the molecular biology of dopamine receptors. *Ann. Rev. Neurosci.* 16, 299, 1993.

- Giros, B., Wang, Y.M., Suter, S., McLeskey, S.B., Pifl, C. and Caron, M.G. Delineation of discrete domains for substrate, cocaine, and tricyclic antidepressant interactions using chimeric dopamine-norepinephrine transporters. *J. Biol. Chem.* 15985, 1994.
- Giros, B., Jaber, M., Jones, S.R., Wightman, R.M. and Caron, M.G., Hyperlocomotion and indifference to cocaine and amphetamine in mice lacking the dopamine transporter, *Nature*, 379, 606, 1996.
- Glick, S.D., Kuehne, M.E., Raucci, J., Wilson, T.E., Larson, D., Kellar, R.W., and Carlson, J.N. Effects of iboga alkaloids on morphine and cocaine self-administration in rats: relationship to tremorigenic effects and to effects on dopamine release in nucleus accumbens and striatum. *Brain Res.* 657, 14, 1994.
- Glick, S.D., Maisonneuve, I.M., Raucci, J., and Archer, S., Kappa opioid inhibition of morphine and cocaine self-administration in rats. *Brain Res.* 681, 147, 1995.
- Glowinski J. and Iversen, L.L., Regional studies of catecholamines in the rat brain. I. The disposition of [³H]norepinephrine, [³H]dopamine and [³H]dopa in various regions of the brain, *Neurochem.*, 13, 655, 1966.
- Goeders, N.E., and Kuhar, M.J. Chronic cocaine administration induced opposite changes in dopamine receptors in the striatum and nucleus accumbens. *Alcohol Drug Res.* 7, 207, 1987.
- Golomb, Beatrice Alexandra (18 March 2008). "Acetylcholinesterase inhibitors and Gulf War illnesses". Proceedings of the National Academy of Sciences of the United States of America. **105** (11): 4295–4300. Bibcode:2008PNAS..105.4295G.
- Gonzales, C. & Chesselet, M. F. Amygdalonal pathway: an anterograde study in the rat with Phaseolus vulgaris leucoagglutinin, *J Comp Neurol*, 297, 182, 1990.
- Grech, D. M., Spealman, R. D. & Bergman, J. Self-administration of D1 receptor agonists by squirrel monkeys, *Psychopharmacology*, 125, 97, 1996.
- Greenberg, M. I.; Sexton, K. J.; Vearrier, D. (February 7, 2016). "Sea-dumped chemical weapons: environmental risk, occupational hazard". *Clinical Toxicology*. **54** (2): 79–91.
- Greta J. Binford and Michael A. Wells (2003). "The phylogenetic distribution of sphingomyelinase D activity in venoms of Haplogyne spiders" (pdf). Comparative Biochemistry and Physiology Part B. Cilt 135. ss. 25-33. 25 Ekim 2007 tarihinde kaynağından arşivlendi (PDF). Erişim tarihi: 17 Eylül 2023.
- Griffiths, R.R., Winger, G., Brady, J.V., Snell, J.D. Comparison of behavior maintained by infusions of eight phenylethylamines in baboons. *Psychopharmacology* 50, 251, 1976
- Grishin EV (November 1998). "Black widow spider toxins: the present and the future". *Toxicon*. **36** (11): 1693-701. doi:10.1016/S0041-0101(98)00162-7. PMID 9792186.
- Gross, Daniel A. (Spring 2015). "Chemical Warfare: From the European Battlefield to the American Laboratory". *Distillations*. **1** (1): 16–23. Retrieved March 20, 2018.
- Gussow, Leon (July 2005). "Nerve Agents: Three Mechanisms, Three Antidotes". *Emergency Medicine News*. Alphen aan den Rijn, Netherlands: Wolters Kluwer. **27** (7): 12. doi:10.1097/00132981-200507000-00011.
- Halámek, E.; Kobliha, Z. (15 June 2011). "Potential Chemical Warfare Agents". *Chemicke Listy*. **105** (5).
- Hameroff S, Eckholdt J, Linderburg R. Cerebral phycomycosis in a heroin addict. *Neurology* 20: 261-265, 1970.

- Hammer, R.P. Cocaine alters opiate receptor binding in critical brain reward regions. *Synapse* 3, 55, 1989.
- Handelsman, L., Chordia, P.L., Escovar, I.M., Marion, I.J., Lowinson, J.H. Amantadine for treatment of cocaine dependence in methadone-maintained patients. *Am. J. Psychiatry* 145, 533, 1988. 1988.
- Haracz, J.L., Belanger, S.A., MacDonall, J.S., and Sircar, R. Antagonists of N-methylDaspartate receptors partially prevent the development of cocaine sensitization. *Life Sciences* 57, 2347, 1995.
- Harper, C. Wernicke's encephalopathy: a more common disease than realized. A neuropathological study of 51 cases. *J Neurol Neurosurg Psychiatr* 42:226-231,1979.
- Harrington H, Heller HA, Dawson D, Caplan L, Rumbaugh C. Intracerebral hemorrhage and oral amphetamine. *Arch Neurol* 40: 503-507, 1983.
- Harris, J.E. and Baldessarini, R.J., The uptake of [³H]dopamine by homogenates of rat corpus striatum: effects of cations, *Life Sci.*, 13, 303, 1973.
- Harsing, L.G., Sershen, H., and Lajtha, A. Evidence that ibogaine releases dopamine from the cytoplasmic pool in isolated mouse striatum. *J. Neural Transm.* 96, 215, 1994.
- Hay, Alastair (11 July 2018). "Why Novichok stays deadly for so long". BBC News.
- Hearn, W.L., Pablo, J., Hime, G.W., and Mash, D.C. Identification and quantitation of ibogaine and an O-demethylated metabolite in brain and biological fluids using gas chromatography mass spectrometry. *J. Anal. Toxic.* 19, 427,1995.
- Heidbreder, C.A., Babovic-Vuksanovic, D., Shoaib, M., and Shippenberg, T.S. Development of behavioral sensitization to cocaine: Influence of kappa opioid receptor agonists. *J. Pharmacol. Exp. Therap.* 275, 150, 1995.
- Heidbreder, C.A., Goldberg, S.R., and Shippenberg, T.S. The kappa-opioid receptor agonist U69593 attenuates cocaine-induced behavioral sensitization in the rat. *Brain Res.* 616, 335, 1993.
- Heikkila, R.E., Cabbat, F.S. and Duvoisin, R.C., Motor activity and rotational behavior after analogs of cocaine: correlation with dopamine uptake blockade, *Commun. Psychopharm.*, 3, 285, 1979.
- Heikkila, R.E., Manzino, L. and Cabbat, F.S., Stereospecific effects of cocaine derivatives on ³H-dopamine uptake: correlations with behavioral effects, *Subst. Use Misuse*, 2, 115, 1981.
- Heinrich U (September 2000). "Possible lethal effects of CS tear gas on Branch Davidians during the FBI raid on the Mount Carmel compound near Waco, Texas" (PDF). Archived (PDF) from the original on 25 December 2014. Retrieved 23 September 2007.
- Henry, D. J. & White, F. J. Repeated cocaine administration causes persistent enhancement of D1 dopamine receptor sensitivity within the rat nucleus accumbens, *J Pharmacol Exp Ther*, 258, 882, 1991.
- Henry, D.J. and White, F.J. Repeated cocaine administration causes persistent enhancement of D1 dopamine receptor sensitivity within the rat nucleus accumbens. *J. Pharmacol. Exp. Therap.* 258, 882, 1991.
- Herz, A. Implications of the multiplicity of opioid receptors for the problem of addiction. *Drug and Alcohol Dependence* 25, 125, 1990.
- Hitri, A., Little, K.Y., Ellinwood, E.H. Effect of cocaine on dopamine transporter receptors depends on routes of chronic cocaine administration. *Neuropsychopharmacology* 14, 205, 1996.

- Hoenig SL. Compendium of chemical warfare agents. New York (NY): Springer; 2006.
- Hoenig, Steven L. (2006). Compendium of Chemical Warfare Agents. Springer. p. 138. ISBN 978-0-387-34626-7.
- Hoffman, David (16 August 1998). "Wastes of War: Soviets Reportedly Built Weapon Despite Pact". The Washington Post. Retrieved 20 July 2007.
- Hogan, Beatrice (19 August 1999). "Uzbekistan: U.S. Begins Survey Of Chemical Weapons Plant". Radio Free Europe/Radio Liberty. Retrieved 14 March 2018.
- Holz, K.W. and Coyle, J.T., The effects of various salts, temperature and the alkaloids veratridine and batrachotoxin on the uptake of [³H]-dopamine into synaptosomes from rat striatum, *Mol. Pharmacol.*, 10, 746, 1974.
- Horn, A.S., Characteristics of Neuronal dopamine uptake, in *Dopamine. Adv. Biochem. Psychopharmacol.*, Roberts, P.J., Woodruff, G.N. and Iversen, L.L. Eds., Vol. XIX, Raven Press, New York, NY, 1978, 25, 1978.
- Horn, A.S., Characteristics of transport in dopaminergic neurons, in *The Mechanism of Neuronal and Extraneuronal Transport of Catecholamines*, D.M. Paton, ed., Raven Press, New York, NY, 1976, 195.
- Horn, A.S., Dopamine uptake: a review of progress in the last decade, *Prog. Neurobiol.*, 34, 387, 1990.
- Horn, A.S., in *The Neurobiology of Dopamine*, Horn, A.S., Korf, J. and Westerink, B.H.C. Eds., Academic Press, New York, NY, 217, 1979.
- Hosseini SE, Saeidian H, Amozadeh A, Naseri MT, Babri M (5 October 2016). "Fragmentation pathways and structural characterization of organophosphorus compounds related to the Chemical Weapons Convention by electron ionization and electrospray ionization tandem mass spectrometry". *Rapid Communications in Mass Spectrometry*. **30** (24): 2585– 2593. Bibcode:2016RCMS...30.2585H.
- Hosseini, Seyed Esmaeil; Saeidian, Hamid; Amozadeh, Ali; Naseri, Mohammad Taghi; Babri, Mehran (30 December 2016). "Fragmentation pathways and structural characterization of organophosphorus compounds related to the Chemical Weapons Convention by electron ionization and electrospray ionization tandem mass spectrometry: Mass spectral studies of organophosphorus compounds related to CWC". *Rapid Communications in Mass Spectrometry*. **30** (24): 2585–2593. Bibcode:2016RCMS...30.2585H.
- Hörnberg, Andreas; Tunemalm, Anna-Karin; Ekström, Fredrik (2007). "Crystal Structures of Acetylcholinesterase in Complex with Organophosphorus Compounds Suggest that the Acyl Pocket Modulates the Aging Reaction by Precluding the Formation of the Trigonal Bipyramidal Transition State". *Biochemistry*. **46** (16): 4815–4825.
- Hu H, Fine J, Epstein P, Kelsey K, Reynolds P, Walker B (August 1989). "Tear gas--harassing agent or toxic chemical weapon?". *JAMA*. **262** (5): 660– 3. doi:10.1001/jama.1989.03430050076030. PMID 2501523.
- Huang, C. C., Tsai, J. J. & Gean, P. W. Enhancement of NMDA receptor-mediated synaptic potential by isoproterenol is blocked by Rp-adenosine 3',5'-cyclic monophosphothioate, *Neurosci Lett*, 161, 207, 1993.
- Hubner, C.B., Moreton, J.E. Effect of selective D1 and D2 dopamine antagonists on cocaine self-administration in the rat. *Psychopharmacology* 105, 151, 1991
- Hurd, Y.L., and Herkenham, M. Molecular alterations in the neostriatum of human cocaine addicts. *Synapse* 13, 357, 1993.

- Hyman, S. E. & Nestler, E. J. Initiation and adaptation: a paradigm for understanding psychotropic drug action, *Am J Psychiatry*, 153, 151, 1996.
- Ida, I., Aami T., and Kuribara H. Inhibition of cocaine sensitization by MK-801 a noncompetitive N-methyl-D-aspartate (NMDA) receptor antagonist: evaluation by ambulatory activity in mice. *Jpn. J. Pharmacol.* 69, 83, 1995.
- Imperato, A., Mele, A., Scrocco, M. G. & Puglisi-Allegra, S. Chronic cocaine alters limbic extracellular dopamine. Neurochemical basis for addiction, *Eur J Pharmacol.* 212, 299, 1992.
- Innis, R., Baldwin, R.M., Sybirska, E., Zea, Y., Laruelle, M., Al-Tikriti, M., Charney, D., Zoghbi, S., Wisniewski, G., Hoffer, P., Wang, S., Millius, R. and Neumeyer, J., Single photon emission computed tomography imaging of monoamine uptake sites in primate brain with [123I]CIT, *Eur. J. Pharmacol.*, 200, 369, 1991.
- Inns, RH; NJ Tuckwell; JE Bright; TC Marrs (July 1990). "Histochemical Demonstration of Calcium Accumulation in Muscle Fibres after Experimental Organophosphate Poisoning". *Hum Exp Toxicol.* 9 (4): 245–250.
- Isbister G, Graudins A, White J, Warrell D (2003). "Antivenom treatment in arachnidism". *J Toxicol Clin Toxicol.* 41 (3). ss. 291-300. doi:10.1081/CLT-120021114. PMID 12807312
- Isbister GK, Gray MR. "White-tail spider bite: a prospective study of 130 definite bites by Lampona species". *Medical Journal of Australia.* 179 (4). ss. 199-202. 8 Ağustos 2010 tarihinde kaynağından arşivlendi. Erişim tarihi: 17 Eylül 2023.
- Isbister GK, Hirst D (1 Ağustos 2003). "A prospective study of definite bites by spiders of the family Sparassidae (huntsmen spiders) with identification to species level". *Toxicon.* 42 (2). ss. 163-71.
- Itzhak, Y. Differential regulation of brain opioid receptors following repeated cocaine administration to guinea pigs. *Drug and Alcohol Dependence* 3, 53, 1993.
- Itzhak, Y. Modulation of the PCP/NMDA Receptor complex and sigma binding sites by psychostimulants. *Neurotoxicology and Teratology* 16, 363, 1994.
- Itzhak, Y., Stein I. Sensitization to the toxic effects of cocaine in mice is associated with regulation of N-methyl-D-aspartate receptors in cortex. *J. Pharmacol. Exp. Ther.* 262, 464, 1992.
- Iversen, L.L., Uptake processes for biogenic amines, in *Biochemistry of Biogenic Amines*, Plenum Press, New York, NY, 3, 381, 1975.
- Jaeger, T. V. & Van der Kooy, D. Separate neural substrates mediate the motivating and discriminative properties of morphine, *Behav Neurosci*, 110, 181, 1996.
- Jaffe, J. H. Drug addiction and drug abuse. in Goodman and Gilman's the Pharmacological Basis of Therapeutics, eds. Goodman, A. G., Rall, T. W., Nies, A. S. & Taylor, P., Pergamon Press, New York, 1990
- Jakubowski; et al. (July 2003). Fluoride ion regeneration of sarin (GB) from minipig tissue and fluids following whole-body gb vapor exposure (PDF) (Report). United States Army. Archived (PDF) from the original on January 2, 2016.
- James H. Diaz, MD (1 Nisan 2005). "Most necrotic ulcers are not spider bites". *American Journal of Tropical Medicine and Hygiene.* 72 (4). ss. 364-367. 9 Nisan 2012 tarihinde kaynağından arşivlendi. Erişim tarihi: 17 Eylül 2010.
- James J. Wirtz, "Weapons of Mass Destruction" in Contemporary Security Studies (4th ed.), ed. Alan Collins, Contemporary Security Studies (Oxford University Press,

- 2016), p. 302. Javitch, J.A., Blaustein, R.O. and Synder, S.H., [3H]Mazindol binding associated with neuronal dopamine and norepinephrine uptake sites, Mol. Pharmacol., 26, 35, 1984.
- Johanson C.E., Kandel D.A., Bonese K.F. The effect of perphenazine on self-administration behavior. Pharmacol. Biochem. Behav. 4, 427, 1976.
- Johnson, L. R., Aylward, R. L. M., Husain, Z. & Totterdell, S. Input from the amygdala to the rat nucleus accumbens: its relationship with tyrosine hydroxylase immunoreactivity and identified neurons, Neuroscience, 61, 851, 1994.
- Johnson, S. W. & North, R. A. Opioids excite dopamine neurons by hyperpolarization of local interneurons, J Neurosci, 12, 483, 1992.
- Jokhio, Rukhsana; Ansari, Ahmed Farooq. "Cobra Snake Venom reduces significantly tissue nucleic acid levels in Human Breast Cancer" (PDF). University of Sindh. 5 Mart 2016 tarihinde kaynağından arşivlendi (PDF). Erişim tarihi: 12 Haziran 2022.
- Kaku DA, Lowenstein DH. Emergence of recreational drug abuse as a major risk factor for stroke in young adults. Ann Int Med 113: 821-827, 1990.
- Kalivas, P. W. & Duffy, P. Time course of extracellular dopamine and behavioral sensitization to cocaine. I. Dopamine axon terminals, J Neurosci, 13, 266, 1993.
- Kalivas, P.W. and Alesdatter, J.E. Involvement of N-methyl-D-aspartate receptor stimulation in the ventral tegmental area and amygdala in behavioral sensitization to cocaine. J. Pharmacol. Exp. Therap. 267, 486, 1993.
- Kaplan J, Karluk D. Suffocation due to drug-induced parkinsonism [Abstract]. National Karagama YG, Newton JR, Newbegin CJ (April 2003). "Short-term and long-term physical effects of exposure to CS spray". Journal of the Royal Society of Medicine. 96 (4): 172–4. doi:10.1177/014107680309600404. PMC 539444. PMID 12668703.
- Karler, R., Calder, L.D., Chaudhry, I.A., and Turkcanis, S.A. Blockade of 'reverse tolerance' to cocaine and amphetamine by MK-801. Life Sci. 45, 599, 1989.
- Karler, R., Calder, L.D., Thai, L.H., Bedingfield, J.B. A dopaminergic-glutamatergic basis for the action of amphetamine and cocaine. Brain Res. 658, 8, 1994.
- Karoum F, Suddath RL, Wyatt RJ. Chronic cocaine and rat brain catecholamines: Long term reduction in hypothalamic and frontal cortex dopamine metabolism. Eur J Pharm 186:1-8, 1990.
- Karreman, M. & Moghaddam, B. The prefrontal cortex regulates the basal release of dopamine in the limbic striatum: an effect mediated by ventral tegmental area, J Neurochem, 66, 589, 1996.
- Kasantikul V, Shuangshoti S, Taecholarn C. Primary phycomycosis of the brain in heroin addicts. Surg Neurol 28: 468-472, 1987.
- Kaye BR, Fainstat M. Cerebral vasculitis associated with cocaine abuse. JAMA 258: 2104- 2106, 1987.
- Kebabian, J. W. & Calne, D. B. Multiple receptors for dopamine, Nature, 277, 93, 1979.
- Kelle, İlker (2007). "Kanser Tedavisinde Biyotoksiner" (PDF). Dicle Tıp Dergisi. Cilt 34 (3 bas.). ss. 226-232. Erişim tarihi: 12 Haziran 2022.
- Kendall et al. 2008, p. 136
- Kennedy, L.T. and Hanbauer, I., Sodium-sensitive cocaine binding to rat striatal membrane: possible relationship to dopamine uptake sites, J. Neurochem., 41, 172, 1983.

- Kilbey, M.M., Breslau, N. and Andreski, P. Cocaine use and dependence in young adults: Associated psychiatric disorders and personality traits. *Drug & Alcohol Dependence*, 29 (1992) 283-290.
- Klein, Alice (13 March 2018). "What are Novichok nerve agents and did Russia do it?". *NewScientist*.
- Kleven, M.S., Perry, B.D., Woolverton, W.L. and Seiden, L.S., Effects of repeated injections of cocaine on D1 and D2 dopamine receptors in rat brain. *Brain Research* 532: 265-270, 1990.
- Kleven, M.S., Perry, B.D., Woolverton, W.L., and Seiden, L.S. Effects of repeated injections of cocaine on D1 and D2 dopamine receptors in rat brain. *Brain Res.* 532, 265, 1990.
- Klonoff DC, Andrews BT, Obana WG. Stroke associated with cocaine use. *Arch Neurol* 46: 989-993, 1989.
- Koe, B.K., Molecular geometry of inhibitors of the uptake of catecholamines and serotonin in synaptosomal preparations of rat brain. *J. Pharmacol. Exp. Therap.* 199, 649, 1976.
- Koh., D. C. I.; Armugam, A.; Jeyaseelan, K. (2006). "Snake venom components and their applications in biomedicine" (PDF). *Cellular and Molecular Life Sciences*. Cilt 63. ss. 30303041.
- Konopski L. (2009) Historia broni chemicznej, Warszawa: Bellona. ISBN 978-83-11-11643-6
- Koob, G. F. & Bloom, F. E. Cellular and molecular mechanisms of drug dependence, *Science*, 242, 715, 1988.
- Koob, G. F., Maldonado, R. & Stinus, L. Neural substrates of opiate withdrawal, *Trends Neurosci.* 15, 186, 1992.
- Koob, G.F. and Bloom, F.E., Cellular and molecular mechanisms of drug dependence, *Science* 242, 715, 1988.
- Koob, G.F. and Bloom, F.E., Cellular and molecular mechanisms of drug dependence, *Science*, 242 (1988) 715-723.
- Koob, G.F., Bloom F.E. Cellular and molecular mechanisms of drug dependence. *Science* 242, 715, 1988.
- Koob, G.F., Le, H.T., Creese I. The D1 dopamine antagonist SCH 23390 increases cocaine selfadministration in the rat. *Neurosci. Lett.* 79, 315, 1987.
- Kosten TR, Kleber HD. Rapid death during cocaine abuse: a variant of the neuroleptic malignant syndrome? *Am J Drug Alcohol Abuse* 14:335-346, 1988.
- Kosten, T. and Kleber, H.D., Sudden death in cocaine abusers: Relation to neuroleptic malignant syndrome. *Lancet*, 1: 1198 - 1199, 1987.
- Kosten, T.R. and Kleber, H.D. Rapid death during cocaine abuse: a variant of neuroleptic malignant syndrome. *Am J., Drug Alcohol Abuse* 14: 335 - 46, 1988.
- Kosten, T.R., Pharmacological approaches to cocaine dependence Clinical Neuropharmacol, 15 Suppl 70A, 1992.
- Kosten, T.R., Pharmacotherapeutic interventions for cocaine abuse: matching patients to treatments. *J. Nervous and Mental Disease* 177, 379, 1989
- Krendel DA, Ditter SM, Frankel MR, Ross WK. Biopsy-proven cerebral vasculitis associated with cocaine abuse. *Neurology* 40: 1092-1094, 1990.
- Krueger, B.K., Kinetics and block of dopamine uptake in synaptosomes from rat caudate nucleus, *J. Neurochem.*, 55, 260, 1990.
- Ktories, K., Förstermann, U., Hofmann, F. & Starke, K. (2004) Allgemeine und Spezielle Pharmakologie und Toxikologie, 9th edn. München: Urban and Fischer.

- Kuczenski, R., Biochemical actions of amphetamine and other stimulants, In: Stimulants: Neurochemical, Behavioral, and Clinical Perspectives, I. Creese, Ed. Raven Press, New York, 1983, 31.
- Kuhar, M.J., Sanchez-Roa, P.M., Wong, D.F., Dannals, R.F., Grigoriadis, D.E., Lew, R., Milberger, M. Dopamine transporter: biochemistry, pharmacology, and imaging. Eur. Neurol. Suppl. 30, 15, 1990.
- Kuhar, M. J. & Pilote, N. S. Neurochemical changes in cocaine withdrawal, Trends Pharmacol Sci, 17, 260, 1996.
- Kuhar, M. J. & Pilote, N. S. Neurochemical changes in cocaine withdrawal, Trends Pharmacol Sci, 17, 260, 1996.
- Kuhar, M.J. and Zarbin, M.A., Synaptosomal transport: a chloride dependence for choline, gaba, glycine and several other compounds, J. Neurochem., 30,15, 1978.
- Kuhar, M.J., Neurotransmitter uptake: a tool in identifying neurotransmitter- specific pathways, Life Sci., 13, 1623, 1973.
- Kuhar, M.J., Ritz, M.C. and Boja, J.W., The dopamine hypothesis of the reinforcing properties of cocaine, Trends in Neurosci., 14, 299, 1991.
- Kuhar, M.J., Ritz, M.C., and Boja, J.W. The dopamine hypothesis of the reinforcing properties of cocaine. Trends in Neurosci. 14, 299, 1991.
- Kumor, K.M., Haertzen, C.A., Johnson, R.E., Kocher, T., and Jasinski, D. Human psychopharmacology of ketocyclazocene as compared with cyclazocene, morphine and placebo. J. Pharmacol. Exp. Therap. 238, 960, 1986.
- Lamas, X., Negus, S.S., Nader, M.A., and Mello, NK. Effects of the putative dopamine D3 receptor agonist 7-OH-DPAT in rhesus monkeys trained to discriminate cocaine from saline. Psychopharmacology 124, 306, 1996.
- Landry, D.W., Zhao, K., Yang, G. X.-Q., Glickman, M., Georgiadis, T.M. Antibody-catalyzed degradation of cocaine. Science 259,1899, 1993.
- Landwehrmeyer, B., Mengod, G., and Palacios, J.M. Differential visualization of dopamine D2 and D3 receptor sites in rat brain. A comparative study using in situ hybridization histochemistry and ligand binding autoradiography. Eur. J. Neurosci. 5, 145, 1993.
- Landwehrmeyer, B., Mengod, G., and Palacios, J.M. Dopamine D3 receptor mRNA and binding site in human brain. Mol. Brain Res. 18, 187, 1993.
- Langston J, Ballard P, Tetrud J, Irwin I. Chronic parkinsonism in humans due to a product of meperidine-analog synthesis. Science 219: 979-980, 1983.
- Laura Howes. Novichok compound poisoned Navalny. German government reports toxicology findings on samples from poisoned Russian politician. C&EN Volume 98, Issue 35 (September 8, 2020) [1]
- Laureno R, Karp BI. Myelinolysis after correction of hyponatremia. Ann Int Med 126: 57-62, 1997.
- Laurier, L.G., Corrigall, C.A., George, S.R. Dopamine receptor density, sensitivity and mRNA levels are altered following self-administration of cocaine in the rat. Brain Res. 634, 31, 1994.
- Le Moine, C., Normand, E. & Bloch, B. Phenotypical characterization of the rat striatal neurons expressing the D1 dopamine receptor gene, Proc Natl Acad Sci USA, 88, 4205, 1991.

- Le Moine, C., Normand, E., Guitteny, A. F., Fouque, B., Teoule, R. & Bloch, B. Dopamine receptor gene expression by enkephalin neurons in rat forebrain, Proc Natl Acad Sci USA, 87, 230, 1990.
- LeDoux, J. E. Emotional memory systems in the brain, Behav Brain Res, 58, 69, 1993.
- Leone, P., Pocock, D. & Wise, R. A. Morphine-dopamine interaction: ventral tegmental morphine increases nucleus accumbens dopamine release, Pharmacol Biochem Behav, 39, 469, 1991.
- Leute, R.K., Bolz, G., Nitrogen derivates of benzoyl ecgonine. US Patent 1975; 3888 866.
- Levant, B., Bancroft, G. N. & Selkirk, C. M. In vivo occupancy of D2 dopamine receptors by 7-OH-DPAT, Synapse, 24, 60, 1996.
- Levesque, D., et al. Identification, characterization, and localization of the dopamine D3 receptor in rat brain using 7-[3H]hydroxy-N,N-di-n-propyl-2-aminotetralin, Proc Natl Acad Sci USA, 89, 8155, 1992.
- Levine SR, Brust JCM, Futrell N, Ho, KL, Blake D, Millikan CH, et. al. Cerebrovascular complications of the use of the “crack” form of alkaloidal cocaine. NEJM 323: 699-704, 1990. Levison, J. Neuroleptic malignant syndromre. Am. J. Psych. 142: 1137 - 1145, 1985.
- Li, M., West, J. W., Lai, Y., Scheuer, T. & Catterall, W. A. Functional modulation of brain sodium channels by cAMP-dependent phosphorylation, Neuron, 1151-1159, 1151, 1992.
- Little, K.Y., Kirkman, J.A., Carroll, F.I., Clark, T.B., and Duncan, G.E. Cocaine use increases [3H]WIN 35,428 binding sites in human striatum. Brain Res. 628, 17, 1993.
- Lockridge O (April 2015). “Review of human butyrylcholinesterase structure, function, genetic variants, history of use in the clinic, and potential therapeutic uses”. Pharmacology & Therapeutics. 148: 34–46. doi:10.1016/j.pharmthera.2014.11.011. PMID 25448037.
- Loh, E.A., Roberts, D.C.S. Break-points on a progressive ration schedule reinforced by intravenous cocaine increase following depletion of forebrain serotonin. Psychopharmacology 101, 262, 1990.
- Longerich, Peter (2010). Holocaust: The Nazi Persecution and Murder of the Jews. Oxford; New York: Oxford University Press. ISBN 978-0-19-280436-5.
- Lowenstein DH, Massa SM, Rowbotham MC, Collins SD, McKinney HE, Simon RP. Acute neurologic and psychiatric complications associated with cocaine abuse. Am J Med 83: 841- 846, 1987.
- Lowry B, Bradfield J, Carroll R, Brewer K, Meggs W (2001). “A controlled trial of topical nitroglycerin in a New Zealand white rabbit model of brown recluse spider envenomation”. Ann Emerg Med. 37 (2). ss. 161-5. doi:10.1067/mem.2001.113031. PMID 11174233.
- Lukey, Brian J.; Romano, James A. Jr.; Salem, Harry (April 11, 2019). Chemical Warfare Agents: Biomedical and Psychological Effects, Medical Countermeasures, and Emergency Response. CRC Press. ISBN 978-0-429-63296-9.
- Lukey, Brian J.; Romano, James A. Jr.; Salem, Harry (April 11, 2019). Chemical Warfare Agents: Biomedical and Psychological Effects, Medical Countermeasures, and Emergency Response. CRC Press. ISBN 978-0-429-63296-9.
- Lyness, W.H., Friedle, N.M., Moore, K.E. Increased self-administration of d-amphetamine, self administration. Pharmacol. Biochem. Behav. 12, 937, 1980.

- MacAskill, Ewen (14 March 2018). "Novichok: nerve agent produced at only one site in Russia, says expert". The Guardian. Retrieved 15 March 2018.
- Madras, B.K. and Kaufman, M.J., Cocaine accumulates in dopamine-rich regions of primate brain after I.V. Administration: comparison with mazindol distribution, *Synapse*, 18, 261, 1994.
- Madras, B.K., Fahey, M.A., Bergman, J., Canfield, D.R. and Spealman R.D., Effects of cocaine and related drugs in nonhuman primates. I. [3H]Cocaine binding sites in caudate-putamen, *J. Pharmacol. Exp. Ther.*, 251, 131, 1989.
- Madras, B.K., Spealman, R.D., Fahey, M.A., Neumeyer, J.L., Saha, J.K. and Milius, R.A., Cocaine receptors labeled by [3H]2 β -carbomethoxy-3 β -(4- fluorophenyl)tropane, *Mol. Pharmacol.*, 36, 518, 1989.
- Madras, B.K., Spealman, R.D., Fahey, M.A., Neumeyer, J.L., Saha, J.K. and Milius, R.A.: Cocaine receptors labeled by [3H]2B-carbomethoxy-3 α β -(4-fluorophenyl)tropane. *Mol. Pharm.* 36:518-524, 1989b.
- Maeda, H. & Mogenson, G. J. Electrophysiological responses of neurons in the ventral tegmental area to electrical stimulation of amygdala and lateral septum, *Neuroscience*, 6, 367, 1981.
- Mager, Peter (2 December 2012). Multidimensional Pharmacochemistry: Design of Safer Drugs. Elsevier Science. p. 51. ISBN 9780323150477.
- Mager, Peter (2 December 2012). Multidimensional Pharmacochemistry: Design of Safer Drugs. Elsevier Science. p. 357. ISBN 9780323150477.
- Malcolm, R., Hutto, B.R., Philips, J.D., Ballenger, J.C., Pergolide mesylate treatment of cocaine withdrawal. *J. Clin. Psychiatry* 52, 39, 1991.
- Malison, R. SPECT imaging of DA transporters in cocaine dependence with [123I] β -CIT. National Institute on Drug Abuse Research Monograph 152, 60, 1995.
- Mallet, P.E., and Beninger, R.J. 7-OH-DPAT produced place conditioning in rats. *Eur. J. Pharmacol.* 261.R5-, 1994.
- Mamak, N (12 Ağustos 2008). "Köpek ve Kedilerde Yılan Sokması" (PDF). Veteriner Cerrahi Dergisi. Cilt 14 (1 bas.). s. 31. Erişim tarihi: 17 Ocak 2010. [ölü/kırık bağlantı]
- Mangiardi JR, Daras M, Geller ME, Weitzner I, Tuchman AJ. Cocaine-related intracranial hemorrhage. Report of nine cases and review. *Acta Neurol Scand* 77: 177-180, 1988.
- Markou, A., Weiss, F., Gold, L. H., S.B., C., G., S. & G.F., K. Animal models of drug craving, *Psychopharmacology*, 112, 163, 1993.
- Mash, D.C., Staley, J.K., Baumann, M.H., Rothman, R.B., and Hearn, W.L. Identification of a primary metabolite of ibogaine that targets serotonin transporters and elevates serotonin. *Life Sci.* 57, PL45, 1995.
- Mash, D.C., Staley, J.K., Pablo, J.P., Holohean, A.M., Hackman, J.C., Davidoff, R.A. Properties of ibogaine and its principal metabolite (12-hydroxyibogamine) at the MK-801 binding site of the NMDA complex. *Neurosci. Lett.* 192, 53, 1995.
- Masucci EF, Fabara JA, Saini N, Kurtzke JF. Cerebral mucomycosis (phycomycosis) in a heroin addict. *Arch Neurol* 39: 304-306, 1982.
- Masuoka, D.T., Alcaraz, A.F. and Schott, H.F., [3H]Dopamine release by d-amphetamine from striatal synaptosomes of reserpined rats, *Biochem. Pharmacol.*, 31, 1969, 1982.
- Max Boot (August 16, 2007). War Made New: Weapons, Warriors, and the Making of the Modern World. Gotham. pp. 245–250. ISBN 978-1-5924-0315-8.

- McDonald, A. J. Organisation of amygdaloid projections to prefrontal cortex and associated striatum in the rat, *Neuroscience*, 44, 1, 1991.
- McDonald, A. J. Topographical organization of amygdaloid projections to the caudatoputamen, nucleus accumbens, and related striatal-like areas of the rat brain, *Neuroscience*, 44, 15, 1991.
- McElvain, J.S. and Schenk, J.O., A multisubstrate mechanism of striatal dopamine uptake and its inhibition by cocaine, *Biochem. Pharmacol.*, 43, 2189, 1992.
- McLenan DA, Ajayi OA, Rydman RJ, Pildes RS. Evaluation of the relationship between cocaine and intraventricular hemorrhage. *J Nat Med Assoc* 86: 281-287, 1994.
- Medor-Woodruff, J. H., Mansour, A., Healy, D. J., Kuehn, R., Zhou, Q.-Y., Bunzow, J. R., Akil, H., Civelli, O. & Watson, S. J. Comparison of the distribution of D1 and D2 dopamine receptor mRNAs in rat brain, *Neuropsychopharmacology*, 5, 231, 1991.
- Medor-Woodruff, J.H., Little, K.Y., Damask, S.P., and Watson, S.J. Effects of cocaine on D3 and D4 receptor expression in the human striatum. *Biol. Psych.* 38, 263, 1995.
- Medor-Woodruff, J.H., Little, K.Y., Damask, S.P., Mansour, A., and Watson, S.J. Effects of cocaine on dopamine receptor gene expression: A study in the postmortem human brain. *Biol. Psychiat.* 34, 348, 1993.
- Meil, W. M. & See, R. E. Excitotoxic lesions of the basolateral nucleus of the amygdala attenuate the ability of drug-associated cues to reinstate responding during withdrawal from self- administered cocaine, *Soc Neurosci Abstr*, 21, 1958, 1995.
- Meller, E., Hizami, R. and Kreuter, L., Hypothermia in mice: D2 dopamine receptor mediation and absence of spare receptors. *Pharmacol. Biochem. & Behav.* 32: 141-145, 1989.
- Mello, N.K., Kamien, J.B., Lukas, S.E., Mendelson, J.H., Drieze, J.M., and Sholar, J.W. Effects of intermittent buprenorphine administration on cocaine self-administration by rhesus monkeys. *J. Pharmacol. Exp. Therap.* 264, 530, 1993.
- Meridian Medical Technologies, Inc. (30 September 2009). “Label: DuoDote – atropine and pralidoxime chloride”. Bethesda, MD: National Institutes of Health. Retrieved 9 April 2016. Merkel PA, Koroshetz WJ, Irizarry MC, Cudkowicz ME. Cocaine-associated cerebral vasculitis. *Sem Arthritis Rheum* 25: 172-183, 1995.
- Micozzi MS, Wetli CV. Intravenous amphetamine abuse, primary mucomycosis, and acquired immunodeficiency. *J Forensic Sci* 30: 504-510, 1985.
- Millard CB, Koellner G, Ordentlich A, Shafferman A, Silman I, Sussman JL (1999). “Reaction Products of Acetylcholinesterase and VX Reveal a Mobile Histidine in the Catalytic Triad”. *Journal of the American Chemical Society*. **121** (42): 9883–4. doi:10.1021/ja992704i.
- Millard CB, Kryger G, Ordentlich A, et al. (June 1999). “Crystal Structures of Aged Phosphonylated Acetylcholinesterase: Nerve Agent Reaction Products at the Atomic Level”. *Biochemistry*. **38** (22): 7032–9.
- Millard CB, Kryger G, Ordentlich A, Greenblatt HM, Harel M, Raves ML, Segall Y, Barak D, Shafferman A, Silman I, Sussman JL (June 1999). “Crystal structures of aged phosphonylated acetylcholinesterase: nerve agent reaction products at the atomic level”. *Biochemistry*. **38** (22): 7032–9. doi:10.1021/bi982678l. PMID 10353814.
- Miller, Judith (25 May 1999). “U.S. and Uzbeks Agree on Chemical Arms Plant Cleanup”. *The New York Times*.
- Mirenowicz, J. & Schultz, W. Preferential activation of midbrain dopamine neurons by appetitive rather than aversive stimuli, *Nature*, 379, 449, 1996.

- Mirzayanov, Vil (1995). "Dismantling the Soviet/Russian Chemical Weapons Complex: An Insider's View". Global Proliferation of Weapons of Mass Destruction: Hearings Before the Permanent Subcommittee on Investigations of the Committee on Governmental Affairs, 104th Cong. (Report). pp. 393–405.
- Mishra, R. K., Gardner, E. L., Katzman, R. & Makman, M. H. Enhancement of dopaminestimulated adenylate cyclase activity in rat caudate after lesions in substantia nigra: evidence for denervation supersensitivity, Proc Natl Acad Sci USA, 71, 3883, 1974.
- Mody CK, Miller BL, McIntyre HB, Cobb SK, Goldberg MA. Neurologic complications of cocaine abuse. Neurology 38: 1189-1193, 1988.
- Moghaddam, B. Stress preferentially increases extraneuronal levels of excitatory amino acids in the prefrontal cortex: comparison to hippocampus and basal ganglia, J Neurochem, 60, 1650, 1993.
- Moghaddam, B., Roth, R.H. and Bunny, B.S., Characterization of dopamine release in the rat medial prefrontal cortex as assessed by in vivo microdialysis: comparison to the striatum, Neuroscience, 36, 669, 1990.
- Molina, V. A., Wagner, J. M. & Spear, L. P. The behavioral response to stress is altered in adult rats exposed prenatally to cocaine, Physiol Behav, 55, 941, 1994.
- Momiyama, T., Sasa, M. & Takaori, S. Enhancement of D2 receptor agonist-induced inhibition by D1 receptor agonist in the ventral tegmental area, Br J Pharmacol, 110, 713, 1993.
- Moore PM, Peterson PL. Nonhemorrhagic cerebrovascular complications of cocaine abuse. Neurology 39: 302, 1989 (Suppl. 1; abstract).
- Morrow PL, McQuillen JB. Cerebral vasculitis associated with cocaine abuse. J Forensic Sci 38: 732-738, 1993.
- Mule, S.J., Jukofshy, D., Kogan, M., Pace, A., De, Verebey, K. Evaluation of the radioimmunoassay for benzoylecgonine (a cocaine metabolite) in human urine. Clin Chem 23, 796, 1977.
- Murase, S., Grenhoff, J., Chouvet, G., Gonon, F. G. & Svensson, T. H. Prefrontal cortex regulates burst firing and transmitter release in rat mesolimbic dopamine neurons studied in vivo, Neurosci Lett, 157, 53, 1993.
- Nader, M.A., and Mach, R.H. Self-administration of the dopamine D3 agonist 7-OH-DPAT in rhesus monkeys is modified by prior cocaine exposure. Psychopharmacology 125, 13, 1996.
- Nakajima T, Ohta S, Fukushima Y, Yanagisawa N (November 1999). "Sequelae of Sarin toxicity at one and three years after exposure in Matsumoto, Japan". Journal of Epidemiology. 9 (5): 337–43. doi:10.2188/jea.9.337. PMID 10616267.
- Nestler, E. J. Hard target: understanding dopaminergic neurotransmission, Cell, 79, 923, 1994.
- Nestler, E. J. Molecular mechanisms of drug addiction, J Neurosci, 12, 2439, 1992.
- Nestler, E. J., Hope, B. T. & Widnell, K. L. Drug addiction: a model for the molecular basis of neural plasticity, Neuron, 11, 995, 1993.
- Nestler, E. J., Terwilliger, R. Z., Walker, J. R., Sevarino, K. A. & Duman, R. S. Chronic cocaine treatment decreases levels of the G-protein subunits Gia and Goa in discrete regions of the rat brain, J Neurochem, 55, 1079, 1990.

- Neumeyer, J.L., Wang, S., Milius, R.M., Baldwin, R.M., Zea-Ponce, Y., Hoffer, P.B., Sybirska, E., Al-Tikriti, M., Charney, D.S., Malison, R.T., Laruelle, M. and Innis, R.B., [123I]2 β carbomethoxy-3 β -(4-iodophenyl) tropane: high-affinity SPECT radiotracer of monoamine reuptake sites in brain, *J. Med. Chem.*, 34, 3144, 1991.
- NIOSH Pocket Guide to Chemical Hazards. "#0122". National Institute for Occupational Safety and Health (NIOSH).
- Ni, Q., Xu, H., Partilla, J.S., De Costa, B.R., Rice, K.C., Kayakiri, H., and Rothman, R.B. Opioid peptide receptor studies. Interaction of opioid peptides and other drugs with four subtypes of the $\kappa 2$ receptor in guinea pig brain. *Peptides* 16, 1083, 1995.
- Ni, Q., Xu, H., Partilla, J.S., De Costa, B.R., Rice, K.C., and Rothman, R.B. Selective labeling of $\kappa 2$ opioid receptors in rat brain by [125I]IOXY: Interactions of opioid peptides and other drugs with multiple $\kappa 2$ abinding sites. *Peptides* 14, 1279, 1993.
- Nicola, S. M., Kombian, S. B. & Malenka, R. C. Psychostimulants depress excitatory synaptic transmission in the nucleus accumbens via presynaptic D1-like dopamine receptors, *J Neurosci*, 16, 1591, 1996.
- Nishi, M., Takeshima, H., Fukuda, K., Kato, S., Mori, K. cDNA cloning and pharmacological characterization of an opioid receptor with high affinities for kappa-subtype selective ligands. *FEBS Letters* 330, 77, 1993
- Nishiaki Y, Maekawa K, Ogawa Y, Asukai N, Minami M, Omae K (November 2001). "Effects of Sarin on the nervous system in rescue team staff members and police officers 3 years after the Tokyo subway Sarin attack". *Environmental Health Perspectives*. **109** (11): 1169–73. doi:10.1289/ehp.011091169. PMC 1240479. PMID 11713003.
- Nolte KB, Gelman BB. Intracerebral hemorrhage associated with cocaine abuse. *Arch Pathol Lab Med* 113: 812-813, 1989.
- Norenberg MD, Gregorios JB. Central nervous system manifestations of systemic disease. In: Davis RL, Robertson DM (Eds.), *Textbook of Neuropathology*, Williams & Wilkins, Baltimore, 1985, pp. 422-423.
- Norenberg MD, Gregorios JB. Central nervous system manifestations of systemic disease. Chapter 10 In: Davis RL, Robertson DM (Eds.), *Textbook of Neuropathology*, Williams & Wilkins, Baltimore MD, 1985, pp. 403-414.
- Norenberg MD, Leslie KO, Robertson AS. Association between rise in serum sodium and central pontine myelinolysis. *Ann Neurol* 11: 128-135, 1982.
- O'Brien, C., Childress, A., McLellan, A. & Ehrman, R. A learning model of addiction. in *Addictive States*, eds. O'Brien, C. P. & Jaffe, J. H., Raven Press, New York, 1992, 157.
- O'Donnell, P. & Grace, A. A. Dopaminergic modulation of dye coupling between neurons in the core and shell regions of the nucleus accumbens, *J Neurosci*, 13, 3456, 1993.
- O'Halloran, R.L., Lewman, L.V., Restraint asphyxiation in excited delirium. *Am J Forensic Med. Pathol.* 14: 289 - 295, 1993.
- Olson KR, Kearney TE, Dyer JE, Benowitz NL, Blanc PD. Seizures associated with poisoning and drug overdose. *Am J Emerg Med* 12: 392-395, 1994.
- On this day: 1988: Thousands die in Halabja gas attack, BBC News (March 16, 1988).
- Onn, S. P. & Grace, A. A. Dye coupling between rat striatal neurons recorded in vivo: compartmental organization and modulation by dopamine, *J Neurophysiol*, 71, 1917, 1994.

- Ortiz, J., Fitzgerald, L. W., Charlton, M., Lane, S., Trevisan, L., Guitart, X., Shoemaker, W., Duman, R. S. & Nestler, E. J. Biochemical actions of chronic ethanol exposure in the mesolimbic dopamine system, *Synapse*, in press, 1995.
- Pal, Sanjoy Kumar; Gomes, Aparna; SC Dasgupta; Gomes, Antony (Aralık 2002). "Snake venom as therapeutic agents: From toxin to drug development" (PDF). Indian Journal of Experimental Biology. Cilt 40. ss. 1353-1358. 20 Ekim 2019 tarihinde kaynağından arşivlendi (PDF). Erişim tarihi: 15 Ağustos 2023.
- Pan, G.E., Standifer K.M., and Pasternak, G.W. Cloning and functional characterization through antisense mapping of a κ3-related opioid receptor. *Mol. Pharmacol.* 47, 1180, 1995.
- Panda, Subhamay; Panda, Sathamay; Sinha, Jayanta (Temmuz 2009). "The saga of cytotoxinSwitching of destructive role to a constructive role" (PDF). Indian Journal of Biotechnology. Cilt 8. ss. 259-265. 5 Mart 2016 tarihinde kaynağından arşivlendi (PDF). Erişim tarihi: 15 Ağustos 2010.
- Pande A, Ganesan K, Jain AK, Gupta PK, Malhotra RC (2005). "Novel Eco-Friendly Process for the Synthesis of 2-Chlorobenzylidenemalononitrile and ITS Analogues Using Water As a Solvent". *Org Proc Res Develop.* 9 (2): 133–136. doi:10.1021/op0498262.
- Parenti, M., Gentleman, S., Olianas, M. C. & Heff, N. H. The dopamine receptor adenylylate cyclase complex: evidence for post recognition site involvement for the development of supersensitivity, *Neurochem Res*, 7, 115, 1982.
- Parsons, L. H., Caine, S. B., Sokoloff, P., Schwartz, J.-C., Koob, G. F. & Weiss, F. Neurochemical evidence that post-synaptic nucleus accumbens D3 receptor stimulation enhances cocaine reinforcement, *J Neurochem*, 67, 1078, 1996.
- Parsons, L. H., Smith, A. D. & Justice, J. B., Jr. Basal extracellular dopamine in decreased in the rat nucleus accumbens during abstinence from chronic cocaine, *Synapse*, 9, 60, 1991.
- Parsons, L.H., Koob, G.F. and Weiss, F. Serotonin dysfunction in the nucleus accumbens of rats during withdrawal after unlimited access to intravenous cocaine. *J. Pharmacol. Exp. Therap.* 274, 1182, 1995.
- Pascual-Leone A, Dhuna A, Altafullah I, Anderson DC. Cocaine-induced seizures. *Neurology* 40: 404-407, 1990.
- Patrick Coffey, American Arsenal: A Century of Weapon Technology and Strategy (Oxford University Press, 2014), p. 152-54.
- Paxman and Harris: Churchill's plans 'to drench Germany with poison gas' and anthrax - Robert Harris and Jeremy Paxman, p132-35.
- Pearl, S.M., Herrick-Davis, K., Teitler, M., Glick, S.D. Radioligand binding study of noribogaine, a likely metabolite of ibogaine. *Brain Res.* 675, 342, 1995.
- Peggy Peck (Kasım 2004). "If the patient says spider bite, think [[MRSA]], says Assembly speaker". American Academy of Family Physicians. 5 Ağustos 2022 tarihinde kaynağından arşivlendi. Erişim tarihi: 11 Ekim 2007. URL-vikibağı karışıklığı (yardım)
- Peltier R., Schenk, S. Effects of serotonergic manipulations on cocaine self-administration in rats. *Psychopharmacology* 110, 390, 1993.
- Pennartz, C. M. A., Dolleman-Van der Weel, M. J., Kitai, S. T. & Lopes Da Silva, F. H. Presynaptic dopamine D1 receptors attenuate excitatory and inhibitory limbic inputs

- to the shell region of the rat nucleus accumbens studied in vitro, *J Neurophysiol*, 67, 1325, 1992.
- Peplow, Mark (19 March 2018), "Nerve agent attack on spy used 'Novichok' poison", *Chemical & Engineering News*, vol. 96, no. 12, p. 3, retrieved 16 March 2018
- Peplow, Mark (19 March 2018). "Nerve agent attack on spy used 'Novichok' poison". *Chemical & Engineering News*. 96 (12): 3. Retrieved 28 March 2018.
- Peris, J., Boyson, S.J., Cass, W.A., Curella, P., Dwoskin, L., Larson, G., Lin, L.-H., Yasuda, R.P. and Zahniser, N.R., Persistence of neurochemical changes in dopamine systems after repeated cocaine administration. *J. Pharmacol. Exp. Ther.* 253: 38-44, 1990.
- Peris, J., Boyson, S.J., Cass, W.A., Curella, P., Dwoskin, L.P., Larson, G., Lin, L.H., Yasuda, R.P., and Zahniser, N.R. Persistence of neurochemical changes in dopamine systems after repeated cocaine administration. *J. Pharmacol Exp. Therap.* 253, 35, 1990.
- Pettit HO, Pan H, Parsons LH. Justice, Jr., JB. Extracellular concentrations of cocaine and dopamine are enhanced during chronic cocaine administration. *J Neurochem* 55:798-804, 1990.
- Pfeiffer, A., Brandt, V., and Herz, A. Psychotomimesis mediated by κ opiate receptors. *Science*, 233, 774, 1986.
- Pierce, Jr. PF, Solomon SL, Kaufman L, Garagusi VF, Parker RH, Ajello L. Zygomycetes brain abscesses in narcotic addicts with serological diagnosis. *JAMA* 248: 2881-2882, 1982.
- Pike, John (24 January 1997). "Russia dodges chemical arms ban Bill Gertz". The Washington Times via globalsecurity.org.
- Pitts, D.K., Marwah, J. Cocaine modulation of central monoaminergic neurotransmission. *Pharmacol. Biochem. Behav.* 26, 453, 1987.
- Pogun, S., Scheffel ,U., Kuhar, M.J. Cocaine displaces [³H]WIN 35,428 binding to dopamine uptake sites in vivo, more rapidly than mazindol or GBR 12909. *Eur. J. Pharmacol.* 198, 203, 1991.
- Pollack, M.H., Rosenbaum, J.F. Fluoxetine treatment of cocaine abuse in heroin addicts. *J. Clin Psychiatry*, 52, 31, 1991.
- Poole, R. and Brabbins, C. Drug induced psychosis. *British J. Psychiatry*, 168: 135-138, 1996.
- Popik, P., Layer, R.T., Skolnik, P. The putative anti-addictive drug ibogaine is a competitive inhibitor of [³H]MK-801 binding to the NMDA receptor complex. *Psychopharmacology* 114, 672, 1994.
- Pothos, E., Rada, P., Mark, G. P. & Hoebel, B. G. Dopamine microdialysis in the nucleus accumbens during acute and chronic morphine, naloxone-precipitated withdrawal and clonidine treatment, *Brain Res*, 566, 348, 1991.
- Powers JM, Haroulian DS. "Central Nervous System" In: Damjanov I, Linder J (Eds.) *Anderson's Pathology*. 10th Ed., Mosby-Year Book, St. Louis, 1996, p.2791.
- Pögün, S., Scheffel, U. and Kuhar, M.J., Cocaine displaces [³H]WIN 35,428 binding to dopamine uptake sites in vivo more rapidly than mazindol or GBR 12909, *Eur. J. Pharmacol.*, 198, 203, 1991.
- Pristupa, Z.B., Wilson, J.M., Hoffman, B.J., Kish, S.J., and Niznik, H.B. Pharmacological heterogeneity of the cloned and native human dopamine transporter: Dissociation of

- [³H]WIN 35,428 and [³H]GBR 12935 binding. Mol. Pharm. 45 (1994) 125-135.
- Przewlocka, B., and Lason, W. Adaptive changes in the proenkephalin and D2 dopamine receptor mRNA expression after chronic cocaine in the nucleus accumbens and striatum of the rat. European Neuropsychopharmacol. 5, 465, 1995.
- Pudiak, C.M., and Bozarth, M.A. L-NAME and MK-801 attenuate sensitization to the locomotor-stimulating effect of cocaine. Life Sci. 53, 1517, 1993.
- Pulvirenti, L., and Koob, G.F. Dopamine receptor agonists, partial agonists and psychostimulant addiction. Trends in Pharmacol Sci. 15, 374, 1994. Quirion, R., Pilapil, C., and Magnan, J. Localization of kappa opioid receptor binding sites in human forebrain using [³H]U69,593:Comparison with [³H]bremazocine. Cell and Molecular Neurobiology 7, 303, 1987.
- Ranaldi, R., and Beninger, R.J. The effects of systemic and intracerebral injections of D1 and D2 agonists on brain stimulation reward. Brain Res. 651, 283, 1994.
- Rao AN. Brain abscess: a complication of cocaine inhalation. NY State J Med 10: 548-550, 1988.
- Rao, S., Ziedonis, D., Kosten T. The pharmaotherapy of cocaine dependence. Psychiatric Annals 25, 363, 1995.
- Raymond, L. A., Tingley, W. G., Blackstone, C. D., Roche, K. W. & Huganir, R. L. Glutamate receptor modulation by protein phosphorylation, J Physiol, 88, 181, 1994.
- Raynor, K. Kong, H., Chen, Y., Yasuda, K., Yu, L., Bell, G.I., Reisine, T. Pharmacological characterization of the cloned kappa- delta- and mu-opioid receptors. Mol . Pharmacol. 45, 330, 1993
- Rees R, Altenbernd D, Lynch J, King L (1985). "Brown recluse spider bites. A comparison of early surgical excision versus dapsone and delayed surgical excision". Ann Surg. 202 (5). ss. 659-63. doi:10.1097/00000658-198511000-00020. PMC 1250983 \$2. PMID 4051613.
- Reiger, D.A., Farmer, M.E., Rae, D.S., Locke, B.Z., Keith, S.J., Judd, L.L., Goodwin, F.K., Comorbidity of mental disorders with alcohol and other drug abuse. J. Am. Med. Assoc. 264: 2511- 2518, 1990.
- Reiter, Svetlana; Gevorkyan, Natalia (20 March 2018). "The scientist who developed "Novichok": "Doses ranged from 20 grams to several kilos""'. thebell.io.
- Reith, M.E.A., Fischette, C.T., Sertraline and cocaine-induced locomotion in mice. II. Chronic studies. Psychopharmacology 103, 306, 1991.
- Reith, M.E.A., Kramer, H.K., Sershen, H., and Lajtha, A. Cocaine competitively inhibits catecholamine uptake into brain synaptic vesicles. Res Commun. in Substances seof Abuse 10, 205, 1989.
- Reith, M.E.A., Sershen, H. and Lajtha, A., Saturable [³H]cocaine binding in central nervous system of the mouse, Life Sci., 27, 1055, 1980.
- Reith, M.E.A., Wiener, H.L., Fischette, C.T. Sertraline and cocaine-induced locomotion in mice. I. Acute studies. Psychopharmacology 103, 306, 1991.
- Report of the Scientific Advisory Board on developments in science and technology for the Third Review Conference (PDF) (Report). Organisation for the Prohibition of Chemical Weapons. 27 March 2013. p. 3. RC-3/WP.1. Retrieved 15 March 2018.
- Richardson, N.R., Roberts, D.C.S. Fluoxetine pre-treatment reduced breaking points on a progressive ratio schedule reinforced by intravenous cocaine administration in the rat. Life Sci. 49, 833, 1991.

- Ritz MC, George FR. Cocaine-induced seizures and lethality appear to be associated with distinct central nervous system binding sites. *J Pharm Exp Ther* 264: 1333-1343, 1993.
- Ritz, M.C. Lamb, R.J., Goldberg, S.R. and Kuhar, M.J. Cocaine receptors on dopamine transporters are related to self-administration of cocaine. *Science (Wash DC)* 237 (1987) 1219- 1223.
- Ritz, M.C., Boja, J.W., Zaćzek, R., Carroll, F.I. and Kuhar, M.J., 3H WIN 35,065-2: A ligand for cocaine receptors in striatum, *J. Neurochem.*, 55, 1556, 1990.
- Ritz, M.C., Lamb, R.J., Goldberg, S.R. and Kuhar, M.J., Cocaine receptors on dopamine transporters are related to self-administration of cocaine, *Science*, 237,1219, 1987.
- Ritz, M.C., Lamb, S.R., Goldberg, S.R., and Kuhar, M.J. Cocaine receptors on dopamine transporters are related to self-administration of cocaine. *Science* 237: 1219, 1987.
- Roberts, D.C., Vickers, G. Atypical neuroleptics increase self-administration of cocaine: an evaluation of a behavioural screen for antipsychotic activity. *Psychopharmacology* 82, 1135, 1984.
- Roberts, D.C.S., and Ranaldi R. Effect of dopaminergic drugs on cocaine reinforcement. *Clin Neuropharmacol.* 18, S84, 1995.
- Robinson, T. E. & Berridge, K. C. The neural basis of drug craving: an incentive-sensitization theory of addiction, *Brain Res Rev*, 18, 247, 1993.
- Robinson, T. E. Persistent sensitizing effects of drugs on brain dopamine systems and behavior: implications for addiction and relapse. in *Biological Basis of Substance Abuse*, eds. Korenman, S. G. & Barchas, J. D., Oxford University Press, New York Oxford, 1993, 373.
- Robinson, T., Berridge K.C., The neural basis of drug craving: an incentive - sensitization theory of addiction. *Brain Res. Rev.* 18, 247, 1993.
- Robledo, P., Maldonado-Lopez, R., and Koob, G.F. Role of the dopamine receptors in the nucleus accumbens in the rewarding properties of cocaine. *Ann. NY Acad. Sci.* 654, 509, 1992.
- Rocio, M., Carrera, A., Ashley, J.A., Parsons, L.H., Wirshing, P., Koob, G.F., and Janda, K.D. Suppression of psychoactive effects of cocaine by active immunization. *Nature*, 378, 727, 1995.
- Rockhold, R.W., Oden, G., Ho, I.K., Andrew, M., Farley, J. M. Glutamate receptor antagonists block cocaine-induced convulsions and death. *Brain Res. Bull.* 27, 721, 1991.
- Rorig, B., Klaus, G. & Sutor, B. Dye coupling between neurons in developing rat prefrontal and frontal cortex is reduced by protein kinase A activation and dopamine, *J Neurosci*, 15, 7386, 1995.
- Rosenfeld, M. R., Seeger, T. F., Sharples, N. S., Gardner, E. L. & Makman, M. H. Denervation supersensitivity in the mesolimbic system: involvement of dopamine-stimulated adenylate cyclase, *Brain Res*, 173, 572, 1979.
- Rossetti, Z. L., Hmaidan, Y. & Gessa, G. L. Marked inhibition of mesolimbic dopamine release: a common feature of ethanol, morphine, cocaine and amphetamine abstinence in rats, *Eur J Pharmacol*, 221, 227, 1992.
- Rostene, W., Boja, J.W., Scherman, D., Carroll, F.I. and Kuhar, M.J., Dopamine transport: pharmacological distinction between the synaptic membrane and vesicular transporter in rat striatum, *Eur. J. Pharmacol.* 281, 175, 1992.

- Roth, Andrew (23 March 2018). "Nerve agent was used in 1995 murder, claims former Soviet scientist". *Guardian News & Media Limited*.
- Rothman, R.B. High affinity dopamine reuptake inhibitors as potential cocaine antagonists: a strategy for drug development. *Life Sci.* 46, PL17, 1990.
- Rothman, R.B., and Glowka, J.R. A review of the effects of dopaminergic agents on humans, animals, and drug-seeking behavior, and its implications for medication development. *Mol. Neurobiol.* 10, 1, 1995.
- Rothman, R.B., Bykov, V., De Costa, B.R., Jacobson, A.E., Rice, K.C., and Brady, L.S. Evidence for four opioid kappa binding sites in guinea pig brain. The International Narcotics Research Conference (INRC), '89 p. 9, 1990.
- Rothman, R.B., France, C.P., Bykov, V., De Costa, B.R., Jacobson, A.E., Woods, J.H., and Rice, K.C. Pharmacological activities of optically pure enantiomers of the κ opioid agonist, U50,488, and its cis diastereomer: evidence for three κ receptor subtypes. *Eur. J. Pharmacol.* 167, 345, 1989.
- Rothman, R.B., Gendron, T., Hitzig, P. Letter to the editor. *J. Substance Abuse Treat* 11, 273, 1994.
- Ruttenber, A. J., Lawler-Haevener, J., Wetli, C.V., Hearn, W. L., and Mash, D.C., Fatal excited delirium following cocaine use: Epidemiologic findings provide evidence for new mechanisms of cocaine toxicity. In press - *J. Forensic Toxicology*, 1997.
- Samir S. Patel, "Early Chemical Warfare – Dura-Europos, Syria," *Archaeology*, Vol. 63, No. 1, January/February 2010, (accessed October 3, 2014)
- Sanchez-Ramos, J. and Mash, D.C. Ibogaine Human Phase I Pharmacokinetic and Safety Trial. FDA IND 3968, 1993 (revised 1995).
- Santiago, M. & Westerink, B. H. C. Role of adenylate cyclase in the modulation of the release of dopamine: a microdialysis study in the striatum of the rat, *J Neurochem*, 55, 169, 1990.
- Sarin (GB). Emergency Response Safety and Health Database. National Institute for Occupational Safety and Health. Accessed April 20, 2009.
- Satel, S. "Craving for and Fear of Cocaine": A Phenomenologic Update on Cocaine Craving and Paranoia. in *Clinician's Guide to Cocaine Addiction*, eds. Kosten, T. R. & Kleber, H. D., Guilford Press, New York, 1992, 172.
- Satel, S. Craving for and fear of cocaine: A phenomenologic update on cocaine craving and paranoia. In Kosten T.R., Kleber, H.D., (eds) *Clinician's guide to cocaine addiction*. Guilford Press, New York, pp 172, 1992.
- Satel, S.L., Krystal, J.H., Delgado, P.L., Kosten, T.R., Charney, D.S. Tryptophan depletion and attenuation of cue-induced craving for cocaine. *Am. J. Psychiatry* 152, 778, 1995.
- Satel, S.L., Seibyl, J.P., and Charney, D.S. Prolonged cocaine psychosis implies underlying major psychopathology. *J. Clin. Psychiatry* 52:8, August 1991.
- Satel, S.L., Southwick, S.M., and Gawin, F.H. Clinical Features of cocaine-induced paranoia. *Am. J. Psychiatry* 1991; 148:495-498.
- Saulskaya, N. & Marsden, C. A. Conditioned dopamine release: dependence upon N-methylD-aspartate receptors, *Neuroscience*, 67, 57, 1995.
- Scheffel, U., Boja, J.W. and Kuhar, M.J., Cocaine receptors: in vivo labeling with ^{3}H -(-) cocaine, ^{3}H -WIN 35,065-2 and ^{3}H -35,428, *Synapse* 4:, 390, 1989.
- Scheffel, U., Dannals, R.F., Cline, E.J., Ricaurte, G.A., Carroll, F.I., Abraham, P., Lewin, A.H. and Kuhar, M.J., [^{123}I]RTI-55, an in vivo label for the serotonin transporter, *Synapse*, 11, 134, 1992

- Scheffel, U., Pögün, S., Stathis, A., Boja, J.W. and Kuhar, M.J., *J. Pharmacol. Exp. Ther.*, 257, 954, 1992.
- Schenk, S., Valadez, A., McNamara C., House D.T., Higley, D., Bankson M.G., Gibbs S. and Horger B.A. Development and expression of sensitization to cocaine's reinforcing properties: role of NMDA receptors. *Psychopharmacology* 111, 332, 1993.
- Schenone H, Saavedra T, Rojas A, Villarroel F. (1989). "Loxoscelism in Chile. Epidemiologic, clinical and experimental studies". *Revista do Instituto de Medicina Tropical de São Paulo*. Cilt 31. ss. 403-415. 3 Mart 2016 tarihinde kaynağından arşivlendi. Erişim tarihi: 9 Ekim 2023.
- Schep, L. J.; Slaughter, R. J.; Beasley, D. M. (2009). "Nicotinic Plant Poisoning". *Clinical Toxicology*. 47 (8): 771–781.
- Schiffmann, S. N., Lledo, P.-M. & Vincent, J.-D. Dopamine D1 receptor modulates the voltagegated sodium current in rat striatal neurons through a protein kinase A, *J Physiol*, 483.1, 95, 1995.
- Schocet Jr SS. Exogenous toxic-metabolic diseases including vitamin deficiency. In: Davis RL,
- Robertson DM (Eds.), *Textbook of Neuropathology*, Willams & Wilkins, Baltimore, 1985, pp. 372-402.
- Schoemaker, H., Pimoule, C., Arbilla, S., Scatton, B., Javoy-Agid, F. and Langer, S.Z., Sodium dependent [3H]cocaine binding associated with dopamine uptake sites in the rat striatum and human putamen decrease after dopamine denervation and in Parkinsons disease, *NaunynSchmiedeberg's Arch. Pharmacol.*, 329, 227, 1985.
- Schultz, W., Apicella, P. & Ljungberg, T. Responses of monkey dopamine neurons to reward and conditioned stimuli during successive steps of learning a delayed response task, *J Neurosci*, 13, 900, 1993.
- Sciolino, Elaine (February 13, 2003), "Iraq Chemical Arms Condemned, but West Once Looked the Other Way", *The New York Times*, archived from the original on May 27, 2013
- Scutti, Susan (5 July 2018). "Treatment for the Soviet-era nerve gas Novichok". CNN. Retrieved 27 July 2020.
- Segal, D. S. & Kuczensky, R. Repeated cocaine administration induces behavioral sensitization and corresponding decrease extracellular dopamine responses in caudate and accumbens, *Brain Res*, 577, 351, 1992.
- Self, D. W. & Nestler, E. J. Molecular mechanisms of drug reinforcement and addiction, *Annu Rev Neurosci*, 18, 463, 1995.
- Self, D. W. & Stein, L. The D1 agonists SKF 82958 and SKF 77434 are self-administered by rats, *Brain Res*, 582, 349, 1992.
- Self, D. W., Barnhart, W. J., Lehman, D. A. & Nestler, E. J. Opposite modulation of cocaine-seeking behavior by D1- and D2-like dopamine receptor agonists, *Science*, 271, 1586, 1996.
- Self, D. W., Belluzzi, J. D., Kossuth, S. & Stein, L. Self-administration of the D1 agonist SKF 82958 is mediated by D1, and not D2, receptors, *Psychopharmacology*, 123, 303, 1996.
- Self, D. W., McClenahan, A. W., Beitner-Johnson, D., Terwilliger, R. Z. & Nestler, E. J. Biochemical adaptations in the mesolimbic dopamine system in response to heroin selfadministration., *Synapse*, 21, 312, 1995.

- Self, D.W., Barnhart W.J., Lehman, D.A., Nestler, E.J. Opposite modulation of cocaine-seeking behavior by D1- and D2-like dopamine receptor agonists. *Science* 271, 1586, 1996.
- Self, D.W., Genova, L., Hope, B.T., Barnhart, W.J., Spencer, J.J., and Nestler, E.J. Involvement of cAMP-dependent protein kinases in the nucleus accumbens in cocaine self-administration and relapse of cocaine-seeking behavior (submitted).
- Senff-Ribeiro A, Henrique da Silva P, Chaim OM, Gremski LH, Paludo KS, Bertoni da Silveira R, Gremski W, Mangili OC, Veiga SS (2008). "Biotechnological applications of brown spider (*Loxosceles* genus) venom toxins". *Biotechnology Advances*. **26** (3). ss. 210-8.
- Sershen, H., Hashim, A., and Lajtha, A. Ibogaine reduces preference for cocaine consumption in C57BL/6By Mice. *Pharmacol. Biochem and Behav.* 47, 13, 1994.
- Sesack, S. R. & Pickel, V. M. In the rat medial nucleus accumbens, hippocampal and catecholaminergic terminals converge on spiny neurons and are in apposition to each other, *Brain Res*, 527, 266, 1990.
- Sesack, S. R. & Pickel, V. M. Prefrontal cortical efferents in the rat synapse on unlabeled neuronal targets of catecholamine terminals in the nucleus accumbens septi and on dopamine neurons in the ventral tegmental area, *J Comp Neurol*, 320, 145, 1992.
- Sesack, S. R., Deutch, A. Y., Roth, R. H. & Bunney, B. S. Topographical of the efferent projections to the medial prefrontal cortex in the rat: an anterograde tract-tracing study with Phaseolus vulgaris leucoagglutinin, *J Comp Neurol*, 290, 23, 1989.
- Seto, Yasuo. "The Sarin Gas Attack in Japan and the Related Forensic Investigation." The Sarin Gas Attack in Japan and the Related Forensic Investigation. Organisation for the Prohibition of Chemical Weapons, June 1, 2001. Web. February 24, 2017.
- Shaham, Y. & Stewart, J. Effects of opioid and dopamine receptor antagonists on relapse and re-exposure to heroin in rats, *J Pharmacol Exp Ther*, in press.
- Shaham, Y. & Stewart, J. Effects of restraint stress and intra-ventral tegmental area injections of morphine and methyl naltrexone on the discriminative stimulus effects of heroin in the rat, *Pharmacol Biochem Behav*, 51, 491, 1995.
- Shaham, Y. & Stewart, J. Stress reinstates heroin-seeking in drug-free animals: an effect mimicking heroin, not withdrawal, *Psychopharmacology*, 119, 334, 1995.
- Shaham, Y., Rajabi, H. & Stewart, J. Relapse to heroin-seeking in rats under opioid maintenance: the effects of stress, heroin priming, and withdrawal, *J Neurosci*, 16, 1957, 1996.
- Shaham, Y., Rodaros, D. & Stewart, J. Reinstatement of heroin-reinforced behavior following long-term extinction: implications for the treatment of relapse of drug-taking, *Behavioural Pharmacology*, 5, 360, 1994.
- Shank, R.P., Schneider, C.R. and Tighe, J.J., Ion dependence of neurotransmitter uptake: inhibitory effects of ion substrates, *J. Neurochem.*, 49, 381, 1978.
- Shaya, E.K., Scheffel, U., Dannals, R.F., Ricaurte, G.A., Carroll, F.I., Wagner, Jr., H.N., Kuhar, M.J. and Wong, D.F., In vivo imaging of dopamine reuptake sites in the primate brain using single photon emission computed tomography (SPECT) and iodine-123 labeled RTI-55, *Synapse*, 10, 169, 1992.
- Shetreat, M. E., Lin, L., Wong, A. C. & Rayport, S. Visualization of D1 dopamine receptors on living nucleus accumbens neurons and their colocalization with D2 receptors, *J Neurochem*, 66, 1475, 1996.

- Shih TM, McDonough JH (May 2000). "Efficacy of biperiden and atropine as anticonvulsant treatment for organophosphorus nerve agent intoxication". *Archives of Toxicology*. **74** (3): 165–72.
- Shim, TM; McDonough JH (May 2000). "Efficacy of biperiden and atropine as anticonvulsant treatment for organophosphorus nerve agent intoxication" (PDF). *Archives of Toxicology*. **74** (3): 165.
- Shim, TM; McDonough, JH (May 2000). "Efficacy of biperiden and atropine as anticonvulsant treatment for organophosphorus nerve agent intoxication" (PDF). *Archives of Toxicology*. **74** (3): 165–172.
- Shimosato, K., Marley, R.J., and Saito, T. Differential effects of NMDA receptor and dopamine receptor antagonists on cocaine toxicities. *Pharmacol. Biochem. Behav.* **51**, 781, 1995
- Shippenberg, T.S. and Heidbreder, C.H. Sensitization to the conditioned rewarding effects of cocaine: Pharmacological and temporal characteristics. *J. Pharmacol. Exp. Therap.* **273**, 808, 1995.
- Shippenberg, T.S., and Heidbreder, C.H. Kappa opioid receptor agonists prevent sensitization to the rewarding effects of cocaine. *NIDA Research Monograph* **153**, 456, 1994.
- Shippenberg, T.S., Herz, A., Spanagel, R., Bals-Kubik, R., and Stein, C. Conditioning of opioid reinforcement: Neuroanatomical and neurochemical substrates. *Ann. NY Acad. Sci.* **654**, 347, 1992.
- Shippenberg, T.S., LeFevour A., Heidbreder C. κ -opioid receptor agonists prevent sensitization to the conditioned rewarding effects of cocaine. *J. Pharmacol. Exp. Therap.* **276**, 545, 1996
- Shrivastav, Sanjeev Kumar (January 1, 2010). "United States of America: Chemical Weapons Profile". www.idsa.in. Retrieved September 14, 2013.
- Sibley, D. R., Monsma, F. J. J. & Shen, Y. Molecular neurobiology of dopaminergic receptors, *Int Rev Neurobiol*, **35**, 391, 1993.
- Sidell FR (1997). Medical aspects of chemical and biological warfare. Borden Institute, Walter Reed Army Medical Center. ISBN 978-9997320919.
- Sidell FR (2008). "Soman and Sarin: clinical manifestations and treatment of accidental poisoning by organophosphates". *Clinical Toxicology*. **7** (1): 1–17.
- Siebold, Sabine and Shalal, Andrea (16 May 2018). "West's knowledge of Novichok came from sample secured in 1990s: report". *Reuters*. Retrieved 24 May 2018.
- Siegel, S. Classical conditioning, drug tolerance, and drug dependence. in *Research Advances in Alcohol and Drug Problems*, 7, eds. Israel, Y., Plenum, New York, 1983, 207.
- Simonin, F., Gaveriaux-Ruff, C., Befort, K., Matthes, H., Lannes, B., Micheletti, G., Mattei, M. G., Charron, G., Bloch, B., and Kieffer, B. κ -Opioid receptor in humans: cDNA and genomic cloning, chromosomal assignment, functional expression, pharmacology, and expression pattern in the central nervous system. *Proc. Natl Acad. Sci.* **92**, 7006, 1995.
- Slikker, W. J., Brocco, M. J. & Killam, K. F. J. Reinforcement of responding maintained by cocaine of thiamylal, *J Pharmacol Exp Ther*, **228**, 43, 1984.
- Sloan MA, Kittner SJ, Rigamonti D, Price TR. Occurrence of stroke associated with use/abuse of drugs. *Neurology* **41**: 1358-1364, 1991.

- Slusher, B.S., Jackson, P.F. A shot in the arm for cocaine addiction. *Nature Medicine*, 2, 26, 1996.
- Smith, Michael (August 26, 2002). "Saddam to be target of Britain's 'E-bomb'". *The Daily Telegraph*. p. A18. Retrieved December 30, 2015. The nerve agents sarin and VX. Colourless and tasteless, they cause death by respiratory arrest in one to 15 minutes.
- Smith, R. D. & Goldin, A. L. Phosphorylation of brain sodium channels in the I-II linker modulates channel function in *Xenopus* oocytes, *J Neurosci*, 16, 1965, 1996.
- Snyder S.J. and Coyle, J.T., Regional differences in [³H]norepinephrine and [³H]dopamine uptake into rat brain homogenates, *J. Pharmacol. Exp. Ther.*, 165, 78, 1969.
- Sokoloff, P., Giros, B., Martres, M.P., Andrieux, M., Besancon, R., Pilon, C., Bouthenet, M.L., Souil, E., and Schwartz, J.C. Localization and function of the D₃ dopamine receptor. *Arzneim -Forsch/Drug Res* 42:224, 1992.
- Sokolov VB, Martynov IV. Effect of Alkyl Substituents in Phosphorylated Oximes. *Zhurnal Obshchey Khimii*. 1987; 57(12):2720–2723.
- Solomon, R. & Corbitt, J. An opponent process theory of motivation, *Psychol Rev*, 81, 119, 1974.
- Spanagel, R., Herz, A., and Shippenberg, T., The effects of opioid peptides on dopamine release in the nucleus accumbens: an in vivo microdialysis study. *J. Neurochem.* 55, 1734, 1990.
- Spanagel, R., Herz, A., and Shippenberg, T.S. Opposing tonically active endogenous opioid systems modulate the mesolimbic dopaminergic pathway. *Proc. Natl. Acad. Sci.* 89, 2046, 1992.
- Spangler, R., Ho, A., Zhou, Y., Maggos, C.E., Yuferov, V., Kreek, M.J. Regulation of kappa opioid receptor mRNA in the rat brain by 'binge' pattern cocaine administration and correlation with preprodynorphin mRNA. *Mol. Brain Res.* 38, 71, 1996.
- Spealman, R. D., Bergman, J., Madras, B. K. & Melia, K. F. Discriminative stimulus effects of cocaine in squirrel monkeys: involvement of dopamine receptor subtypes, *J. Pharmacol. Exp. Ther.* 258, 945, 1991.
- Spealman, R.D. Modificatin of behavioral effect of cocaine by selective serotonin and dopamine uptake inhibitors in squirrel monkeys. *Psychopharmacology* 112, 93, 1993.
- Spealman, R.D., and Bergman, J. Modulation of the discriminative stimulus effects of cocaine by mu and kappa opioids. *J. Pharmacol. Exp. Therap.* 261, 607, 1992.
- Sprakai, C. and Sealton, S.C. Regulation of dopamine D₂ receptor mRNA expression in the olfactory tubercle by cocaine. *Mol. Brain Res.* 19, 313, 1993.
- Staley, J.K., and Mash, D.C. Adaptive increase in D₃ dopamine receptors in the brain reward circuits of human cocaine fatalities. *J. Neurosci.* In press, 1996.
- Staley, J.K., Basile, M., Wetli, C.V., Hearn, W.L., Flynn, D.D., Ruttenber, A.J., and Mash, D.C. Differential regulation of the dopamine transporter in cocaine overdose deaths. *National Institute of Drug Abuse Research Monograph*. 141, 32, 1994.
- Staley, J.K., Boja, J.W., Carroll, F.I., Seltzman, H.H., Wyrick, C.D., Lewin, A.H., Abraham, P. and Mash, D.C., Mapping dopamine transporters in the human brain with novel selective cocaine analog [125I]RTI-121, *Synapse*, 21, 364, 1995.
- Staley, J.K., Boja, J.W., Carroll, F.I., Seltzman, H.H., Wyrick, C.D., Lewin, A.H., Abraham, P., and Mash, D.C. Mapping dopamine transporters in the human brain with novel selective cocaine analog [125I]RTI-121. *Synapse* 21 (1995) 364-372.66.

- Staley, J.K., Hearn, W.L., Ruttenber, A.J., Wetli, C.V. and Mash, D.C. High affinity cocaine recognition sites on the dopamine transporter are elevated in fatal cocaine overdose victims. *J. Pharm. Exp. Therap.* 271 (1995) 1678-1685.
- Staley, J.K., Hearn, W.L., Ruttenber, A.J., Wetli, C.V., and Mash, D.C. High affinity cocaine recognition sites on the dopamine transporter are elevated in fatal cocaine overdose victims. *J. Pharmacol. Exp. Therap.* 271, 1678, 1994.
- Staley, J.K., Ouyang, Q., Pablo J., Hearn W.L., Flynn D.F., Rothman R.B., Rice K.C., Mash, D.C. Pharmacological screen for activities of 12-hydroxyibogamine: a primary metabolites of the indole alkaloid ibogaine. *Psychopharmacology*. 127, 10, 1996.
- Staley, J.K., Rothman, R.B., Partilla, J.S., Rice, K.C., Matecka, D., Ouyang, Q., Wetli, C.V., and Mash, D.C. Cocaine upregulates kappa opioid receptors in human striatum. National Institute of Drug Abuse Research Monograph 162, 234, 1996.
- Staley, J.K., Wetli, C.V., Ruttenber, A.J., Hearn, W.L., and Mash, D.C. Altered dopaminergic synaptic markers in cocaine psychosis and sudden death. NIDA Research Monograph Series 153: 491 (1995).
- Staley, J.K., Wetli, C.V., Ruttenber, A.J., Hearn, W.L., and Mash, D.C. Altered dopaminergic synaptic markers in cocaine psychosis and sudden death National Institute of Drug Abuse Research Monograph 153, 491, 1995.
- Stathis, M., Scheffel, U., Lever, S.Z., Boja, J.W., Carroll, F.I. and Kuhar, M.J., Rate of binding of various inhibitors at the dopamine transporter in vivo, *Psychopharmacology*, 119, 376, 1995.
- Stathis, M., Scheffel, U., Lever, S.Z., Boja, J.W., Carroll, F.I., Kuhar, M.J. Rate of binding of various inhibitors at the dopamine transporter in vivo. *Psychopharmacology* 119, 376, 1195.
- Stewart, Charles Edward (2006). Weapons of Mass Casualties and Terrorism Response Handbook. Jones & Bartlett Learning. ISBN 9780763724252.
- Stewart, J. & Vezina, P. A comparison of the effects of intra-accumbens injections of amphetamine and morphine on reinstatement of heroin intravenous self-administration behavior, *Brain Res*, 457, 287, 1988.
- Stewart, J. & Wise, R. A. Reinstatement of heroin self-administration habits: morphine prompts and naltrexone discourages renewed responding after extinction, *Psychopharmacology*, 108, 79, 1992.
- Stewart, J., De Wit, H. & Eikelboom, R. Role of unconditioned and conditioned drug effects in the self-administration of opiates and stimulants, *Psychol Rev*, 91, 251, 1984.
- Stone, R. (19 March 2018). "U.K. attack shines spotlight on deadly nerve agent developed by Soviet scientists". *Science*.
- Stoop, J. C. & Kebabian, J. W. Opposing roles for D-1 and D-2 in efflux of cyclic AMP from rat neostriatum, *Nature*, 294, 366, 1981.
- Striplin, C. D. & Klivas, P. W. Robustness of G protein changes in cocaine sensitization shown with immunoblotting, *Synapse*, 14, 10, 1993.
- Surmeier, D. J., Bargi, J., Hemmings, H. C. J., Baird, A. C. & Greengard, P. Modulation of calcium currents by a D1 dopaminergic protein kinase/phosphatase cascade in rat neostriatal neurons, *Neuron*, 14, 385, 1995.
- Suzuki T., Shiozaki Y., Masukawa Y., Misawa M. and Nagase H. The role of mu- and kappa opioid receptors in cocaine-induced conditioned place preference. *Japan. J. Pharmacol.* 58:435, 1992.

- Südhof TC (2001). "alpha-Latrotoxin and its receptors: neurexins and CIRL/latrophilins". *Annu. Rev. Neurosci.* **24**: 933- 62. doi:10.1146/annurev.neuro.24.1.933. PMID 11520923
- Sweetnam, P.A., Lancaster, J., Snowman, A., Collins, J.L., Perschke, S., Bauer, C., Ferkany, J. Receptor binding profile suggests multiple mechanisms of action are responsible for ibogaine's putative anti-addictive activity. *Psychopharmacology* 118, 369, 1995.
- Taber, M. T. & Fibiger, H. C. Electrical stimulation of the prefrontal cortex increases dopamine release in the nucleus accumbens of the rat: modulation by metabotropic glutamate receptors, *J Neurosci*, 15, 3896, 1995.
- Taber, M. T., Das, S. & Fibiger, H. C. Cortical regulation of subcortical dopamine release: mediation via the ventral tegmental area, *J Neurochem*, 65, 1407, 1995.
- Tang, L., Todd, R. D. & O'Malley, K. L. Dopamine D2 and D3 receptors inhibit dopamine release, *J Pharmacol Exp Ther*, 270, 475, 1994.
- Tella, S.R. Differential blockade of chronic versus acute effects of intravenous cocaine by dopamine receptor antagonists. *Pharmacol. Biochem. Behav.* 48, 151, 1994.
- Teller, D.W., Devenyi, P. Bromocriptine in cocaine withdrawal-Does it work? *Int. J. Addict.* 23, 1197, 1988.
- Tennant, F.S., Sagherian, A.A., Double-blind comparison of amantadine and bromocriptine for ambulatory withdrawal from cocaine dependence. *Arch Intern Med* 147, 109, 1987.
- Terwilliger, R. Z., Beitner-Johnson, D., Sevarino, K. A., Crain, S. M. & Nestler, E. J. A general role for adaptations in G-proteins and the cyclic AMP system in mediating the chronic actions of morphine and cocaine on neuronal function, *Brain Res*, 548, 100, 1991.
- The non-Amazonian species of the Brazilian wandering spiders of the genus Phoneutria Perty, 1833 (Araneae: Ctenidae), with the description of a new species". *Zootaxa*. **1526** (5): 1-36. 2007.
- Tjon, G. H. K., De Vries, T. J., Ronken, E., Hogenboom, F., Wardeh, G., Mulder, A. H. & Schoffelmeer, A. N. M. Repeated and chronic morphine administration cause differential longlasting changes in dopaminergic neurotransmission in rat striatum without changes in δ - and k-opioid receptor regulation, *Eur J Pharmacol*, 252, 205, 1994.
- Tokarev, Andrei; Shubin, Gennady, eds. (2011). *Bush War: The Road to Cuito Cuanavale: Soviet Soldiers' Accounts of the Angolan War*. Auckland Park: Jacana Media (Pty) Ltd. pp. 128–130. ISBN 978-1-4314-0185-7.
- Tomlinson BE. "Aging and the Dementias" In Adams JH, Duchen LW (Eds.) *Greenfield's Neuropathology*. 5th Ed., Oxford University Press, New York, 1992.
- Torgrimson-Ojerio BN, Mularski KS, Peyton MR, Keast EM, Hassan A, Ivlev I (April 2021). "Health issues and healthcare utilization among adults who reported exposure to tear gas during 2020 Portland (OR) protests: a cross-sectional survey". *BMC Public Health*. **21** (1): 803. doi:10.1186/s12889-021-10859-w. PMC 8074355. PMID 33902512.
- Torgrimson-Ojerio BN, Mularski KS, Peyton MR, Keast EM, Hassan A, Ivlev I (April 2021). "Health issues and healthcare utilization among adults who reported exposure to tear gas during 2020 Portland (OR) protests: a cross-sectional survey". *BMC*

- Public Health. 21 (1): 803. doi:10.1186/s12889-021-10859-w. PMC 8074355. PMID 33902512.
- Toxicology, National Research Council (US) Committee on (1997). Review of Acute Human Toxicity Estimates for GB (Sarin). National Academies Press (US).
- Trujillo, K.A., and Akil, H. Excitatory amino acids and drugs of abuse: a role for N-methylD-aspartate receptors in drug tolerance, sensitization and physical dependence. Drug and Alcohol Dependence 38, 139, 1995.
- Trulson, M.E. and Ulissey, M.J. Chronic cocaine administration decreases dopamine synthesis rate and increases [³H]spiroperidol binding in rat brain. Brain Res. Bulletin 19, 35, 1987.
- Ukai, M., Mori, E., Kameyama, T. Effects of centrally administered neuropeptides on discriminative stimulus properties of cocaine in the rat. Pharmacol. Biochem. and Behav. 51: 705, 1995.
- Ungerstedt, U., Striatal dopamine release after amphetamine or nerve degeneration revealed by rotational behavior, Acta Physiologica Scandinavica, 367, 49, 1971.
- Unterwald, E.M., Ho, A., Rubenfeld, J.M., and Kreek, M.J. Time course of the development of behavioral sensitization and dopamine receptor up-regulation during binge cocaine administration. J. Pharmacol. Exp. Therap. 270, 1387, 1994.
- Unterwald, E.M., Rubenfeld, J.M., and Kreek, M.J. Repeated cocaine administration upregulates κ and μ but not δ opioid receptors. Neuroreport 5, 1613, 1994.
- Van den Enden, Erwin (2004). "Snake Venom". Illustrated Lecture Notes on Tropical Medicine (İngilizce). Antwerp: Institute of Tropical Medicine Antwerp. 13 Ocak 2012 tarihinde kaynağından arşivlendi. Erişim tarihi: 12 Haziran 2011.
- Van Dijken, H. H., Van der Heyden, J. A., Mos, J. & Tilders, F. J. Inescapable footshocks induce progressive and long-lasting behavioural changes in male rats., Physiol Behav, 51, 787, 1992.
- Vásárhelyi, Györgyi; Földi, László (2007). "History of Russia's chemical weapons" (PDF). AARMS. 6 (1): 135–146. Archived from the original (PDF) on 14 March 2018.
- Vetter, R. S. (2000). Myth: Idiopathic wounds are often due to brown recluse or other spider bites throughout the United States. Western Journal of Medicine 173:357-358
- Vezina, P., Blanc, G., Glowinski, J. & Tassin, J. P. Blockade of D-1 dopamine receptors in the medial prefrontal cortex produces delayed effects on pre- and postsynaptic indices of dopamine function in the nucleus accumbens, Synapse, 16, 104, 1994.
- Vilches, Diego; Alburquerque, Germán; Ramirez-Tagle, Rodrigo (July 2016). "One hundred and one years after a milestone: Modern chemical weapons and World War I". Educación Química. 27 (3): 233–236. doi:10.1016/j.eq.2016.04.004.
- Volkow, N.D., Ding, Y.S., Fowler, J.S., Wang, G.J., Logan, J., Gatley, J.S., Dewey S., Ashby, C., Lieberman, J., Hitzemann, R., Wolf, A.P. Is methylphenidate like cocaine? Arch. Gen. Psychiatry 52, 456, 1995.
- Volkow, N.D., Fowler, J.S., Wolf, A.P., Schlyer, D., Shiue, C.Y., Alpert, R., Dewey, S.L., Logan, J., Bendriem, B., Christman, D., Hitzemann, R., and Henn, F. Effects of chronic cocaine abuse on postsynaptic dopamine receptors. Am. J. Psychiatry 147, 719, 1990.
- Volkow, N.D., Fowler, J.S., Wolf, A.P., Wang, G.J., Logan, J., MacGregor, D.J., Dewey, S.L., Schlyer, D.J. and Hitzemann, R., Distribution and kinetics of carbon-11-cocaine in the human body measured with PET, J. Nucl. Med., 33, 521, 1992.

- Waddington, J. L. & Daly, S. A. Regulation of unconditioned motor behaviour by D1:D2 interaction. in *D-1:D-2 Dopamine Receptor Interactions*, ed. Waddington, J. L., Academic Press, London, 1993, 203.
- Wallace, D. M., Magnuson, D. J. & Gray, T. S. Organization of amygdaloid projections to brainstem dopaminergic, noradrenergic, and adrenergic cell groups in the rat, *Brain Res Bull*, 28, 447, 1992.
- Wallace, D.R., Mactutus, C.F., and Booze, R.M. Repeated intravenous cocaine administrations: Locomotor activity and dopamine D2/D3 receptors. *Synapse* 19, 1, 1996.
- Waller, J. Michael (13 February 1997). "The Chemical Weapons Coverup". *The Wall Street Journal*. Retrieved 14 March 2018.
- Walsh, S.L., Preston, K.L., Sullivan, J.T., Fromme, R., and Bigelow, G.E. Fluoxetine alters the effects of intravenous cocaine in humans. *J. Clin Psychopharmacol*. 14, 396, 1994.
- Wandering Spiders of the Amazon (2013). Phoneutria – introduction. Staatliches Museum für Naturkunde Karlsruhe (State Museum of Natural History Karlsruhe). Retrieved 23 February 2023.
- Wasserman G (2005). "Bites of the brown recluse spider". *N Engl J Med*. 352 (19). ss. 202930; author reply 2029-30. doi:10.1056/NEJM200505123521922. PMID 15892198.
- Wasserman G, Anderson P (1983–1984). "Loxoscelism and necrotic arachnidism". *J Toxicol Clin Toxicol*. 21 (4-5). ss. 451-72. doi:10.3109/15563658308990434. PMID 6381752.
- Weed, M. R. & Woolverton, M. L. The reinforcing effects of D1 receptor agonists in rhesus monkeys, *J Pharmacol Exp Ther*, 275, 1367, 1995.
- Weed, M. R., Vanover, K. E. & Woolverton, W. L. Reinforcing effect of the D1 dopamine agonist SKF 81297 in rhesus monkeys, *Psychopharmacology*, 113, 51, 1993.
- Weiss, F., Paulus, M. P., Lorang, M. T. & Koob, G. F. Increases in extracellular dopamine in the nucleus accumbens by cocaine are inversely related to basal levels: effects of acute and repeated administration, *J Neurosci*, 12, 4372, 1992.
- Weissenborn, R., Yackey, M., Koob, G. F. & Weiss, F. Measures of cocaine-seeking behavior using multiple schedules of food and drug self-administration, *Drug and Alcohol Dep*, 38, 237, 1995.
- Wetli CV, Fishbain DA. Cocaine-induced psychosis and sudden death in recreational cocaine users. *J Forensic Sci* 30: 873-880, 1985.
- Wetli CV, Weiss SD, Cleary TJ, Gyori El. Fungal cerebritis from intravenous drug abuse. *J Forensic Sci* 29: 260-268, 1984.
- Wetli, C.V. Mash, D.C. and Karch, S.B., Cocaine-associated agitated delirium and the neuroleptic malignant syndrome, *Amer. J. Emer. Med.* 14; 425-428, (1996).
- Wetli, C.V. and Fishbain D.A. Cocaine-Induced psychosis and sudden death in recreational cocaine users. *J. Forensic. Sci.* 30 (1985) 873-880.
- White, F. J. & Hu, X.-T. Electrophysiological correlates of D1:D2 interactions. in *D-1:D-2 Dopamine Receptor Interactions: Neuroscience and Psychopharmacology*, ed. Waddington, J. L., Academic Press, London, 1993, 79.
- White, F. J. & Wang, R. Y. Electrophysiological evidence for the existence of D1 and D2 dopamine receptors in the rat nucleus accumbens, *J Neurosci*, 6, 274, 1986.

- White, F. J., Hu, X. T., Zhang, X. F. & Wolf, M. E. Repeated administration of cocaine or amphetamine alters neuronal responses to glutamate in the mesoaccumbens dopamine system, *J Pharmacol Exp Ther*, 273, 445, 1995.
- White, F.J. & Zhang, X.-F. Repeated cocaine administration decreases whole-cell sodium current in acutely dissociated nucleus accumbens neurons. *Soc Neurosci Abstr*, 22, 1880, 1996.
- White, F.J., Hu, X.T., Henry D.J. Electrophysiological effects of cocaine in the rat nucleus accumbens: microiontophoretic studies. *J. Pharmacol. Exp. Ther.* 266, 1075, 1993.
- White, F.J., Hu, X.T., Zhang, X.F., and Wolf, M.E. Repeated administration of cocaine or amphetamine alters neuronal responses to glutamate in the mesoaccumbens dopamine system. *J. Pharmacol. Exp. Therap.* 273, 445, 1995.
- Wikler, A. Dynamics of drug dependence, *Arch Gen Psychiatry*, 28, 611, 1973.
- Wilkerson RD. Cardiovascular effects of cocaine in conscious dogs: Importance of fully functional autonomic and central nervous systems. *J Pharmacol Exp Ther* 246: 466-471, 1988.
- Williams KE. "Detailed Facts About Tear Agent O-Chlorobenzylidene Malononitrile (CS)]" (PDF). U.S. Army Center for Health Promotion and Preventive Medicine. Archived from the original (PDF) on 26 September 2007.
- Wilson, J.M., Nobrega, J.N., Carroll, M.E., Niznik, H.B., Shannak, K., Lac, S.T., Pristupa, Z.B. Dixon, L.M. and Kish, S.J. Heterogenous subregional binding patterns of 3H-WIN 35,428 and 3H-GBR 12,935 are differentially regulated by chronic cocaine self-administration. *J. Neurosci.* (1994) 2966-2974. 29. Aloyo, V.J., Harvey, J.A. and Kirfides, A.L. Chronic cocaine increases WIN 35428 binding in rabbit caudate. *Soc. Neurosci. Abstr* 19: 1843, 1994.
- Wilson, J.M., Nobrega, J.N., Carroll, M.E., Niznik, H.B., Shannak, K., Lac, S.T., Pristupa, Z.B. Dixon, L.M. and Kish, S.J. Heterogenous subregional binding patterns of 3H-WIN 35,428 and 3H-GBR 12,935 are differentially regulated by chronic cocaine self-administration. *J. Neurosci.* 14, 2966, 1994.
- Wilson, M.C., Schuster C.R. The effects of chlorpromazine on psychomotor stimulant self-administration in the rhesus monkey. *Psychopharmacologia* 26, 115, 1972.
- Wise, R. A. & Bozarth, M. A. A psychomotor stimulant theory of addiction, *Psychol Rev*, 94, 469, 1987.
- Wise, R. A. The role of reward pathways in the development of drug dependence. in *Psychotropic Drugs of Abuse*, ed. Balfour, D. J. K., Pergamon Press, Oxford, 1990, 23.
- Wise, R. A., Murray, A. & Bozarth, M. A. Bromocriptine self-administration and bromocriptinereinstatement of cocaine-trained and heroin-trained lever pressing in rats, *Psychopharmacology*, 100, 355, 1990.
- Wise, R.A., and Bozarth, M.A. A psychomotor stimulant theory of addiction. *Psychol Rev*. 94, 469, 1987.
- Witkin, J. M., Nichols, D. E., Terry, P. & Katz, J. Behavioral effects of selective dopaminergic compounds in rats discriminating cocaine injections, *J Pharmacol Exp Ther*, 257, 706, 1991.
- Witkin, J.M. Blockade of the locomotor stimulant effect so cocaine and methamphetamine by glutamate antagonists. *Life Sci.* 53, PL 405, 1993.
- Wolf, John S. (19 March 2003). "Hearing, First Session". Committee on Foreign Relations.

- United States Senate. Retrieved 13 March 2018. Hon. John S. Wolf, Assistant Secretary of State for Nonproliferation: DOD completed a project to dismantle the former Soviet CW research facility at Nukus, Uzbekistan in FY 2002.
- Wolf, M. E., White, F. J., Nassar, R., Broderson, R. J. & Khansa, M. R. Differential development of autoreceptor subsensitivity and enhanced dopamine release during amphetamine sensitization, *J Pharmacol Exp Ther*, 264, 249, 1993.
- Wolf, M.E., and Jeziorski, M. Coadministration of MK-801 with amphetamine, cocaine or morphine prevents rather than transiently masks the development of behavioral sensitization. *Brain Res.* 613, 291, 1993.
- Wollemann, M., Benhye, S., and Simon, J. The kappa-opioid receptor: Evidence for the different subtypes. *Life Sci.* 52, 599, 1993.
- Woolverton, W.L. Effects of a D1 and D2 dopamine antagonists on the self-administration of cocaine and piritramide by rhesus monkeys. *Pharmacol. Biochem Behav.* 24, 531, 1986.
- Worley, C. M., Valadez, A. & Schenk, S. Reinstatement of extinguished cocaine-taking behavior by cocaine and caffeine, *Pharmacol Biochem Behav*, 48, 217, 1994.
- Wright JM, Wall RA, Perry TL, Paty DW. Chronic parkinsonism secondary to intranasal administration of a product of meperidine-analog synthesis. *NEJM* 310: 325, 1984 [Letter].
- Yim, C. Y. & Mogenson, G. J. Neuromodulatory actions of dopamine in the nucleus accumbens: an in vivo intracellular study, *Neuroscience*, 26, 403, 1988.
- Young, A. M., Joseph, M. H. & Gray, J. A. Latent inhibition of conditioned dopamine release in rat nucleus accumbens, *Neuroscience*, 54, 5, 1993.
- Yuki Tanaka, Poison Gas, the Story Japan Would Like to Forget, Bulletin of the Atomic Scientists, October 1988, p. 16-17
- Zeidonis, D.M., and Kosten, T.R. Depression as a prognostic factor for pharmacological treatment of cocaine dependence. *Psychopharmacol. Bulletin* 27, 337, 1991.
- Zeigler, S., Lipton, J., Toga, A., and Ellison, G. Continuous cocaine administration produces persisting changes in brain neurochemistry and behavior. *Brain Res.* 552, 27, 1991.
- Zimányi, I., Lajitha, A. and Reith, M.E.A., Comparison of characteristics of dopamine uptake and mazindol binding in mouse striatum, *Naunyn-Schmiedeberg's Arch. Pharmacol.*, 240, 626, 1989. 1989.
- Ziment I. Nervous system complications in bacterial endocarditis. *Am J Med* 47: 593-607, 1969.