

SAĞLIK PSİKOLOJİSİNDE UYGULAMALI KONULAR: DOĞUM VE DOĞUM İLİŞKİLİ TRAVMA

Dr. Öğr. Üyesi Pelin DİKMEN YILDIZ



© Copyright 2025

Bu kitabın, basım, yayın ve satış hakları Akademisyen Kitabevi A.Ş.'ne aittir. Anılan kuruluşun izni alınmadan kitabın tümü ya da bölümleri mekanik, elektronik, fotokopi, manyetik kağıt ve/veya başka yöntemlerle çoğaltılamaz, basılamaz, dağıtılamaz. Tablo, şekil ve grafikler izin alınmadan, ticari amaçlı kullanılamaz. Bu kitap T.C. Kültür Bakanlığı bandrolü ile satılmaktadır.

ISBN 978-625-375-421-1	Sayfa ve Kapak Tasarımı Akademisyen Dizgi Ünitesi
Kitap Adı Sağlık Psikolojisinde Uygulamalı Konular: Doğum ve Doğum İlişkili Travma	Yayıncı Sertifika No 47518
Yazar Pelin DİKMEN YILDIZ ORCID iD: 0000-0002-0496-3897	Baskı ve Cilt Vadi Matbaacılık
Yayın Koordinatörü Yasin DİLMEN	Bisac Code PSY000000
	DOI 10.37609/akya.3605

Kütüphane Kimlik Kartı
Dikmen Yıldız, Pelin.
Sağlık Psikolojisinde Uygulamalı Konular: Doğum ve Doğum İlişkili Travma / Pelin Dikmen Yıldız.
Ankara : Akademisyen Yayınevi Kitabevi, 2025.
192 s. : tablo, grafik. ; 135x210 mm.
Kaynakça var.
ISBN 9786253754211

GENEL DAĞITIM

Akademisyen Kitabevi A.Ş.

Halk Sokak 5 / A
Yenişehir / Ankara
Tel: 0312 431 16 33
siparis@akademisyen.com

www.akademisyen.com

İÇİNDEKİLER

GİRİŞ	1
SAĞLIK, SAĞLIK PSİKOLOJİSİ VE KADIN SAĞLIĞI.....	4
Sağlık Tanımı ve Modelleri	4
Sağlık Psikolojisinin Tanımı ve Kapsamı.....	8
Kadın Sağlığına Genel Bakış.....	11
Kadın Sağlığı ve Sağlık Psikolojisi	12
SAĞLIK PSİKOLOJİSİ VE DOĞUM	14
Doğuma Genel Bakış.....	14
Doğum ve Medikalizasyon.....	15
Doğum ve Sağlık Psikolojisi	18
DOĞUMUN FİZİKSEL SONUÇLARI.....	20
Doğum Sonrası Fiziksel Komplikasyonlar.....	20
Doğum Sonrası Çocuklara Yönelik Fiziksel Komplikasyonlar.....	23
Fatal/kritik Doğum Komplikasyonları	25
DOĞUMUN PSİKOLOJİK SONUÇLARI	28
Postpartum (Doğum Sonrası) Ruh Sağlığı Bozuklukları	28
Travmatik Doğum ve Doğum İlişkili TSSB	30
İntihar	32
TRAVMATİK BİR OLAY OLARAK DOĞUM, YAYGINLIĞI ve ETİYOLOJİSİ.....	33
Travmatik Bir Olay Olarak Doğum.....	33
Prevalans (Yaygınlık)	35
Psikolojik, Medikal ve Sosyal Risk Faktörleri.....	36
TRAVMA SONRASI STRES BOZUKLUĞU (TSSB), DOĞUM İLİŞKİLİ TSSB, RİSK FAKTÖRLERİ	39

Travma Sonrası Stres Bozukluğu (TSSB)	39
Doğum İlişkili Travma Sonrası Stres Bozukluğu (TSSB) ve Belirtileri.....	43
Doğum İlişkili TSSB Yaygınlığı ve Risk Faktörleri.....	48
DOĞUM İLİŞKİLİ TSSB'nin TEORİK TEMELLERİ	51
Doğum İlişkili Transaksyonel Stres ve Başa Çıkma Teorisi	51
Doğum ilişkili TSSB'nin Diatez-stres Modeli	54
Doğum İlişkili TSSB'nin Biyopsikososyal Modeli.....	56
TRAVMATİK DOĞUM VE DOĞUM İLİŞKİLİ TSSB İÇİN YÜKSEK RİSKLİ BAZI GRUPLAR.....	63
Erken Doğum Yapan ve/ya Bebeği Yenidoğan Yoğun Bakım Ünitesi'ne Yatışı Yapılan Anneler	63
Adolesan Döneminde veya İleri Yaşta Doğum Yapan Anneler	64
Yüksek Riskli Gebelik Durumu Olan Anne Adayları	66
Gebelikte Konjenital Anomali Tanısı Alan Anne Adayları.....	67
Düşük veya Ölü Doğum Yapan Anneler.....	68
TRAVMATİK DOĞUM VE DOĞUM İLİŞKİLİ TSSB'NİN MATERNAL, PATERNAL ve NEONATAL SAĞLIĞA ETKİSİ	70
Maternal Sağlığa Etkisi	70
Paternal Sağlığa Etkisi.....	73
Neonatal Sağlığa Etkisi	75
Sosyal Çevreye Etkisi.....	78
TRAVMATİK DOĞUM VE DOĞUM İLİŞKİLİ TRAVMANIN TARANMASI VE DEĞERLENDİRİLMESİ	80
Travmatik Doğum Değerlendirme Araçları.....	80
Doğum İlişkili TSSB Tarama Araçları	81
Doğum ilişkili TSSB Tanısına İlişkin Zorluklar.....	82
Normal Doğum Sonrası İyileşme ile Doğum İlişkili TSSB Arasındaki Farkları Etkileyen Faktörler	84
Doğum İlişkili TSSB'nin Yanlış Teşhisi ve Potansiyel Sonuçları....	85

TRAVMATİK DOĞUM ve DOĞUM İLİŞKİLİ TSSB'nin ÖNLENMESİ	87
Travmatik Doğum ve Doğum İlişkili TSSB'yi Önlemenin Önemi ..	87
Travmatik Doğum ve Doğum Sonrası TSSB ile İlişkili Önleyici ve Koruyucu Faktörler	88
Travmatik Doğum ve Doğum İlişkili TSSB'nin Önlenmesinde Kadın Doğum Sağlık Personelinin Rolü	93
PSİKOLOJİK MÜDAHALELER ve TEDAVİ YAKLAŞIMLARI....	96
Erken Psikolojik Müdahaleler	96
Temel Psikolojik Tedavi Yaklaşımları	98
Farmakoterapi (İlaç Tedavisi).....	112
SAĞLIK PSİKOLOJİSİNİN SAĞLIK HİZMETLERİNE ENTEGRE EDİLMESİ.....	114
Sağlık Psikolojisinin ve Sağlık Psikologlarının Genel Sağlık Hizmetlerindeki Rolü	114
Sağlık Psikolojisinin ve Sağlık Psikologlarının Kadın Sağlığı ve Obstetrik Sağlık Hizmetlerindeki Rolü	121
Sağlık Psikolojisi: Travmatik Doğum ve Doğum İlişkili TSSB'ye Yönelik İmplikasyonlar	130
SONUÇ.....	137
KAYNAKÇA	141

KAYNAKÇA

- Abdollahpour, S., & Khadivzadeh, T. (2022). Prevalence of Traumatic Childbirth and Post-traumatic Stress After Delivery in Iran: A Systematic Review and Meta-Analysis. *Journal of Obstetrics, Gynecology and Cancer Research*, 4(3), 86-92. <https://doi.org/10.30699/jogcr.4.3.86>
- Abdollahpour, S., Khosravi, A., & Bolbolhaghghi, N. (2016). The effect of the magical hour on post-traumatic stress disorder (PTSD) in traumatic childbirth: A clinical trial. *Journal of Reproductive and Infant Psychology*, 34(4), 403-412. <https://doi.org/10.1080/02646838.2016.1185773>
- Abdollahpour, S., Khosravi, A., Motaghi, Z., Keramat, A., & Mousavi, S. A. (2019). Effect of Brief Cognitive Behavioral Counseling and Debriefing on the Prevention of Post-traumatic Stress Disorder in Traumatic Birth: A Randomized Clinical Trial. *Community Mental Health Journal*, 55(7), 1173-1178. <https://doi.org/10.1007/s10597-019-00424-6>
- Abraham, C., Conner, M., Jones, F., & O'Connor, D. (2008). *Health Psychology: Topics in Applied Psychology*. Routledge.
- Adewuya, A. O., Ologun, Y. A., & Ibigbami, O. S. (2006). Post-traumatic stress disorder after childbirth in Nigerian women: Prevalence and risk factors. *BJOG: An International Journal of Obstetrics and Gynaecology*, 113(3), 284-288. <https://doi.org/10.1111/j.1471-0528.2006.00861.x>
- Agius, A., Xuereb, R. B., Carrick-Sen, D., Sultana, R., & Rankin, J. (2016). The co-existence of depression, anxiety and post-traumatic stress symptoms in the perinatal period: A systematic review. *Midwifery*, 36, 70-79. <https://doi.org/10.1016/j.midw.2016.02.013>
- Aguiar, V., Alves, M., & Anelise, R. A. (2022). Post-traumatic stress disorder and congenital anomalies in prenatal care. *Brazilian Journal of Mother & Child Health*, 22(3).
- Ahmad, A., Larsson, B., & Sundelin-Wahlsten, V. (2007). EMDR treatment for children with PTSD: Results of a randomized controlled trial. *Nordic Journal of Psychiatry*, 61(5), 349-354. <https://doi.org/10.1080/08039480701643464>
- Aktaş, S. (2018). Multigravidas' perceptions of traumatic childbirth: Its relation to some factors, the effect of previous type of birth and experience. *Medicine Science*, 7(1), 203-209.
- Alcorn, K. L., O'Donovan, A., Patrick, J. C., Creed, D., & Devilly, G. J. (2010). A prospective longitudinal study of the prevalence of

- post-traumatic stress disorder resulting from childbirth events. *Psychological Medicine*, 40(11), 1849-1859. <https://doi.org/10.1017/S0033291709992224>
- Alder, J., Breiting, G., Granado, C., Fornaro, I., Bitzer, J., Hösl, I., & Urech, C. (2011). Antenatal psychobiological predictors of psychological response to childbirth. *Journal of the American Psychiatric Nurses Association*, 17(6), 417-425. <https://doi.org/10.1177/1078390311426454>
- Alder, J., Stadlmayr, W., Tschudin, S., & Bitzer, J. (2006). Post-traumatic symptoms after childbirth: What should we offer? *Journal of Psychosomatic Obstetrics and Gynaecology*, 27(2), 107-112. <https://doi.org/10.1080/01674820600714632>
- Alehagen, S., Wijma, K., Lundberg, U., Melin, B., & Wijma, B. (2001). Catecholamine and cortisol reaction to childbirth. *International Journal of Behavioral Medicine*, 8(1), 50-65. https://doi.org/10.1207/S15327558IJB0801_04
- Alhussainan, F. (2019). *Shattered assumptions, attachment, social support and other risk factors for the development of symptoms of Post-Traumatic Stress Disorder following childbirth: A comparison of women in Saudi Arabia and the UK*. University of Birmingham.
- Ammerman, R. T., Putnam, F. W., Altaye, M., Stevens, J., Teeters, A. R., & Van Ginkel, J. B. (2013). A clinical trial of in-home CBT for depressed mothers in home visitation. *Behavior Therapy*, 44(3), 359-372. <https://doi.org/10.1016/j.beth.2013.01.002>
- Anderson, C., & McCarley, M. (2013). Psychological birth trauma in adolescents experiencing an early birth. *MCN. The American Journal of Maternal Child Nursing*, 38(3), 170-176. <https://doi.org/10.1097/NMC.0b013e31826f6cad>
- APA. (1987). *DSM-III: Diagnostic and Statistical Manual of Mental Disorders (DSM-III)-R (3.Baskı)*. Cambridge: Cambridge University Press.
- APA. (2011). *Becoming a health psychologist*. Geliş tarihi gönderen at: <http://www.health-psych.org/AboutHowtoBecome.cfm>
- APA. (2013). *Diagnostic and statistical manual of mental disorders: DSM-5™, 5th ed.* (ss. xlv, 947). Arlington, VA, US: American Psychiatric Publishing, Inc. <https://doi.org/10.1176/appi.books.9780890425596>
- APA. (2014). *Understanding Health Psychology*.
- APA. (2017). *What is Cognitive Behavioral Therapy?* Geliş tarihi gönderen <https://www.apa.org/ptsd-guideline/patients-and-families/cognitive-behavioral>

- APA. (2019). *Psychotherapy: Understanding group therapy*. Geliş tarihi gönderen <https://www.apa.org> website: <https://www.apa.org/topics/psychotherapy/group-therapy>
- Aris-Meijer, J., Bockting, C., Stolk, R., Verbeek, T., Beijers, C., van Pampus, M., & Burger, H. (2019). What If Pregnancy Is Not Seventh Heaven? The Influence of Specific Life Events during Pregnancy and Delivery on the Transition of Antenatal into Postpartum Anxiety and Depression. *International Journal of Environmental Research and Public Health*, 16(16), 2851. <https://doi.org/10.3390/ijerph16162851>
- Ayers, S., Bond, R., Bertullies, S., & Wijma, K. (2016). The aetiology of post-traumatic stress following childbirth: A meta-analysis and theoretical framework. *Psychological Medicine*, 46(6), 1121-1134. Cambridge Core. <https://doi.org/10.1017/S0033291715002706>
- Ayers, S., Wright, D. B., Caparros-Gonzalez, R., Ciuffo, G., Constantinou, G., Dikmen-Yildiz, P., ... INTERSECT Consortium. (2025). A Brief International Screening Tool for Traumatic Birth and Childbirth-Related PTSD: The City BiTS-Short Form. *Submitted for publication*.
- Ayers, S. (2004). Delivery as a traumatic event: Prevalence, risk factors, and treatment for postnatal posttraumatic stress disorder. *Clinical Obstetrics and Gynecology*, 47(3), 552-567. <https://doi.org/10.1097/01.grf.0000129919.00756.9c>
- Ayers, S. (2007). Thoughts and Emotions During Traumatic Birth: A Qualitative Study. *Birth*, 34(3), 253-263. <https://doi.org/10.1111/j.1523-536X.2007.00178.x>
- Ayers, S., Baum, A., McManus, C., Newman, S., Wallston, K., Weinman, J., & West, R. (Ed.). (2007). *Cambridge Handbook of Psychology, Health and Medicine* (2. bs). Cambridge: Cambridge University Press. Cambridge Core. <https://doi.org/10.1017/CBO9780511543579>
- Ayers, S, Eagle, A., & Waring, H. (2006). The effects of childbirth-related post-traumatic stress disorder on women and their relationships: A qualitative study. *Psychology, Health & Medicine*, 11(4), 389-398. <https://doi.org/10.1080/13548500600708409>
- Ayers, S, Horsch, A., Garthus-Niegel, S., Nieuwenhuijze, M., Bogaerts, A., Hartmann, K., ... Lalor, J. (2024). Traumatic birth and childbirth-related post-traumatic stress disorder: International expert consensus recommendations for practice, policy, and research. *Women and Birth*, 37(2), 362-367. <https://doi.org/10.1016/j.wombi.2023.11.006>

- Ayers, S., Joseph, S., McKenzie-McHarg, K., Slade, P., & Wijma, K. (2008). Post-traumatic stress disorder following childbirth: Current issues and recommendations for future research. *Journal of Psychosomatic Obstetrics and Gynaecology*, 29(4), 240-250. <https://doi.org/10.1080/01674820802034631>
- Ayers, S., Wright, D. B., & Thornton, A. (2018). Development of a Measure of Postpartum PTSD: The City Birth Trauma Scale. *Frontiers in Psychiatry*, 9, 409. <https://doi.org/10.3389/fpsyt.2018.00409>
- Ayoola, A. B. (2011). Reducing the number of antenatal care visits in low-risk pregnancies increases perinatal mortality in low- and middle-income countries; women in all settings prefer the standard visit schedule. *Evidence-Based Nursing*, 14(2), 55-56. <https://doi.org/10.1136/ebn.14.2.55>
- Baker, B., McGrath, J. M., Pickler, R., Jallo, N., & Cohen, S. (2013). Competence and responsiveness in mothers of late preterm infants versus term infants. *Journal of Obstetric, Gynecologic, and Neonatal Nursing: JOGNN*, 42(3), 301-310. <https://doi.org/10.1111/1552-6909.12026>
- Baptie, G., Januario, E., & Norman, A. (2020). Birth trauma from the perspective of perinatal counsellors. A mini focus group study. *The Open Review*, 1-22.
- Barrera, T. L., Mott, J. M., Hofstein, R. F., & Teng, E. J. (2013). A meta-analytic review of exposure in group cognitive behavioral therapy for posttraumatic stress disorder. *Clinical Psychology Review*, 33(1), 24-32. <https://doi.org/10.1016/j.cpr.2012.09.005>
- Barthel, D., Göbel, A., Barkmann, C., Helle, N., & Bindt, C. (2020). Does Birth-Related Trauma Last? Prevalence and Risk Factors for Posttraumatic Stress in Mothers and Fathers of VLBW Preterm and Term Born Children 5 Years After Birth. *Frontiers in Psychiatry*, 11, 575429. <https://doi.org/10.3389/fpsyt.2020.575429>
- Bastos, M. H., Furuta, M., Small, R., McKenzie-McHarg, K., & Bick, D. (2015). Debriefing interventions for the prevention of psychological trauma in women following childbirth. *The Cochrane Database of Systematic Reviews*, 2015(4), CD007194. <https://doi.org/10.1002/14651858.CD007194.pub2>
- Bayrı Bingöl, F., Bal, M. D., Dişsiz, M., Sormageç, M. T., & Yildiz, P. D. (2021). Validity and reliability of the Turkish version of the City Birth Trauma Scale (CityBiTS). *Journal of Obstetrics and Gynaecology: The Journal of the Institute of Obstetrics and Gynaecology*, 41(7), 1023-1031. <https://doi.org/10.1080/01443615.2020.1821354>

- Beck, C. T. (2004). Post-traumatic stress disorder due to childbirth: The aftermath. *Nursing Research*, 53(4), 216-224. <https://doi.org/10.1097/00006199-200407000-00004>
- Beck, C. T., & Harrison, L. (2017). Posttraumatic Stress in Mothers Related to Giving Birth Prematurely: A Mixed Research Synthesis. *Journal of the American Psychiatric Nurses Association*, 23(4), 241-257. <https://doi.org/10.1177/1078390317700979>
- Beck, C. T., & Watson, S. (2008). Impact of Birth Trauma on Breast-feeding: A Tale of Two Pathways. *Nursing Research*, 57(4). Geliş tarihi gönderen https://journals.lww.com/nursingresearchonline/fulltext/2008/07000/impact_of_birth_trauma_on_breast_feeding__a_tale.2.aspx
- Beck, C. T., & Watson, S. (2016). Posttraumatic Growth After Birth Trauma: "I Was Broken, Now I Am Unbreakable". *MCN. The American Journal of Maternal Child Nursing*, 41(5), 264-271. <https://doi.org/10.1097/NMC.0000000000000259>
- Behboodi Moghadam, Z., Ordibeheshti Khiaban, M., Esmaceli, M., & Salsali, M. (2017). Motherhood challenges and well-being along with the studentship role among Iranian women: A qualitative study. *International Journal of Qualitative Studies on Health and Well-Being*, 12(1), 1335168. <https://doi.org/10.1080/17482631.2017.1335168>
- Bekkhush, M., Oftedal, A., Braithwaite, E., Haugen, G., & Kaasen, A. (2020). Paternal Psychological Stress After Detection of Fetal Anomaly During Pregnancy. A Prospective Longitudinal Observational Study. *Frontiers in Psychology*, 11, 1848. <https://doi.org/10.3389/fpsyg.2020.01848>
- Ben-David, A., Glasser, S., Schiff, E., Zahav, A. S., Boyko, V., & Lerner-Geva, L. (2016). Pregnancy and Birth Outcomes Among Primiparae at Very Advanced Maternal Age: At What Price? *Maternal and Child Health Journal*, 20(4), 833-842. <https://doi.org/10.1007/s10995-015-1914-8>
- Berne, N. (1988). Psychology of Childbirth. İçinde J. Offerman-Zuckerberg (Ed.), *Critical Psychophysical Passages in the Life of a Woman: A Psychodynamic Perspective* (ss. 123-131). Boston, MA: Springer US. https://doi.org/10.1007/978-1-4684-5362-1_9
- Bhatia, M. S., & Jhanjee, A. (2012). Tokophobia: A dread of pregnancy. *Industrial Psychiatry Journal*, 21(2), 158-159. <https://doi.org/10.4103/0972-6748.119649>
- Bodner, K., Wierrani, F., Grünberger, W., & Bodner-Adler, B. (2011). Influence of the mode of delivery on maternal and neonatal outco-

- mes: A comparison between elective cesarean section and planned vaginal delivery in a low-risk obstetric population. *Archives of Gynecology and Obstetrics*, 283(6), 1193-1198. <https://doi.org/10.1007/s00404-010-1525-y>
- Bolu, A., Erdem, M., & Öznur, T. (2014). Travma Sonrası Stress Bozukluğu. *Anadolu Tıbbi Araştırmalar Dergisi*, 8(2), 98-104.
- Borg Cunen, N., McNeill, J., & Murray, K. (2014). A systematic review of midwife-led interventions to address post partum post-traumatic stress. *Midwifery*, 30(2), 170-184. <https://doi.org/10.1016/j.midw.2013.09.003>
- Boudewyns, P. A., & Hyer, L. A. (1996). Eye Movement Desensitization and Reprocessing (EMDR) as Treatment for Post-Traumatic Stress Disorder (PTSD). *Clinical Psychology & Psychotherapy*, 3(3), 185-195. [https://doi.org/10.1002/\(SICI\)1099-0879\(199609\)3:3<185::AID-CPP101>3.0.CO;2-0](https://doi.org/10.1002/(SICI)1099-0879(199609)3:3<185::AID-CPP101>3.0.CO;2-0)
- Boudou, M., Teissèdre, F., Walburg, V., & Chabrol, H. (2007). [Association between the intensity of childbirth pain and the intensity of postpartum blues]. *L'Encephale*, 33(5), 805-810. <https://doi.org/10.1016/j.encep.2006.10.002>
- Bowles, S. V., Bernard, R. S., Epperly, T., Woodward, S., Ginzburg, K., Folen, R., ... Koopman, C. (2006). Traumatic stress disorders following first-trimester spontaneous abortion. *The Journal of Family Practice*, 55(11), 969-973.
- Bramble, E. A. (2024). *Integrating Clinical Psychologists into Obstetrics and Gynecology Settings to Treat Perinatal Grief Following Miscarriage A Comprehensive Literature Review*. The Chicago School of Professional Psychology.
- Brandão, T., Brites, R., Nunes, O., Pires, M., & Hipólito, J. (2020). Anxiety and depressive symptoms during pregnancy, perceived control and posttraumatic stress symptoms after childbirth: A longitudinal mediation analysis. *Journal of Health Psychology*, 25(13-14), 2085-2095. <https://doi.org/10.1177/1359105318787018>
- Brannigan, R., Cannon, M., Tanskanen, A., Huttunen, M. O., Leacy, F. P., & Clarke, M. C. (2019). The association between subjective maternal stress during pregnancy and offspring clinically diagnosed psychiatric disorders. *Acta Psychiatrica Scandinavica*, 139(4), 304-310. <https://doi.org/10.1111/acps.12996>
- Brannon, L., Feist, J., & Updegraff, J. A. (2018). *Health psychology: An introduction to behavior and health*. Boston, MA: Cengage Learning.

- Brown, H. K., McKnight, A., & Aker, A. (2022). Association between pre-pregnancy multimorbidity and adverse maternal outcomes: A systematic review. *Journal of Multimorbidity and Comorbidity*, 12, 26335565221096584. <https://doi.org/10.1177/26335565221096584>
- Brown, S., & Lumley, J. (1998). Maternal health after childbirth: Results of an Australian population based survey. *British Journal of Obstetrics and Gynaecology*, 105(2), 156-161. <https://doi.org/10.1111/j.1471-0528.1998.tb10045.x>
- Bryant, R. A. (2007). Early intervention for post-traumatic stress disorder. *Early Intervention in Psychiatry*, 1(1), 19-26. <https://doi.org/10.1111/j.1751-7893.2007.00006.x>
- Bryanton, J., Gagnon, A. J., Johnston, C., & Hatem, M. (2008). Predictors of women's perceptions of the childbirth experience. *Journal of Obstetric, Gynecologic, and Neonatal Nursing: JOGNN*, 37(1), 24-34. <https://doi.org/10.1111/j.1552-6909.2007.00203.x>
- Buchanan, S. L., Patterson, J. A., Roberts, C. L., Morris, J. M., & Ford, J. B. (2012). Trends and morbidity associated with oxytocin use in labour in nulliparas at term. *The Australian & New Zealand Journal of Obstetrics & Gynaecology*, 52(2), 173-178. <https://doi.org/10.1111/j.1479-828X.2011.01403.x>
- Bülez, A., Turfan, E. Ç., & Soğukpınar, N. (2018). Evaluation of the effect of hypnobirthing education during antenatal period on fear of childbirth. *The European Research Journal*, 5(2), 350-354.
- Byers, M. G., Allison, K. M., Wendel, C. S., & Lee, J. K. (2010). Prazosin versus quetiapine for nighttime posttraumatic stress disorder symptoms in veterans: An assessment of long-term comparative effectiveness and safety. *Journal of Clinical Psychopharmacology*, 30(3), 225-229. <https://doi.org/10.1097/JCP.0b013e3181dac52f>
- Cabanas, B. (2022). *Increasing The Utilization of Psychologists in Healthcare Through Interprofessional Education*.
- Cardwell, C. R., Stene, L. C., Joner, G., Cinek, O., Svensson, J., Goldacre, M. J., ... Patterson, C. C. (2008). Caesarean section is associated with an increased risk of childhood-onset type 1 diabetes mellitus: A meta-analysis of observational studies. *Diabetologia*, 51(5), 726-735. <https://doi.org/10.1007/s00125-008-0941-z>
- Chand, S. P., Kuckel, D. P., & Huecker, M. R. (2025). Cognitive Behavior Therapy. İçinde *StatPearls*. Treasure Island (FL): StatPearls Publishing. Geliş tarihi gönderen <http://www.ncbi.nlm.nih.gov/books/NBK470241/>
- Chang, J. J., Pien, G. W., Duntley, S. P., & Macones, G. A. (2010). Sleep deprivation during pregnancy and maternal and fetal outcomes: Is

- there a relationship? *Sleep Medicine Reviews*, 14(2), 107-114. <https://doi.org/10.1016/j.smr.2009.05.001>
- Chen, J.-L., Duan, X.-F., Zheng, L.-N., Nie, X.-F., & Zhang, Q. (2023). Bibliometric analysis of post-traumatic growth after childbirth. *Journal of Obstetrics and Gynaecology Research*, 49(7), 1770-1777. <https://doi.org/10.1111/jog.15675>
- Chervenak, F. A., McCullough, L. B., Grünebaum, A., Arabin, B., Levene, M. I., & Brent, R. L. (2013). Planned home birth in the United States and professionalism: A critical assessment. *The Journal of Clinical Ethics*, 24(3), 184-191.
- Chipalo, E. (2021). Is Trauma Focused-Cognitive Behavioral Therapy (TF-CBT) Effective in Reducing Trauma Symptoms among Traumatized Refugee Children? A Systematic Review. *Journal of Child & Adolescent Trauma*, 14(4), 545-558. <https://doi.org/10.1007/s40653-021-00370-0>
- Christiansen, D. M., & Berke, E. T. (2020). Gender- and Sex-Based Contributors to Sex Differences in PTSD. *Current Psychiatry Reports*, 22(4), 19. <https://doi.org/10.1007/s11920-020-1140-y>
- Chung, M. C., & Reed, J. (2017). Posttraumatic Stress Disorder Following Stillbirth: Trauma Characteristics, Locus of Control, Posttraumatic Cognitions. *The Psychiatric Quarterly*, 88(2), 307-321. <https://doi.org/10.1007/s11126-016-9446-y>
- Cloitre, M., Stovall-McClough, K. C., Noonan, K., Zorbas, P., Cherry, S., Jackson, C. L., ... Petkova, E. (2010). Treatment for PTSD related to childhood abuse: A randomized controlled trial. *The American Journal of Psychiatry*, 167(8), 915-924. <https://doi.org/10.1176/appi.ajp.2010.09081247>
- Cohen, L. (2021). *The Wiley Encyclopedia of Health Psychology, 4 Volume Set* (C. 4). London: Wiley.
- Cohen, M. M., Ansara, D., Schei, B., Stuckless, N., & Stewart, D. E. (2004). Posttraumatic stress disorder after pregnancy, labor, and delivery. *Journal of Women's Health* (2002), 13(3), 315-324. <https://doi.org/10.1089/154099904323016473>
- Conrad, P. (1992). Medicalization and Social Control. *Annual Review of Sociology*, 18, 209-232. JSTOR. Geliş tarihi gönderen JSTOR.
- Cook, E. J., & Wood, L. (2020). *Health psychology: The basics*. London: Routledge.
- Corrigan, C. P., Kwasky, A. N., & Groh, C. J. (2015). Social Support, Postpartum Depression, and Professional Assistance: A Survey of Mothers in the Midwestern United States. *The Journal of Perinatal Education*, 24(1), 48-60. <https://doi.org/10.1891/1058-1243.24.1.48>

- Cosans, C. (2004). The Meaning of Natural Childbirth. *Perspectives in Biology and Medicine*, 47(2), 266-272. <https://dx.doi.org/10.1353/pbm.2004.0022>.
- Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of post-natal depression. Development of the 10-item Edinburgh Postnatal Depression Scale. *The British Journal of Psychiatry: The Journal of Mental Science*, 150, 782-786. <https://doi.org/10.1192/bjp.150.6.782>
- Creedy, D. K., Shochet, I. M., & Horsfall, J. (2000). Childbirth and the development of acute trauma symptoms: Incidence and contributing factors. *Birth (Berkeley, Calif.)*, 27(2), 104-111. <https://doi.org/10.1046/j.1523-536x.2000.00104.x>
- Crowley, S. K., O'Buckley, T. K., Schiller, C. E., Stuebe, A., Morrow, A. L., & Girdler, S. S. (2016). Blunted neuroactive steroid and HPA axis responses to stress are associated with reduced sleep quality and negative affect in pregnancy: A pilot study. *Psychopharmacology*, 233(7), 1299-1310. <https://doi.org/10.1007/s00213-016-4217-x>
- Cusack, K., Jonas, D. E., Forneris, C. A., Wines, C., Sonis, J., Middleton, J. C., ... Gaynes, B. N. (2016). Psychological treatments for adults with posttraumatic stress disorder: A systematic review and meta-analysis. *Clinical Psychology Review*, 43, 128-141. <https://doi.org/10.1016/j.cpr.2015.10.003>
- Czarnocka, J., & Slade, P. (2000). Prevalence and predictors of post-traumatic stress symptoms following childbirth. *The British Journal of Clinical Psychology*, 39(1), 35-51. <https://doi.org/10.1348/014466500163095>
- Çapik, A., & Durmaz, H. (2018). Fear of Childbirth, Postpartum Depression, and Birth-Related Variables as Predictors of Posttraumatic Stress Disorder After Childbirth. *Worldviews on Evidence-Based Nursing*, 15(6), 455-463. <https://doi.org/10.1111/wvn.12326>
- Danese, A., & Lewis, S. (2017). Psychoneuroimmunology of Early-Life Stress: The Hidden Wounds of Childhood Trauma? *Neuropsychopharmacology: Official Publication of the American College of Neuropsychopharmacology*, 42(1), 99-114. <https://doi.org/10.1038/npp.2016.198>
- Daugirdaitė, V., van den Akker, O., & Purewal, S. (2015). Posttraumatic Stress and Posttraumatic Stress Disorder after Termination of Pregnancy and Reproductive Loss: A Systematic Review. *Journal of Pregnancy*, 2015, 646345. <https://doi.org/10.1155/2015/646345>
- Davis, D. L., Wu, C., Brown, W. J., & Nohr, E. A. (2022). Parity and mode of birth and their relationships with quality of life: A longi-

- tudinal study. *PloS One*, 17(9), e0273366. <https://doi.org/10.1371/journal.pone.0273366>
- de Bruijn, L., Stramrood, C. A., Lambregtse-van den Berg, M. P., & Rius Ottenheim, N. (2020). Treatment of posttraumatic stress disorder following childbirth. *Journal of Psychosomatic Obstetrics & Gynecology*, 41(1), 5-14. <https://doi.org/10.1080/0167482X.2019.1593961>
- de Graaff, L. F., Honig, A., van Pampus, M. G., & Stramrood, C. A. I. (2018). Preventing post-traumatic stress disorder following childbirth and traumatic birth experiences: A systematic review. *Acta Obstetrica Et Gynecologica Scandinavica*, 97(6), 648-656. <https://doi.org/10.1111/aogs.13291>
- de Jongh, A., Amann, B. L., Hofmann, A., Farrell, D., & Lee, C. W. (2019). The status of EMDR therapy in the treatment of posttraumatic stress disorder 30 years after its introduction. *Journal of EMDR Practice and Research*, 13(4), 261-269. <https://doi.org/10.1891/1933-3196.13.4.261>
- De Schepper, S., Vercauteren, T., Tersago, J., Jacquemyn, Y., Raes, F., & Franck, E. (2016). Post-Traumatic Stress Disorder after childbirth and the influence of maternity team care during labour and birth: A cohort study. *Midwifery*, 32, 87-92. <https://doi.org/10.1016/j.midw.2015.08.010>
- de Weerth, C., & Buitelaar, J. K. (2007). Childbirth complications affect young infants' behavior. *European Child & Adolescent Psychiatry*, 16(6), 379-388. <https://doi.org/10.1007/s00787-007-0610-7>
- Declercq, E., Cunningham, D. K., Johnson, C., & Sakala, C. (2008). Mothers' reports of postpartum pain associated with vaginal and cesarean deliveries: Results of a national survey. *Birth (Berkeley, Calif.)*, 35(1), 16-24. <https://doi.org/10.1111/j.1523-536X.2007.00207.x>
- DeGroot, J. M., & Vik, T. A. (2017). "We were not prepared to tell people yet": Confidentiality breaches and boundary turbulence on Facebook. *Computers in Human Behavior*, 70, 351-359. <https://doi.org/10.1016/j.chb.2017.01.016>
- Dekel, S., Papadakis, J. E., Quagliarini, B., Jagodnik, K. M., & Nandru, R. (2023). A Systematic Review of Interventions for Prevention and Treatment of Post-Traumatic Stress Disorder Following Childbirth. *medRxiv*, 2023.08.17.23294230. <https://doi.org/10.1101/2023.08.17.23294230>
- Delicate, A., Ayers, S., Easter, A., & McMullen, S. (2018). The impact of childbirth-related post-traumatic stress on a couple's relationship: A systematic review and meta-synthesis. *Journal of Reproductive and Infant Psychology*, 36(1), 102-115.

- Delicate, A., & Ayers, S. (2023). The impact of birth trauma on the couple relationship and related support requirements; a framework analysis of parents' perspectives. *Midwifery*, 123, 103732.
- DeMier, R. L., Hynan, M. T., Harris, H. B., & Manniello, R. L. (1996). Perinatal stressors as predictors of symptoms of posttraumatic stress in mothers of infants at high risk. *Journal of Perinatology: Official Journal of the California Perinatal Association*, 16(4), 276-280.
- Dempsey, A. G., Chavis, L., Willis, T., Zuk, J., & Cole, J. C. M. (2021). Addressing Perinatal Mental Health Risk within a Fetal Care Center. *Journal of Clinical Psychology in Medical Settings*, 28(1), 125-136. <https://doi.org/10.1007/s10880-020-09728-2>
- Demšar, K., Svetina, M., Verdenik, I., Tul, N., Blickstein, I., & Globevnik Velikonja, V. (2018). Tokophobia (fear of childbirth): Prevalence and risk factors. *Journal of Perinatal Medicine*, 46(2), 151-154. <https://doi.org/10.1515/jpm-2016-0282>
- Dencker, A., Nilsson, C., Begley, C., Jangsten, E., Mollberg, M., Patel, H., ... Sparud-Lundin, C. (2019). Causes and outcomes in studies of fear of childbirth: A systematic review. *Women and Birth: Journal of the Australian College of Midwives*, 32(2), 99-111. <https://doi.org/10.1016/j.wombi.2018.07.004>
- Deninotti, J., Denis, A., & Berdoulat, É. (2020). Emergency C-section, maternal satisfaction and emotion regulation strategies: Effects on PTSD and postpartum depression symptoms. *Journal of Reproductive and Infant Psychology*, 38(4), 421-435. <https://doi.org/10.1080/02646838.2020.1793308>
- Dennis, C.-L., Falah-Hassani, K., & Shiri, R. (2017). Prevalence of antenatal and postnatal anxiety: Systematic review and meta-analysis. *The British Journal of Psychiatry: The Journal of Mental Science*, 210(5), 315-323. <https://doi.org/10.1192/bjp.bp.116.187179>
- Dennis, C.-L., Vigod, S., Grigoriadis, S., Brown, H., Brennenstuhl, S., Dol, J., ... Marini, F. (2023). Cohort profile: Impact of Maternal and Paternal Mental Health - Assessing Concurrent Depression, Anxiety and Comorbidity in the Canadian Family (IMPACT study). *BMJ Open*, 13(3), e071691. <https://doi.org/10.1136/bmjopen-2023-071691>
- Dickens, M. J., Pawluski, J. L., & Romero, L. M. (2020). Moving Forward From COVID-19: Bridging Knowledge Gaps in Maternal Health With a New Conceptual Model. *Frontiers in Global Women's Health*, 1, 586697. <https://doi.org/10.3389/fgwh.2020.586697>
- Dickinson, C., Vangaveti, V., & Browne, A. (2022). Psychological impact of neonatal intensive care unit admissions on parents: A regional

- perspective. *The Australian Journal of Rural Health*, 30(3), 373-384. <https://doi.org/10.1111/ajr.12841>
- Dikmen-Yildiz, P., Ayers, S., & Phillips, L. (2017). Depression, anxiety, PTSD and comorbidity in perinatal women in Turkey: A longitudinal population-based study. *Midwifery*, 55, 29-37. <https://doi.org/10.1016/j.midw.2017.09.001>
- Dikmen-Yildiz, P., Ayers, S., & Phillips, L. (2018). Longitudinal trajectories of post-traumatic stress disorder (PTSD) after birth and associated risk factors. *Journal of Affective Disorders*, 229, 377-385. <https://doi.org/10.1016/j.jad.2017.12.074>
- DiMatteo, M. R., Morton, S. C., Lepper, H. S., Damush, T. M., Carney, M. F., Pearson, M., & Kahn, K. L. (1996). Cesarean childbirth and psychosocial outcomes: A meta-analysis. *Health Psychology: Official Journal of the Division of Health Psychology, American Psychological Association*, 15(4), 303-314. <https://doi.org/10.1037//0278-6133.15.4.303>
- Dolan, E. (2018). *Centering C-section Narratives in Birth Discourse*. Mount Holyoke College, South Hadley, MA.
- Dominguez, S., & Lee, C. W. (2019). Differences in International Guidelines Regarding EMDR for Posttraumatic Stress Disorder: Why They Diverge and Suggestions for Future Research. *Journal of EMDR Practice and Research*, (4), 247-260. <https://doi.org/10.1891/1933-3196.13.4.247>
- Donati, S., Senatore, S., Ronconi, A., & Regional Maternal Mortality Working Group. (2012). Obstetric near-miss cases among women admitted to intensive care units in Italy. *Acta Obstetrica Et Gynecologica Scandinavica*, 91(4), 452-457. <https://doi.org/10.1111/j.1600-0412.2012.01352.x>
- Dumpa, V., & Kamity, R. (2025). Birth Trauma. İçinde *StatPearls*. Treasure Island (FL): StatPearls Publishing. Geliş tarihi gönderen <http://www.ncbi.nlm.nih.gov/books/NBK539831/>
- Dünya Sağlık Örgütü. (1948). Summary reports on proceedings minutes and final acts of the international health conference held in New York from 19 June to 22 July 1946. *New York: WHO*, 35.
- Dünya Sağlık Örgütü. (1985). Appropriate technology for birth. *Lancet (London, England)*, 2(8452), 436-437.
- Dünya Sağlık Örgütü. (2016). Geliş tarihi gönderen <https://www.who.int/news-room/fact-sheets/detail/congenital-anomalies> (
- Easter, A., Sandall, J., & Howard, L. M. (2021). Obstetric near misses among women with serious mental illness: Data linkage cohort

- study. *The British Journal of Psychiatry*, 219(3), 494-500. <https://doi.org/10.1192/bjp.2020.250>
- El-Jawahri, A., Jacobs, J. M., Nelson, A. M., Traeger, L., Greer, J. A., Nicholson, S., ... Temel, J. S. (2020). Multimodal psychosocial intervention for family caregivers of patients undergoing hematopoietic stem cell transplantation: A randomized clinical trial. *Cancer*, 126(8), 1758-1765. <https://doi.org/10.1002/cncr.32680>
- Elmir, R., Schmied, V., Wilkes, L., & Jackson, D. (2010). Women's perceptions and experiences of a traumatic birth: A meta-ethnography. *Journal of Advanced Nursing*, 66(10), 2142-2153. <https://doi.org/10.1111/j.1365-2648.2010.05391.x>
- Engel, G. L. (1977). The need for a new medical model: A challenge for biomedicine. *Science (New York, N.Y.)*, 196(4286), 129-136. <https://doi.org/10.1126/science.847460>
- Engel, G. L. (1980). The clinical application of the biopsychosocial model. *The American Journal of Psychiatry*, 137(5), 535-544. <https://doi.org/10.1176/ajp.137.5.535>
- Engelhard, I. M. (2004). Miscarriage as a traumatic event. *Clinical obstetrics and Gynecology*, 47(3), 547-551.
- Epifanio, M. S., Genna, V., Luca, C. D., Roccella, M., & Grutta, S. L. (2015). Paternal and Maternal Transition to Parenthood: The Risk of Postpartum Depression and Parenting Stress. *Pediatric Reports*, 7(2), 5872. <https://doi.org/10.4081/pr.2015.5872>
- Ertan, D., Hingray, C., Burlacu, E., Sterlé, A., & El-Hage, W. (2021). Post-traumatic stress disorder following childbirth. *BMC Psychiatry*, 21(1), 155. <https://doi.org/10.1186/s12888-021-03158-6>
- Ettinger, S., Powers, N. J., & Geller, P. A. (2024). Beyond birth trauma: A scoping review on childbirth-related post-traumatic stress disorder and early relational health in the family system. *International Journal of Gynecology & Obstetrics*, n/a(n/a). <https://doi.org/10.1002/ijgo.16099>
- Evans, K., Pallotti, P., Spiby, H., Evans, C., & Eldridge, J. (2023). Supporting birth companions for women in labor, the views and experiences of birth companions, women and midwives: A mixed methods systematic review. *Birth*, 50(4), 689-710. <https://doi.org/10.1111/birt.12736>
- Fairbrother, N., Janssen, P., Antony, M. M., Tucker, E., & Young, A. H. (2016). Perinatal anxiety disorder prevalence and incidence. *Journal of Affective Disorders*, 200, 148-155. <https://doi.org/10.1016/j.jad.2015.12.082>

- Fairbrother, N., Thordarson, D. S., & Stoll, K. (2018). Fine tuning fear of childbirth: The relationship between Childbirth Fear Questionnaire subscales and demographic and reproductive variables. *Journal of Reproductive and Infant Psychology*, 36(1), 15-29. <https://doi.org/10.1080/02646838.2017.1396300>
- Farr, S. L., Dietz, P. M., Gibbs, F. A., Williams, J. R., & Tregear, S. (2011). Depression Screening and Treatment Among Nonpregnant Women of Reproductive Age in the United States, 1990-2010. *Preventing Chronic Disease*, 8(6), A122.
- Farren, J., Jalmbrant, M., Ameye, L., Joash, K., Mitchell-Jones, N., Tapp, S., ... Bourne, T. (2016). Post-traumatic stress, anxiety and depression following miscarriage or ectopic pregnancy: A prospective cohort study. *BMJ Open*, 6(11), e011864. <https://doi.org/10.1136/bmjopen-2016-011864>
- Felder, J. N., Baer, R. J., Rand, L., Jelliffe-Pawlowski, L. L., & Prather, A. A. (2017). Sleep Disorder Diagnosis During Pregnancy and Risk of Preterm Birth. *Obstetrics and Gynecology*, 130(3), 573-581. <https://doi.org/10.1097/AOG.0000000000002132>
- Fenn, K., & Byrne, M. (2013). The key principles of cognitive behavioural therapy. *InnovAiT*, 6(9), 579-585. <https://doi.org/10.1177/1755738012471029>
- Figueiredo, B., Field, T., Diego, M., Hernandez-Reif, M., Deeds, O., & Ascencio, A. (2008). Partner relationships during the transition to parenthood. *Journal of Reproductive and Infant Psychology*, 26(2), 99-107. <https://doi.org/10.1080/02646830701873057>
- Fisher, J., Cabral de Mello, M., Patel, V., Rahman, A., Tran, T., Holton, S., & Holmes, W. (2012). Prevalence and determinants of common perinatal mental disorders in women in low- and lower-middle-income countries: A systematic review. *Bulletin of the World Health Organization*, 90(2), 139G-149G. <https://doi.org/10.2471/BLT.11.091850>
- Foa, E. B. (2011). Prolonged exposure therapy: Past, present, and future. *Depression and Anxiety*, 28(12), 1043-1047. <https://doi.org/10.1002/da.20907>
- Foa, E. B., Keane, T. M., & Friedman, M. J. (2000). Guidelines for Treatment of PTSD. *Journal of Traumatic Stress*, 13(4), 539-588. <https://doi.org/10.1023/A:1007802031411>
- Foa, E. B., Keane, T. M., Friedman, M. J., & Cohen, J. A. (2009). *Effective treatments for PTSD: Practice guidelines from the International Society for Traumatic Stress Studies*. New York: Guilford Press.

- Ford, E., & Ayers, S. (2011). Support during birth interacts with prior trauma and birth intervention to predict postnatal post-traumatic stress symptoms. *Psychology & Health*, 26(12), 1553-1570. <https://doi.org/10.1080/08870446.2010.533770>
- Ford, J. D. (2020). Group therapy. İçinde *Treating complex traumatic stress disorders in adults: Scientific foundations and therapeutic models*, 2nd ed. (ss. 415-439). New York, NY, US: The Guilford Press.
- Frankham, L. J., Thorsteinsson, E. B., & Bartik, W. (2024). Factors Associated with Birth-Related Post-Traumatic Stress Disorder Symptoms and the Subsequent Impact of Traumatic Birth on Mother–Infant Relationship Quality. *Behavioral Sciences*, 14(9). <https://doi.org/10.3390/bs14090808>
- Furuta, M., Horsch, A., Ng, E. S. W., Bick, D., Spain, D., & Sin, J. (2018). Effectiveness of Trauma-Focused Psychological Therapies for Treating Post-traumatic Stress Disorder Symptoms in Women Following Childbirth: A Systematic Review and Meta-Analysis. *Frontiers in Psychiatry*, 9, 591. <https://doi.org/10.3389/fpsyt.2018.00591>
- Garthus-Niegel, S., Ayers, S., Martini, J., von Soest, T., & Eberhard-Gran, M. (2017). The impact of postpartum post-traumatic stress disorder symptoms on child development: A population-based, 2-year follow-up study. *Psychological Medicine*, 47(1), 161-170. <https://doi.org/10.1017/S003329171600235X>
- Garthus-Niegel, S., von Soest, T., Vollrath, M. E., & Eberhard-Gran, M. (2013). The impact of subjective birth experiences on post-traumatic stress symptoms: A longitudinal study. *Archives of Women's Mental Health*, 16(1), 1-10. <https://doi.org/10.1007/s00737-012-0301-3>
- Gatchel, R. J., & Oordt, M. S. (2003). *Clinical health psychology and primary care: Practical advice and clinical guidance for successful collaboration*. (ss. xiv, 263). Washington, DC, US: American Psychological Association. <https://doi.org/10.1037/10592-000>
- Ghosn, F., Almansa, B., Moreno-Giménez, A., Sahuquillo-Leal, R., Serano-Lozano, E., Hervás, D., ... García Blanco, A. (2019). Trajectories of stress biomarkers and anxious-depressive symptoms from pregnancy to postpartum period in women with a trauma history. *European Journal of Psychotraumatology*, 10(1), 1601990. <https://doi.org/10.1080/20008198.2019.1601990>
- Giannandrea, S. A. M., Cerulli, C., Anson, E., & Chaudron, L. H. (2013). Increased risk for postpartum psychiatric disorders among women with past pregnancy loss. *Journal of Women's Health* (2002), 22(9), 760-768. <https://doi.org/10.1089/jwh.2012.4011>

- Gifford, E. (2003). *The Importance of Midwives and Healers, From Martha Ballard to Mary Peterson: An Examination of the History and Cultural Significance of Midwifery and Healing in Native, European and American Societies*. Western Oregon University.
- Gold, K. J., Leon, I., Boggs, M. E., & Sen, A. (2016). Depression and Posttraumatic Stress Symptoms After Perinatal Loss in a Population-Based Sample. *Journal of Women's Health* (2002), 25(3), 263-269. <https://doi.org/10.1089/jwh.2015.5284>
- Goldani, H. A., Bettiol, H., Barbieri, M. A., Silva, A. A., Agranonik, M., Morais, M. B., & Goldani, M. Z. (2011). Cesarean delivery is associated with an increased risk of obesity in adulthood in a Brazilian birth cohort study. *The American Journal of Clinical Nutrition*, 93(6), 1344-1347. <https://doi.org/10.3945/ajcn.110.010033>
- Gottvall, K., & Waldenström, U. (2002). Does a traumatic birth experience have an impact on future reproduction? *BJOG: An International Journal of Obstetrics and Gynaecology*, 109(3), 254-260. <https://doi.org/10.1111/j.1471-0528.2002.01200.x>
- Goutaudier, N., Séjourné, N., Rousset, C., Lami, C., & Chabrol, H. (2012). Negative emotions, childbirth pain, perinatal dissociation and self-efficacy as predictors of postpartum posttraumatic stress symptoms. *Journal of Reproductive and Infant Psychology*, 30(4), 352-362.
- Gökçe İsbir, G., İnci, F., Önal, H., & Yıldız, P. D. (2016). The effects of antenatal education on fear of childbirth, maternal self-efficacy and post-traumatic stress disorder (PTSD) symptoms following childbirth: An experimental study. *Applied Nursing Research: ANR*, 32, 227-232. <https://doi.org/10.1016/j.apnr.2016.07.013>
- Grabowska, C. (2009). Unhappiness after childbirth. İçinde *The Social Context of Birth*. London: Routledge.
- Gravensteen, I. K., Helgadóttir, L. B., Jacobsen, E.-M., Rådestad, I., Sandset, P. M., & Ekeberg, O. (2013). Women's experiences in relation to stillbirth and risk factors for long-term post-traumatic stress symptoms: A retrospective study. *BMJ Open*, 3(10), e003323. <https://doi.org/10.1136/bmjopen-2013-003323>
- Greenberger, D., & Padesky, C. A. (1995). *Mind over mood: A cognitive therapy treatment manual for clients*. (ss. xi, 215). New York, NY, US: Guilford Press.
- Greene, C. A., McCarthy, K. J., Estabrook, R., Wakschlag, L. S., & Briggs-Gowan, M. J. (2020). Responsive Parenting Buffers the Impact of Maternal PTSD on Young Children. *Parenting*, 20(2), 141-165. <https://doi.org/10.1080/15295192.2019.1707623>

- Greenfield, M., Jomeen, J., & Glover, L. (2016). What is traumatic birth? A concept analysis and literature review. *British Journal of Midwifery*, 24(4), 254-267. <https://doi.org/10.12968/bjom.2016.24.4.254>
- Greenfield, M., Jomeen, J., & Glover, L. (2019). “It Can’t Be Like Last Time” – Choices Made in Early Pregnancy by Women Who Have Previously Experienced a Traumatic Birth. *Frontiers in Psychology*, 10, 56. <https://doi.org/10.3389/fpsyg.2019.00056>
- Grekin, R., & O’Hara, M. W. (2014). Prevalence and risk factors of postpartum posttraumatic stress disorder: A meta-analysis. *Clinical Psychology Review*, 34(5), 389-401. <https://doi.org/10.1016/j.cpr.2014.05.003>
- Grenier, J. (2010). Psychology on the Front Line of Primary Care. *Psychopsis*, 32(1).
- Griffin, S. M., Lebedová, A., Ahern, E., McMahon, G., Bradshaw, D., & Muldoon, O. T. (2023). PROTOCOL: Group-based interventions for posttraumatic stress disorder: A systematic review and meta-analysis of the role of trauma type. *Campbell Systematic Reviews*, 19(2), e1328. <https://doi.org/10.1002/cl2.1328>
- Grigoriadis, S., Wilton, A. S., Kurdyak, P. A., Rhodes, A. E., VonderPorten, E. H., Levitt, A., ... Vigod, S. N. (2017). Perinatal suicide in Ontario, Canada: A 15-year population-based study. *CMAJ : Canadian Medical Association Journal*, 189(34), E1085-E1092. <https://doi.org/10.1503/cmaj.170088>
- Haagen, J. F. G., Moerbeek, M., Olde, E., van der Hart, O., & Kleber, R. J. (2015). PTSD after childbirth: A predictive ethological model for symptom development. *Journal of Affective Disorders*, 185, 135-143. <https://doi.org/10.1016/j.jad.2015.06.049>
- Habersaat, S., Pierrehumbert, B., Forcada-Guex, M., Nessi, J., Ansermet, F., Müller-Nix, C., & Borghini, A. (2014). Early stress exposure and later cortisol regulation: Impact of early intervention on mother–infant relationship in preterm infants. *Psychological Trauma: Theory, Research, Practice, and Policy*, 6(5), 457-464. <https://doi.org/10.1037/a0033878>
- Handelzalts, J. E., Hairston, I. S., Muzik, M., Matatyahu Tahar, A., & Levy, S. (2022). A paradoxical role of childbirth-related posttraumatic stress disorder (PTSD) symptoms in the association between personality factors and mother-infant bonding: A cross-sectional study. *Psychological Trauma: Theory, Research, Practice and Policy*, 14(6), 1066-1072. <https://doi.org/10.1037/tra0000521>
- Handelzalts, J. E., Kalfon-Hakmigari, M., Raichin, A., & Peled, Y. (2024). Postpartum acute stress disorder symptoms, social sup-

- port, and quality of couple's relationship associations with childbirth PTSD. *Frontiers in Psychiatry*, 15. Geliş tarihi gönderen <https://www.frontiersin.org/journals/psychiatry/articles/10.3389/fpsyt.2024.1310114>
- Handelzalts, J. E., Levy, S., Molmen-Lichter, M., Ayers, S., Krissi, H., Wiznitzer, A., & Peled, Y. (2021). The association of attachment style, postpartum PTSD and depression with bonding- A longitudinal path analysis model, from childbirth to six months. *Journal of Affective Disorders*, 280(Pt A), 17-25. <https://doi.org/10.1016/j.jad.2020.10.068>
- Harvey, A. G., Bryant, R. A., & Tarrier, N. (2003). Cognitive behaviour therapy for posttraumatic stress disorder. *Clinical Psychology Review*, 23(3), 501-522. [https://doi.org/10.1016/s0272-7358\(03\)00035-7](https://doi.org/10.1016/s0272-7358(03)00035-7)
- Hausman, B. L. (2005). Risky business: Framing childbirth in hospital settings. *The Journal of Medical Humanities*, 26(1), 23-38. <https://doi.org/10.1007/s10912-005-1050-3>
- Henriksen, L., Grimsrud, E., Schei, B., Lukasse, M., & Bidens Study Group. (2017). Factors related to a negative birth experience—A mixed methods study. *Midwifery*, 51, 33-39. <https://doi.org/10.1016/j.midw.2017.05.004>
- Herman, J. L. (2003). *Trauma and recovery: The aftermath of violence—From domestic abuse to political terror (20. Pr)*. New York: NY Basic Books.
- Hernández-Martínez, A., Rodríguez-Almagro, J., Molina-Alarcón, M., Infante-Torres, N., Rubio-Álvarez, A., & Martínez-Galiano, J. M. (2020). Perinatal factors related to post-traumatic stress disorder symptoms 1-5 years following birth. *Women and Birth: Journal of the Australian College of Midwives*, 33(2), e129-e135. <https://doi.org/10.1016/j.wombi.2019.03.008>
- Herrero-Arias, R., Ortiz-Barreda, G., & Carrasco-Portiño, M. (2022). Maternity care through the eyes of Southern European immigrant parents in Norway. *Gaceta Sanitaria*, 36(2), 111-117. <https://doi.org/10.1016/j.gaceta.2020.11.004>
- Heyne, C.-S., Kazmierczak, M., Souday, R., Horesh, D., Lambregtse-van den Berg, M., Weigl, T., ... Garthus-Niegel, S. (2022). Prevalence and risk factors of birth-related posttraumatic stress among parents: A comparative systematic review and meta-analysis. *Clinical Psychology Review*, 94, 102157. <https://doi.org/10.1016/j.cpr.2022.102157>

- Hoffmann, L., & Banse, R. (2021). Psychological aspects of childbirth: Evidence for a birth-related mindset. *European Journal of Social Psychology*, 51(1), 124-151. <https://doi.org/10.1002/ejsp.2719>
- Hoffmann, L., Hilger, N., Riolino, E., Lenz, A., & Banse, R. (2023). Partner support and relationship quality as potential resources for childbirth and the transition to parenthood. *BMC Pregnancy and Childbirth*, 23, 435. <https://doi.org/10.1186/s12884-023-05748-6>
- Hollander, M. H., van Hastenberg, E., van Dillen, J., van Pampus, M. G., de Miranda, E., & Stramrood, C. a. I. (2017). Preventing traumatic childbirth experiences: 2192 women's perceptions and views. *Archives of Women's Mental Health*, 20(4), 515-523. <https://doi.org/10.1007/s00737-017-0729-6>
- Holopainen, A., Stramrood, C., van Pampus, M. G., Hollander, M., & Schuengel, C. (2020). Subsequent childbirth after previous traumatic birth experience: Women's choices and evaluations. *British Journal of Midwifery*, 28(8), 488-496. <https://doi.org/10.12968/bjom.2020.28.8.488>
- Horsch, A., & Garthus-Niegel, S. (2019). Posttraumatic stress disorder following childbirth. *İçinde Childbirth, Vulnerability and Law*. London: Routledge.
- Horsch, A., Garthus-Niegel, S., Ayers, S., Chandra, P., Hartmann, K., Vaisbuch, E., & Lalor, J. (2024). Childbirth-related posttraumatic stress disorder: Definition, risk factors, pathophysiology, diagnosis, prevention, and treatment. *American Journal of Obstetrics and Gynecology*, 230(3S), S1116-S1127. <https://doi.org/10.1016/j.ajog.2023.09.089>
- Hoseinzadeh, N., Khojasteh, F., & Pahlavani Sheikhi, Z. (2020). The Effect of Cognitive-Behavioral Therapy on the Severity of Post-Traumatic Stress in Pregnant Women with a History of Traumatic Delivery. *Medical - Surgical Nursing Journal*, 9(3), e111656. <https://doi.org/10.5812/msnj.111656>
- Hoskins, M. D., Sinnerton, R., Nakamura, A., Underwood, J. F. G., Slater, A., Lewis, C., ... Clarke, L. (2021). Pharmacological-assisted Psychotherapy for Post Traumatic Stress Disorder: A systematic review and meta-analysis. *European Journal of Psychotraumatology*, 12(1), 1853379. <https://doi.org/10.1080/20008198.2020.1853379>
- Howard, L. M., & Khalifeh, H. (2020). Perinatal mental health: A review of progress and challenges. *World Psychiatry: Official Journal of the World Psychiatric Association (WPA)*, 19(3), 313-327. <https://doi.org/10.1002/wps.20769>

- Howard, L. M., Molyneaux, E., Dennis, C.-L., Rochat, T., Stein, A., & Milgrom, J. (2014). Non-psychotic mental disorders in the perinatal period. *The Lancet*, 384(9956), 1775-1788. [https://doi.org/10.1016/S0140-6736\(14\)61276-9](https://doi.org/10.1016/S0140-6736(14)61276-9)
- Huang, D., Dai, L., Zeng, T., Huang, H., Wu, M., Yuan, M., & Zhang, K. (2019). Exploring Contributing Factors to Psychological Traumatic Childbirth from the Perspective of Midwives: A Qualitative Study. *Asian Nursing Research*, 13(4), 270-276. <https://doi.org/10.1016/j.anr.2019.10.002>
- Hyde, M. J., Mostyn, A., Modi, N., & Kemp, P. R. (2012). The health implications of birth by Caesarean section. *Biological Reviews of the Cambridge Philosophical Society*, 87(1), 229-243. <https://doi.org/10.1111/j.1469-185X.2011.00195.x>
- Institute of Medicine (US) Committee on the Future of Primary Care. (1996). *Primary Care: America's Health in a New Era* (M. S. Donaldson, K. D. Yordy, K. N. Lohr, & N. A. Vanselow, Ed.). Washington (DC): National Academies Press (US). Geliş tarihi gönderen <http://www.ncbi.nlm.nih.gov/books/NBK232643/>
- Isaacs, N. Z., & Andipatin, M. G. (2020). A systematic review regarding women's emotional and psychological experiences of high-risk pregnancies. *BMC Psychology*, 8(1), 45. <https://doi.org/10.1186/s40359-020-00410-8>
- James, S. (2015). Women's experiences of symptoms of posttraumatic stress disorder (PTSD) after traumatic childbirth: A review and critical appraisal. *Archives of Women's Mental Health*, 18(6), 761-771. <https://doi.org/10.1007/s00737-015-0560-x>
- Jenewein, J., Moergeli, H., Fauchère, J.-C., Bucher, H. U., Kraemer, B., Wittmann, L., ... Büchi, S. (2008). Parents' mental health after the birth of an extremely preterm child: A comparison between bereaved and non-bereaved parents. *Journal of Psychosomatic Obstetrics and Gynaecology*, 29(1), 53-60. <https://doi.org/10.1080/01674820701640181>
- Jind, L. (2003). Parents' adjustment to late abortion, stillbirth or infant death: The role of causal attributions. *Scandinavian Journal of Psychology*, 44(4), 383-394. <https://doi.org/10.1111/1467-9450.00358>
- Johanson, R., Newburn, M., & Macfarlane, A. (2002). Has the medicalisation of childbirth gone too far? *BMJ (Clinical Research Ed.)*, 324(7342), 892-895. <https://doi.org/10.1136/bmj.324.7342.892>
- Johnson, A., Thakar, R., & Sultan, A. H. (2012). Obstetric perineal wound infection: Is there underreporting? *British Journal of Nur-*

- sing (Mark Allen Publishing), 21(5), S28, S30, S32-35. <https://doi.org/10.12968/bjon.2012.21.Sup5.S28>
- Jones, E., & Wessely, S. (2005). *Shell shock to PTSD: Military psychiatry from 1900 to the Gulf War*. Psychology Press.
- Jotzo, M., & Poets, C. F. (2005). Helping parents cope with the trauma of premature birth: An evaluation of a trauma-preventive psychological intervention. *Pediatrics*, 115(4), 915-919. <https://doi.org/10.1542/peds.2004-0370>
- Jouhki, M.-R. (2012). Choosing homebirth—The women's perspective. *Women and Birth: Journal of the Australian College of Midwives*, 25(4), e56-61. <https://doi.org/10.1016/j.wombi.2011.10.002>
- Jung, S. J., Kang, J. H., Roberts, A. L., Nishimi, K., Chen, Q., Sumner, J. A., ... Koenen, K. C. (2019). Posttraumatic stress disorder and incidence of thyroid dysfunction in women. *Psychological Medicine*, 49(15), 2551-2560. <https://doi.org/10.1017/S0033291718003495>
- Kaasen, A., Helbig, A., Malt, U. F., Naes, T., Skari, H., & Haugen, G. (2010). Acute maternal social dysfunction, health perception and psychological distress after ultrasonographic detection of a fetal structural anomaly. *BJOG: An International Journal of Obstetrics and Gynaecology*, 117(9), 1127-1138. <https://doi.org/10.1111/j.1471-0528.2010.02622.x>
- Kaliush, P. R., Conradt, E., Kerig, P. K., Williams, P. G., & Crowell, S. E. (2024). A multilevel developmental psychopathology model of childbirth and the perinatal transition. *Development and Psychopathology*, 36(2), 533-544. <https://doi.org/10.1017/S0954579422001389>
- Karlsdottir, S. I., Sveinsdottir, H., Kristjansdottir, H., Aspelund, T., & Olafsdottir, O. A. (2018). Predictors of women's positive childbirth pain experience: Findings from an Icelandic national study. *Women and Birth*, 31(3), e178-e184. <https://doi.org/10.1016/j.wombi.2017.09.007>
- Kelly, R., Zatzick, D., & Anders, T. (2001). The detection and treatment of psychiatric disorders and substance use among pregnant women cared for in obstetrics. *The American Journal of Psychiatry*, 158(2), 213-219. <https://doi.org/10.1176/appi.ajp.158.2.213>
- Kendall-Tackett, K. (2007). *The Psychological Impact of Birth Experience: An Underreported Source of Trauma in the Lives of Women*. Trauma Psychology Newsletter.
- Kersting, A., Dorsch, M., Wesselmann, U., Lüdorff, K., Witthaut, J., Ohrmann, P., ... Arolt, V. (2004). Maternal posttraumatic stress response after the birth of a very low-birth-weight infant. *Journal of*

- Psychosomatic Research*, 57(5), 473-476. <https://doi.org/10.1016/j.jpsychores.2004.03.011>
- Kersting, A., Dölemeyer, R., Steinig, J., Walter, F., Kroker, K., Baust, K., & Wagner, B. (2013). Brief Internet-based intervention reduces posttraumatic stress and prolonged grief in parents after the loss of a child during pregnancy: A randomized controlled trial. *Psychotherapy and Psychosomatics*, 82(6), 372-381. <https://doi.org/10.1159/000348713>
- Khadem Rezaiyan, M., Saeidi, R., Ghazanfarpour, M., Etemadi Mashhadi, M., & najaf najafi, mona. (2018). Relationship between Hypnosis for Pain Management in Labor and Adverse Neonatal Outcomes: A Systematic Review. *Iranian Journal of Neonatology*, 9(3), 70-75. <https://doi.org/10.22038/ijn.2018.30047.1407>
- Khalifeh, H., Hunt, I. M., Appleby, L., & Howard, L. M. (2016). Suicide in perinatal and non-perinatal women in contact with psychiatric services: 15 year findings from a UK national inquiry. *The Lancet. Psychiatry*, 3(3), 233-242. [https://doi.org/10.1016/S2215-0366\(16\)00003-1](https://doi.org/10.1016/S2215-0366(16)00003-1)
- Khsim, I. E. F., Rodríguez, M. M., Riquelme Gallego, B., Caparros-Gonzalez, R. A., & Amezcua-Prieto, C. (2022). Risk Factors for Post-Traumatic Stress Disorder after Childbirth: A Systematic Review. *Diagnostics (Basel, Switzerland)*, 12(11), 2598. <https://doi.org/10.3390/diagnostics12112598>
- Kildea, S., Simcock, G., Liu, A., Elgbeili, G., Laplante, D. P., Kahler, A., ... King, S. (2018). Continuity of midwifery carer moderates the effects of prenatal maternal stress on postnatal maternal wellbeing: The Queensland flood study. *Archives of Women's Mental Health*, 21(2), 203-214. <https://doi.org/10.1007/s00737-017-0781-2>
- Kjerulff, K. H., Attanasio, L. B., Sznajder, K. K., & Brubaker, L. H. (2021). A prospective cohort study of post-traumatic stress disorder and maternal-infant bonding after first childbirth. *Journal of Psychosomatic Research*, 144, 110424. <https://doi.org/10.1016/j.jpsychores.2021.110424>
- Kleber, R. J., & Brom, D. (1992). *Coping with Trauma: Theory, Prevention and Treatment*. Lisse: Swets & Zeitlinger.
- Knight, M., Bunch, K., Tuffnell, D., Jayakody, H., Shakespeare, J., Kotnis, R., ... Kurinczuk, J. J. (2018). *Lessons learned to inform maternity care from the UK and Ireland confidential enquiries into maternal deaths and morbidity 2014-16*. Oxford, National Perinatal Epidemiology Unit: University of Oxford.

- Knight, M., Tuffnell, D., Kenyon, S., Shakespeare, J., Gray, R., & Kurinczuk, J. J. (2015). *Saving lives, improving mothers' care: Surveillance of maternal deaths in the UK 2011–13 and lessons learned to inform maternity care from the UK and Ireland confidential enquiries into maternal deaths and morbidity 2009–13*. Oxford, MBB-RACE-UK.
- Kohler, S., Sidney Annerstedt, K., Diwan, V., Lindholm, L., Randive, B., Vora, K., & De Costa, A. (2018). Postpartum quality of life in Indian women after vaginal birth and cesarean section: A pilot study using the EQ-5D-5L descriptive system. *BMC Pregnancy and Childbirth*, 18(1), 427. <https://doi.org/10.1186/s12884-018-2038-0>
- Kokurcan, A., & Özsan Hüseyin, H. (2012). *Kriz Dergisi*, 20(1), 19-24. https://doi.org/10.1501/Kriz_00000000330
- Koochaki, M., Mahmoodi, Z., Esmaelzadeh-Saeieh, S., Kabir, K., & Dolatian, M. (2018). Effects of cognitive-behavioral counseling on posttraumatic stress disorder in mothers with infants hospitalized at neonatal intensive care units: A randomized controlled trial. *Iran J Psychiatry Behav Sci*, e65159.
- Kopmeiners, E. H. M., Hollander, M. H., van Voorst, N., & Stramrood, C. A. I. (2023). Effect of early postpartum EMDR on reducing psychological complaints in women with a traumatic childbirth experience. *Journal of Psychosomatic Obstetrics and Gynaecology*, 44(1), 2229010. <https://doi.org/10.1080/0167482X.2023.2229010>
- Korenromp, M. J., Christiaens, G. C. M. L., van den Bout, J., Mulder, E. J. H., Hunfeld, J. a. M., Bilardo, C. M., ... Visser, G. H. A. (2005). Long-term psychological consequences of pregnancy termination for fetal abnormality: A cross-sectional study. *Prenatal Diagnosis*, 25(3), 253-260. <https://doi.org/10.1002/pd.1127>
- Kranenburg, L., Lambregtse-van den Berg, M., & Stramrood, C. (2023). Traumatic Childbirth Experience and Childbirth-Related Post-Traumatic Stress Disorder (PTSD): A Contemporary Overview. *International Journal of Environmental Research and Public Health*, 20(4), 2775. <https://doi.org/10.3390/ijerph20042775>
- Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: Validity of a brief depression severity measure. *Journal of General Internal Medicine*, 16(9), 606-613. <https://doi.org/10.1046/j.1525-1497.2001.016009606.x>
- Kroll-Desrosiers, A. R., Nephew, B. C., Babb, J. A., Guilarte-Walker, Y., Moore Simas, T. A., & Deligiannidis, K. M. (2017). Association of peripartum synthetic oxytocin administration and depressive and

- anxiety disorders within the first postpartum year. *Depression and Anxiety*, 34(2), 137-146. <https://doi.org/10.1002/da.22599>
- Laddu, D., Dow, C., Hingle, M., Thomson, C., & Going, S. (2011). A review of evidence-based strategies to treat obesity in adults. *Nutrition in Clinical Practice: Official Publication of the American Society for Parenteral and Enteral Nutrition*, 26(5), 512-525. <https://doi.org/10.1177/0884533611418335>
- Lanius, R. A., Vermetten, E., Loewenstein, R. J., Brand, B., Schmahl, C., Bremner, J. D., & Spiegel, D. (2010). Emotion modulation in PTSD: Clinical and neurobiological evidence for a dissociative subtype. *American journal of psychiatry*, 167(6), 640-647.
- Lapp, L. K., Agbokou, C., Peretti, C.-S., & Ferreri, F. (2010). Management of post traumatic stress disorder after childbirth: A review. *Journal of Psychosomatic Obstetrics and Gynaecology*, 31(3), 113-122. <https://doi.org/10.3109/0167482X.2010.503330>
- Lazarus, R. S., & Folkman, S. (1984). *Stress, Appraisal, and Coping*. Springer Publishing Company.
- Leach, L. S., Poyser, C., & Fairweather-schmidt, K. (2017). Maternal perinatal anxiety: A review of prevalence and correlates. *Clinical Psychologist*, 21(1), 4-19. <https://doi.org/10.1111/cp.12058>
- Lee, S., Ayers, S., & Holden, D. (2012). Risk perception of women during high risk pregnancy: A systematic review. *Health, Risk & Society*, 14(6), 511-531. <https://doi.org/10.1080/13698575.2012.701277>
- Lefkowitz, D. S., Baxt, C., & Evans, J. R. (2010). Prevalence and correlates of posttraumatic stress and postpartum depression in parents of infants in the Neonatal Intensive Care Unit (NICU). *Journal of Clinical Psychology in Medical Settings*, 17(3), 230-237. <https://doi.org/10.1007/s10880-010-9202-7>
- Leinweber, J., Fontein-Kuipers, Y., Thomson, G., Karlsdottir, S. I., Nilsson, C., Ekström-Bergström, A., ... Stramrood, C. (2022). Developing a woman-centered, inclusive definition of traumatic childbirth experiences: A discussion paper. *Birth (Berkeley, Calif.)*, 49(4), 687-696. <https://doi.org/10.1111/birt.12634>
- Lemola, S., Stadlmayr, W., & Grob, A. (2007). Maternal adjustment five months after birth: The impact of the subjective experience of childbirth and emotional support from the partner. *Journal of Reproductive and Infant Psychology*, 25(3), 190-202. <https://doi.org/10.1080/02646830701467231>
- Lever Taylor, B., Billings, J., Morant, N., & Johnson, S. (2018). How do women's partners view perinatal mental health services? A quali-

- tative meta-synthesis. *Clinical Psychology & Psychotherapy*, 25(1), 112-129. <https://doi.org/10.1002/cpp.2133>
- Levey, E. J., Gelaye, B., Koenen, K., Zhong, Q.-Y., Basu, A., Rondon, M. B., ... Williams, M. A. (2018). Trauma exposure and post-traumatic stress disorder in a cohort of pregnant Peruvian women. *Archives of women's mental health*, 21, 193-202.
- Lev-Wiesel, R., Chen, R., Daphna-Tekoah, S., & Hod, M. (2009). Past traumatic events: Are they a risk factor for high-risk pregnancy, delivery complications, and postpartum posttraumatic symptoms? *Journal of Women's Health* (2002), 18(1), 119-125. <https://doi.org/10.1089/jwh.2008.0774>
- Lev-Wiesel, R., & Daphna-Tekoah, S. (2010). The Role of Peripartum Dissociation as a Predictor of Posttraumatic Stress Symptoms Following Childbirth in Israeli Jewish Women. *Journal of Trauma & Dissociation*, 11(3), 266-283. <https://doi.org/10.1080/15299731003780887>
- Li, J., Yin, J., Waqas, A., Huang, Z., Zhang, H., Chen, M., ... Li, X. (2022). Quality of life in mothers with perinatal depression: A systematic review and meta-analysis. *Frontiers in Psychiatry*, 13, 734836.
- Liewelyn, S., & Kennedy, P. (2003). *Handbook of Clinical Health Psychology*. London: John Wiley & Sons, Ltd.
- Lindquist, E. (2020). Holistic Mindfulness-Based Group Therapy for Mothers with Postpartum Depression (M.A., Saint Mary's College of California). Saint Mary's College of California, United States -- California. ProQuest Dissertations & Theses Global (2420618660). Geliş tarihi gönderen <https://www.proquest.com/dissertations-theses/holistic-mindfulness-based-group-therapy-mothers/docview/2420618660/se-2?accountid=25077>
- Litwack, S. D., Beck, J. G., & Sloan, D. M. (2022). Group treatment for trauma-related psychological disorders. *İçinde Evidence based treatments for trauma-related psychological disorders: A practical guide for clinicians, 2nd ed.* (ss. 499-516). Cham, Switzerland: Springer Nature Switzerland AG. https://doi.org/10.1007/978-3-030-97802-0_24
- Lopez, U., Meyer, M., Loures, V., Iselin-Chaves, I., Epiney, M., Kern, C., & Haller, G. (2017). Post-traumatic stress disorder in parturients delivering by caesarean section and the implication of anaesthesia: A prospective cohort study. *Health and Quality of Life Outcomes*, 15(1), 118. <https://doi.org/10.1186/s12955-017-0692-y>
- Lumley, J., Chamberlain, C., Dowswell, T., Oliver, S., Oakley, L., & Watson, L. (2009). Interventions for promoting smoking cessation

- during pregnancy. *The Cochrane Database of Systematic Reviews*, (3), CD001055. <https://doi.org/10.1002/14651858.CD001055.pub3>
- Lydon-Rochelle, M. T., Holt, V. L., & Martin, D. P. (2001). Delivery method and self-reported postpartum general health status among primiparous women. *Paediatric and Perinatal Epidemiology*, 15(3), 232-240. <https://doi.org/10.1046/j.1365-3016.2001.00345.x>
- Lyons, S. (1998). A prospective study of post traumatic stress symptoms 1 month following childbirth in a group of 42 first-time mothers. *Journal of Reproductive and Infant Psychology*, 16(2-3), 91-105. <https://doi.org/10.1080/02646839808404562>
- MacArthur, C., Lewis, M., & Knox, E. G. (1991). Health after childbirth. *British Journal of Obstetrics and Gynaecology*, 98(12), 1193-1195. <https://doi.org/10.1111/j.1471-0528.1991.tb15386.x>
- MacKinnon, A. L., Houazene, S., Robins, S., Feeley, N., & Zekowitz, P. (2018). Maternal Attachment Style, Interpersonal Trauma History, and Childbirth-Related Post-traumatic Stress. *Frontiers in Psychology*, 9, 2379. <https://doi.org/10.3389/fpsyg.2018.02379>
- Maggioni, C., Margola, D., & Filippi, F. (2006). PTSD, risk factors, and expectations among women having a baby: A two-wave longitudinal study. *Journal of Psychosomatic Obstetrics and Gynaecology*, 27(2), 81-90. <https://doi.org/10.1080/01674820600712875>
- Mannarino, A. P., Cohen, J. A., & Deblinger, E. (2014). Trauma-focused cognitive-behavioral therapy. İçinde *Child maltreatment: Contemporary issues in research and policy. Evidence-based approaches for the treatment of maltreated children: Considering core components and treatment effectiveness*. (ss. 165-185). New York, NY, US: Springer Science + Business Media. https://doi.org/10.1007/978-94-007-7404-9_10
- Martin, A., Naunton, M., Kosari, S., Peterson, G., Thomas, J., & Christenson, J. K. (2021). Treatment Guidelines for PTSD: A Systematic Review. *Journal of Clinical Medicine*, 10(18), 4175. <https://doi.org/10.3390/jcm10184175>
- Maswime, S., & Buchmann, E. (2017). A systematic review of maternal near miss and mortality due to postpartum hemorrhage. *International Journal of Gynaecology and Obstetrics: The Official Organ of the International Federation of Gynaecology and Obstetrics*, 137(1), 1-7. <https://doi.org/10.1002/ijgo.12096>
- Matarazzo, J. D. (1980). Behavioral health and behavioral medicine: Frontiers for a new health psychology. *American Psychologist*, 35(9), 807-817. <https://doi.org/10.1037/0003-066X.35.9.807>

- Maxfield, L. (2019). A Clinician's Guide to the Efficacy of EMDR Therapy. *Journal of EMDR Practice and Research*, (4), 239-246. <https://doi.org/10.1891/1933-3196.13.4.239>
- McAllister-Williams, R. H., Baldwin, D. S., Cantwell, R., Easter, A., Gilvarry, E., Glover, V., ... Young, A. H. (2017). British Association for Psychopharmacology consensus guidance on the use of psychotropic medication preconception, in pregnancy and postpartum 2017. *Journal of Psychopharmacology*, 31(5), 519-552. <https://doi.org/10.1177/0269881117699361>
- McKenzie-McHarg, K., Ayers, S., Ford, E., Horsch, A., Jomeen, J., Sawyer, A., ... Slade, P. (2015). Post-traumatic stress disorder following childbirth: An update of current issues and recommendations for future research. *Journal of Reproductive and Infant Psychology*, 33(3), 219-237. <https://doi.org/10.1080/02646838.2015.1031646>
- McKeown, L., Burke, K., Cobham, V. E., Kimball, H., Foxcroft, K., & Callaway, L. (2023). The Prevalence of PTSD of Mothers and Fathers of High-Risk Infants Admitted to NICU: A Systematic Review. *Clinical Child and Family Psychology Review*, 26(1), 33-49. <https://doi.org/10.1007/s10567-022-00421-4>
- Meades, R., Pond, C., Ayers, S., & Warren, F. (2011). Postnatal debriefing: Have we thrown the baby out with the bath water? *Behaviour Research and Therapy*, 49(5), 367-372. <https://doi.org/10.1016/j.brat.2011.03.002>
- Melender, H.-L. (2002). Experiences of fears associated with pregnancy and childbirth: A study of 329 pregnant women. *Birth (Berkeley, Calif.)*, 29(2), 101-111. <https://doi.org/10.1046/j.1523-536x.2002.00170.x>
- Meltzer-Brody, S., Larsen, J. T., Petersen, L., Guintivano, J., Florio, A. D., Miller, W. C., ... Munk-Olsen, T. (2018). Adverse life events increase risk for postpartum psychiatric episodes: A population-based epidemiologic study. *Depression and Anxiety*, 35(2), 160-167. <https://doi.org/10.1002/da.22697>
- Michie, S., Richardson, M., Johnston, M., Abraham, C., Francis, J., Hardeman, W., ... Wood, C. E. (2013). The behavior change technique taxonomy (v1) of 93 hierarchically clustered techniques: Building an international consensus for the reporting of behavior change interventions. *Annals of Behavioral Medicine: A Publication of the Society of Behavioral Medicine*, 46(1), 81-95. <https://doi.org/10.1007/s12160-013-9486-6>
- Miller, P. G., Sinclair, M., Gillen, P., McCullough, J. E. M., Miller, P. W., Farrell, D. P., ... Klaus, P. (2021). Early psychological interven-

- tions for prevention and treatment of post-traumatic stress disorder (PTSD) and post-traumatic stress symptoms in post-partum women: A systematic review and meta-analysis. *PloS One*, 16(11), e0258170. <https://doi.org/10.1371/journal.pone.0258170>
- Misund, A. R., Nerdrum, P., & Diseth, T. H. (2014). Mental health in women experiencing preterm birth. *BMC Pregnancy and Childbirth*, 14(1), 263. <https://doi.org/10.1186/1471-2393-14-263>
- Mitchell, J. T. (1983). When disaster strikes...the critical incident stress debriefing process. *JEMS: A Journal of Emergency Medical Services*, 8(1), 36-39.
- Moczygemba, C. K., Paramsothy, P., Meikle, S., Kourtis, A. P., Barfield, W. D., Kuklina, E., ... Jamieson, D. J. (2010). Route of delivery and neonatal birth trauma. *American Journal of Obstetrics and Gynecology*, 202(4), 361.e1-6. <https://doi.org/10.1016/j.ajog.2009.11.041>
- Modarres, M., Afrasiabi, S., Rahnama, P., & Montazeri, A. (2012). Prevalence and risk factors of childbirth-related post-traumatic stress symptoms. *BMC Pregnancy and Childbirth*, 12, 88. <https://doi.org/10.1186/1471-2393-12-88>
- Mojtabai, R., Olfson, M., Sampson, N. A., Jin, R., Druss, B., Wang, P. S., ... Kessler, R. C. (2011). Barriers to mental health treatment: Results from the National Comorbidity Survey Replication. *Psychological Medicine*, 41(8), 1751-1761. <https://doi.org/10.1017/S0033291710002291>
- Montmasson, H., Bertrand, P., Perrotin, F., & El-Hage, W. (2012). [Predictors of postpartum post-traumatic stress disorder in primiparous mothers]. *Journal De Gynecologie, Obstetrique Et Biologie De La Reproduction*, 41(6), 553-560. <https://doi.org/10.1016/j.jgyn.2012.04.010>
- Mørkved, N., Hartmann, K., Aarsheim, L. M., Holen, D., Milde, A. M., Bomyea, J., & Thorp, S. R. (2014). A comparison of Narrative Exposure Therapy and Prolonged Exposure therapy for PTSD. *Clinical Psychology Review*, 34(6), 453-467. <https://doi.org/10.1016/j.cpr.2014.06.005>
- Mowrer, A. R., Bence, C. M., deRoos-Cassini, T. A., Wu, R., Szabo, A., & Jacqueline Wagner, A. (2023). Mental Health Disorders and Resilience in Pregnant Women Prenatally Diagnosed With Fetal Anomalies. *Perinatology*, 24(2-2).
- Muraca, G. M., Lisonkova, S., Skoll, A., Brant, R., Cundiff, G. W., Sabr, Y., & Joseph, K. S. (2018). Ecological association between operative vaginal delivery and obstetric and birth trauma. *CMAJ: Canadian Medical Association Journal = Journal de l'Association Me-*

- dicale Canadienne*, 190(24), E734-E741. <https://doi.org/10.1503/cmaj.171076>
- Murphy, H., & Strong, J. (2018). Just another ordinary bad birth? A narrative analysis of first time mothers' traumatic birth experiences. *Health Care for Women International*, 39(6), 619-643. <https://doi.org/10.1080/07399332.2018.1442838>
- Myers, S., & Johns, S. E. (2019). Male infants and birth complications are associated with increased incidence of postnatal depression. *Social Science & Medicine*, 220, 56-64.
- Nakao, M., Shiotsuki, K., & Sugaya, N. (2021). Cognitive-behavioral therapy for management of mental health and stress-related disorders: Recent advances in techniques and technologies. *BioPsycho-Social Medicine*, 15(1), 16. <https://doi.org/10.1186/s13030-021-00219-w>
- NASW. (2011). *Social workers in hospitals and medical centers*. Geliş tarihi gönderen <https://www.socialworkers.org/>
- Negron, R., Martin, A., Almog, M., Balbierz, A., & Howell, E. A. (2013). Social support during the postpartum period: Mothers' views on needs, expectations, and mobilization of support. *Maternal and Child Health Journal*, 17(4), 616-623. <https://doi.org/10.1007/s10995-012-1037-4>
- Nemeroff, C. B. (2016). Paradise Lost: The Neurobiological and Clinical Consequences of Child Abuse and Neglect. *Neuron*, 89(5), 892-909. <https://doi.org/10.1016/j.neuron.2016.01.019>
- Nes, R. B., Røysamb, E., Hauge, L. J., Kornstad, T., Landolt, M. A., Irgens, L. M., ... Vollrath, M. E. (2014). Adaptation to the birth of a child with a congenital anomaly: A prospective longitudinal study of maternal well-being and psychological distress. *Developmental Psychology*, 50(6), 1827-1839. <https://doi.org/10.1037/a0035996>
- Nicholls, K., & Ayers, S. (2007). Childbirth-related post-traumatic stress disorder in couples: A qualitative study. *British Journal of Health Psychology*, 12(Pt 4), 491-509. <https://doi.org/10.1348/135910706X120627>
- Nicolson, P., & Ussher, J. (1992). *The Psychology of Women's Health and Health Care*. London: The Macmillan Press.
- Nieminen, K., Stephansson, O., & Ryding, E. L. (2009). Women's fear of childbirth and preference for cesarean section—A cross-sectional study at various stages of pregnancy in Sweden. *Acta Obstetrica Et Gynecologica Scandinavica*, 88(7), 807-813. <https://doi.org/10.1080/00016340902998436>

- Nilsson, C., Bondas, T., & Lundgren, I. (2010). Previous birth experience in women with intense fear of childbirth. *Journal of Obstetric, Gynecologic, and Neonatal Nursing: JOGNN*, 39(3), 298-309. <https://doi.org/10.1111/j.1552-6909.2010.01139.x>
- Nukpezah, R. N., Abanga, E. A., Adokiya, M. N., Aninanya, G. A., Odiakpa, L. O., Shehu, N., ... Boah, M. (2024). Preterm birth, low birth weight, and their co-occurrence among women with preexisting chronic diseases prior to conception: A cross-sectional analysis of postpartum women in a low-resource setting in Ghana. *Maternal Health, Neonatology and Perinatology*, 10(1), 18. <https://doi.org/10.1186/s40748-024-00188-2>
- Oates, M. (2003). Suicide: The leading cause of maternal death. *The British Journal of Psychiatry: The Journal of Mental Science*, 183, 279-281. <https://doi.org/10.1192/bjp.183.4.279>
- Oftedal, A., Bekkhus, M., Haugen, G. N., Czajkowski, N. O., & Kaasen, A. (2022). The impact of diagnosed fetal anomaly, diagnostic severity and prognostic ambiguity on parental depression and traumatic stress: A prospective longitudinal cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 101(11), 1291-1299. <https://doi.org/10.1111/aogs.14453>
- Ogden, J. (2012). *Health Psychology*. New York: Open University Press.
- Okun, M. L., & Coussons-Read, M. E. (2007). Sleep disruption during pregnancy: How does it influence serum cytokines? *Journal of Reproductive Immunology*, 73(2), 158-165. <https://doi.org/10.1016/j.jri.2006.06.006>
- Olagundoye, V., & MacKenzie, I. Z. (2007). The impact of a trial of instrumental delivery in theatre on neonatal outcome. *BJOG: An International Journal of Obstetrics and Gynaecology*, 114(5), 603-608. <https://doi.org/10.1111/j.1471-0528.2007.01302.x>
- Olde, E., van der Hart, O., Kleber, R. J., van Son, M. J. M., Wijnen, H. A. A., & Pop, V. J. M. (2005). Peritraumatic dissociation and emotions as predictors of PTSD symptoms following childbirth. *Journal of Trauma & Dissociation: The Official Journal of the International Society for the Study of Dissociation (ISSD)*, 6(3), 125-142. https://doi.org/10.1300/J229v06n03_06
- Olieman, R. M., Siemonsma, F., Bartens, M. A., Garthus-Niegel, S., Scheele, F., & Honig, A. (2017). The effect of an elective cesarean section on maternal request on peripartum anxiety and depression in women with childbirth fear: A systematic review. *BMC Pregnancy and Childbirth*, 17(1), 195. <https://doi.org/10.1186/s12884-017-1371-z>

- Oliveira, A. G. E. S. de, Reichenheim, M. E., Moraes, C. L., Howard, L. M., & Lobato, G. (2017). Childhood sexual abuse, intimate partner violence during pregnancy, and posttraumatic stress symptoms following childbirth: A path analysis. *Archives of Women's Mental Health*, 20(2), 297-309. <https://doi.org/10.1007/s00737-016-0705-6>
- Olza, I., Leahy-Warren, P., Benyamini, Y., Kazmierczak, M., Karlsdotir, S. I., Spyridou, A., ... Nieuwenhuijze, M. J. (2018). Women's psychological experiences of physiological childbirth: A meta-synthesis. *BMJ Open*, 8(10), e020347. <https://doi.org/10.1136/bmjopen-2017-020347>
- Orbach-Zinger, S., Landau, R., Harousch, A. B., Ovad, O., Caspi, L., Kornilov, E., ... Eidelman, L. A. (2018). The Relationship Between Women's Intention to Request a Labor Epidural Analgesia, Actually Delivering With Labor Epidural Analgesia, and Postpartum Depression at 6 Weeks: A Prospective Observational Study. *Anesthesia and Analgesia*, 126(5), 1590-1597. <https://doi.org/10.1213/ANE.0000000000002501>
- Özgen, F., & Aydın, H. (1999). Posttraumatic Stress Disorder. *TURKISH JOURNAL CLINICAL PSYCHIATRY*, 2(1), 34-41.
- Paavonen, E., Saarenpää-Heikkilä, O., Pölkki, P., Kylliäinen, A., Porkka-Heiskanen, T., & Paunio, T. (2017). Maternal and paternal sleep during pregnancy in the Child-sleep birth cohort. *Sleep Medicine*, 29, 47-56. <https://doi.org/10.1016/j.sleep.2016.09.011>
- Pacella, M. L., Hruska, B., & Delahanty, D. L. (2013). The physical health consequences of PTSD and PTSD symptoms: A meta-analytic review. *Journal of Anxiety Disorders*, 27(1), 33-46. <https://doi.org/10.1016/j.janxdis.2012.08.004>
- Palladino, C. L., Singh, V., Campbell, J., Flynn, H., & Gold, K. J. (2011). Homicide and suicide during the perinatal period: Findings from the National Violent Death Reporting System. *Obstetrics and Gynecology*, 118(5), 1056-1063. <https://doi.org/10.1097/AOG.0b013e31823294da>
- Pantlen, A., & Rohde, A. (2001). [Psychologic effects of traumatic live deliveries]. *Zentralblatt Fur Gynakologie*, 123(1), 42-47. <https://doi.org/10.1055/s-2001-12025>
- Papas, R. K., Belar, C. D., & Rozensky, R. H. (2004). The Practice of Clinical Health Psychology: Professional Issues. İçinde *Handbook of clinical health psychology: Volume 3. Models and perspectives in health psychology*. (ss. 293-319). Washington, DC, US: American Psychological Association. <https://doi.org/10.1037/11590-008>

- Parfitt, Y., & Ayers, S. (2014). Transition to Parenthood and Mental Health in First-Time Parents. *Infant Mental Health Journal: Infancy and Early Childhood*, 35(3), 263-273. <https://doi.org/10.1002/imhj.21443>
- Paschetta, E., Berrisford, G., Coccia, F., Whitmore, J., Wood, A. G., Pretlove, S., & Ismail, K. M. K. (2014). Perinatal psychiatric disorders: An overview. *American Journal of Obstetrics and Gynecology*, 210(6), 501-509.e6. <https://doi.org/10.1016/j.ajog.2013.10.009>
- Pergialiotis, V., Bellos, I., Antsaklis, A., Papapanagiotou, A., Loutradis, D., & Daskalakis, G. (2020). Maternal and neonatal outcomes following a prolonged second stage of labor: A meta-analysis of observational studies. *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, 252, 62-69. <https://doi.org/10.1016/j.ejogrb.2020.06.018>
- Peters, L. L., Thornton, C., de Jonge, A., Khashan, A., Tracy, M., Downe, S., ... Dahlen, H. G. (2018). The effect of medical and operative birth interventions on child health outcomes in the first 28 days and up to 5 years of age: A linked data population-based cohort study. *Birth (Berkeley, Calif.)*, 45(4), 347-357. <https://doi.org/10.1111/birt.12348>
- Pettersson, S. M., Phillips, R. L., Bazemore, A. W., Dodoo, M. S., Zhang, X., & Green, L. A. (2008). Why there must be room for mental health in the medical home. *American Family Physician*, 77(6), 757.
- Philipps, A., Silbermann, A., Morawa, E., Stemmler, M., & Erim, Y. (2019). Effectiveness of a Multimodal, Day Clinic Group-Based Treatment Program for Trauma-Related Disorders: Differential Therapy Outcome for Complex PTSD vs. Non-Complex Trauma-Related Disorders. *Frontiers in Psychiatry*, 10, 800. <https://doi.org/10.3389/fpsyt.2019.00800>
- Pidd, D., Newton, M., Wilson, I., & East, C. (2023). Optimising maternity care for a subsequent pregnancy after a psychologically traumatic birth: A scoping review. *Women and Birth*, 36(5), e471-e480. <https://doi.org/10.1016/j.wombi.2023.03.006>
- Pinkerton Stelter, M. (2021). *Contributing Factors, Protective Elements, and Treatments fot Postpartum PTSD: A Systematic Review*. California Southern University.
- Poleshuck, E. L., & Woods, J. (2014). Psychologists partnering with obstetricians and gynecologists: Meeting the need for patient-centered models of women's health care delivery. *The American Psychologist*, 69(4), 344-354. <https://doi.org/10.1037/a0036044>

- Pritchard, M. (1988). Trauma and Its Wake Vol. II: Traumatic Stress Theory, Research and Intervention. Edited by Charles R. Figley. New York: Raven Press. 1987. 336 pp. \$54.50. *The British Journal of Psychiatry*, 152(1), 154-154.
- Ps, R., Verma, S., Rai, L., Kumar, P., Pai, M. V., & Shetty, J. (2013). “Near miss” obstetric events and maternal deaths in a tertiary care hospital: An audit. *Journal of Pregnancy*, 2013, 393758. <https://doi.org/10.1155/2013/393758>
- Punamäki, R.-L., Diab, S. Y., Isosävi, S., Kuittinen, S., & Qouta, S. R. (2018). Maternal pre-and postnatal mental health and infant development in war conditions: The Gaza Infant Study. *Psychological Trauma: Theory, Research, Practice, and Policy*, 10(2), 144.
- Rados, S. N., Sawyer, A., Ayers, S., & Burn, E. (2018). *Coping styles associated with post-traumatic stress and depression symptoms following childbirth in Croatian women*. 27(3), 543-559. <https://doi.org/10.31820/pt.27.3.10>
- Ravindran, L. N., & Stein, M. B. (2009). Pharmacotherapy of PTSD: Premises, principles, and priorities. *Brain Research*, 1293, 24-39. <https://doi.org/10.1016/j.brainres.2009.03.037>
- Reed, R., Sharman, R., & Inglis, C. (2017). Women’s descriptions of childbirth trauma relating to care provider actions and interactions. *BMC Pregnancy and Childbirth*, 17(1), 21. <https://doi.org/10.1186/s12884-016-1197-0>
- Reid, H. E., Pratt, D., Edge, D., & Wittkowski, A. (2022). Maternal Suicide Ideation and Behaviour During Pregnancy and the First Postpartum Year: A Systematic Review of Psychological and Psychosocial Risk Factors. *Frontiers in Psychiatry*, 13, 765118. <https://doi.org/10.3389/fpsy.2022.765118>
- Reina, S. A., Freund, B., & Ironson, G. (2019). The Use of Prolonged Exposure Therapy Augmented With CBT to Treat Postpartum Trauma. *Clinical Case Studies*, 18(4), 239-253. <https://doi.org/10.1177/1534650119834646>
- Reiter, J. T., Dobmeyer, A. C., & Hunter, C. L. (2018). The Primary Care Behavioral Health (PCBH) Model: An Overview and Operational Definition. *Journal of Clinical Psychology in Medical Settings*, 25(2), 109-126. <https://doi.org/10.1007/s10880-017-9531-x>
- Reshef, S., Mouadeb, D., Sela, Y., Weiniger, F. C., & Freedman, S. A. (2023). Childbirth, trauma and family relationships. *European Journal of Psychotraumatology*, 14(1), 2157481. <https://doi.org/10.1080/2008066.2022.2157481>

- Roberts, L., Davis, G. K., & Homer, C. S. E. (2019). Depression, Anxiety, and Post-traumatic Stress Disorder Following a Hypertensive Disorder of Pregnancy: A Narrative Literature Review. *Frontiers in Cardiovascular Medicine*, 6, 147. <https://doi.org/10.3389/fcvm.2019.00147>
- Roberts, L., Henry, A., Harvey, S. B., Homer, C. S., & Davis, G. K. (2022). Depression, anxiety and posttraumatic stress disorder six months following preeclampsia and normotensive pregnancy: A P4 study. *BMC pregnancy and childbirth*, 22(1), 108.
- Roberts, N.-J., Jomeen, J., & Thomson, G. (2021). Women's Experiences of the Coping With Birth Trauma: A Psychoeducational Group Support Program. *International Journal of Childbirth*, (3), 112-121. <https://doi.org/10.1891/IJCBIRTH-D-20-00042>
- Robles, T. F., Slatcher, R. B., Trombello, J. M., & McGinn, M. M. (2014). Marital quality and health: A meta-analytic review. *Psychological Bulletin*, 140(1), 140-187. <https://doi.org/10.1037/a0031859>
- Rodríguez-Almagro, J., Hernández-Martínez, A., Rodríguez-Almagro, D., Quirós-García, J. M., Martínez-Galiano, J. M., & Gómez-Salgado, J. (2019). Women's Perceptions of Living a Traumatic Childbirth Experience and Factors Related to a Birth Experience. *International Journal of Environmental Research and Public Health*, 16(9), 1654. <https://doi.org/10.3390/ijerph16091654>
- Rondung, E., Ekdahl, J., Hildingsson, I., Rubertsson, C., & Sundin, Ö. (2018). Heterogeneity in childbirth related fear or anxiety. *Scandinavian Journal of Psychology*, 59(6), 634-643. <https://doi.org/10.1111/sjop.12481>
- Rowlands, I. J., & Redshaw, M. (2012). Mode of birth and women's psychological and physical wellbeing in the postnatal period. *BMC Pregnancy and Childbirth*, 12, 138. <https://doi.org/10.1186/1471-2393-12-138>
- Ryding, E. L., Wijma, K., & Wijma, B. (1998). Experiences of emergency cesarean section: A phenomenological study of 53 women. *Birth*, 25(4), 246-251.
- Saeed, G., Fakhar, S., Imran, T., & Khawaja Abbas, L. (2011). The Effect of Modes of Delivery on Infants' Feeding Practices. *Iranian Journal of Medical Sciences*, 36(2), 128-132.
- Sandström, M., Wiberg, B., Wikman, M., Willman, A.-K., & Högberg, U. (2008). A pilot study of eye movement desensitisation and reprocessing treatment (EMDR) for post-traumatic stress after childbirth. *Midwifery*, 24(1), 62-73. <https://doi.org/10.1016/j.midw.2006.07.008>

- Sarafino, E. P., Smith, T. W., King, D. B., & DeLongis, A. (2015). *Health psychology: Biopsychosocial interactions* (2nd bs). Wiley.
- Sawyer, A., Ayers, S., Young, D., Bradley, R., & Smith, H. (2012). Posttraumatic growth after childbirth: A prospective study. *Psychology & Health, 27*(3), 362-377. <https://doi.org/10.1080/08870446.2011.578745>
- Saxbe, D. E. (2017). Birth of a new perspective? A call for biopsychosocial research on childbirth. *Current Directions in Psychological Science, 26*(1), 81-86. <https://doi.org/10.1177/0963721416677096>
- Schäfer, I., Chuey-Ferrer, L., Hofmann, A., Lieberman, P., Mainusch, G., & Lotzin, A. (2017). Effectiveness of EMDR in patients with substance use disorder and comorbid PTSD: Study protocol for a randomized controlled trial. *BMC Psychiatry, 17*(1), 95. <https://doi.org/10.1186/s12888-017-1255-9>
- Schechter, R., Pham, T., Hua, A., Spinazzola, R., Sonnenklar, J., Li, D., ... Milanaik, R. (2020). Prevalence and Longevity of PTSD Symptoms Among Parents of NICU Infants Analyzed Across Gestational Age Categories. *Clinical Pediatrics, 59*(2), 163-169. <https://doi.org/10.1177/0009922819892046>
- Schmidt, M., & Haglund, K. (2017). Debrief in Emergency Departments to Improve Compassion Fatigue and Promote Resiliency. *Journal of Trauma Nursing: The Official Journal of the Society of Trauma Nurses, 24*(5), 317-322. <https://doi.org/10.1097/JTN.0000000000000315>
- Schneider, J., Borghini, A., Morisod Harari, M., Faure, N., Tenthorey, C., Le Berre, A., ... JOIN Research Consortium. (2019). Joint observation in NICU (JOIN): Study protocol of a clinical randomised controlled trial examining an early intervention during preterm care. *BMJ Open, 9*(3), e026484. <https://doi.org/10.1136/bmjopen-2018-026484>
- Scholle, S. H., & Kelleher, K. (2003). Assessing primary care performance in an obstetrics/gynecology clinic. *Women & Health, 37*(1), 15-30. https://doi.org/10.1300/J013v37n01_02
- Schrimpf, M., Liegl, G., Boeckle, M., Leitner, A., Geisler, P., & Pieh, C. (2015). The effect of sleep deprivation on pain perception in healthy subjects: A meta-analysis. *Sleep Medicine, 16*(11), 1313-1320. <https://doi.org/10.1016/j.sleep.2015.07.022>
- Schwartz, G. E. (1982). Testing the biopsychosocial model: The ultimate challenge facing behavioral medicine? *Journal of Consulting and Clinical Psychology, 50*(6), 1040-1053. <https://doi.org/10.1037/0022-006X.50.6.1040>

- Schwartz, D., Barkowski, S., Strauss, B., Knaevelsrud, C., & Rosen-dahl, J. (2019). Efficacy of group psychotherapy for posttraumatic stress disorder: Systematic review and meta-analysis of randomized controlled trials. *Psychotherapy Research: Journal of the Society for Psychotherapy Research*, 29(4), 415-431. <https://doi.org/10.1080/10503307.2017.1405168>
- Scott, A. (2009). Cognitive behavioural therapy and young people: An introduction. *The Journal of Family Health Care*, 19(3), 80-82.
- Sel, İ., Yılmaz, B., & Hotun Şahin, N. (2021). Kadınların Kişilik Özelliklerinin Travmatik Doğum Algısına Etkisi. *Dokuz Eylül Üniversitesi Hemşirelik Fakültesi Elektronik Dergisi*, 14(4), 423-432. <https://doi.org/10.46483/deuhfed.882663>
- Selkirk, R., McLaren, S., Ollerenshaw, A., McLachlan, A. J., & Moten, J. (2006). The longitudinal effects of midwife-led postnatal debriefing on the psychological health of mothers. *Journal of Reproductive and Infant Psychology*, 24(2), 133-147. <https://doi.org/10.1080/02646830600643916>
- Sentilhes, L., Goffinet, F., Vayssière, C., & Deneux-Tharaux, C. (2017). Comparison of postpartum haemorrhage guidelines: Discrepancies underline our lack of knowledge. *BJOG: An International Journal of Obstetrics and Gynaecology*, 124(5), 718-722. <https://doi.org/10.1111/1471-0528.14305>
- Serçekuş, P., & Başkale, H. (2016). Effects of antenatal education on fear of childbirth, maternal self-efficacy and parental attachment. *Midwifery*, 34, 166-172. <https://doi.org/10.1016/j.midw.2015.11.016>
- Shaffer, C. F. (2002). Factors influencing the access to prenatal care by Hispanic pregnant women. *Journal of the American Academy of Nurse Practitioners*, 14(2), 93-96. <https://doi.org/10.1111/j.1745-7599.2002.tb00097.x>
- Shapiro, E. (2012). EMDR and early psychological intervention following trauma. *European Review of Applied Psychology / Revue Européenne de Psychologie Appliquée*, 62(4), 241-251. <https://doi.org/10.1016/j.erap.2012.09.003>
- Shapiro, E., & Laub, B. (2015). Early EMDR intervention following a community critical incident: A randomized clinical trial. *Journal of EMDR Practice and Research*, 9(1), 17-27. <https://doi.org/10.1891/1933-3196.9.1.17>
- Shapiro, E., & Maxfield, L. (2019). The efficacy of EMDR early interventions. *Journal of EMDR Practice and Research*, 13(4), 291-301. <https://doi.org/10.1891/1933-3196.13.4.291>

- Shapiro, F. (1989). Eye movement desensitization: A new treatment for post-traumatic stress disorder. *Journal of Behavior Therapy and Experimental Psychiatry*, 20(3), 211-217. [https://doi.org/10.1016/0005-7916\(89\)90025-6](https://doi.org/10.1016/0005-7916(89)90025-6)
- Shapiro, F. (1996). Eye movement desensitization and reprocessing (EMDR): Evaluation of controlled PTSD research. *Journal of Behavior Therapy and Experimental Psychiatry*, 27(3), 209-218. [https://doi.org/10.1016/s0005-7916\(96\)00029-8](https://doi.org/10.1016/s0005-7916(96)00029-8)
- Shaw, R. J., St John, N., Lilo, E. A., Jo, B., Benitz, W., Stevenson, D. K., & Horwitz, S. M. (2013). Prevention of traumatic stress in mothers with preterm infants: A randomized controlled trial. *Pediatrics*, 132(4), e886-894. <https://doi.org/10.1542/peds.2013-1331>
- Shaw, R. J., St John, N., Lilo, E., Jo, B., Benitz, W., Stevenson, D. K., & Horwitz, S. M. (2014). Prevention of traumatic stress in mothers of preterms: 6-month outcomes. *Pediatrics*, 134(2), e481-488. <https://doi.org/10.1542/peds.2014-0529>
- Sheen, K., & Slade, P. (2015). The efficacy of ‘debriefing’ after childbirth: Is there a case for targeted intervention? *Journal of Reproductive and Infant Psychology*, 33(3), 308-320. <https://doi.org/10.1080/02646838.2015.1009881>
- Shiva, L., Desai, G., Satyanarayana, V. A., Venkataram, P., & Chandra, P. S. (2021). Negative Childbirth Experience and Post-traumatic Stress Disorder—A Study Among Postpartum Women in South India. *Frontiers in Psychiatry*, 12, 640014. <https://doi.org/10.3389/fpsyt.2021.640014>
- Shlomi Polachek, I., Dulitzky, M., Margolis-Dorfman, L., & Simchen, M. J. (2016). A simple model for prediction postpartum PTSD in high-risk pregnancies. *Archives of Women's Mental Health*, 19(3), 483-490. <https://doi.org/10.1007/s00737-015-0582-4>
- Shorey, S., Chee, C. Y. I., Ng, E. D., Chan, Y. H., Tam, W. W. S., & Chong, Y. S. (2018). Prevalence and incidence of postpartum depression among healthy mothers: A systematic review and meta-analysis. *Journal of Psychiatric Research*, 104, 235-248. <https://doi.org/10.1016/j.jpsychires.2018.08.001>
- Shorey, S., Downe, S., Chua, J. Y. X., Byrne, S. O., Fobelets, M., & Lalor, J. G. (2023). Effectiveness of Psychological Interventions to Improve the Mental Well-Being of Parents Who Have Experienced Traumatic Childbirth: A Systematic Review and Meta-Analysis. *Trauma, Violence & Abuse*, 24(3), 1238-1253. <https://doi.org/10.1177/15248380211060808>

- Shorey, S., & Wong, P. Z. E. (2022). Traumatic childbirth experiences of new parents: A meta-synthesis. *Trauma, Violence, & Abuse*, 23(3), 748-763.
- Shorey, S., Yang, Y. Y., & Ang, E. (2018). The impact of negative childbirth experience on future reproductive decisions: A quantitative systematic review. *Journal of Advanced Nursing*, 74(6), 1236-1244. <https://doi.org/10.1111/jan.13534>
- Shuman, C. J., Morgan, M. E., Paredy, N., Chiangong, J., Veliz, P., Peahl, A., & Dalton, V. (2022). Associations Among Postpartum Posttraumatic Stress Disorder Symptoms and COVID-19 Pandemic-Related Stressors. *Journal of Midwifery & Women's Health*, 67(5), 626-634. <https://doi.org/10.1111/jmwh.13399>
- Silverstein, M., Feinberg, E., Cabral, H., Sauder, S., Egbert, L., Schancker, E., ... Beardslee, W. (2011). Problem-solving education to prevent depression among low-income mothers of preterm infants: A randomized controlled pilot trial. *Archives of Women's Mental Health*, 14(4), 317-324. <https://doi.org/10.1007/s00737-011-0222-6>
- Simon, S., Moreyra, A., Wharton, E., Dowtin, L. L., Borkovi, T. C., Armer, E., & Shaw, R. J. (2021). Prevention of posttraumatic stress disorder in mothers of preterm infants using trauma-focused group therapy: Manual development and evaluation. *Early Human Development*, 154, 105282. <https://doi.org/10.1016/j.earlhumdev.2020.105282>
- Simpson, M., & Catling, C. (2016). Understanding psychological traumatic birth experiences: A literature review. *Women and Birth: Journal of the Australian College of Midwives*, 29(3), 203-207. <https://doi.org/10.1016/j.wombi.2015.10.009>
- Simpson, M., Schmied, V., Dickson, C., & Dahlen, H. G. (2018). Postnatal post-traumatic stress: An integrative review. *Women and Birth: Journal of the Australian College of Midwives*, 31(5), 367-379. <https://doi.org/10.1016/j.wombi.2017.12.003>
- Sjömark, J., Svanberg, A. S., Larsson, M., Viirman, F., Poromaa, I. S., Skalkidou, A., ... Parling, T. (2022). Effect of internet-based cognitive behaviour therapy among women with negative birth experiences on mental health and quality of life—A randomized controlled trial. *BMC Pregnancy and Childbirth*, 22(1), 835. <https://doi.org/10.1186/s12884-022-05168-y>
- Skinner, E. M., Barnett, B., & Dietz, H. P. (2018). Psychological consequences of pelvic floor trauma following vaginal birth: A qualitative study from two Australian tertiary maternity units. *Archives*

- of *Women's Mental Health*, 21(3), 341-351. <https://doi.org/10.1007/s00737-017-0802-1>
- Skultety, K. M., & Zeiss, A. (2006). The treatment of depression in older adults in the primary care setting: An evidence-based review. *Health Psychology: Official Journal of the Division of Health Psychology, American Psychological Association*, 25(6), 665-674. <https://doi.org/10.1037/0278-6133.25.6.665>
- Slade, P., Molyneux, D. R., & Watt, D. A. (2021). A systematic review of clinical effectiveness of psychological interventions to reduce post traumatic stress symptoms following childbirth and a meta-synthesis of facilitators and barriers to uptake of psychological care. *Journal of Affective Disorders*, 281, 678-694. <https://doi.org/10.1016/j.jad.2020.11.092>
- Slade, P., Murphy, A., & Hayden, E. (2022). Identifying post-traumatic stress disorder after childbirth. *BMJ (Clinical Research Ed.)*, 377, e067659. <https://doi.org/10.1136/bmj-2021-067659>
- Sluijs, A., Cleiren, M. P. H. D., van Lith, J. M. M., Wijma, B., & Wijma, K. (2020). Is fear of childbirth related to the woman's preferred location for giving birth? A Dutch low-risk cohort study. *Birth (Berkeley, Calif.)*, 47(1), 144-152. <https://doi.org/10.1111/birt.12456>
- Smith, M. T., Edwards, R. R., Stonerock, G. L., & McCann, U. D. (2005). Individual variation in rapid eye movement sleep is associated with pain perception in healthy women: Preliminary data. *Sleep*, 28(7), 809-812. <https://doi.org/10.1093/sleep/28.7.809>
- Smith, M. V., Shao, L., Howell, H., Wang, H., Poschman, K., & Yonkers, K. A. (2009). Success of mental health referral among pregnant and postpartum women with psychiatric distress. *General Hospital Psychiatry*, 31(2), 155-162. <https://doi.org/10.1016/j.genhosppsych.2008.10.002>
- Smorti, M., Ponti, L., Ghinassi, S., & Rapisardi, G. (2020). The mother-child attachment bond before and after birth: The role of maternal perception of traumatic childbirth. *Early Human Development*, 142, 104956. <https://doi.org/10.1016/j.earlhumdev.2020.104956>
- Soet, J. E., Brack, G. A., & DiIorio, C. (2003). Prevalence and predictors of women's experience of psychological trauma during childbirth. *Birth (Berkeley, Calif.)*, 30(1), 36-46. <https://doi.org/10.1046/j.1523-536x.2003.00215.x>
- Sommer, J. L., Shambraw, A., Mota, N., Reynolds, K., & El-Gabalawy, R. (2021). Mental disorders during the perinatal period: Results from a nationally representative study. *General Hospital Psychiatry*, 73, 71-77. <https://doi.org/10.1016/j.genhosppsych.2021.09.011>

- Sroufe, L. A. (2005). Attachment and development: A prospective, longitudinal study from birth to adulthood. *Attachment & Human Development*, 7(4), 349-367. <https://doi.org/10.1080/14616730500365928>
- Stén, G., Ayers, S., Malmquist, A., Nieminen, K., & Grundström, H. (2023). Assessment of maternal posttraumatic stress disorder following childbirth: Psychometric properties of the Swedish version of City Birth Trauma Scale. *Psychological Trauma: Theory, Research, Practice and Policy*, 15(7), 1153-1163. <https://doi.org/10.1037/tra0001465>
- Stone, G. C. (1987). The scope of health psychology. İçinde *Health psychology: A discipline and a profession* (ss. 27-40). Chicago: University of Chicago Press.
- Stramrood, C. A. I., van der Velde, J., Doornbos, B., Marieke Paarlberg, K., Weijmar Schultz, W. C. M., & van Pampus, M. G. (2012). The Patient Observer: Eye-Movement Desensitization and Reprocessing for the Treatment of Posttraumatic Stress following Childbirth. *Birth*, 39(1), 70-76. <https://doi.org/10.1111/j.1523-536X.2011.00517.x>
- Sullivan, G. M., & Neria, Y. (2009). Pharmacotherapy of PTSD: Current Status and Controversies. *Psychiatric annals*, 39(6), 342-347. <https://doi.org/10.3928/00485713-20090515-01>
- Sun, T. Y., Hardin, J., Nieva, H. R., Natarajan, K., Cheng, R., Ryan, P., & Elhadad, N. (2023). Large-scale characterization of gender differences in diagnosis prevalence and time to diagnosis. *medRxiv*, 2023.10.12.23296976. <https://doi.org/10.1101/2023.10.12.23296976>
- Taheri, M., Takian, A., Taghizadeh, Z., Jafari, N., & Sarafraz, N. (2018). Creating a positive perception of childbirth experience: Systematic review and meta-analysis of prenatal and intrapartum interventions. *Reproductive Health*, 15(1), 73. <https://doi.org/10.1186/s12978-018-0511-x>
- Tai-Seale, M., Bramson, R., Drukker, D., Hurwicz, M.-L., Ory, M., Tai-Seale, T., ... Cook, M. A. (2005). Understanding primary care physicians' propensity to assess elderly patients for depression using interaction and survey data. *Medical Care*, 43(12), 1217-1224. <https://doi.org/10.1097/01.mlr.0000185734.00564.c1>
- Takegata, M., Haruna, M., Matsuzaki, M., Shiraishi, M., Okano, T., & Severinsson, E. (2017). Aetiological relationships between factors associated with postnatal traumatic symptoms among Japanese primiparas and multiparas: A longitudinal study. *Midwifery*, 44, 14-23. <https://doi.org/10.1016/j.midw.2016.10.008>

- Taneja, D. (2023). Health Psychology: Understanding the Mind-BodyConnection for Holistic Well-being. *Psychology and Psychiatry*, 7(4). <https://doi.org/DOI: 10.4172/ppo.1000158>
- Thavagnanam, S., Fleming, J., Bromley, A., Shields, M. D., & Cardwell, C. R. (2008). A meta-analysis of the association between Caesarean section and childhood asthma. *Clinical and Experimental Allergy: Journal of the British Society for Allergy and Clinical Immunology*, 38(4), 629-633. <https://doi.org/10.1111/j.1365-2222.2007.02780.x>
- The British Psychological Society. (2019). *A guide for the public. Division of Health Psychology leaflets*.
- The British Psychological Society. (2024). *Division of Health Psychology*. Geliş tarihi gönderen <https://www.bps.org.uk/member-networks/division-health-psychology>
- Thielke, S., Thompson, A., & Stuart, R. (2011). Health psychology in primary care: Recent research and future directions. *Psychology Research and Behavior Management*, 4, 59-68. <https://doi.org/10.2147/PRBM.S12996>
- Thielke, S., Vannoy, S., & Unützer, J. (2007). Integrating mental health and primary care. *Primary Care*, 34(3), 571-592, vii. <https://doi.org/10.1016/j.pop.2007.05.007>
- Thompson, J. F., Roberts, C. L., Currie, M., & Ellwood, D. A. (2002). Prevalence and persistence of health problems after childbirth: Associations with parity and method of birth. *Birth (Berkeley, Calif.)*, 29(2), 83-94. <https://doi.org/10.1046/j.1523-536x.2002.00167.x>
- Thomson, G., Diop, M. Q., Stuijzand, S., Horsch, A., Lalor, J. G., de Abreu, W., ... COST After birth Consortium. (2021). Policy, service, and training provision for women following a traumatic birth: An international knowledge mapping exercise. *BMC Health Services Research*, 21(1), 1206. <https://doi.org/10.1186/s12913-021-07238-x>
- Thornton, C., Schmied, V., Dennis, C.-L., Barnett, B., & Dahlen, H. G. (2013). Maternal deaths in NSW (2000-2006) from non-medical causes (suicide and trauma) in the first year following birth. *BioMed Research International*, 2013, 623743. <https://doi.org/10.1155/2013/623743>
- Timmer-Murillo, S. C., Mowrer, A., Rundell, M. R., Jazinski-Chambers, K., Piña, I., deRoos-Cassini, T. A., & Wagner, A. J. (2025). Perinatal Mental Health Disorders and Resilience in Patients with Fetal Anomalies. *American Journal of Perinatology*. <https://doi.org/10.1055/a-2508-2490>
- Tripathy, P. (2020). A public health approach to perinatal mental health: Improving health and wellbeing of mothers and babies. *Journal of*

- Gynecology Obstetrics and Human Reproduction*, 49(6), 101747. <https://doi.org/10.1016/j.jogoh.2020.101747>
- Turton, P., Hughes, P., Evans, C. D., & Fainman, D. (2001). Incidence, correlates and predictors of post-traumatic stress disorder in the pregnancy after stillbirth. *The British Journal of Psychiatry: The Journal of Mental Science*, 178, 556-560. <https://doi.org/10.1192/bjp.178.6.556>
- Underwood, L., Waldie, K. E., D'Souza, S., Peterson, E. R., & Morton, S. M. B. (2017). A Longitudinal Study of Pre-pregnancy and Pregnancy Risk Factors Associated with Antenatal and Postnatal Symptoms of Depression: Evidence from Growing Up in New Zealand. *Maternal and Child Health Journal*, 21(4), 915-931. <https://doi.org/10.1007/s10995-016-2191-x>
- Ursano, R. J., Kao, T. C., & Fullerton, C. S. (1992). Posttraumatic stress disorder and meaning: Structuring human chaos. *The Journal of Nervous and Mental Disease*, 180(12), 756-759. <https://doi.org/10.1097/00005053-199212000-00003>
- Ursano, R. J., Fullerton, C. S., & McCaughey, B. G. (1994). Trauma and disaster. İçinde *Individual and community responses to trauma and disaster: The structure of human chaos*. (ss. 3-27). New York, NY, US: Cambridge University Press. <https://doi.org/10.1017/CBO9780511570162.003>
- Utz, R. L. (2008). Can Prenatal Care Prevent Childhood Obesity? İçinde *Policy Perspectives* (C. 4). Utah: University of Utah.
- Üstündağ Budak, A. M., Harris, G., & Blissett, J. (2016). Perinatal trauma with and without loss experiences. *Journal of Reproductive and Infant Psychology*, 34(4), 413-425. <https://doi.org/10.1080/02646838.2016.1186266>
- Vahidi, F., Mirghafourvand, M., Naseri, E., & Ghanbari-Homaie, S. (2023). Birth-related posttraumatic stress disorder and negative childbirth experience related to maternal functioning among adolescent mothers: A cross-sectional study. *BMC Pregnancy and Childbirth*, 23(1), 371. <https://doi.org/10.1186/s12884-023-05717-z>
- Valadbeigi, T., ArabAhmadi, A., Dara, N., Tajalli, S., Hosseini, A., Etemad, K., ... Hajipour, M. (2020). Evaluating the association between neonatal mortality and maternal high blood pressure, heart disease and gestational diabetes: A case control study. *Journal of Research in Medical Sciences: The Official Journal of Isfahan University of Medical Sciences*, 25, 23. https://doi.org/10.4103/jrms.JRMS_814_18
- Valiente-Gómez, A., Moreno-Alcázar, A., Treen, D., Cedrón, C., Colom, F., Pérez, V., & Amann, B. L. (2017). EMDR beyond PTSD: A Sys-

- tematic Literature Review. *Frontiers in Psychology*, 8, 1668. <https://doi.org/10.3389/fpsyg.2017.01668>
- van den Akker, O. (2012). *Reproductive Health Psycholay*. London: Wiley.
- van der Hart, O., Nijenhuis, E. R. S., & Steele, K. (2006). *The haunted self: Structural dissociation and the treatment of chronic traumatization*. (ss. xiv, 418). New York, NY, US: W W Norton & Co.
- van Heumen, M. A., Hollander, M. H., van Pampus, M. G., van Dillen, J., & Stramrood, C. A. I. (2018). Psychosocial Predictors of Postpartum Posttraumatic Stress Disorder in Women With a Traumatic Childbirth Experience. *Frontiers in Psychiatry*, 9, 348. <https://doi.org/10.3389/fpsyg.2018.00348>
- Van Sieleghem, S., Danckaerts, M., Rieken, R., Okkerse, J. M. E., de Jonge, E., Bramer, W. M., & Lambregtse - van den Berg, M. P. (2022). Childbirth related PTSD and its association with infant outcome: A systematic review. *Early Human Development*, 174, 105667. <https://doi.org/10.1016/j.earlhumdev.2022.105667>
- Van Son, M., Verkerk, G., Van der Hart, O., Komproe, I., & Pop, V. (2005). Prenatal depression, mode of delivery and perinatal dissociation as predictors of postpartum posttraumatic stress: An empirical study. *Clinical Psychology & Psychotherapy: An International Journal of Theory & Practice*, 12(4), 297-312.
- Verdult, R. (2009). Caesarean birth: Psychological aspects in adults. *International Journal of Prenatal and Perinatal Psychology and Medicine*, 21(1/2), 17-28.
- Verreault, N., Da Costa, D., Marchand, A., Ireland, K., Banack, H., Dritsa, M., & Khalifé, S. (2012). PTSD following childbirth: A prospective study of incidence and risk factors in Canadian women. *Journal of Psychosomatic Research*, 73(4), 257-263. <https://doi.org/10.1016/j.jpsychores.2012.07.010>
- Vesel, J., & Nickasch, B. (2015). An Evidence Review and Model for Prevention and Treatment of Postpartum Posttraumatic Stress Disorder. *Nursing for Women's Health*, 19(6), 504-525. <https://doi.org/10.1111/1751-486X.12234>
- Viisainen, K. (2001). Negotiating control and meaning: Home birth as a self-constructed choice in Finland. *Social Science & Medicine* (1982), 52(7), 1109-1121. [https://doi.org/10.1016/s0277-9536\(00\)00206-9](https://doi.org/10.1016/s0277-9536(00)00206-9)
- Vitner, D., Hiersch, L., Ashwal, E., Nassie, D., Yogev, Y., & Aviram, A. (2019). Outcomes of vacuum-assisted vaginal deliveries of mothers with gestational diabetes mellitus. *The Journal of Maternal-Fetal & Neonatal Medicine: The Official Journal of the European Associ-*

- ation of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians, 32(21), 3595-3599. <https://doi.org/10.1080/14767058.2018.1468880>
- Vossbeck-Elsebusch, A. N., Freisfeld, C., & Ehring, T. (2014). Predictors of posttraumatic stress symptoms following childbirth. *BMC Psychiatry*, 14(1), 200. <https://doi.org/10.1186/1471-244X-14-200>
- Waldenström, U., Hildingsson, I., Rubertsson, C., & Rådestad, I. (2004). A negative birth experience: Prevalence and risk factors in a national sample. *Birth (Berkeley, Calif.)*, 31(1), 17-27. <https://doi.org/10.1111/j.0730-7659.2004.0270.x>
- Watson, K., White, C., Hall, H., & Hewitt, A. (2021). Women's experiences of birth trauma: A scoping review. *Women and Birth: Journal of the Australian College of Midwives*, 34(5), 417-424. <https://doi.org/10.1016/j.wombi.2020.09.016>
- Watts, B. V., Schnurr, P. P., Mayo, L., Young-Xu, Y., Weeks, W. B., & Friedman, M. J. (2013). Meta-analysis of the efficacy of treatments for posttraumatic stress disorder. *The Journal of Clinical Psychiatry*, 74(6), e541-550. <https://doi.org/10.4088/JCP.12r08225>
- Webb, R., Smith, A. M., Ayers, S., Wright, D. B., & Thornton, A. (2021). Development and Validation of a Measure of Birth-Related PTSD for Fathers and Birth Partners: The City Birth Trauma Scale (Partner Version). *Frontiers in Psychology*, 12. Geliş tarihi gönderen <https://www.frontiersin.org/articles/10.3389/fpsyg.2021.596779>
- Weigl, T., Beck-Hiestermann, F. M. L., Stenzel, N. M., Benson, S., Schedlowski, M., & Garthus-Niegel, S. (2021). Assessment of Childbirth-Related PTSD: Psychometric Properties of the German Version of the City Birth Trauma Scale. *Frontiers in Psychiatry*, 12, 731537. <https://doi.org/10.3389/fpsyg.2021.731537>
- Weinreb, L., Wenz-Gross, M., & Upshur, C. (2018). Postpartum outcomes of a pilot prenatal care-based psychosocial intervention for PTSD during pregnancy. *Archives of Women's Mental Health*, 21(3), 299-312. <https://doi.org/10.1007/s00737-017-0794-x>
- Wenz-Gross, M., Weinreb, L., & Upshur, C. (2016). Screening for Post-traumatic Stress Disorder in Prenatal Care: Prevalence and Characteristics in a Low-Income Population. *Maternal and Child Health Journal*, 20(10), 1995-2002. <https://doi.org/10.1007/s10995-016-2073-2>
- Werner, E. F., Janevic, T. M., Illuzzi, J., Funai, E. F., Savitz, D. A., & Lipkind, H. S. (2011). Mode of delivery in nulliparous women and

- neonatal intracranial injury. *Obstetrics and Gynecology*, 118(6), 1239-1246. <https://doi.org/10.1097/AOG.0b013e31823835d3>
- Werner, E., Miller, M., Osborne, L. M., Kuzava, S., & Monk, C. (2015). Preventing postpartum depression: Review and recommendations. *Archives of Women's Mental Health*, 18(1), 41-60. <https://doi.org/10.1007/s00737-014-0475-y>
- Westby, C. L., Erlandsen, A. R., Nilsen, S. A., Visted, E., & Thimm, J. C. (2021). Depression, anxiety, PTSD, and OCD after stillbirth: A systematic review. *BMC Pregnancy and Childbirth*, 21(1), 782. <https://doi.org/10.1186/s12884-021-04254-x>
- Westfall, N. C., & Nemeroff, C. B. (2015). The Preeminence of Early Life Trauma as a Risk Factor for Worsened Long-Term Health Outcomes in Women. *Current Psychiatry Reports*, 17(11), 90. <https://doi.org/10.1007/s11920-015-0625-6>
- Wetherell, S. (2022). Investigating the impact of eye movement desensitization and reprocessing (EMDR) in reducing birth trauma symptoms. *Annals of Psychophysiology*, 9(2).
- Wieser, M. N., Gourounti, K., & Sarantaki, A. (2021). Modes of Birth and Their Impact on the Psychological and Physical Health of Women. *Journal of Mind and Medical Sciences*, 8(1), 1-4. <https://doi.org/10.22543/7674.81.P14>
- Wijma, K., Söderquist, J., & Wijma, B. (1997). Posttraumatic stress disorder after childbirth: A cross sectional study. *Journal of Anxiety Disorders*, 11(6), 587-597. [https://doi.org/10.1016/s0887-6185\(97\)00041-8](https://doi.org/10.1016/s0887-6185(97)00041-8)
- Williams, A., Herron-Marx, S., & Knibb, R. (2007). The prevalence of enduring postnatal perineal morbidity and its relationship to type of birth and birth risk factors. *Journal of Clinical Nursing*, 16(3), 549-561. <https://doi.org/10.1111/j.1365-2702.2006.01593.x>
- Wisner, K. L., Moses-Kolko, E. L., & Sit, D. K. Y. (2010). Postpartum depression: A disorder in search of a definition. *Archives of Women's Mental Health*, 13(1), 37-40. <https://doi.org/10.1007/s00737-009-0119-9>
- Witteveen, A. B., Stramrood, C. a. I., Henrichs, J., Flanagan, J. C., van Pampus, M. G., & Olff, M. (2020). The oxytocinergic system in PTSD following traumatic childbirth: Endogenous and exogenous oxytocin in the peripartum period. *Archives of Women's Mental Health*, 23(3), 317-329. <https://doi.org/10.1007/s00737-019-00994-0>
- Wojciechowski, T. W. (2020). PTSD as a Risk Factor for the Development of Violence Among Juvenile Offenders: A Group-Based Traje-

- ctory Modeling Approach. *Journal of Interpersonal Violence*, 35(13-14), 2511-2535. <https://doi.org/10.1177/0886260517704231>
- Woolhouse, H., Perlen, S., Gartland, D., & Brown, S. J. (2012). Physical health and recovery in the first 18 months postpartum: Does cesarean section reduce long-term morbidity? *Birth (Berkeley, Calif.)*, 39(3), 221-229. <https://doi.org/10.1111/j.1523-536X.2012.00551.x>
- Yeganegi, M., Bahrami, R., Azizi, S., Marzbanrad, Z., Hajizadeh, N., Mirjalili, S. R., ... Neamatzadeh, H. (2024). Cesarean section and respiratory system disorders in newborns. *European Journal of Obstetrics & Gynecology and Reproductive Biology: X*, 23, 100336. <https://doi.org/10.1016/j.eurox.2024.100336>
- Yıldırım, G., & Bilgin, Z. (2021). Risk status and traumatic birth perception in pregnancy. *Perspectives in Psychiatric Care*, 57(4), 1897-1904. <https://doi.org/10.1111/ppc.12764>
- Yildiz, P. D., Ayers, S., & Phillips, L. (2017). The prevalence of post-traumatic stress disorder in pregnancy and after birth: A systematic review and meta-analysis. *Journal of Affective Disorders*, 208, 634-645. <https://doi.org/10.1016/j.jad.2016.10.009>
- Yonkers, K. A., Smith, M. V., Forray, A., Epperson, C. N., Costello, D., Lin, H., & Belanger, K. (2014). Pregnant women with posttraumatic stress disorder and risk of preterm birth. *JAMA Psychiatry*, 71(8), 897-904. <https://doi.org/10.1001/jamapsychiatry.2014.558>
- Zaers, S., Waschke, M., & Ehlert, U. (2008). Depressive symptoms and symptoms of post-traumatic stress disorder in women after childbirth. *Journal of Psychosomatic Obstetrics and Gynaecology*, 29(1), 61-71. <https://doi.org/10.1080/01674820701804324>
- Zappas, M. P., Becker, K., & Walton-Moss, B. (2021). Postpartum Anxiety. *Mental Health*, 17(1), 60-64. <https://doi.org/10.1016/j.nurpra.2020.08.017>
- Zerach, G., & Magal, O. (2017). Exposure to stress during childbirth, dyadic adjustment, partner's resilience, and psychological distress among first-time fathers. *Psychology of Men & Masculinity*, 18(2), 123-133. <https://doi.org/10.1037/men0000048>
- Zimmerman, G. H. (2013). Birth trauma: Posttraumatic stress disorder after childbirth. *International Journal of Childbirth Education*, 28(3), 61.