



20. BÖLÜM

GEBELİKTE ADNEKSIYEL KİTLE

Lena TÜREYİCİ¹

GİRİŞ

Kadın genital sisteminde adneks; over, tuba, broad ligaman ve içindeki yapıları kapsayan bir bölgedir. Adneksiyel kitleler klinik pratikte sık karşılaşılan patolojilerdir.

Gebelikte adneksiyel kitlelerin çoğu obstetrik ultrasonografi yapılmırken saptanmaktadır(1). Gebelerde adneksiyel kitlelerin çoğu ilk ve ikinci trimesterde saptanmaktadır(2). Bu kitlelerin çoğu benign olsa da malign olma olasılığı göz önünde bulundurulmalıdır.

SIKLIK

Gebelikte saptanan adneksiyel kitlelerin sıklığına dair veriler çok değişkenidir. Ancak adneksiyel kitle ile komplike olan gebeliklerin insidansı %0.05 ile %2.4 arasında değişmektedir ve bunların yaklaşık %1 ile %6'sı maligndir(3). Gebelikte saptanan adneksiyel kitlelerin çoğu, saptandığı gebelik yaşı, kitlenin boyutu, histolojik tipi, fonsiyonel yapısına göre gerileme gösterir. İlk trimesterde saptanan adneksiyel kitlelerden basit kist olan 5 cm'den küçük kitlelerin çoğu kendiliğinden geriler(4).

¹ Uzm. Dr., Kozluk Devlet Hastanesi, lenatureyici.lt@gmail.com

önerilmektedir. Çünkü bu bulgular malignite riskini artırmaktadır. Bu adneksiyel kitlelerin rezeksyonu, torsyon, rüptür ve doğum eyleminin obstrüksyonu gibi komplikasyonların riskini azaltmaktadır.

KAYNAKLAR

1. Goh W, Bohrer J, Zalud I. Management of the adnexal mass in pregnancy. *Curr Opin Obstet Gynecol.* 2014;26(2):49–53.
2. Eskander R, Berman M, Keder L. Evaluation and management of adnexal masses. *Obstet Gynecol.* 2016;128(5):e210–26.
3. Schmeler KM, Mayo-Smith WW, Peipert JF, Weitzen S, Manuel MD. Adnexal masses in pregnancy: surgery compared with observation. *Obstet Gynecol.* 2005;105(5):1098–103.
4. Bernhard LM, Klebba PK, Gray DE, Mutch DG. Predictors of persistence of adnexal masses in pregnancy. *Obstet Gynecol.* 1999;93(4 SUPPL.):585–9.
5. Zanetta G. A prospective study of the role of ultrasound in the management of adnexal masses in pregnancy. *BJOG An Int J Obstet Gynaecol.* 2003;110(6):578–83.
6. Horowitz NS. Management of adnexal masses in pregnancy. *Clin Obstet Gynecol.* 2011;54(4):519–27.
7. Palmer J, Vatish M, Tidy J. Epithelial ovarian cancer in pregnancy: A review of the literature. *BJOG An Int J Obstet Gynaecol.* 2009;116(4):480–91.
8. Machado F, Vegas C, Leon J, Perez A, Sanchez R, Parrilla JJ, et al. Ovarian cancer during pregnancy: Analysis of 15 cases. *Gynecol Oncol.* 2007;105(2):446–50.
9. Baser E, Erkilinc S, Esin S, Togrul C, Biberoglu E, Karaca MZ, et al. Adnexal masses encountered during cesarean delivery. *Int J Gynecol Obstet (Internet).* 2013;123(2):124–6. Available from: <http://dx.doi.org/10.1016/j.ijgo.2013.06.015>
10. Goff BA, Mandel LS, Melancon CH, Muntz HG. Frequency of symptoms of ovarian cancer in women presenting to primary care clinics. *J Am Med Assoc.* 2004;291(22):2705–12.
11. Goff BA, Mandel LS, Drescher CW, Urban N, Gough S, Schurman KM, et al. Development of an ovarian cancer symptom index: Possibilities for earlier detection. *Cancer.* 2007;109(2):221–7.
12. Yen CF, Lin SL, Murk W, Wang CJ, Lee CL, Soong YK, et al. Risk analysis of torsion and malignancy for adnexal masses during pregnancy. *Fertil Steril (Internet).* 2009;91(5):1895–902. Available from: <http://dx.doi.org/10.1016/j.fertnstert.2008.02.014>
13. P, Kehoe S. Ovarian tumours in pregnancy: A literature review. *Eur J Obstet Gynecol Reprod Biol (Internet).* 2011;155(2):119–24. Available from: <http://dx.doi.org/10.1016/j.ejogrb.2010.11.023>
14. Lee GSR, Hur SY, Shin JC, Kim SP, Kim SJ. Elective vs. conservative management of ovarian tumors in pregnancy. *Int J Gynecol Obstet.* 2004;85(3):250–4.

15. PRAT J, SCULLY RE. Cellular Fibromas and Fibrosarcomas of the Ovary. *Obstet Gynecol Surv.* 1982;37(6):429–32.
16. Staats PN, McCluggage WG, Clement PB, Young RH. Luteinized thecomas (thecomatosis) of the type typically associated with sclerosing peritonitis: A clinical, histopathologic, and immunohistochemical analysis of 27 cases. *Am J Surg Pathol.* 2008;32(9):1273–90.
17. Webb KE, Sakhel K, Chauhan SP, Abuhamad AZ. Adnexal Mass during Pregnancy: A Review. *Am J Perinatol.* 2015;32(11):1010–6.
18. Chiang G, Levine D. Imaging of adnexal masses in pregnancy. *J Ultrasound Med.* 2004;23(6):805–19.
19. Telischak NA, Yeh BM, Joe BN, Westphalen AC, Poder L, Coakley F V. MRI of adnexal masses in pregnancy. *Am J Roentgenol.* 2008;191(2):364–70.
20. Mooney J, Silva E, Tornos C, Gershenson D. Unusual features of serous neoplasms of low malignant potential during pregnancy. *Gynecol Oncol.* 1997;65(1):30–5.
21. Elit L, Bocking A, Kenyon C, Natale R. An endodermal sinus tumor diagnosed in pregnancy: Case report and review of the literature. *Gynecol Oncol.* 1999;72(1):123–7.
22. Buller RE, Darrow V, Manetta A et al. Conservative surgical management of dysgerminoma concomitant with pregnancy. *Obs Gynecol.* 1992;(79):887.
23. Schumer ST, Cannistra SA. Granulosa cell tumor of the ovary. *J Clin Oncol.* 2003;21(6):1180–9.
24. Luisi S, Florio P, Reis FM, Petraglia F. Inhibins in female and male reproductive physiology: Role in gametogenesis, conception, implantation and early pregnancy. *Hum Reprod Update.* 2005;11(2):123–35.
25. Smith LH, Dalrymple JL, Leiserowitz GS, Danielsen B, Gilbert WM. Obstetrical deliveries associated with maternal malignancy in California, 1992 through 1997. *Am J Obstet Gynecol.* 2001;184(7):1504–13.
26. Bakri YN, Ezzat A, Akhtar, Dohami, Zahrani. Malignant germ cell tumors of the ovary. Pregnancy considerations. *Eur J Obstet Gynecol Reprod Biol.* 2000;90(1):87–91.
27. Kumar S, Shah JP, Bryant CS, Imudia AN, Cote ML, Ali-fehmi R, et al. The prevalence and prognostic impact of lymph node metastasis in malignant germ cell tumors of the ovary. *Gynecol Oncol.* 2008;110(2):125–32.
28. Young, R. H., Dudley, A. G., & Scully, R. E. (1984). Granulosa cell, Sertoli-Leydig cell, and unclassified sex cord-stromal tumors associated with pregnancy: a clinicopathological analysis of thirty-six cases. *Gynecologic oncology,* 18(2), 181–205. <https://doi.org/10.1016/j.ajog.2009.11.028>
29. McMinn E, Schwartz N. Adnexal Masses in Pregnancy. *Clin Obstet Gynecol.* 2020;63(2):392–404.
30. Hasson J, Tsafrir Z, Azem F, Bar-On S, Almog B, Mashiach R, et al. Comparison of adnexal torsion between pregnant and nonpregnant women. *Am J Obstet Gynecol (Internet).* 2010;202(6):536.e1–536.e6. Available from: <http://dx.doi.org/10.1016/j.ajog.2009.11.028>
31. Gil Y, Tulandi T. Laparoscopy in Pregnancy. *J Obstet Gynaecol Can.* 2019;41(1):3–4.
32. Hoover K, Jenkins TR. Evaluation and management of adnexal mass in pregnancy. *Am J Obstet Gynecol (Internet).* 2011;205(2):97–102. Available from: <http://dx.doi.org/10.1016/j.ajog.2011.01.050>

33. Ngu SF, Cheung VYT, Pun TC. Surgical management of adnexal masses in pregnancy. *J Soc Laparoendosc Surg.* 2014;18(1):71–5.
34. Grimm D, Woelber L, Trillsch F, Keller-v Amsberg G MS. Clinical management of epithelial ovarian cancer during pregnancy. *Eur J Cancer.*
35. Zhao XY, Huang HF, Lian LJ, Lang JH. Ovarian cancer in pregnancy: A clinicopathologic analysis of 22 cases and review of the literature. *Int J Gynecol Cancer.* 2006;16(1):8–15.