



27. BÖLÜM

YENİDOĞAN BEBEĞİN CANLANDIRMASI

Serdar BALSAK¹

Yenidoğan bebeklerin % 90'ı doğum odasında olağan yenidoğan bakımı dışında destege ihtiyaç duymazlar. Bebeklerin % 10'u yenidoğan canlandırmamasına, yaklaşık 1000'de 1'i de ileri canlandırmaya ihtiyaç duyarlar. Bu yüksek sıklık nedeniyle problem beklentisi olsun veya olmasın her doğum odasında yenidoğan bebeklere müdahale edebilecek şekilde eğitilmiş ve yetkilendirilmiş sağlık personeli hazır bulunmalıdır. Riskli bir annenin doğum öncesi bir üst merkeze na-kıl edilmesi her zaman mümkün olmadığından hastanede bebeklere müdahale edebilecek sertifikalı ekibin oluşturulması gereklidir. Tüm doğumlarda primer sorumluluğu bebeğin bakımı olan, yenidoğan bebeği değerlendirebilecek, canlan-dırmanın başlangıç basamaklarını, gerektiğinde pozitif basınçlı ventilasyon ve göğüs kompresyonu yapma becerisi olan en az 1 kişi olmalıdır. Gerekiğinde bu kişi veya ihtiyaç halinde hemen ulaşılabilen 2. bir kişi endotrakeal entübasyon ve ilaç uygulaması dahil canlandırmmanın tüm basamaklarını yapabilecek bilgi ve tecrübe sahip olmalıdır (1,2).

¹ Uzm. Dr. TC Sağlık Bakanlığı Ankara Şehir Hastanesi, mdbalsak@gmail.com

KAYNAKLAR

1. Gomella, T. L., Eyal, F. G., & Bany-Mohammed, F. (2020). *Gomella's Neonatology*. McGraw-Hill Medical.
2. Aziz K, Lee HC, Escobedo MB, et al. 2020 American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *Pediatrics* 2020.
3. Perlman JM, Wyllie J, Kattwinkel J, et al. Part 7: Neonatal Resuscitation: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Circulation* 2015; 132:S204.
4. Wilson E, Maier RF, Norman M, et al. Admission Hypothermia in Very Preterm Infants and Neonatal Mortality and Morbidity. *J Pediatr* 2016; 175:61.
5. Aziz K, Lee HC, Escobedo MB, et al. Part 5: Neonatal Resuscitation: 2020 American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *Circulation* 2020; 142:S524.
6. Wyllie J, Bruinenberg J, Roehr CC, Rüdiger M, Trevisanuto D, Urlesberger B. European Resuscitation Council Guidelines for Resuscitation 2015 Section 7. Resuscitation and support of transition of babies at birth. *Resuscitation* 2015. pii: S0300-9572(15)00341-X. doi: 10.1016/j.resuscitation.2015.07.029.
7. Perlman JM, Wyllie J, Kattwinkel J, Wyckoff MH, Aziz K, Guinsburg R, et al. Resuscitation: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Circulation* 2015;132(16 Suppl 1):S204-41.
8. Singh A, Duckett J, Newton T, Watkinson M. Improving neonatal unit admission temperatures in preterm babies: exothermic mattresses, polythene bags or a traditional approach? *J Perinatol* 2010;30(1):45-9.
9. American Academy of Pediatrics. *Textbook of Neonatal Resuscitation*, 7th ed, Weiner GM (Ed), American Academy of Pediatrics, 2016.
10. de Almeida MF, Guinsburg R, da Costa JO, et al. Resuscitative procedures at birth in late preterm infants. *J Perinatol* 2007; 27:761.
11. Spain JE, Tuuli MG, Macones GA, et al. Risk factors for serious morbidity in term nonanomalous neonates. *Am J Obstet Gynecol* 2015; 212:799.e1.
12. Berazategui JP, Aguilar A, Escobedo M, et al. Risk factors for advanced resuscitation in term and near-term infants: a case-control study. *Arch Dis Child Fetal Neonatal Ed* 2017; 102:F44.
13. Chien LY, Whyte R, Aziz K, et al. Improved outcome of preterm infants when delivered in tertiary care centers. *Obstet Gynecol* 2001; 98:247.
14. Cifuentes J, Bronstein J, Phibbs CS, et al. Mortality in low birth weight infants according to level of neonatal care at hospital of birth. *Pediatrics* 2002; 109:745.
15. Phibbs CS, Baker LC, Caughey AB, et al. Level and volume of neonatal intensive care and mortality in very-low-birth-weight infants. *N Engl J Med* 2007; 356:2165.
16. Shah KP, deRegnier RO, Grobman WA, Bennett AC. Neonatal Mortality After Inter-hospital Transfer of Pregnant Women for Imminent Very Preterm Birth in Illinois. *JAMA Pediatr* 2020; 174:358.

17. Jukkala AM, Henly SJ. Provider readiness for neonatal resuscitation in rural hospitals. *J Obstet Gynecol Neonatal Nurs* 2009; 38:443.
18. American Academy Of Pediatrics Committee On Fetus And Newborn, American College Of Obstetricians And Gynecologists Committee On Obstetric Practice. The Apgar Score. *Pediatrics* 2015; 136:819.
19. American Academy of Pediatrics and American Heart Association. Textbook of Neonatal Resuscitation. 6th ed. Elk Gro-ve Village, IL: American Academy of Pediatrics and American Heart Association; 2011
20. Kamlin CO, Dawson JA, O'Donnell CP, Morley CJ, Donath SM, Sekhon J, et al. Accuracy of pulse oximetry measurement of heart rate of newborn infants in the delivery room. *J Pediatr* 2008;152(6):756-60.
21. Mizumoto H, Tomotaki S, Shibata H, Ueda K, Akashi R, Uchio H, et al. Electrocardiogram shows reliable heart rates much earlier than pulse oximetry during neonatal resuscitation. *Pediatr Int* 2012;54(2):205-7
22. TC Sağlık Bakanlığı Halk Sağlığı Genel Müdürlüğü (2017) Yenidoğan Canlandırma Programı (NRP) Uygulayıcı Eğitim Kitabı
23. Lesson 4: Positive-pressure ventilation. In: Textbook of Neonatal Resuscitation, 7th, Weiner GM (Ed), American Academy of Pediatrics, Elk Grove, Illinois 2016. p.86.
24. Smithhart W, Wyckoff MH, Kapadia V, et al. Delivery Room Continuous Positive Airway Pressure and Pneumothorax. *Pediatrics* 2019; 144.
25. Hishikawa K, Goishi K, Fujiwara T, et al. Pulmonary air leak associated with CPAP at term birth resuscitation. *Arch Dis Child Fetal Neonatal Ed* 2015; 100:F382.
26. Duong HH, Mirea L, Shah PS, et al. Pneumothorax in neonates: Trends, predictors and outcomes. *J Neonatal Perinatal Med* 2014; 7:29.
27. Kelleher J, Bhat R, Salas AA, et al. Oronasopharyngeal suction versus wiping of the mouth and nose at birth: a randomised equivalency trial. *Lancet* 2013; 382:326.
28. Noori S, Wlodaver A, Gottipati V, et al. Transitional changes in cardiac and cerebral hemodynamics in term neonates at birth. *J Pediatr* 2012; 160:943.
29. Welsford M, Nishiyama C, Shortt C, et al. Room Air for Initiating Term Newborn Resuscitation: A Systematic Review With Meta-analysis. *Pediatrics* 2019; 143.
30. Thio M, van Kempen I, Rafferty AR, et al. Neonatal resuscitation in resource-limited settings: titrating oxygen delivery without an oxygen blender. *J Pediatr* 2014; 165:256.
31. Szylt E, Aguilar A, Musante GA, et al. Comparison of devices for newborn ventilation in the delivery room. *J Pediatr* 2014; 165:234.
32. Thakur A, Saluja S, Modi M, et al. T-piece or self inflating bag for positive pressure ventilation during delivery room resuscitation: an RCT. *Resuscitation* 2015; 90:21.
33. Schmölzer GM, Te Pas AB, Davis PG, Morley CJ. Reducing lung injury during neonatal resuscitation of preterm infants. *J Pediatr* 2008; 153:741.
34. Wang TC, Kuo LL, Lee CY. Utilizing nasal-tragus length to estimate optimal endotracheal tube depth for neonates in Taiwan. *Indian J Pediatr* 2011; 78:296.
35. Escobedo MB, Shah BA, Song C, et al. Recent Recommendations and Emerging Science in Neonatal Resuscitation. *Pediatr Clin North Am* 2019; 66:309.
36. Gandini D, Brimacombe JR. Neonatal resuscitation with the laryngeal mask airway in normal and low birth weight infants. *Anesth Analg* 1999; 89:642.

37. Halling C, Sparks JE, Christie L, Wyckoff MH. Efficacy of Intravenous and Endotracheal Epinephrine during Neonatal Cardiopulmonary Resuscitation in the Delivery Room. *J Pediatr* 2017; 185:232.
38. Barber CA, Wyckoff MH. Use and efficacy of endotracheal versus intravenous epinephrine during neonatal cardiopulmonary resuscitation in the delivery room. *Pediatrics* 2006; 118:1028.
39. Frazier MD, Werthammer J. Post-resuscitation complications in term neonates. *J Perinatol* 2007; 27:82.
40. Akinloye O, O'Connell C, Allen AC, El-Naggar W. Post-resuscitation care for neonates receiving positive pressure ventilation at birth. *Pediatrics* 2014; 134:e1057.
41. Kattwinkel J, Perlman JM, Aziz K, Colby C, Fairchild K, Gallagher J, et al. Part 15: neonatal resuscitation: 2010 American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *Circulation* 2010; 122:S909
42. Wyllie J, Bruinenberg J, Roehr CC, Rüdiger M, Trevisanuto D, Urlesberger B. European Resuscitation Council Guidelines for Resuscitation 2015 Section 7. Resuscitation and support of transition of babies at birth. *Resuscitation* 2015. pii: S0300-9572(15)00341-X. doi: 10.1016/j.resuscitation.2015.07.029.
43. Jacobs SE, Berg M, Hunt R, Tarnow-Mordi WO, Inder TE, Davis PG. Cooling for newborns with hypoxic ischaemic encephalopathy. *Cochrane Database Syst Rev* 2013;1:CD003311.
44. Shankaran S, Laptook AR, Ehrenkranz RA, Tyson JE, McDonald SA, Donovan EF, et al. Jobe AH; National Institute of Child Health and Human Development Neonatal Research Network. Whole-body hypothermia for neonates with hypoxic-ischemic encephalopathy. *N Engl J Med* 2005;353(15):1574-84.