BÖLÜM 13



ÖLÜMÜ YAKLAŞAN BİREY VE AİLESİ İLE İLETİŞİM

Dr. Post Doctoral Research Fellow Çiğdem Fulya DÖNMEZ¹

Öğrenme Hedefleri

- Ölümü yaklaşan birey ve ailesi ile ölüm teması üzerine terapötik iletişimin saygın ve nitelikli bakıma etkisini bilme,
- Ölümü yaklaşan birey ve ailesinin ihtiyaçlarını bilerek bu gereksinimler doğrultusunda terapötik iletişim kurabilme,
- İletişim engellerine ilişkin farkındalık kazanabilme,
- ♦ İletişim engellerini azaltmada sağlık politikalarına yönelik değişiklerdeki liderlik rollerinin farkında olma,
- Aile ve birey merkezli iletişimin bakım kalitesini arttırmadaki rolünü kavrayabilme,
- Ölümcül hastalığı olan birey ve ailesine yönelik kanıta dayalı iletişim teknikleri hakkında bilgi sahibi olma.

 $^{^{1}}$ School of Medicine, Dentistry and Nursing, University of Glasgow, Glasgow, Scotland, UK

Kaynaklar

- Clayton MF, Hulett J, Kaur K, et al. Nursing support of home hospice caregivers on the day of patient death. Oncol Nurs Forum. 2017; 44(4): 457–464
- 2. Clayton MF, Reblin M, Carlisle M, et al. Communication behaviors and patient and caregiver emotional concerns: a description of home hospice communication. Oncol Nurs Forum. 2014; 41(3): 311–321
- 3. Ayyad F. Death distress among two samples of lower and higher stress in health care professionals. Psychological Reports. 2013; 113(1):1332-41.
- 4. Axelsson L, Randers I, Lundh C, et al. Thoughts on death and dying when living with hemodialysis approaching end of life. Journal of Clinical Nursing. 2012; 21: 49-59.
- 5. Borfani F, Abbaszadeh A, Mohsenpour M,et al. Lived experiences of pediatric oncology nurses in Iran. Iran J Nurs Midwifery Res. 2013; 18: 349-54.
- 6. Brady M. Death anxiety among emergency care workers. Emergency Nurse. 2015; 23(4):32-7.
- Dönmez ÇF, Yılmaz M. Diyaliz hastaları ile nefroloji hemşireleri 1 çin ölüm kavramının anlamı ve ölümle baş etmede nefroloji hemşiresinin rolü. Psikiyatri Hemşireliği Dergisi. 2012;3(3): 141-147.
- 8. Öz F. Kayıp, Ölüm ve Yas Süreci. Sağlık Alanında Temel Kavramlar. Ankara: İmaj İç ve Dış Ticaret, 2010.
- 9. İnci F, Öz F. Palyatif bakım ve ölüm kaygısı. Psikiyatride Güncel Yaklaşımlar.2012; 4(2):178-187
- 10. Banerje SC, MannaR, CoyleN, et al. Oncology nurses' communication challenges with patients and families: A qualitative study. Nurse Educatioan Practice. 2015;15:121-3.
- 11. Rodrigues AB, ChavesEC. Stressing factors and coping strategies by oncology nurses. Rev Latino-am Enferm. 2008;16(1):24-28.
- 12. Macmillan Cancer Support. No regrets. How talking more openly about death could help people die well. 2017. https://www.macmillan.org.uk/_images/no-regrets-talking-about-death-report_tcm9-311059.pdf, Erişim tarihi: 10.04.2020
- 13. Hussain, F. Managing conversations with patients about death and dying. British Journal of Nursing. 2020; 29(5): 284-289.
- 14. Rodenbach RA, Rodenbach KE, Tejani MA et al.Relationships between personal attitudes about death and communication with terminally ill patients: How oncology clinicians grapple with mortality. Patient Educ Couns. 2015; 99(3):356-363. doi: 10.1016/j.pec.2015.10.010.
- 15. Dönmez ÇF, Yılmaz M, Helvacı İ. Opinions nephrology nurses about death concept Prog Health Sci. 2015; 5(1): 63-68
- 16. Bilge A, Embel N, Kaya FG. Sağlık Profesyoneli Olacak Öğrencilerin Ölüme Karşı Tutumları, Ölüm Kaygıları Arasındaki İlişki ve Bunları Etkileyen Değişkenler. Psikiyatri Hemşireliği Dergisi 2013;4
- 17. Işıl Ö, Karaca S. Ölüm yaklaşırken yaşananlar ve söylenebilecekler: bir gözden geçirme. Maltepe Üniversitesi Hemşirelik Bilim ve Sanatı Dergisi, 2009; 2(1)
- 18. Garcia-Rueda N, Carvajal-Valcarcel A, Saracibar-Razquin M. et al. The experience of living with advanced-stage cancer: a thematic synthesis of the literature. European Journal of Cancer Care. 2016; 25 (4): 551-569
- 19. Dönmez ÇF, Johnston B. Living in the moment for people approaching the end of life: A concept analysis. International Journal of Nursing Studies. 2020;103584. Doi:https://doi.org/10.1016/j. ijnurstu.2020.103584.
- 20. American Medical Association. The ethical force program: C-CAT Patient-centered communication. http://www.ama-assn.org/ama/pub/physician-resources/medical-ethics/the-ethical-force-program/patient-centered-communication.page, Erişim tarihi: 05.04.2020

- 21. Daneault S, Lussier V, Mongeau S, et al. Ultimate journey of the terminally ill: Ways and pathways of hope. Canadian Family Physicia. 2016; 62(8): 648-656
- 22. Saleh US, Brockopp DY. Hope among patients with cancer hospitalized for bone marrow transplantation A phenomenologic study. Cancer Nursing . 2001; 24 (4): 308-314
- 23. Ellis J, Williams L, Wagland R. Coping with and factors impacting upon the experience of lung cancer in patients and primary carers. 2013; 22(1):97-106. doi: 10.1111/ecc.12003.
- 24. Benzein E, Norberg A, Saveman BI. The meaning of the lived experience of hope in patients with cancer in palliative home care. Palliative Medicine. 2001; 15 (2): 117-126.
- 25. Shirado A, Morita T, Akazawa T, et al. Both maintaining hope and preparing for death: effects of physicians' and nurses' behaviors from bereaved family members' perspectives. J Pain Symptom Manage 2013; 45: 848–58.
- Kvale K. Do cancer patients always want to talk about difficult emotions? A qualitative study
 of cancer inpatients communication needs. European Journal of Oncology Nursing. 2007; 11
 (4): 320-327.
- 27. Cameron J, Waterworth S. Patients' experiences of ongoing palliative chemotherapy for metastatic colorectal cancer: a qualitative study. International Journal of Palliative Nursing 2014; 20 (5): 218-224.
- 28. Buiting HM, Terpstra W, Dalhuisen F. The Facilitating Role of Chemotherapy in the Palliative Phase of Cancer: Qualitative Interviews with Advanced Cancer Patients. Plos One. 2013; 8 (11): e77959
- 29. Skeath P, Berger A. "Living in the moment" among cancer survivors who report life-transforming change. Annals of Palliative Medicine. 2017; 6 (3): 227-236.
- 30. Andersson M, Hallberg IR, Edberg AK. Old people receiving municipal care, their experiences of what constitutes a good life in the last phase of life: a qualitative study. International Journal of Nursing Studies. 2008; 45 (6): 818-828.
- 31. Cottingham AH, Cripe LD, Rand KL. "My Future is Now": A Qualitative Study of Persons Living With Advanced Cancer. American Journal of Hospice & Palliative Medicine. 2018; 35 (4): 640-646.
- 32. Johnston B. Can self-care become an integrated part of end-of-life care? Implications for palliative nursing. International Journal of Palliative Nursing. 2010; 16 (5): 212-214.
- 33. Arantzamendi M, Garcia-Rueda N, Carvajal A. People With Advanced Cancer: The Process of Living Well With Awareness of Dying. Qualitative Health Research. 2018; 0 (0): 1-13.
- 34. Cameron J, Waterworth S. Patients' experiences of ongoing palliative chemotherapy for metastatic colorectal cancer: a qualitative study. International Journal of Palliative Nursing. 2014; 20 (5): 218-224.
- 35. Post H, Wagman P. What is important to patients in palliative care? A scoping review of the patient's perspective. Scandinavian Journal of Occupational Therapy. 2019; 26 (1): 1-8.
- 36. Harstäde CW, Blomberg K, Benzein E, et al. Dignity-conserving care actions in palliative care: an integrative review of Swedish research. Scandinavian Journal of Caring Sciences. 2018; 32 (1): 8-23.
- 37. Carolan CM, SmithA, Davies GR. et al. Seeking, accepting and declining help for emotional distress in cancer: A systematic review and thematic synthesis of qualitative evidence. European Journal of Cancer Care. 2018; 27 (2): e12720.
- 38. Harrop E, Noble S, Edwards M, et al. Managing, making sense of and finding meaning in advanced illness: a qualitative exploration of the coping and wellbeing experiences of patients with lung cancer. Sociology of Health & Illness. 2017; 39 (8): 1448-1464
- 39. Johnston, B., Papadopoulou, C., Östlund, U, et al. What's dignity got to do with it? Patient experience of the dignity care intervention: a qualitative evaluation study. SAGE Open Nursing. 2017; 3: 2377.

- 40. Benzein E, Norberg A, Saveman BI. The meaning of the lived experience of hope in patients with cancer in palliative home care. Palliative Medicine. 2001; 15 (2): 117-126.
- Chochinov, H.M., Hassard, T., McClement, S., Hack, T., Kristjanson, L.J., Harlos, M., Sinclair, S., Murray, A., 2008. The Patient Dignity Inventory: A Novel Way of Measuring Dignity-Related Distress in Palliative Care. Journal of Pain and Symptom Management 36 (6), 559-571.
- 42. Playlist for life. https://www.playlistforlife.org.uk. Erişim tarihi: 10.01.2020
- 43. Brighton LJ, Bristowe K. Communication in palliative care: talking about the end of life, before the end of life. Postgrad Med J. 2016;92:466–470. doi:10.1136/postgradmedj-2015-133368
- 44. Zamanzadeh V, Rassouli M, Abbaszadeh A, et al. Factors influ- encing communication between the patients with cancer and their nurses in oncology wards. Indian Journal of Palliative Care. 2014; 20(1): 12–20. https://doi.org/10.4103/0973-1075.125549
- 45. Dilworth S, Higgins I, Parker V, et al. Patient and health professional's perceived barriers to the delivery of psychosocial care to adults with cancer: a systematic review. Psycho-Oncology. 2014; 23: 601–612. https://doi.org/10.1002/pon.3474
- 46. Chan EA, Tsang PL, Ching SSY, et al. Nurses' perspectives on their communication with patients in busy oncology wards: A qualitative study. PLoS ONE. 2019; 14(10): e0224178. https://doi.org/10.1371/journal.pone.0224178
- 47. Chan EA, Wong F, Cheung MY, et al. Patients' perceptions of their experiences with nurse-patient communication in oncology settings: A focused ethnographic study. PLoS ONE. 2018; 13(6): e0199183. https://doi.org/10.1371/journal.pone.0199183
- 48. Yalom ID. Staring At The Sun: Being at peace with your own mortality. 2 ed. UK: Hachette, 2011
- Nicol J, Nyatanga. Palliative and End of Life Care in Nursing. 1 ed. New Delhi: Sage publication, 2014
- 50. Aslakson RA, Wyskiel R, Thornton I, et al. Nurse-perceived barriers to effective communication regarding prognosis and optimal end-of-life care for surgical ICU patients: a qualitative exploration. J Palliat Med.2012; 15: 910–15.
- 51. Granek L, Krzyzanowska MK, Tozer R, et al. Oncologists' strategies and barriers to effective communication about the end of life. J Oncol Pract. 2013; 9: 129–35.
- 52. Gilligan T, Coyle N, Frankel RM, et al. Patient-Clinician Communication: American Society of Clinical Oncology Consensus Guideline. J Clin Oncol. 2017; 35:3618-3632
- 53. Hussain, F. Managing conversations with patients about death and dying. British Journal of Nursing. 2020; 29(5): 284-289
- 54. Just Ask: A Conversation Guide For Goals Of Care Discussions. https://www.advancecareplanning.ca. Erişim tarihi: 02.05.2020
- 55. Koncicki HM, Schell JO. Communication Skills and Decision Making for Elderly Patients With Advanced Kidney Disease: A Guide for Nephrologists. Am J Kidney Dis. 2016; 67(4):688-695.
- Nixon J, Gray L, Turner J, Bernard A, et al. Communicating Actively Responding Empathically (CARE): Comparison of Communication Training Workshops for Health Professionals Working in Cancer Care. Journal of Cancer Education. 2020; 5: 54–60 https://doi.org/10.1007/s13187-018-1439-0
- 57. Clayton JM, Hancock KM, Butow PN, et al. Clinical practice guidelines for communicating prognosis and end-of-life issues with adults in the advanced stages of a life-limiting illness, and their caregivers. The Medical Journal of Australia. 2007; 186(12): 77-108
- 58. Mooney N. The therapeutic use of humor. Orthopaedic Nursing. 2000; 19(3): 88-92
- Andrea Lambert South, Jessica Elton & Alison M. Lietzenmayer. Communicating death with humor: Humor types and functions in death over dinner conversations. Death Studies. 2020; 1716883: 1-10. Doi: 10.1080/07481187.2020.1716883

- 60. Wittenberg E, Ferrell B, Goldsmith J, et al. COMFORT (SM) communication for oncology nurses: program overview and preliminary evaluation of a nationwide train-the-trainer course. Patient Educ Couns. 2018; 101(3):467–474
- 61. Wittenberg E, Goldsmit HJV, Williams Y, et al. Caring for Family Caregivers: a Pilot Test of an Online COMFORT Communication Training Module for Undergraduate Nursing Students. Journal of Cancer Education. 2020; 35: 138-143 https://doi.org/10.1007/s13187-018-1452-3
- 62. Fuoto A and Tuner K. Palliative Care Nursing Communication An Evaluation of the COM-FORT Model. Journal of Hospice & Palliative Nursing. 2019; 21:124-130
- 63. Cronin JA, Finn S. Implementing and evaluating the COMFORT Communication in palliative care curriculum for oncology nurses. Journal of Hospice and Palliative Nursing. 2017; 19(2):140-146.
- 64. Roth RL, Lis G, O'Connor N, Aseltyne KA. Evaluation of COMFORT in strengthening perceived communication confidence of advanced practice registered nurses. Journal of Hospice and Palliative Nursing. 2017; 19(1):59–66.
- 65. Oflaz F. Sağlık çalışanları için kötü, üzücü ya da zor haberleri iletme tekniği. Anadolu Psikiyatri Dergisi. 2007; 8:62-69
- 66. You JJ, Fowler RA and Heyland DK. Just ask: discussing goals of care with patients in hospital with serious illness. CMAJ. 2014; 186(6): 425-432 Doi:10.1503 /cmaj.121274
- 67. Hawryluck L. Ian Anderson Continuing Education Program In End-Of-Life Care. Communication With Patients And Families. https://www.cpd.utoronto.ca/endoflife/Modules/COM-MUNICATIONS%20MODULE.pdf. Erişim tarihi: 2.04.2020
- 68. Robert M, Arnold MD. Educational Modules for the Critical Care Communication (C3)- A Communication Skills Training Program for Intensive Care Fellows 2010, https://www.uclahealth.org/palliative-care/Workfiles/Educational-Modules-Critical-Care-Communication.pdf
- Connolly M, Perryman J, McKenna Y, et al., SAGE & THYME: a model for training health and social care professionals in patient-focussed support. Patient Education and Counseling. 2009; 79: 87-93.
- 70. Connolly, M., Thomas, J., Orford, J., Schofield, N., Whiteside, S., Morris, J., et al., 2014. The impact of the SAGE & THYME foundation level workshop on factors influencing communication skills in health care professionals. Journal of Continuing Education in Health Professions 34 (1), 37e46.
- 71. Griffiths J, Wilson C, Ewing G. Improving communication with palliative care cancer patients at home e A pilot study of SAGE & THYME communication skills model. European Journal of Oncology Nursing. 2015;19(5): 465-72.
- 72. Ang SHM. Promoting Effective Nurse-Patient Communication in Palliative Care Using the SAGE and THYME Model: Can it be Implemented Cross-Culturally? The Open Nursing Journal. 2019; 13: 153-155.