


2. BÖLÜM



İDEAL DOĞUM ÜNİTESİ

Bilgesu ÇELİK¹, Bihter AKIN²

GİRİŞ

Doğum, kadının hayatındaki en önemli dönüm noktalarından biridir ve kadın annelik rolünü kazanmaktadır. Doğum, yalnızca fiziksel bir süreç olarak algılanmakta ancak zihinsel ve emosyonel boyutları da bulunmaktadır. Doğum deneyiminin, kadının edindiği annelik rolü, ruhsal sağlığı ve aile dinamikleri üzerine etkisi bulunmaktadır (1-3). Doğum deneyimi, dış faktörlerden olumlu veya olumsuz yönde etkilenmektedir. Dış faktörlerden biri olan doğum ünitesi ise kadının intrapartum süreç boyunca zaman geçirdiği mekândır (4). Doğum ünitesi sağlık personeli açısından, riskleri saptamak, saptanan riskleri azaltmak, doğum süreci boyunca doğumu yönetmek için dizayn edilmiş odalar olarak tanımlanmaktadır. Bu nedenle, oda içerisinde medikal ekipmanlar, acil durumda hızlı müdahale etmek için açık kapı, tavanda güçlü ışık veren floresan lamba bulunmaktadır. Doğum ünitesi, hasta odası dizaynına sahip odalar olarak tasarlanmıştır (2,4). Ayrıca kadının doğum boyunca yalnız ve cihazlara bağlı kalması, hareket kısıtlaması, medikalize edilmiş doğum ortamını oluşturmaktadır (2). Bu durumda anne adayının olumlu bir doğum deneyimi yaşaması zorlaşmaktadır. Çünkü tıbbileştirilmiş bir ortamda kadının kaygı, korku ve stres seviyeleri yükselmektedir (4).

¹ Araştırma Görevlisi, Çankırı Karatekin Üniversitesi, Sağlık Bilimleri Fakültesi, Ebelik Bölümü, sugebil97@gmail.com, ORCID iD: 0009-0008-7786-9712

² Doç. Dr., Selçuk Üniversitesi, Sağlık Bilimleri Fakültesi, Ebelik Bölümü, bihter.akin@selcuk.edu.tr, ORCID iD: 0000-0002-3591-3630

SONUÇ

Doğum, kadının hayatı boyunca hatırlayacağı ve çevresine anlatacağı önemli bir deneyimdir. Kadının fizyolojik, müdahalesiz ve sakin bir doğum süreci yaşaması, olumsuz doğum deneyimlerinin önüne geçecektir. Bu sayede tercihe bağlı sezaryen oranları azalacaktır. Doğum deneyimi, yalnızca kadını değil, ailesini de yakından ilgilendiren bir süreçtir. Olumlu bir doğum deneyimi yaşayan kadın, annelik rolünü daha sağlıklı bir şekilde benimserken, doğumda babanın refakatiyle aile bağları güçlenecektir. İdeal doğum üniteleri, ebeleri de olumlu şekilde etkilemektedir. Kaliteli ve etkin bakım sunan ebelerin fiziksel, duygusal ve emosyonel ihtiyaçları desteklenmektedir. Pozitif doğum deneyiminin sağlanması için, ideal doğum ünitelerinin ülkemizde ve dünya çapında daha fazla yaygınlaştırılması gerekmektedir.

KAYNAKLAR

1. Liberati EG, Tarrant C, Willars J, Draycott T, Winter C, Kuberska K, Paton A, Marjanovic S, Leach B, Lichten C, Hocking L, Ball S, Dixon-Woods M; SCALING Authorship Group. Seven features of safety in maternity units: a framework based on multisite ethnography and stakeholder consultation. *BMJ Qual Saf.* 2021 30(6):444-456. doi: 10.1136/bmjqs-2020-010988.
2. Andrén A, Begley C, Dahlberg H, Berg M. The birthing room and its influence on the promotion of a normal physiological childbirth - a qualitative interview study with midwives in Sweden. *Int J Qual Stud Health Well-being.* 2021;16(1):1939937. doi: 10.1080/17482631.2021.1939937.
3. Hansen ML, Lorentzen IP, Andersen CS, Jensen HS, Fogsgaard A, Foureur M, Jepsen I, Nohr EA. The effect on the birth experience of women and partners of giving birth in a "birth environment room": A secondary analysis of a randomised controlled trial. *Midwifery.* 2022;112:103424. doi: 10.1016/j.midw.2022.103424.
4. Öter EG, Bozkurt ÖD, Hadımlı A, Yorulmaz A, Daştı D. Factors affecting birth satisfaction of women in Turkey: A cross-sectional study. *Midwifery.* 2022;115:103495. doi: 10.1016/j.midw.2022.103495.
5. Topaktaş G, Beylik U. Türkiye Sezaryen Oranı Durum Analizi Ve Politika Önerileri. *Jgon.* 2024;21(2):102-13. <https://doi.org/10.38136/jgon.1482889>
6. World Health Organization, (WHO). WHO statement on caesarean section rates.2015 (25/12/24 tarihinde <https://www.who.int/publications/i/item/WHO-RHR-15.02> adresinden ulaşılmıştır).
7. Setola, Nicoletta; Naldi, Eletta; Cocina, Grazia Giulia; Eide, Liv Bodil; Iannuzzi, Laura; Daly, Deirdre. The Impact of the Physical Environment on Intrapartum Maternity Care: Identification of Eight Crucial Building Spaces. *HERD: Health Environments Research & Design Journal*, 2019;193758671982605-. doi:10.1177/1937586719826058
8. Nielsen JH, Overgaard C. Healing architecture and Snoezelen in delivery room design: a qualitative study of women's birth experiences and patient-centeredness of care. *BMC Pregnancy Childbirth.* 2020;20(1):283. doi:10.1186/s12884-020-02983-z
9. Aktaş Reyhan F, Sayiner F. Doğum Ortamının Önemi ve İdeal Doğum Ünitesi Üzerine Bir Derleme Çalışması. *Journal of Midwifery and Health Sciences.* April 2024;7(1):176-186. doi:10.5281/zenodo.10929551
10. Garg, A. Labour Delivery Room (LDR). In: *Monitoring Tools for Setting up The Hospital Project*. Springer, Singapore. 2023 p. 173-203 https://doi.org/10.1007/978-981-99-6663-9_6

11. Ali E, Norris JM, Hall M, White DE. Single-room maternity care: Systematic review and narrative synthesis. *Nurs Open*. 2020;7(6):1661-1670. Published 2020 Aug 31. doi:10.1002/nop2.586
12. National Institute for Health and Care Excellence, (NICE). Intrapartum care. National Institute for Health and Care Excellence Guidelines 2023, <https://www.nice.org.uk/guidance/ng235/resources/intrapartum-care-pdf-66143897812933> Erişim Tarihi: 13.01.2025
13. Akın, B, Yücel U. “İdeal Doğum Ortamı Nasıl Olmalı?.” *Türkiye Klinikleri Journal of Health Sciences* 5.3 (2020). DOI: 10.5336/healthsci.2019-72527
14. Esfeh BK, Kazemi A, Shamsaie A. Designing architecture of soothing labor-delivery-recovery-postpartum unit: a study protocol. *Reprod Health*. 2020;17(1):196. doi:10.1186/s12978-020-01055-x
15. World Health Organization, (WHO). Intrapartum care for a positive childbirth experience. 2018 <https://iris.who.int/bitstream/handle/10665/260178/9789241550215-eng.pdf> Erişim Tarihi: 13.01.2025
16. Wrønding T, Argyraki A, Petersen JF, Topsøe MF, Petersen PM, Løkkegaard ECL. The aesthetic nature of the birthing room environment may alter the need for obstetrical interventions - an observational retrospective cohort study. *Sci Rep*. 2019;9(1):303. doi:10.1038/s41598-018-36416-x
17. Hodnett ED, Downe S, Walsh D, Weston J. Alternative versus conventional institutional settings for birth. *Cochrane Database of Systematic Reviews* 2010, Issue 9. Art. No.: CD000012. DOI: 10.1002/14651858.CD000012.pub3. Accessed 18 January 2025.
18. Breedlove G, Rathbun L. Facility Design: Reimagining Approaches to Childbirth in Hospital and Birth Center Settings. *J Perinat Neonatal Nurs*. 2019;33(1):26-34. doi:10.1097/JPN.0000000000000376
19. Migliorini L, Setola N, Naldi E, Rompianesi MC, Iannuzzi L, Cardinali P. Exploring the Role of Birth Environment on Italian Mothers' Emotional Experience during Childbirth. *Int J Environ Res Public Health*. 2023;20(15):6529. doi:10.3390/ijerph20156529
20. Yıldız H. Pozitif Doğum Deneyimi İçin Intrapartum Bakım Modeli: Dünya Sağlık Örgütü Önerileri. *KOU Sag Bil Derg*. 2019;5(2):98-105. doi:10.30934/kusbed.546900
21. Harte JD, Sheehan A, Stewart S, Foureur M. Application of the Childbirth Supporter Study to Advance the Birth Unit Design Spatial Evaluation Tool. *HERD*. 2024;17(1):148-163. doi:10.1177/19375867231177304
22. Balabanoff, Doreen. Light and embodied experience in the reimagined birth environment. Diss. University College Dublin, 2017.
23. Hadju, Veni, Saidah Syamsuddin, and Andi Imam Arundhana. “The effect of listening to the recitation of Qur'an (Murottal Ar-Rahman surah) on the level of anxiety of pregnant women in Siti Fatimah maternal and child hospital.” *Enfermeria clinica* 30 (2020): 238-242.
24. Buglione, Annarita, et al. “Effect of music on labor and delivery in nulliparous singleton pregnancies: a randomized clinical trial” *Archives of gynecology and obstetrics* 301 (2020): 693-698
25. Nilvér H, Berg M. The Birth Companions' Experience of the Birthing Room and How It Influences the Supportive Role: A Qualitative Study. *HERD*. 2023;16(3):156-167. doi:10.1177/19375867231163336
26. Foureur M, Davis D, Fenwick J, et al. The relationship between birth unit design and safe, satisfying birth: developing a hypothetical model. *Midwifery*. 2010;26(5):520-525. doi:10.1016/j.midw.2010.05.015
27. Goldkuhl L, Dellenborg L, Berg M, Wijk H, Nilsson C. The influence and meaning of the birth environment for nulliparous women at a hospital-based labour ward in Sweden: An ethnographic study. *Women Birth*. 2022;35(4):e337-e347. doi:10.1016/j.wombi.2021.07.005
28. Grigg CP, Tracy SK, Tracy M, et al. Evaluating Maternity Units: a prospective cohort study of freestanding midwife-led primary maternity units in New Zealand-clinical outcomes. *BMJ Open*. 2017;7(8):e016288. doi:10.1136/bmjopen-2017-016288

29. Nilsson C, Wijk H, Höglund L, Sjöblom H, Hessman E, Berg M. Effects of Birthing Room Design on Maternal and Neonate Outcomes: A Systematic Review. *HERD*. 2020;13(3):198-214. doi: 10.1177/1937586720903689.
30. Carlsson IM, Larsson I, Jormfeldt H. Place and space in relation to childbirth: a critical interpretive synthesis. *Int J Qual Stud Health Well-being*. 2020;15(sup1):1667143. doi:https://doi.org/10.1080/17482631.2019.1667143
31. Shiferaw Z, Mahad A, Haile S. Maternal satisfaction and associated factors towards institutional delivery service at public hospitals in the Somali region, Eastern Ethiopia. *PLoS One*. 2022;9;17(11):e0277224. Doi: https://doi.org/10.1371/journal.pone.0277224
32. Berg M, Goldkuhl L, Nilsson C, Wijk H, Gyllensten H, Lindahl G, Uvnäs Moberg K, Begley C. Room4Birth - the effect of an adaptable birthing room on labour and birth outcomes for nulliparous women at term with spontaneous labour start: study protocol for a randomised controlled superiority trial in Sweden. *Trials*. 2019 19;20(1):629. https://doi.org/10.1186/s13063-019-3765-x
33. Dencker A, Nilsson C, Begley C, Jangsten E, Mollberg M, Patel H, Wigert H, Hessman E, Sjöblom H, Sparud-Lundin C. Causes and outcomes in studies of fear of childbirth: A systematic review. *Women Birth*. 2019;32(2):99-111. doi: https://doi.org/10.1016/j.wombi.2018.07.004
34. Moran E, Bradshaw C, Tuohy T, Noonan M. The Paternal Experience of Fear of Childbirth: An Integrative Review. *Int J Environ Res Public Health*. 2021;29;18(3):1231. doi. https://doi.org/10.3390/ijerph18031231
35. Jean Greer BSc, R. M. Fear of childbirth and ways of coping for pregnant women and their partners during the birthing process: a salutogenic analysis. *Evidence Based Midwifery*, 2014;12(3), 95.
36. Jenabi, E., Khazaei, S., Bashirian, S., Aghababaei, S., Matinnia, N. Reasons for elective cesarean section on maternal request: a systematic review. *J. Matern. Fetal Neonatal Med*. 2019;(1)6. doi :10.1080/14767058.2019.1587407.
37. Folmer MB, Jangaard K, Buhl H. Design of Genuine Birth Environment: Midwives Intuitively Think in Terms of Evidence-Based Design Thinking. *HERD*. 2019;12(2):71-86. doi:10.1177/1937586718796654.
38. Bellini E, Macchi A, Setola N, Lindahl G. Sensory Design in the Birth Environment: Learning from Existing Case Studies. *Buildings*. 2023; 13(3):604. https://doi.org/10.3390/buildings13030604
39. Zores-Koenig C, Kuhn P, Caeymaex L; Group of Reflection and Evaluation of the Environment of Newborns study group of the French Neonatology Society. Recommendations on neonatal light environment from the French Neonatal Society. *Acta Paediatr*. 2020;109(7):1292-1301. doi:10.1111/apa.15173
40. Khajehei M, Hajizadeh N, Behroozpour E. Fathers in the Birthing Room: Theoretical Expectations and Real-Life Experiences. *J Midwifery Womens Health*. 2020;65(6):737-740. doi:10.1111/jmwh.13145
41. Cordolcini L, Castagna A, Mascheroni E, Montirosso R. Skin-to-Skin Care and Spontaneous Touch by Fathers in Full-Term Infants: A Systematic Review. *Behav Sci (Basel)*. 2024;14(1):60. doi:10.3390/bs14010060
42. Van Puyvelde M, Collette L, Gorissen AS, Pattyn N, McGlone F. Infants Autonomic Cardio-Respiratory Responses to Nurturing Stroking Touch Delivered by the Mother or the Father. *Front Physiol*. 2019;10:1117. doi:10.3389/fphys.2019.01117
43. American Academy of Pediatrics. An Update to the American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. https://www.ahajournals.org/doi/10.1161/CIR.0000000000001181 Erişim tarihi:20.02.2025
44. World Health Organization, (WHO).Midwifery education and care. https://www.who.int/teams/maternal-newborn-child-adolescent-health-and-ageing/maternal-health/midwifery Erişim tarihi:20.02.2025

45. Huang D, Dai L, Zeng T, et al. Exploring Contributing Factors to Psychological Traumatic Childbirth from the Perspective of Midwives: A Qualitative Study. *Asian Nurs Res (Korean Soc Nurs Sci)*. 2019;13(4):270-276. doi:10.1016/j.anr.2019.10.002
46. Zbiri S, Rozenberg P, Goffinet F, Milcent C. Cesarean delivery rate and staffing levels of the maternity unit. *PLoS One*. 2018;13(11):e0207379. Published 2018 Nov 28. doi:10.1371/journal.pone.0207379
47. Nicoletta S, Eletta N, Cardinali P, Migliorini L. A Broad Study to Develop Maternity Units Design Knowledge Combining Spatial Analysis and Mothers' and Midwives' Perception of the Birth Environment. *HERD*. 2022;15(4):204-232. doi:10.1177/19375867221098987
48. Eidhammer A, Melgaard D, Madsen LS, Glavind J, Lundgaard SR, Højlund MK. Exploring midwives' perceptions of the multisensory birthing room work environment: A qualitative analysis. *Sex Reprod Healthc*. Published online 2024. doi:10.1016/j.srhc.2024.101061
49. Şaraldı HB, Karaçam Z. Kadınların Doğum Sırasındaki Mahremiyet ile İlgili Deneyim, Görüş ve Önerileri. *Adnan Menderes Üniversitesi Sağlık Bilimleri Fakültesi Dergisi*. 2023;7(3):447-60. doi: <https://doi.org/10.46237/amusbfd.1189746>
50. World Health Organization. Intrapartum care for a positive childbirth experience. <http://apps.who.int/iris/bitstream/10665/260178/1/9789241550215-eng.pdf?ua=1%0Ahttp://www.who.int/reproductivehealth/publications/intrapartumcare-guidelines/en/> Erişim tarihi:20.02.2025
51. Leijerzapf DR, van der Pijl MSG, Hollander MH, Kingma E, de Jonge A, Verhoeven CJM. Experienced disrespect & abuse during childbirth and associated birth characteristics: a cross-sectional survey in the Netherlands. *BMC Pregnancy Childbirth*. 2024;24(1):170. doi:10.1186/s12884-024-06360-y
52. Hollander MH, van Hastenberg E, van Dillen J, van Pampus MG, de Miranda E, Stramrood CAI. Preventing traumatic childbirth experiences: 2192 women's perceptions and views. *Arch Womens Ment Health*. 2017;20(4):515-523. doi:10.1007/s00737-017-0729-6
53. Mondy T, Fenwick J, Leap N, Foureur M. How domesticity dictates behaviour in the birth space: Lessons for designing birth environments in institutions wanting to promote a positive experience of birth. *Midwifery*. 2016;43:37-47. doi:10.1016/j.midw.2016.10.009
54. Deherder E, Delbaere I, Macedo A, Nieuwenhuijze MJ, Van Laere S, Beeckman K. Women's view on shared decision making and autonomy in childbirth: cohort study of Belgian women. *BMC Pregnancy Childbirth*. 2022;22(1):551. doi:10.1186/s12884-022-04890-x
55. National Institute for Health and Care Excellence (NICE). Intrapartum care for healthy women and babies. <https://www.nice.org.uk/guidance/ng235/documents/evidence-review-15> Erişim Tarihi: 20.02.25
56. Lundborg L, Åberg K, Liu X, et al. Midwifery Continuity of Care During Pregnancy, Birth, and the Postpartum Period: A Matched Cohort Study. *Birth*. 2025;52(1):146-156. doi:10.1111/birt.12875
57. Murray-Davis B, Grenier LN, Plett RA, et al. Making Space for Midwifery in a Hospital: Exploring the Built Birth Environment of Canada's First Alongside Midwifery Unit. *HERD*. 2023;16(2):189-207. doi:10.1177/19375867221137099
58. Geraghty S, Speelman C, Bayes S. Fighting a losing battle: Midwives experiences of workplace stress. *Women Birth*. 2019;32(3):e297-e306. doi:10.1016/j.wombi.2018.07.012
59. Fahy KM, Parratt JA. Birth territory: a theory for midwifery practice. *Women and birth*. 2006;19(2):45-50. <https://doi.org/10.1016/j.wombi.2006.05.001>
60. Foureur M, Davis D, Fenwick J, Leap N, Iedema R, Forbes I, Homer CS. The relationship between birth unit design and safe, satisfying birth: Developing a hypothetical model. *Midwifery*. 2010; 1;26(5):520-5. <https://doi.org/10.1016/j.midw.2010.05.015>
61. Ulrich R, Barach P. Designing safe healthcare facilities-What are the data and where do we go from here. *Healthcare Environments Research Summit*. 2006 8.
62. Jenkinson B, Josey N, Kruske S. BirthSpace: An evidence-based guide to birth environment design. <https://core.ac.uk/download/pdf/43354376.pdf>

63. Sheehy A, Foureux M, Catling-Paull C, Homer C. Examining the content validity of the birthing unit design spatial evaluation tool within a woman-centered framework. *Journal of midwifery & women's health*. 2011;56(5):494-502. <https://doi.org/10.1111/j.1542-2011.2011.00059.x>
64. Hauck Y, Rivers C, Doherty K. Women's experiences of using a Snoezelen room during labour in Western Australia. *Midwifery*. 2008;24(4):460-70. <https://doi.org/10.1016/j.midw.2007.03.007>
65. Esfeh, B. K., Kazemi, A., & Shamsaie, A. Designing architecture of soothing labor-delivery-recovery-postpartum unit: a study protocol. *Reproductive health*, 2020;17(1), 196. <https://doi.org/10.1186/s12978-020-01055-x>
66. Eidhammer A, Glavind J, Skrubbeltrang C, Melgaard D. Healing Architecture in Birthing Rooms: A Scoping Review. *HERD*. 2024;17(3):290-305. doi:10.1177/19375867241238439
67. Sayed NK, Sadik H, Elnekhaily F. Design considerations of biophilic design to improve human health and well-being in indoor spaces. *Int J Curr Eng Technol*. 2021;11(02):173-81.
68. El Messeidy R. Application of biophilic patterns in health care environments to enhance healing. *Engineering Research Journal*. 2019;1;163:130-43.
69. Totaforti S. Applying the benefits of biophilic theory to hospital design. *City, Territory and Architecture*. 2018;5:1-9.
70. Aburas R, Pati D, Casanova R, Adams NG. The Influence of Nature Stimulus in Enhancing the Birth Experience. *HERD*. 2017;10(2):81-100. doi:10.1177/1937586716665581